


EXHIBIT C. Spurious Emission at Antenna Terminals

1. LTE_Band4


1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	912.9	-62.54	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1765	1	RMS	1710.238	23.44	60	Pass	401
1765	3000	1	RMS	2675	-48.19	-13	Pass	1236
3000	12000	1	RMS	11967	-41.56	-13	Pass	9001
12000	20000	1	RMS	18869	-31.43	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1765	1	RMS	1710.238	22.51	60	Pass	401
1765	3000	1	RMS	2666	-48.16	-13	Pass	1236
3000	12000	1	RMS	11970	-41.58	-13	Pass	9001
12000	20000	1	RMS	19010	-31.53	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	951.3	-62.5	-13	Pass	9701
1000	1700	1	RMS	1622	-51.91	-13	Pass	701
1700	1765	1	RMS	1732.013	23.01	60	Pass	401
1765	3000	1	RMS	2674	-48.15	-13	Pass	1236
3000	12000	1	RMS	11971	-41.64	-13	Pass	9001
12000	20000	1	RMS	18941	-31.55	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	923	-62.51	-13	Pass	9701
1000	1700	1	RMS	1620	-51.93	-13	Pass	701
1700	1765	1	RMS	1732.013	22.25	60	Pass	401
1765	3000	1	RMS	2673	-48.18	-13	Pass	1236
3000	12000	1	RMS	11976	-41.64	-13	Pass	9001
12000	20000	1	RMS	19018	-31.45	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.43	-13	Pass	9701
1000	1700	1	RMS	1615	-51.83	-13	Pass	701
1700	1765	1	RMS	1753.788	22.82	60	Pass	401
1765	3000	1	RMS	2679	-48.1	-13	Pass	1236
3000	12000	1	RMS	11973	-41.57	-13	Pass	9001
12000	20000	1	RMS	18895	-31.42	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.75	-13	Pass	2986
30	1000	0.1	RMS	933	-62.5	-13	Pass	9701
1000	1700	1	RMS	1621	-51.81	-13	Pass	701
1700	1765	1	RMS	1753.788	22.01	60	Pass	401
1765	3000	1	RMS	2675	-48.09	-13	Pass	1236
3000	12000	1	RMS	11969	-41.52	-13	Pass	9001
12000	20000	1	RMS	18933	-31.44	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.55	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1710.238	23.26	60	Pass	401
1765	3000	1	RMS	2685	-48.05	-13	Pass	1236
3000	12000	1	RMS	11975	-41.5	-13	Pass	9001
12000	20000	1	RMS	19026	-31.37	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	962.7	-62.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.35	-13	Pass	701
1700	1765	1	RMS	1710.238	21.65	60	Pass	401
1765	3000	1	RMS	2674	-48.02	-13	Pass	1236
3000	12000	1	RMS	11968	-41.59	-13	Pass	9001
12000	20000	1	RMS	18923	-31.43	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	916	-62.55	-13	Pass	9701
1000	1700	1	RMS	1618	-51.78	-13	Pass	701
1700	1765	1	RMS	1731.2	23.11	60	Pass	401
1765	3000	1	RMS	2683	-48.07	-13	Pass	1236
3000	12000	1	RMS	11973	-41.57	-13	Pass	9001
12000	20000	1	RMS	18901	-31.44	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.51	-13	Pass	9701
1000	1700	1	RMS	1620	-51.8	-13	Pass	701
1700	1765	1	RMS	1731.2	22.74	60	Pass	401
1765	3000	1	RMS	2675	-47.98	-13	Pass	1236
3000	12000	1	RMS	11968	-41.46	-13	Pass	9001
12000	20000	1	RMS	19022	-31.42	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.46	-13	Pass	9701
1000	1700	1	RMS	1619	-51.79	-13	Pass	701
1700	1765	1	RMS	1752.163	22.56	60	Pass	401
1765	3000	1	RMS	2683	-48.05	-13	Pass	1236
3000	12000	1	RMS	11970	-41.56	-13	Pass	9001
12000	20000	1	RMS	18866	-31.44	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	908.6	-62.5	-13	Pass	9701
1000	1700	1	RMS	1699	-51.82	-13	Pass	701
1700	1765	1	RMS	1752.163	21.24	60	Pass	401
1765	3000	1	RMS	2676	-48.03	-13	Pass	1236
3000	12000	1	RMS	11972	-41.63	-13	Pass	9001
12000	20000	1	RMS	18944	-31.45	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1710.4	23.22	60	Pass	401
1765	3000	1	RMS	2674	-48.03	-13	Pass	1236
3000	12000	1	RMS	11970	-41.55	-13	Pass	9001
12000	20000	1	RMS	18928	-31.4	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	Pass	701
1700	1765	1	RMS	1710.4	21.42	60	Pass	401
1765	3000	1	RMS	2679	-47.99	-13	Pass	1236
3000	12000	1	RMS	11974	-41.59	-13	Pass	9001
12000	20000	1	RMS	18916	-31.47	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1699	-51.76	-13	Pass	701
1700	1765	1	RMS	1730.388	22.97	60	Pass	401
1765	3000	1	RMS	2671	-47.99	-13	Pass	1236
3000	12000	1	RMS	11970	-41.45	-13	Pass	9001
12000	20000	1	RMS	18940	-31.37	-13	Pass	8001




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.48	-13	Pass	9701
1000	1700	1	RMS	1698	-51.8	-13	Pass	701
1700	1765	1	RMS	1730.388	22.32	60	Pass	401
1765	3000	1	RMS	2688	-48.05	-13	Pass	1236
3000	12000	1	RMS	11972	-41.46	-13	Pass	9001
12000	20000	1	RMS	18874	-31.34	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.44	-13	Pass	9701
1000	1700	1	RMS	1700	-51.8	-13	Pass	701
1700	1765	1	RMS	1750.375	22.87	60	Pass	401
1765	3000	1	RMS	2667	-48.04	-13	Pass	1236
3000	12000	1	RMS	11971	-41.45	-13	Pass	9001
12000	20000	1	RMS	18929	-31.38	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	908.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1622	-51.81	-13	Pass	701
1700	1765	1	RMS	1750.375	21.52	60	Pass	401
1765	3000	1	RMS	2682	-48.01	-13	Pass	1236
3000	12000	1	RMS	11974	-41.47	-13	Pass	9001
12000	20000	1	RMS	18900	-31.36	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.44	-13	Pass	9701
1000	1700	1	RMS	1693	-50.14	-13	Pass	701
1700	1765	1	RMS	1710.563	23.38	60	Pass	401
1765	3000	1	RMS	2677	-48.01	-13	Pass	1236
3000	12000	1	RMS	11971	-41.48	-13	Pass	9001
12000	20000	1	RMS	18933	-31.31	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1765	1	RMS	1710.563	22.01	60	Pass	401
1765	3000	1	RMS	2678	-48.02	-13	Pass	1236
3000	12000	1	RMS	11982	-41.5	-13	Pass	9001
12000	20000	1	RMS	18925	-31.39	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	906.6	-62.49	-13	Pass	9701
1000	1700	1	RMS	1621	-51.69	-13	Pass	701
1700	1765	1	RMS	1728.113	23.03	60	Pass	401
1765	3000	1	RMS	2675	-48.05	-13	Pass	1236
3000	12000	1	RMS	11973	-41.48	-13	Pass	9001
12000	20000	1	RMS	19026	-31.33	-13	Pass	8001




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62.42	-13	Pass	9701
1000	1700	1	RMS	1621	-51.71	-13	Pass	701
1700	1765	1	RMS	1728.113	22.32	60	Pass	401
1765	3000	1	RMS	2676	-48.03	-13	Pass	1236
3000	12000	1	RMS	11969	-41.4	-13	Pass	9001
12000	20000	1	RMS	18931	-31.34	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	971.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1658	-51.77	-13	Pass	701
1700	1765	1	RMS	1745.5	22.81	60	Pass	401
1765	3000	1	RMS	2685	-48.03	-13	Pass	1236
3000	12000	1	RMS	11971	-41.38	-13	Pass	9001
12000	20000	1	RMS	18868	-31.32	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.44	-13	Pass	9701
1000	1700	1	RMS	1620	-51.78	-13	Pass	701
1700	1765	1	RMS	1745.5	21.49	60	Pass	401
1765	3000	1	RMS	2670	-48.01	-13	Pass	1236
3000	12000	1	RMS	11971	-41.45	-13	Pass	9001
12000	20000	1	RMS	18937	-31.36	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1698	-43.58	-13	Pass	701
1700	1765	1	RMS	1710.888	23.23	60	Pass	401
1765	3000	1	RMS	2681	-47.98	-13	Pass	1236
3000	12000	1	RMS	11971	-41.48	-13	Pass	9001
12000	20000	1	RMS	19024	-31.33	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.47	-13	Pass	9701
1000	1700	1	RMS	1698	-47.23	-13	Pass	701
1700	1765	1	RMS	1710.888	21.92	60	Pass	401
1765	3000	1	RMS	2670	-48.01	-13	Pass	1236
3000	12000	1	RMS	11967	-41.47	-13	Pass	9001
12000	20000	1	RMS	19022	-31.36	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	932.7	-62.37	-13	Pass	9701
1000	1700	1	RMS	1699	-49	-13	Pass	701
1700	1765	1	RMS	1725.838	22.96	60	Pass	401
1765	3000	1	RMS	2681	-47.95	-13	Pass	1236
3000	12000	1	RMS	11967	-41.46	-13	Pass	9001
12000	20000	1	RMS	18875	-31.33	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	979.5	-62.31	-13	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	22.35	60	Pass	401
1765	3000	1	RMS	2680	-48.06	-13	Pass	1236
3000	12000	1	RMS	11971	-41.54	-13	Pass	9001
12000	20000	1	RMS	19020	-31.42	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	947	-62.44	-13	Pass	9701
1000	1700	1	RMS	1619	-51.73	-13	Pass	701
1700	1765	1	RMS	1740.788	22.91	60	Pass	401
1765	3000	1	RMS	1767	-37.57	-13	Pass	1236
3000	12000	1	RMS	11972	-41.5	-13	Pass	9001
12000	20000	1	RMS	19018	-31.33	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-13	Pass	2986
30	1000	0.1	RMS	920.6	-62.42	-13	Pass	9701
1000	1700	1	RMS	1628	-51.76	-13	Pass	701
1700	1765	1	RMS	1740.788	21.63	60	Pass	401
1765	3000	1	RMS	1767	-39.21	-13	Pass	1236
3000	12000	1	RMS	11958	-41.52	-13	Pass	9001
12000	20000	1	RMS	18935	-31.35	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	947.4	-62.35	-13	Pass	9701
1000	1700	1	RMS	1693	-49.4	-13	Pass	701
1700	1765	1	RMS	1711.05	23.02	60	Pass	401
1765	3000	1	RMS	2676	-47.92	-13	Pass	1236
3000	12000	1	RMS	11971	-41.41	-13	Pass	9001
12000	20000	1	RMS	18922	-31.36	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	917.3	-62.34	-13	Pass	9701
1000	1700	1	RMS	1693	-50.11	-13	Pass	701
1700	1765	1	RMS	1711.05	22.4	60	Pass	401
1765	3000	1	RMS	2679	-47.97	-13	Pass	1236
3000	12000	1	RMS	11976	-41.47	-13	Pass	9001
12000	20000	1	RMS	18873	-31.38	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.53	-13	Pass	701
1700	1765	1	RMS	1723.563	23.33	60	Pass	401
1765	3000	1	RMS	2677	-47.94	-13	Pass	1236
3000	12000	1	RMS	11969	-41.51	-13	Pass	9001
12000	20000	1	RMS	19022	-31.36	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1765	1	RMS	1723.563	21.76	60	Pass	401
1765	3000	1	RMS	2677	-47.97	-13	Pass	1236
3000	12000	1	RMS	11975	-41.44	-13	Pass	9001
12000	20000	1	RMS	18903	-31.35	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	908.5	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-48.66	-13	Pass	701
1700	1765	1	RMS	1736.075	23.04	60	Pass	401
1765	3000	1	RMS	1772	-38.27	-13	Pass	1236
3000	12000	1	RMS	11976	-41.41	-13	Pass	9001
12000	20000	1	RMS	18890	-31.35	-13	Pass	8001



**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	897.6	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-49.27	-13	Pass	701
1700	1765	1	RMS	1736.075	22.67	60	Pass	401
1765	3000	1	RMS	1772	-39.93	-13	Pass	1236
3000	12000	1	RMS	11966	-41.47	-13	Pass	9001
12000	20000	1	RMS	18952	-31.34	-13	Pass	8001



2. LTE_Band13


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	767	0.1	RMS	757.3	-62.82	-13	Pass	7371
767	797	0.1	RMS	777.35	21.24	60	Pass	401
797	1000	0.1	RMS	931.3	-62.44	-13	Pass	2031
1000	3000	1	RMS	2682	-47.94	-13	Pass	2001
3000	10000	1	RMS	9929	-44.58	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	767	0.1	RMS	766.4	-62.69	-13	Pass	7371
767	797	0.1	RMS	777.35	20.03	60	Pass	401
797	1000	0.1	RMS	958.7	-62.47	-13	Pass	2031
1000	3000	1	RMS	2662	-47.96	-13	Pass	2001
3000	10000	1	RMS	9933	-44.56	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.41	-13	Pass	2986
30	767	0.1	RMS	761.4	-62.65	-13	Pass	7371
767	797	0.1	RMS	779.825	21.45	60	Pass	401
797	1000	0.1	RMS	965.3	-62.32	-13	Pass	2031
1000	3000	1	RMS	1560	-47.6	-13	Pass	2001
3000	10000	1	RMS	9924	-44.5	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	767	0.1	RMS	765.5	-62.71	-13	Pass	7371
767	797	0.1	RMS	779.825	20.77	60	Pass	401
797	1000	0.1	RMS	962.1	-62.28	-13	Pass	2031
1000	3000	1	RMS	2670	-47.93	-13	Pass	2001
3000	10000	1	RMS	9930	-44.56	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	767	0.1	RMS	766.5	-62.74	-13	Pass	7371
767	797	0.1	RMS	782.3	21.11	60	Pass	401
797	1000	0.1	RMS	964.9	-62.29	-13	Pass	2031
1000	3000	1	RMS	2673	-47.96	-13	Pass	2001
3000	10000	1	RMS	9933	-44.54	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	767	0.1	RMS	764.1	-62.91	-13	Pass	7371
767	797	0.1	RMS	782.375	20.01	60	Pass	401
797	1000	0.1	RMS	906.2	-62.27	-13	Pass	2031
1000	3000	1	RMS	2673	-47.95	-13	Pass	2001
3000	10000	1	RMS	9937	-44.54	-13	Pass	7001



2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	767	0.1	RMS	765.1	-62.83	-13	Pass	7371
767	797	0.1	RMS	777.575	21.35	60	Pass	401
797	1000	0.1	RMS	964.3	-62.32	-13	Pass	2031
1000	3000	1	RMS	1555	-47.36	-13	Pass	2001
3000	10000	1	RMS	9921	-44.58	-13	Pass	7001



2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	767	0.1	RMS	758.6	-62.86	-13	Pass	7371
767	797	0.1	RMS	777.575	20.39	60	Pass	401
797	1000	0.1	RMS	938.9	-62.41	-13	Pass	2031
1000	3000	1	RMS	2677	-47.96	-13	Pass	2001
3000	10000	1	RMS	9931	-44.51	-13	Pass	7001

