

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

1 LTE B4

1.1 LTE-B4-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_10.55.16

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
44.065	-68.08	-10.55	-13.0	55.08	53.30	Horizontal	Vertical	Pass
193.445	-72.01	-14.85	-13.0	59.01	173.90	Horizontal	Vertical	Pass
410.240	-68.35	-10.07	-13.0	55.35	330.90	Horizontal	Vertical	Pass
924.825	-55.53	0.44	-13.0	42.53	173.90	Horizontal	Vertical	Pass
2132.000	-46.35	3.19	-13.0	33.35	271.50	Horizontal	Vertical	Pass
5172.000	-39.79	14.90	-13.0	26.79	0.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.27.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8050.500	-42.83	24.50	-13.0	29.83	153.40	Horizontal	Vertical	Pass
9898.500	-35.73	29.88	-13.0	22.73	16.10	Horizontal	Vertical	Pass
12450.500	-32.76	32.72	-13.0	19.76	86.40	Horizontal	Vertical	Pass
14150.000	-24.90	39.55	-13.0	11.90	16.10	Horizontal	Vertical	Pass
14768.750	-25.05	39.75	-13.0	12.05	25.40	Horizontal	Vertical	Pass
17502.251	-21.09	43.18	-13.0	8.09	255.80	Horizontal	Vertical	Pass

1.2 LTE-B4-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.36.30

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
59.585	-71.16	-16.43	-13.0	58.16	360.00	Vertical	Vertical	Pass
97.900	-73.63	-13.75	-13.0	60.63	25.40	Vertical	Vertical	Pass
324.880	-70.23	-11.51	-13.0	57.23	150.00	Vertical	Vertical	Pass
863.715	-57.08	-0.66	-13.0	44.08	275.10	Vertical	Vertical	Pass
2132.750	-44.04	2.72	-13.0	31.04	138.00	Vertical	Vertical	Pass
4343.000	-42.05	12.21	-13.0	29.05	275.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.28.24

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7973.500	-42.77	23.26	-13.0	29.77	135.90	Vertical	Vertical	Pass
9527.250	-37.48	28.39	-13.0	24.48	312.30	Vertical	Vertical	Pass
11215.750	-33.85	31.10	-13.0	20.85	176.80	Vertical	Vertical	Pass
13495.500	-30.46	36.09	-13.0	17.46	344.70	Vertical	Vertical	Pass
14169.250	-25.17	39.95	-13.0	12.17	31.70	Vertical	Vertical	Pass
17854.251	-19.98	41.75	-13.0	6.98	124.40	Vertical	Vertical	Pass

1.3 LTE-B4-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_10.57.50

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
38.972	-69.14	-12.43	-13.0	56.14	282.50	Horizontal	Vertical	Pass
217.938	-70.98	-12.35	-13.0	57.98	360.00	Horizontal	Vertical	Pass
700.270	-60.96	-3.30	-13.0	47.96	116.90	Horizontal	Vertical	Pass
2132.250	-47.91	3.20	-13.0	34.91	0.00	Horizontal	Vertical	Pass
3611.000	-42.72	11.97	-13.0	29.72	360.00	Horizontal	Vertical	Pass
6291.500	-37.03	16.83	-13.0	24.03	357.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.26.02

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8050.500	-42.69	24.50	-13.0	29.69	341.80	Horizontal	Vertical	Pass
9879.250	-36.33	29.46	-13.0	23.33	29.60	Horizontal	Vertical	Pass
12423.000	-32.74	32.46	-13.0	19.74	194.50	Horizontal	Vertical	Pass
14199.500	-24.60	39.96	-13.0	11.60	60.50	Horizontal	Vertical	Pass
14716.500	-24.89	38.95	-13.0	11.89	80.20	Horizontal	Vertical	Pass
17496.750	-21.43	43.27	-13.0	8.43	300.20	Horizontal	Vertical	Pass

1.4 LTE-B4-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.42.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
34.123	-72.14	-22.80	-13.0	59.14	40.50	Vertical	Vertical	Pass
61.767	-71.06	-16.25	-13.0	58.06	355.60	Vertical	Vertical	Pass
411.695	-67.07	-9.93	-13.0	54.07	0.00	Vertical	Vertical	Pass
790.722	-57.66	-1.48	-13.0	44.66	295.00	Vertical	Vertical	Pass
2132.000	-43.07	2.70	-13.0	30.07	186.30	Vertical	Vertical	Pass
4859.000	-40.11	13.25	-13.0	27.11	58.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.24.12

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8020.250	-42.89	23.91	-13.0	29.89	141.40	Vertical	Vertical	Pass
9890.250	-36.39	29.70	-13.0	23.39	26.10	Vertical	Vertical	Pass
11892.250	-32.23	32.13	-13.0	19.23	223.60	Vertical	Vertical	Pass
14425.000	-25.02	38.19	-13.0	12.02	99.00	Vertical	Vertical	Pass
14782.500	-25.16	39.44	-13.0	12.16	141.40	Vertical	Vertical	Pass
17499.501	-21.35	43.31	-13.0	8.35	276.10	Vertical	Vertical	Pass

1.5 LTE-B4-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_11.01.59

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
43.822	-68.76	-10.58	-13.0	55.76	0.00	Horizontal	Vertical	Pass
256.252	-67.43	-12.48	-13.0	54.43	0.00	Horizontal	Vertical	Pass
988.602	-54.32	1.85	-13.0	41.32	50.70	Horizontal	Vertical	Pass
2134.250	-44.12	3.24	-13.0	31.12	200.80	Horizontal	Vertical	Pass
3712.000	-43.17	11.67	-13.0	30.17	0.00	Horizontal	Vertical	Pass
6231.000	-37.38	16.70	-13.0	24.38	97.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.20.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7946.000	-43.15	23.05	-13.0	30.15	7.50	Horizontal	Vertical	Pass
9409.000	-37.00	28.33	-13.0	24.00	236.00	Horizontal	Vertical	Pass
11174.500	-33.54	30.82	-13.0	20.54	328.30	Horizontal	Vertical	Pass
12472.500	-30.97	32.73	-13.0	17.97	0.00	Horizontal	Vertical	Pass
14529.500	-25.28	38.13	-13.0	12.28	7.50	Horizontal	Vertical	Pass
17474.750	-21.48	42.50	-13.0	8.48	236.00	Horizontal	Vertical	Pass

1.6 LTE-B4-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.45.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
39.700	-74.84	-22.25	-13.0	61.84	0.00	Vertical	Vertical	Pass
67.345	-71.04	-18.65	-13.0	58.04	360.00	Vertical	Vertical	Pass
204.358	-73.61	-15.28	-13.0	60.61	116.50	Vertical	Vertical	Pass
949.075	-55.88	0.94	-13.0	42.88	116.50	Vertical	Vertical	Pass
2131.750	-42.41	2.69	-13.0	29.41	211.60	Vertical	Vertical	Pass
5462.000	-37.89	14.76	-13.0	24.89	262.50	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.23.02

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8039.500	-42.40	24.40	-13.0	29.40	251.80	Vertical	Vertical	Pass
9307.250	-37.32	28.14	-13.0	24.32	134.50	Vertical	Vertical	Pass
11237.750	-32.80	31.44	-13.0	19.80	209.30	Vertical	Vertical	Pass
13883.250	-28.41	35.46	-13.0	15.41	155.40	Vertical	Vertical	Pass
14763.250	-25.22	39.86	-13.0	12.22	310.90	Vertical	Vertical	Pass
17510.500	-21.61	42.65	-13.0	8.61	30.70	Vertical	Vertical	Pass

1.7 LTE-B4-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_11.04.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
50.855	-69.08	-10.54	-13.0	56.08	0.00	Horizontal	Vertical	Pass
230.548	-68.29	-11.81	-13.0	55.29	360.00	Horizontal	Vertical	Pass
527.852	-63.60	-6.35	-13.0	50.60	0.00	Horizontal	Vertical	Pass
1701.750	-45.21	1.82	-13.0	32.21	241.40	Horizontal	Vertical	Pass
2130.000	-44.10	3.14	-13.0	31.10	302.50	Horizontal	Vertical	Pass
6040.500	-36.64	17.01	-13.0	23.64	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.19.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8089.000	-43.05	23.44	-13.0	30.05	254.60	Horizontal	Vertical	Pass
9293.500	-36.99	27.97	-13.0	23.99	356.00	Horizontal	Vertical	Pass
11279.000	-33.81	31.85	-13.0	20.81	2.20	Horizontal	Vertical	Pass
14180.250	-24.52	40.18	-13.0	11.52	192.10	Horizontal	Vertical	Pass
17092.500	-24.34	38.34	-13.0	11.34	234.10	Horizontal	Vertical	Pass
17491.249	-21.08	43.18	-13.0	8.08	192.10	Horizontal	Vertical	Pass

1.8 LTE-B4-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.48.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
49.157	-72.09	-16.94	-13.0	59.09	195.80	Vertical	Vertical	Pass
62.252	-69.68	-16.28	-13.0	56.68	348.00	Vertical	Vertical	Pass
582.172	-62.92	-5.20	-13.0	49.92	195.80	Vertical	Vertical	Pass
1700.250	-44.69	0.98	-13.0	31.69	56.50	Vertical	Vertical	Pass
2131.000	-42.64	2.67	-13.0	29.64	183.30	Vertical	Vertical	Pass
4421.000	-41.69	12.52	-13.0	28.69	52.70	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.18.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8045.000	-41.35	24.53	-13.0	28.35	1.20	Vertical	Vertical	Pass
9398.000	-38.22	28.53	-13.0	25.22	99.20	Vertical	Vertical	Pass
11273.500	-32.16	31.81	-13.0	19.16	130.80	Vertical	Vertical	Pass
11884.000	-33.03	32.14	-13.0	20.03	67.90	Vertical	Vertical	Pass
14870.500	-25.33	38.58	-13.0	12.33	0.00	Vertical	Vertical	Pass
17463.751	-21.25	41.87	-13.0	8.25	110.00	Vertical	Vertical	Pass

1.9 LTE-B4-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_11.06.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
50.855	-69.00	-10.54	-13.0	56.00	318.90	Horizontal	Vertical	Pass
229.820	-69.93	-11.81	-13.0	56.93	177.90	Horizontal	Vertical	Pass
576.110	-60.51	-6.32	-13.0	47.51	318.90	Horizontal	Vertical	Pass
1701.250	-39.11	1.77	-13.0	26.11	108.50	Horizontal	Vertical	Pass
2130.000	-43.73	3.14	-13.0	30.73	188.90	Horizontal	Vertical	Pass
5492.000	-39.39	15.50	-13.0	26.39	92.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.14.29

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8045.000	-42.22	24.53	-13.0	29.22	306.70	Horizontal	Vertical	Pass
9400.750	-37.07	28.55	-13.0	24.07	274.00	Horizontal	Vertical	Pass
11193.750	-32.88	30.85	-13.0	19.88	191.70	Horizontal	Vertical	Pass
14139.000	-25.19	39.12	-13.0	12.19	171.30	Horizontal	Vertical	Pass
14485.500	-24.95	38.72	-13.0	11.95	115.80	Horizontal	Vertical	Pass
17832.249	-19.71	41.99	-13.0	6.71	181.30	Horizontal	Vertical	Pass

1.10 LTE-B4-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.51.59

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
64.192	-71.33	-16.80	-13.0	58.33	320.90	Vertical	Vertical	Pass
99.113	-73.60	-13.92	-13.0	60.60	360.00	Vertical	Vertical	Pass
196.112	-72.83	-15.14	-13.0	59.83	360.00	Vertical	Vertical	Pass
576.110	-60.13	-5.53	-13.0	47.13	15.30	Vertical	Vertical	Pass
1702.000	-37.18	1.49	-13.0	24.18	327.40	Vertical	Vertical	Pass
2137.750	-43.90	2.86	-13.0	30.90	342.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.15.33

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7305.250	-45.72	20.28	-13.0	32.72	176.10	Vertical	Vertical	Pass
9420.000	-37.67	28.04	-13.0	24.67	176.10	Vertical	Vertical	Pass
11229.500	-32.94	31.31	-13.0	19.94	271.30	Vertical	Vertical	Pass
13509.250	-29.75	36.23	-13.0	16.75	360.00	Vertical	Vertical	Pass
14210.500	-24.78	39.63	-13.0	11.78	176.10	Vertical	Vertical	Pass
17802.000	-20.55	42.16	-13.0	7.55	124.70	Vertical	Vertical	Pass

1.11 LTE-B4-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_11.09.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
38.730	-69.64	-12.51	-13.0	56.64	73.40	Horizontal	Vertical	Pass
218.180	-70.02	-12.30	-13.0	57.02	253.50	Horizontal	Vertical	Pass
576.110	-60.26	-6.32	-13.0	47.26	22.00	Horizontal	Vertical	Pass
1700.000	-38.33	1.22	-13.0	25.33	47.20	Horizontal	Vertical	Pass
2135.750	-42.92	3.28	-13.0	29.92	190.80	Horizontal	Vertical	Pass
4755.500	-40.76	13.28	-13.0	27.76	162.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.13.29

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7962.500	-43.75	23.21	-13.0	30.75	0.00	Horizontal	Vertical	Pass
9466.750	-36.94	27.74	-13.0	23.94	25.00	Horizontal	Vertical	Pass
11848.250	-33.63	31.95	-13.0	20.63	45.40	Horizontal	Vertical	Pass
13154.500	-30.63	34.30	-13.0	17.63	25.00	Horizontal	Vertical	Pass
14161.000	-24.97	39.78	-13.0	11.97	109.40	Horizontal	Vertical	Pass
17510.500	-22.07	42.65	-13.0	9.07	45.40	Horizontal	Vertical	Pass

1.12 LTE-B4-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.54.49

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Results (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (Degree)	Antenna	EUT	Verdict
32.425	-72.30	-22.91	-13.0	59.30	50.70	Vertical	Vertical	Pass
60.555	-70.41	-16.39	-13.0	57.41	211.40	Vertical	Vertical	Pass
576.110	-58.01	-5.53	-13.0	45.01	84.50	Vertical	Vertical	Pass
1700.500	-37.61	1.12	-13.0	24.61	64.60	Vertical	Vertical	Pass
2426.250	-32.87	4.27	-13.0	19.87	194.50	Vertical	Vertical	Pass
4785.500	-40.73	13.14	-13.0	27.73	0.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-26_11.16.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7819.500	-44.61	21.98	-13.0	31.61	113.90	Vertical	Vertical	Pass
10025.000	-37.11	28.80	-13.0	24.11	257.20	Vertical	Vertical	Pass
11856.500	-33.31	32.10	-13.0	20.31	52.10	Vertical	Vertical	Pass
14196.750	-25.12	40.06	-13.0	12.12	342.80	Vertical	Vertical	Pass
14768.750	-24.53	39.75	-13.0	11.53	207.70	Vertical	Vertical	Pass
17480.249	-21.14	42.81	-13.0	8.14	9.30	Vertical	Vertical	Pass

2 LTE B13

2.1 LTE-B13-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_10.38.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.245	-68.83	-12.69	-13.0	55.83	1.10	Horizontal	Vertical	Pass
241.460	-69.06	-11.83	-13.0	56.06	360.00	Horizontal	Vertical	Pass
783.932	-27.10	-1.85	-13.0	14.10	59.90	Horizontal	Vertical	Pass
2480.000	-30.00	4.08	-13.0	17.00	140.50	Horizontal	Vertical	Pass
4032.000	-42.82	12.44	-13.0	29.82	333.70	Horizontal	Vertical	Pass
8974.000	-28.61	28.33	-13.0	15.61	350.00	Horizontal	Vertical	Pass

2.2 LTE-B13-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_10.04.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
35.093	-71.05	-23.39	-13.0	58.05	36.90	Vertical	Vertical	Pass
97.900	-72.64	-13.76	-13.0	59.64	360.00	Vertical	Vertical	Pass
197.568	-72.10	-14.83	-13.0	59.10	353.90	Vertical	Vertical	Pass
335.793	-68.43	-10.27	-13.0	55.43	15.40	Vertical	Vertical	Pass
782.720	-25.87	-1.40	-13.0	12.87	359.00	Vertical	Vertical	Pass
2329.000	-47.09	3.75	-13.0	34.09	360.00	Vertical	Vertical	Pass

2.3 LTE-B13-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2024-01-26_10.46.38

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC FCC PART22&24&27 FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.972	-67.88	-12.42	-13.0	54.88	104.20	Horizontal	Vertical	Pass
213.572	-71.12	-13.25	-13.0	58.12	360.00	Horizontal	Vertical	Pass
783.932	-28.79	-1.85	-13.0	15.79	257.60	Horizontal	Vertical	Pass
2424.500	-43.87	4.22	-13.0	30.87	269.60	Horizontal	Vertical	Pass
6601.000	-35.28	18.13	-13.0	22.28	16.30	Horizontal	Vertical	Pass
9394.750	-27.41	28.08	-13.0	14.41	360.00	Horizontal	Vertical	Pass

2.4 LTE-B13-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2024-01-26_09.59.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20

Load: full load

Hum.: 44

Remark: DR-RSE01-E24010061-01#02

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.850	-72.35	-23.24	-13.0	59.35	36.20	Vertical	Vertical	Pass
95.960	-73.32	-14.71	-13.0	60.32	25.80	Vertical	Vertical	Pass
781.750	-26.82	-1.43	-13.0	13.82	1.30	Vertical	Vertical	Pass
4026.000	-42.87	12.32	-13.0	29.87	30.40	Vertical	Vertical	Pass
6740.000	-33.96	19.02	-13.0	20.96	312.00	Vertical	Vertical	Pass
8036.500	-31.56	24.32	-13.0	18.56	170.60	Vertical	Vertical	Pass