

Fig.39 Radiated emission: 11ax 40M, Ch123, 8.5GHz-18GHz




Fig.40 Radiated emission: 11ax 40M, Ch147, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1698.012500	---	31.01	54.00	22.99	50.0	1000.000	150.0	V	90.0	-11.4
1999.512500	45.61	---	68.20	22.59	50.0	1000.000	150.0	V	0.0	-10.8
2212.952500	---	29.24	54.00	24.76	50.0	1000.000	150.0	H	90.0	-10.2
2392.052500	---	30.39	54.00	13.61	50.0	1000.000	150.0	H	270.0	-9.6
2475.137500	45.69	---	68.20	22.51	50.0	1000.000	150.0	H	0.0	-9.3
2492.000000	48.91	---	74.00	25.09	50.0	1000.000	150.0	H	0.0	-9.2
2496.035000	---	35.40	54.00	18.60	50.0	1000.000	150.0	H	0.0	-9.2
4981.597500	---	29.14	54.00	24.86	50.0	1000.000	150.0	H	90.0	-2.5
7240.710500	42.90	---	68.20	25.30	50.0	1000.000	150.0	V	270.0	2.6
7744.772000	47.23	---	74.00	26.77	50.0	1000.000	150.0	V	0.0	4.3
8401.370500	---	33.76	54.00	20.24	50.0	1000.000	150.0	H	90.0	5.7
8466.000000	45.82	---	74.00	28.18	50.0	1000.000	150.0	V	270.0	5.5

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.41 Radiated emission: 11ax 40M, Ch147, 8.5GHz-18GHz




Fig.42 Radiated emission: 11ax 40M, Ch179, 1GHz-8.5GHz

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.512500	---	31.10	54.00	22.90	50.0	1000.000	150.0	H	0.0	-11.4
1991.512500	44.48	---	68.20	23.72	50.0	1000.000	150.0	V	0.0	-10.8
2212.930000	---	29.76	54.00	24.24	50.0	1000.000	150.0	V	0.0	-10.2
2392.050000	---	30.15	54.00	13.85	50.0	1000.000	150.0	H	270.0	-9.6
2455.205000	45.40	---	68.20	22.80	50.0	1000.000	150.0	H	0.0	-9.4
2496.035000	---	35.54	54.00	18.46	50.0	1000.000	150.0	H	0.0	-9.2
2499.000000	49.00	---	74.00	25.00	50.0	1000.000	150.0	H	0.0	-9.2
4981.092500	---	28.84	54.00	25.16	50.0	1000.000	150.0	V	90.0	-2.5
7271.772500	42.33	---	74.00	31.67	50.0	1000.000	150.0	H	270.0	2.4
7966.391000	43.85	---	68.20	24.35	50.0	1000.000	150.0	H	0.0	5.2
8400.749000	---	33.73	54.00	20.27	50.0	1000.000	150.0	V	90.0	5.7
8460.500000	45.41	---	74.00	28.59	50.0	1000.000	150.0	H	90.0	5.6

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.43 Radiated emission: 11ax 40M, Ch179, 8.5GHz-18GHz




Fig.44 Radiated emission: 11ax 40M, Ch187, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1698.032500	---	30.94	54.00	23.06	50.0	1000.000	150.0	H	0.0	-11.4
1993.037500	43.54	---	68.20	24.66	50.0	1000.000	150.0	V	0.0	-10.8
2213.455000	---	29.75	54.00	24.25	50.0	1000.000	150.0	V	0.0	-10.2
2394.057500	---	30.32	54.00	13.68	50.0	1000.000	150.0	H	270.0	-9.6
2464.735000	46.57	---	68.20	21.63	50.0	1000.000	150.0	H	0.0	-9.4
2492.500000	49.55	---	74.00	24.45	50.0	1000.000	150.0	H	0.0	-9.2
2496.015000	---	35.54	54.00	18.46	50.0	1000.000	150.0	H	0.0	-9.2
4981.072500	---	29.52	54.00	24.48	50.0	1000.000	150.0	V	0.0	-2.5
7242.372500	43.27	---	68.20	24.93	50.0	1000.000	150.0	H	0.0	2.6
8007.589000	45.06	---	68.20	23.14	50.0	1000.000	150.0	H	270.0	5.2
8401.467500	---	33.74	54.00	20.26	50.0	1000.000	150.0	V	180.0	5.7
8484.000000	44.79	---	74.00	29.21	50.0	1000.000	150.0	V	0.0	5.5

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.45 Radiated emission: 11ax 40M, Ch187, 8.5GHz-18GHz




Fig.46 Radiated emission: 11ax 40M, Ch203, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.507500	---	31.96	54.00	22.04	50.0	1000.000	150.0	H	180.0	-11.4
1865.170000	42.69	---	68.20	25.51	50.0	1000.000	150.0	V	90.0	-11.0
2272.632500	---	29.06	54.00	24.94	50.0	1000.000	150.0	H	0.0	-9.9
2364.262500	---	32.03	54.00	21.97	50.0	1000.000	150.0	H	180.0	-9.7
2392.052500	---	33.53	54.00	10.47	50.0	1000.000	150.0	H	180.0	-9.6
2435.315000	48.13	---	68.20	20.07	50.0	1000.000	150.0	H	180.0	-9.5
2488.500000	49.57	---	74.00	24.43	50.0	1000.000	150.0	H	270.0	-9.3
2491.047500	---	35.06	54.00	18.94	50.0	1000.000	150.0	H	180.0	-9.3
7219.534500	43.25	---	68.20	24.95	50.0	1000.000	150.0	V	270.0	2.5
7971.765000	43.83	---	68.20	24.37	50.0	1000.000	150.0	H	90.0	5.2
8404.863000	---	32.97	54.00	21.03	50.0	1000.000	150.0	V	270.0	5.7
8475.000000	43.98	---	74.00	30.02	50.0	1000.000	150.0	V	0.0	5.5

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777






Fig.47 Radiated emission: 11ax 40M, Ch203, 8.5GHz-18GHz




Fig.48 Radiated emission: 11ax 40M, Ch227, 1GHz-8.5GHz

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1698.015000	---	31.85	54.00	22.15	50.0	1000.000	150.0	H	180.0	-11.4
1992.040000	43.79	---	68.20	24.41	50.0	1000.000	150.0	V	90.0	-10.8
2241.785000	---	28.42	54.00	25.58	50.0	1000.000	150.0	V	270.0	-10.0
2356.260000	---	31.34	54.00	22.66	50.0	1000.000	150.0	H	180.0	-9.7
2396.552500	---	33.00	54.00	11.00	50.0	1000.000	150.0	H	180.0	-9.6
2441.327500	47.05	---	68.20	21.15	50.0	1000.000	150.0	H	180.0	-9.5
2489.000000	48.77	---	74.00	25.23	50.0	1000.000	150.0	H	180.0	-9.3
2492.525000	---	35.54	54.00	18.46	50.0	1000.000	150.0	H	180.0	-9.2
7230.554500	42.38	---	68.20	25.82	50.0	1000.000	150.0	H	270.0	2.5
7815.600000	43.36	---	68.20	24.84	50.0	1000.000	150.0	V	0.0	4.4
8401.370500	---	32.98	54.00	21.02	50.0	1000.000	150.0	H	90.0	5.7
8465.500000	45.57	---	74.00	28.43	50.0	1000.000	150.0	H	0.0	5.5

### Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336  
 Tel: 0086-23-88069965 FAX:0086-23-88608777




Fig.49 Radiated emission: 11ax 40M, Ch227, 8.5GHz-18GHz




Fig.50 Radiated emission: 11ax 80M, Ch7, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1698.010000	---	32.34	54.00	21.66	50.0	1000.000	150.0	H	180.0	-11.4
1865.690000	42.72	---	68.20	25.48	50.0	1000.000	150.0	V	90.0	-11.0
1997.007500	45.40	---	68.20	22.80	50.0	1000.000	150.0	V	270.0	-10.8
2274.610000	---	28.59	54.00	25.41	50.0	1000.000	150.0	H	180.0	-9.9
2356.262500	---	31.40	54.00	22.60	50.0	1000.000	150.0	H	180.0	-9.7
2396.552500	---	32.89	54.00	11.11	50.0	1000.000	150.0	H	180.0	-9.6
2444.755000	47.46	---	68.20	20.74	50.0	1000.000	150.0	H	180.0	-9.4
2492.545000	---	35.38	54.00	18.62	50.0	1000.000	150.0	H	180.0	-9.2
2496.000000	48.87	---	74.00	25.13	50.0	1000.000	150.0	H	270.0	-9.2
2988.527500	38.97	---	68.20	29.23	50.0	1000.000	150.0	H	270.0	-7.8
7912.547000	44.47	---	68.20	23.73	50.0	1000.000	150.0	H	180.0	5.1
8405.107000	---	33.01	54.00	20.99	50.0	1000.000	150.0	H	0.0	5.7

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.51 Radiated emission: 11ax 80M, Ch7, 8.5GHz-18GHz




Fig.52 Radiated emission: 11ax 80M, Ch39, 1GHz-8.5GHz

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.515000	---	32.63	54.00	21.37	50.0	1000.000	150.0	H	180.0	-11.4
2272.625000	---	29.14	54.00	24.86	50.0	1000.000	150.0	H	0.0	-9.9
2303.980000	41.07	---	68.20	27.13	50.0	1000.000	150.0	V	90.0	-9.8
2356.755000	---	31.53	54.00	22.47	50.0	1000.000	150.0	H	180.0	-9.7
2392.050000	---	33.03	54.00	10.97	50.0	1000.000	150.0	H	180.0	-9.6
2457.697500	47.24	---	68.20	20.96	50.0	1000.000	150.0	H	180.0	-9.4
2491.540000	---	35.61	54.00	18.39	50.0	1000.000	150.0	H	180.0	-9.2
2496.500000	48.94	---	74.00	25.06	50.0	1000.000	150.0	H	180.0	-9.2
7121.111000	43.03	---	68.20	25.17	50.0	1000.000	150.0	V	0.0	2.1
7904.300000	44.73	---	68.20	23.47	50.0	1000.000	150.0	V	270.0	5.0
8404.122000	---	33.28	54.00	20.72	50.0	1000.000	150.0	V	90.0	5.7
8465.000000	45.54	---	74.00	28.46	50.0	1000.000	150.0	V	90.0	5.5

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.53 Radiated emission: 11ax 80M, Ch39, 8.5GHz-18GHz




Fig.54 Radiated emission: 11ax 80M, Ch87, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.512500	---	32.43	54.00	21.57	50.0	1000.000	150.0	H	180.0	-11.4
1860.667500	42.61	---	68.20	25.59	50.0	1000.000	150.0	V	90.0	-11.0
1996.012500	43.28	---	68.20	24.92	50.0	1000.000	150.0	V	270.0	-10.8
2273.137500	---	29.20	54.00	24.80	50.0	1000.000	150.0	H	0.0	-9.9
2356.257500	---	32.04	54.00	21.96	50.0	1000.000	150.0	H	180.0	-9.7
2392.550000	---	33.59	54.00	10.41	50.0	1000.000	150.0	H	180.0	-9.6
2461.202500	46.84	---	68.20	21.36	50.0	1000.000	150.0	H	180.0	-9.4
2491.037500	---	35.73	54.00	18.27	50.0	1000.000	150.0	H	180.0	-9.3
2495.500000	49.54	---	74.00	24.46	50.0	1000.000	150.0	H	270.0	-9.2
7269.667500	42.56	---	74.00	31.44	50.0	1000.000	150.0	H	270.0	2.4
7916.484500	44.92	---	68.20	23.28	50.0	1000.000	150.0	V	0.0	5.1
8404.368000	---	33.24	54.00	20.76	50.0	1000.000	150.0	V	0.0	5.7

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777






Fig.55 Radiated emission: 11ax 80M, Ch87, 8.5GHz-18GHz




Fig.56 Radiated emission: 11ax 80M, Ch103, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1698.012500	---	32.45	54.00	21.55	50.0	1000.000	150.0	H	180.0	-11.4
1999.500000	42.77	---	68.20	25.43	50.0	1000.000	150.0	V	0.0	-10.8
2273.130000	---	29.12	54.00	24.88	50.0	1000.000	150.0	H	0.0	-9.9
2364.237500	---	31.98	54.00	22.02	50.0	1000.000	150.0	H	180.0	-9.7
2392.055000	---	33.59	54.00	10.41	50.0	1000.000	150.0	H	180.0	-9.6
2440.817500	48.24	---	68.20	19.96	50.0	1000.000	150.0	H	180.0	-9.5
2492.542500	---	35.47	54.00	18.53	50.0	1000.000	150.0	H	270.0	-9.2
2494.000000	50.74	---	74.00	23.26	50.0	1000.000	150.0	H	180.0	-9.2
7195.565000	43.02	---	68.20	25.18	50.0	1000.000	150.0	H	0.0	2.4
7961.339500	43.77	---	68.20	24.43	50.0	1000.000	150.0	H	180.0	5.2
8401.365500	---	33.21	54.00	20.79	50.0	1000.000	150.0	H	180.0	5.7
8465.500000	46.01	---	74.00	27.99	50.0	1000.000	150.0	V	180.0	5.5

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.57 Radiated emission: 11ax 80M, Ch103, 8.5GHz-18GHz




Fig.58 Radiated emission: 11ax 80M, Ch119, 1GHz-8.5GHz

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.510000	---	32.68	54.00	21.32	50.0	1000.000	150.0	H	180.0	-11.4
1749.787500	41.69	---	68.20	26.51	50.0	1000.000	150.0	H	180.0	-11.2
2273.137500	---	28.63	54.00	25.37	50.0	1000.000	150.0	H	0.0	-9.9
2356.265000	---	31.60	54.00	22.40	50.0	1000.000	150.0	H	180.0	-9.7
2366.670000	---	31.98	54.00	22.02	50.0	1000.000	150.0	H	180.0	-9.7
2438.780000	47.48	---	68.20	20.72	50.0	1000.000	150.0	H	180.0	-9.5
2492.502500	---	35.19	54.00	18.81	50.0	1000.000	150.0	H	270.0	-9.2
2498.000000	48.59	---	74.00	25.41	50.0	1000.000	150.0	H	180.0	-9.2
7153.871000	42.82	---	68.20	25.38	50.0	1000.000	150.0	H	90.0	2.2
8051.626000	45.12	---	74.00	28.88	50.0	1000.000	150.0	V	0.0	5.3
8463.157000	---	33.54	54.00	20.46	50.0	1000.000	150.0	H	90.0	5.6
8467.000000	45.61	---	74.00	28.39	50.0	1000.000	150.0	H	0.0	5.5

### Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.59 Radiated emission: 11ax 80M, Ch119, 8.5GHz-18GHz




Fig.60 Radiated emission: 11ax 80M, Ch151, 1GHz-8.5GHz

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1697.532500	---	32.55	54.00	21.45	50.0	1000.000	150.0	H	180.0	-11.4
1860.200000	43.55	---	68.20	24.65	50.0	1000.000	150.0	V	90.0	-11.0
2241.795000	---	28.21	54.00	25.79	50.0	1000.000	150.0	V	270.0	-10.0
2356.240000	---	31.46	54.00	22.54	50.0	1000.000	150.0	H	180.0	-9.7
2396.552500	---	33.17	54.00	10.83	50.0	1000.000	150.0	H	180.0	-9.6
2434.292500	46.18	---	68.20	22.02	50.0	1000.000	150.0	H	270.0	-9.5
2491.000000	49.88	---	74.00	24.12	50.0	1000.000	150.0	H	180.0	-9.3
2492.550000	---	35.76	54.00	18.24	50.0	1000.000	150.0	H	180.0	-9.2
2529.827500	46.28	---	68.20	21.92	50.0	1000.000	150.0	V	0.0	-9.0
7246.554000	42.87	---	68.20	25.33	50.0	1000.000	150.0	V	90.0	2.6
7825.935000	43.85	---	68.20	24.35	50.0	1000.000	150.0	V	90.0	4.4
8404.221000	---	33.25	54.00	20.75	50.0	1000.000	150.0	H	270.0	5.7

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777




Fig.61 Radiated emission: 11ax 80M, Ch151, 8.5GHz-18GHz




Fig.62 Radiated emission: 11ax 80M, Ch183, 1GHz-8.5GHz

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1694.012500	---	32.29	54.00	21.71	50.0	1000.000	150.0	H	270.0	-11.4
1994.017500	46.29	---	68.20	21.91	50.0	1000.000	150.0	V	90.0	-10.8
2274.115000	---	29.58	54.00	24.42	50.0	1000.000	150.0	H	0.0	-9.9
2356.745000	---	31.78	54.00	22.22	50.0	1000.000	150.0	H	180.0	-9.7
2396.550000	---	33.37	54.00	10.63	50.0	1000.000	150.0	H	180.0	-9.6
2444.327500	48.65	---	68.20	19.55	50.0	1000.000	150.0	H	180.0	-9.4
2490.000000	50.82	---	74.00	23.18	50.0	1000.000	150.0	H	180.0	-9.3
2492.537500	---	36.03	54.00	17.97	50.0	1000.000	150.0	H	180.0	-9.2
7224.340000	43.04	---	68.20	25.16	50.0	1000.000	150.0	V	0.0	2.5
7971.492500	44.19	---	68.20	24.01	50.0	1000.000	150.0	H	180.0	5.2
8401.165000	---	33.44	54.00	20.56	50.0	1000.000	150.0	H	180.0	5.7
8462.500000	45.67	---	74.00	28.33	50.0	1000.000	150.0	H	0.0	5.6

## Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336  
 Tel: 0086-23-88069965 FAX: 0086-23-88608777






Fig.63 Radiated emission: 11ax 80M, Ch183, 8.5GHz-18GHz