



1. FREQUENCY STABILITY	2
1.1 30K_SISO_10MHz	2
1.1.1 Test Result.....	2
1.2 30K_SISO_20MHz	5
1.2.1 Test Result.....	5
1.3 30K_SISO_40MHz	8
1.3.1 Test Result.....	8

1. Frequency Stability

1.1 30k_SISO_10MHz

1.1.1 Test Result

5G NR n48 SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	2.60	0.0007	>=-2.5 & <=2.5	Pass
				HV	6.90	0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	7.20	0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-0.80	-0.0002	>=-2.5 & <=2.5	Pass
			-10	NV	6.20	0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	6.70	0.0018	>=-2.5 & <=2.5	Pass
			30	NV	0.70	0.0002	>=-2.5 & <=2.5	Pass
			40	NV	1.80	0.0005	>=-2.5 & <=2.5	Pass
50	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	6.10	0.0017	>=-2.5 & <=2.5	Pass
				HV	12.00	0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-10.10	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	13.20	0.0036	>=-2.5 & <=2.5	Pass
			10	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	9.50	0.0026	>=-2.5 & <=2.5	Pass
			30	NV	11.70	0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
50	NV	13.10	0.0036	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-8.60	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	12.80	0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	5.00	0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	6.80	0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-14.10	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-13.40	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	1.20	0.0003	>=-2.5 & <=2.5	Pass
			30	NV	11.00	0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-13.60	-0.0038	>=-2.5 & <=2.5	Pass
50	NV	-10.70	-0.0030	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	1.90	0.0005	>=-2.5 & <=2.5	Pass
				HV	3.60	0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	20.30	0.0056	>=-2.5 & <=2.5	Pass
			-20	NV	9.30	0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	4.70	0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	2.20	0.0006	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	3.90	0.0011	>=-2.5 & <=2.5	Pass
			40	NV	1.10	0.0003	>=-2.5 & <=2.5	Pass

			50	NV	11.90	0.0033	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	6.40	0.0018	≥ -2.5 & ≤ 2.5	Pass
				HV	7.40	0.0020	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	18.50	0.0051	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	14.20	0.0039	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	17.00	0.0047	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-5.10	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			10	NV	19.50	0.0054	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-7.80	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-6.80	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-13.50	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-1.80	-0.0005	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-1.00	-0.0003	≥ -2.5 & ≤ 2.5	Pass
				HV	-4.20	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	3.70	0.0010	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-5.20	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.00	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			0	NV	12.10	0.0033	≥ -2.5 & ≤ 2.5	Pass
			10	NV	17.30	0.0048	≥ -2.5 & ≤ 2.5	Pass
			20	NV	17.80	0.0049	≥ -2.5 & ≤ 2.5	Pass
			30	NV	13.70	0.0038	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-3.70	-0.0010	≥ -2.5 & ≤ 2.5	Pass
			50	NV	9.10	0.0025	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	3.80	0.0010	≥ -2.5 & ≤ 2.5	Pass
				HV	-6.20	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-2.60	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	7.40	0.0020	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	4.20	0.0012	≥ -2.5 & ≤ 2.5	Pass
			0	NV	10.50	0.0029	≥ -2.5 & ≤ 2.5	Pass
			10	NV	11.40	0.0031	≥ -2.5 & ≤ 2.5	Pass
			20	NV	12.40	0.0034	≥ -2.5 & ≤ 2.5	Pass
			30	NV	7.40	0.0020	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-11.50	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			50	NV	11.20	0.0031	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-7.40	-0.0020	≥ -2.5 & ≤ 2.5	Pass
				HV	16.80	0.0046	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	11.40	0.0031	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-3.30	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	6.90	0.0019	≥ -2.5 & ≤ 2.5	Pass
			0	NV	10.80	0.0030	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.60	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			20	NV	3.10	0.0009	≥ -2.5 & ≤ 2.5	Pass
			30	NV	8.20	0.0023	≥ -2.5 & ≤ 2.5	Pass
			40	NV	5.40	0.0015	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-5.90	-0.0016	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-9.90	-0.0027	≥ -2.5 & ≤ 2.5	Pass
				HV	-6.10	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	7.10	0.0020	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	9.90	0.0027	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	12.00	0.0033	≥ -2.5 & ≤ 2.5	Pass
			0	NV	6.60	0.0018	≥ -2.5 & ≤ 2.5	Pass
10	NV	6.30	0.0017	≥ -2.5 & ≤ 2.5	Pass			



			20	NV	10.60	0.0029	≥ -2.5 & ≤ 2.5	Pass
			30	NV	2.60	0.0007	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-12.00	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-1.10	-0.0003	≥ -2.5 & ≤ 2.5	Pass

1.2 30k_SISO_20MHz

1.2.1 Test Result

5G NR n48 SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-8.60	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-17.20	-0.0047	>=-2.5 & <=2.5	Pass
			-20	NV	-20.00	-0.0055	>=-2.5 & <=2.5	Pass
			-10	NV	-14.10	-0.0039	>=-2.5 & <=2.5	Pass
			0	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-11.00	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0007	>=-2.5 & <=2.5	Pass
50	NV	1.40	0.0004	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-19.20	-0.0053	>=-2.5 & <=2.5	Pass
			-30	NV	-11.60	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-9.80	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-20.80	-0.0057	>=-2.5 & <=2.5	Pass
			0	NV	-15.40	-0.0042	>=-2.5 & <=2.5	Pass
			10	NV	-14.00	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-18.10	-0.0050	>=-2.5 & <=2.5	Pass
			40	NV	-15.00	-0.0041	>=-2.5 & <=2.5	Pass
50	NV	-16.80	-0.0046	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	2.60	0.0007	>=-2.5 & <=2.5	Pass
				HV	8.00	0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-12.60	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-16.20	-0.0045	>=-2.5 & <=2.5	Pass
			0	NV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0025	>=-2.5 & <=2.5	Pass
50	NV	3.30	0.0009	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-21.70	-0.0060	>=-2.5 & <=2.5	Pass
			-30	NV	-19.60	-0.0054	>=-2.5 & <=2.5	Pass
			-20	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-13.00	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-15.50	-0.0043	>=-2.5 & <=2.5	Pass

			50	NV	10.40	0.0029	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-7.20	-0.0020	≥ -2.5 & ≤ 2.5	Pass
				HV	-17.30	-0.0048	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	4.00	0.0011	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-16.20	-0.0045	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	3.90	0.0011	≥ -2.5 & ≤ 2.5	Pass
			0	NV	1.00	0.0003	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-9.90	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-13.30	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			30	NV	8.90	0.0025	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-4.20	-0.0012	≥ -2.5 & ≤ 2.5	Pass
50	NV	-2.40	-0.0007	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-16.40	-0.0045	≥ -2.5 & ≤ 2.5	Pass
				HV	-12.50	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-10.30	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	3.30	0.0009	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-13.80	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-6.70	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			10	NV	3.80	0.0010	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-7.50	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-12.50	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-5.80	-0.0016	≥ -2.5 & ≤ 2.5	Pass
50	NV	-9.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-13.10	-0.0036	≥ -2.5 & ≤ 2.5	Pass
				HV	-4.50	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-10.60	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-20.00	-0.0055	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	1.60	0.0004	≥ -2.5 & ≤ 2.5	Pass
			0	NV	3.50	0.0010	≥ -2.5 & ≤ 2.5	Pass
			10	NV	2.50	0.0007	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-18.70	-0.0052	≥ -2.5 & ≤ 2.5	Pass
			30	NV	1.60	0.0004	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-7.70	-0.0021	≥ -2.5 & ≤ 2.5	Pass
50	NV	-9.00	-0.0025	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-8.90	-0.0025	≥ -2.5 & ≤ 2.5	Pass
				HV	-15.40	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-15.30	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-16.40	-0.0045	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-18.50	-0.0051	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.00	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-10.60	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			20	NV	2.90	0.0008	≥ -2.5 & ≤ 2.5	Pass
			30	NV	2.80	0.0008	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-20.20	-0.0056	≥ -2.5 & ≤ 2.5	Pass
50	NV	-9.70	-0.0027	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	2.60	0.0007	≥ -2.5 & ≤ 2.5	Pass
				HV	-10.50	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-14.50	-0.0040	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-15.20	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-9.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			0	NV	5.80	0.0016	≥ -2.5 & ≤ 2.5	Pass
10	NV	-16.40	-0.0045	≥ -2.5 & ≤ 2.5	Pass			



			20	NV	-15.60	-0.0043	≥ -2.5 & ≤ 2.5	Pass
			30	NV	5.60	0.0015	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-9.60	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			50	NV	1.60	0.0004	≥ -2.5 & ≤ 2.5	Pass

1.3 30k_SISO_40MHz

1.3.1 Test Result

5G NR n48 SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-11.60	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-10.90	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-10.60	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-10.00	-0.0028	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-14.90	-0.0041	>=-2.5 & <=2.5	Pass
			-30	NV	-16.30	-0.0045	>=-2.5 & <=2.5	Pass
			-20	NV	-21.90	-0.0060	>=-2.5 & <=2.5	Pass
			-10	NV	-13.50	-0.0037	>=-2.5 & <=2.5	Pass
			0	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-10.60	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
50	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	5.20	0.0014	>=-2.5 & <=2.5	Pass
				HV	-15.50	-0.0043	>=-2.5 & <=2.5	Pass
			-30	NV	-15.00	-0.0041	>=-2.5 & <=2.5	Pass
			-20	NV	7.30	0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	5.40	0.0015	>=-2.5 & <=2.5	Pass
			0	NV	13.30	0.0037	>=-2.5 & <=2.5	Pass
			10	NV	6.20	0.0017	>=-2.5 & <=2.5	Pass
			20	NV	3.20	0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-13.50	-0.0037	>=-2.5 & <=2.5	Pass
50	NV	-16.00	-0.0044	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			-30	NV	2.30	0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	3.20	0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	2.10	0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	9.00	0.0025	>=-2.5 & <=2.5	Pass
			20	NV	4.50	0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	1.90	0.0005	>=-2.5 & <=2.5	Pass

			50	NV	5.10	0.0014	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-3.40	-0.0009	≥ -2.5 & ≤ 2.5	Pass
				HV	-11.90	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	1.00	0.0003	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-16.90	-0.0047	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-7.80	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-9.80	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-12.00	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			20	NV	1.30	0.0004	≥ -2.5 & ≤ 2.5	Pass
			30	NV	5.90	0.0016	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-8.70	-0.0024	≥ -2.5 & ≤ 2.5	Pass
50	NV	2.60	0.0007	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-13.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
				HV	-5.30	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-21.90	-0.0060	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-14.80	-0.0041	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-5.80	-0.0016	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-4.80	-0.0013	≥ -2.5 & ≤ 2.5	Pass
			10	NV	4.10	0.0011	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-3.10	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-4.20	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-16.40	-0.0045	≥ -2.5 & ≤ 2.5	Pass
50	NV	-2.20	-0.0006	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-15.40	-0.0042	≥ -2.5 & ≤ 2.5	Pass
				HV	-4.90	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-7.10	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-12.60	-0.0035	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.40	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-15.60	-0.0043	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-15.40	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-13.60	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-2.70	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-12.40	-0.0034	≥ -2.5 & ≤ 2.5	Pass
50	NV	-18.00	-0.0050	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-4.90	-0.0014	≥ -2.5 & ≤ 2.5	Pass
				HV	-16.40	-0.0045	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-8.00	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	9.30	0.0026	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-4.30	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-15.50	-0.0043	≥ -2.5 & ≤ 2.5	Pass
			10	NV	2.60	0.0007	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-4.30	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-15.10	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-9.70	-0.0027	≥ -2.5 & ≤ 2.5	Pass
50	NV	-4.70	-0.0013	≥ -2.5 & ≤ 2.5	Pass			
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	5.40	0.0015	≥ -2.5 & ≤ 2.5	Pass
				HV	-10.50	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-10.40	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-1.80	-0.0005	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	5.20	0.0014	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-2.90	-0.0008	≥ -2.5 & ≤ 2.5	Pass
10	NV	-12.30	-0.0034	≥ -2.5 & ≤ 2.5	Pass			



			20	NV	-10.30	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-11.00	-0.0030	≥ -2.5 & ≤ 2.5	Pass
			40	NV	3.60	0.0010	≥ -2.5 & ≤ 2.5	Pass
			50	NV	5.60	0.0015	≥ -2.5 & ≤ 2.5	Pass

- End of the Report -