




**22.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**22.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**22.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**



**22.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**22.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**







**22.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**



**22.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**22.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**






**22.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 23. CA\_2C


**23.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:18808|18925, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**23.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:18808|18925, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:18875|18992, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**23.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:18875|18992, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:18806|18950, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**23.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:18806|18950, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:18851|18995, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**23.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:18851|18995, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:18825|18975, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**23.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:18825|18975, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:18803|18974, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**23.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:18803|18974, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:18826|18997, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**23.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:18826|18997, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:18801|18999, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**23.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:18801|18999, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.17. CA Peak to Average Ratio(NTNV)(Subtest:17, Channel:18829|18949, Bandwidth:10|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**23.18. CA Peak to Average Ratio(NTNV)(Subtest:18, Channel:18829|18949, Bandwidth:10|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**23.19. CA Peak to Average Ratio(NTNV)(Subtest:19, Channel:18851|18971, Bandwidth:15|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**






**23.20. CA Peak to Average Ratio(NTNV)(Subtest:20, Channel:18851|18971, Bandwidth:15|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 24. CA\_5B


24.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:20478|20550, Bandwidth:5|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



**24.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:20478|20550, Bandwidth:5|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**24.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:20500|20572, Bandwidth:10|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**24.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:20500|20572, Bandwidth:10|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**24.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:20476|20575, Bandwidth:10|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**24.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:20476|20575, Bandwidth:10|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 25. CA\_7C

25.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)







**25.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**25.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**25.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**25.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**25.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**25.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**25.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**25.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**25.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**25.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**25.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 26. CA\_38C

26.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)







**26.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**26.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**26.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 27. CA\_41C\_full

27.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)







**27.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528|40645, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**27.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**27.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595|40712, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**27.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**27.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526|40670, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**27.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**27.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571|40715, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**27.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**27.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545|40695, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**27.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**27.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523|40694, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**27.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	9.66	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2592.90000 Ref. Level: 30.00 Connector:RF4COM

Statistic Count	
Sample Count	999513
Sample Time	20.000 ms
Avg Power	16.691 dBm
Max Power	27.996 dBm
PAR	11.305 dB

Probability	
10,000%	5.813 dB
1,0000%	8.484 dB
0,1000%	9.656 dB
0,0100%	10.406 dB
0,0010%	10.875 dB
0,0001%	11.203 dB

Go To Local
Show Remote Screen

GPRF

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic


Marker / Display




**27.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546|40717, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**27.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**




**27.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521|40719, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 28. CA\_42C(3450-3550)

28.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:42494|42611, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)







**28.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:42494|42611, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:42569|42686, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**28.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:42569|42686, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:42493|42637, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**28.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:42493|42637, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:42543|42687, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**28.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:42543|42687, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:42492|42663, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**28.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:42492|42663, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:42517|42688, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**28.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:42517|42688, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**28.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:42491|42689, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**






**28.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:42491|42689, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




## 29. CA\_48C


**29.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:55898|56015, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**29.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:55898|56015, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**29.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:55965|56082, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**29.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:55965|56082, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**29.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:55896|56040, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**29.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:55896|56040, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**




**29.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:55941|56085, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**






**29.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:55941|56085, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**29.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:55893|56064, Bandwidth:15|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**29.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:55893|56064, Bandwidth:15|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3625.1	0.1	10.45	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 3625.10000 Ref. Level: 30.00 Connector:RF4COM

GPRF

Power **RDY**

RF Settings

Trigger

List Config.

Power

**Statistic**


Marker / Display

Statistic Count	
Sample Count	1023460
Sample Time	20.479 ms
Avg Power	10.998 dBm
Max Power	22.981 dBm
PAR	11.983 dB

Probability	
10,000%	5.578 dB
1,0000%	8.906 dB
0,1000%	10.453 dB
0,0100%	11.297 dB
0,0010%	11.672 dB
0,0001%	11.906 dB


Go To Local
Show Remote Screen

**29.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:55916|56087, Bandwidth:20|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**







**29.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:55916|56087, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



**29.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:55891|56089, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**



**29.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:55891|56089, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**



### 30. CA\_66C

**30.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:132330|132447, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

