



**23.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.85	-13	Pass	2986
30	1000	0.1	RMS	836.2	-64.19	-13	Pass	9701
1000	1810	1	RMS	1807	-52.68	-13	Pass	811
1810	1950	1	RMS	1861.1	11.86	60	Pass	401
1950	3000	1	RMS	2955	-49.49	-13	Pass	1051
3000	20000	1	RMS	19399	-53.39	-13	Pass	17003




**23.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.25	-73.16	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.92	-13	Pass	9701
1000	1810	1	RMS	1803	-52.63	-13	Pass	811
1810	1950	1	RMS	1897.5	6.75	60	Pass	401
1950	3000	1	RMS	2949	-49.53	-13	Pass	1051
3000	20000	1	RMS	17951	-53.43	-13	Pass	17003




**23.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.02	-13	Pass	2986
30	1000	0.1	RMS	845	-64.08	-13	Pass	9701
1000	1810	1	RMS	1807	-52.67	-13	Pass	811
1810	1950	1	RMS	1898.55	11.97	60	Pass	401
1950	3000	1	RMS	2968	-49.53	-13	Pass	1051
3000	20000	1	RMS	19904	-53.42	-13	Pass	17003




**23.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.28	-73.12	-13	Pass	2986
30	1000	0.1	RMS	851.001	-64.19	-13	Pass	9701
1000	1810	1	RMS	1808	-52.66	-13	Pass	811
1810	1950	1	RMS	1897.5	5.72	60	Pass	401
1950	3000	1	RMS	2949	-49.54	-13	Pass	1051
3000	20000	1	RMS	17949	-53.37	-13	Pass	17003




**23.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.79	-13	Pass	2986
30	1000	0.1	RMS	845.6	-64.19	-13	Pass	9701
1000	1810	1	RMS	1798	-52.71	-13	Pass	811
1810	1950	1	RMS	1908.7	11.85	60	Pass	401
1950	3000	1	RMS	2955	-49.55	-13	Pass	1051
3000	20000	1	RMS	19907	-53.41	-13	Pass	17003




**23.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	Pass	2986
30	1000	0.1	RMS	827.2	-64.33	-13	Pass	9701
1000	1810	1	RMS	1807	-52.69	-13	Pass	811
1810	1950	1	RMS	1899.95	6.76	60	Pass	401
1950	3000	1	RMS	2966	-49.56	-13	Pass	1051
3000	20000	1	RMS	17950	-53.41	-13	Pass	17003




**23.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.63	-13	Pass	2986
30	1000	0.1	RMS	851.802	-64.1	-13	Pass	9701
1000	1810	1	RMS	1808	-52.66	-13	Pass	811
1810	1950	1	RMS	1908.7	11.85	60	Pass	401
1950	3000	1	RMS	2958	-49.55	-13	Pass	1051
3000	20000	1	RMS	19398	-53.39	-13	Pass	17003



**23.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2986
30	1000	0.1	RMS	828.8	-64.28	-13	Pass	9701
1000	1810	1	RMS	1806	-52.69	-13	Pass	811
1810	1950	1	RMS	1872.3	5.88	60	Pass	401
1950	3000	1	RMS	2963	-49.56	-13	Pass	1051
3000	20000	1	RMS	19400	-53.34	-13	Pass	17003



24. CA_5B


**24.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	Pass	2986
30	814	0.1	RMS	810.8	-41.55	-13	Pass	7841
814	859	0.1	RMS	824.6	6.74	60	Pass	451
859	1000	0.1	RMS	863.8	-64.68	-13	Pass	1411
1000	3000	1	RMS	2957	-49.35	-13	Pass	2001
3000	10000	1	RMS	6967	-61.86	-13	Pass	7001




**24.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	Pass	2986
30	814	0.1	RMS	814	-48.44	-13	Pass	7841
814	859	0.1	RMS	835.1	2.28	60	Pass	451
859	1000	0.1	RMS	862	-64.66	-13	Pass	1411
1000	3000	1	RMS	2955	-49.39	-13	Pass	2001
3000	10000	1	RMS	6968	-61.84	-13	Pass	7001




**24.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.08	-13	Pass	2986
30	814	0.1	RMS	810.8	-41.73	-13	Pass	7841
814	859	0.1	RMS	824.6	6.77	60	Pass	451
859	1000	0.1	RMS	861.1	-64.59	-13	Pass	1411
1000	3000	1	RMS	2960	-49.36	-13	Pass	2001
3000	10000	1	RMS	6964	-61.87	-13	Pass	7001




**24.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	Pass	2986
30	814	0.1	RMS	813.9	-49.42	-13	Pass	7841
814	859	0.1	RMS	836.3	1.27	60	Pass	451
859	1000	0.1	RMS	993.2	-64.66	-13	Pass	1411
1000	3000	1	RMS	2955	-49.36	-13	Pass	2001
3000	10000	1	RMS	6969	-61.84	-13	Pass	7001




**24.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.26	-73.15	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.74	-13	Pass	7841
814	859	0.1	RMS	829.6	6.35	60	Pass	451
859	1000	0.1	RMS	859.3	-64.64	-13	Pass	1411
1000	3000	1	RMS	2960	-49.37	-13	Pass	2001
3000	10000	1	RMS	6960	-61.91	-13	Pass	7001




**24.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-13	Pass	2986
30	814	0.1	RMS	813.9	-49.04	-13	Pass	7841
814	859	0.1	RMS	839.4	2.32	60	Pass	451
859	1000	0.1	RMS	862.5	-64.58	-13	Pass	1411
1000	3000	1	RMS	2960	-49.32	-13	Pass	2001
3000	10000	1	RMS	6962	-61.88	-13	Pass	7001




**24.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.37	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.13	-13	Pass	7841
814	859	0.1	RMS	829.6	6.24	60	Pass	451
859	1000	0.1	RMS	861.1	-64.68	-13	Pass	1411
1000	3000	1	RMS	2945	-49.42	-13	Pass	2001
3000	10000	1	RMS	6967	-61.86	-13	Pass	7001




**24.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.4	-13	Pass	2986
30	814	0.1	RMS	813.7	-50.61	-13	Pass	7841
814	859	0.1	RMS	839.1	1.37	60	Pass	451
859	1000	0.1	RMS	863	-64.62	-13	Pass	1411
1000	3000	1	RMS	2957	-49.29	-13	Pass	2001
3000	10000	1	RMS	6965	-61.93	-13	Pass	7001




**24.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.15	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.1	-13	Pass	7841
814	859	0.1	RMS	834.6	6.03	60	Pass	451
859	1000	0.1	RMS	861.9	-64.69	-13	Pass	1411
1000	3000	1	RMS	2956	-49.37	-13	Pass	2001
3000	10000	1	RMS	6957	-61.93	-13	Pass	7001




**24.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2986
30	814	0.1	RMS	814	-54.15	-13	Pass	7841
814	859	0.1	RMS	844.1	2.45	60	Pass	451
859	1000	0.1	RMS	860.1	-64.69	-13	Pass	1411
1000	3000	1	RMS	2960	-49.38	-13	Pass	2001
3000	10000	1	RMS	6962	-61.83	-13	Pass	7001




**24.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2986
30	814	0.1	RMS	812.9	-57.42	-13	Pass	7841
814	859	0.1	RMS	834.6	6.03	60	Pass	451
859	1000	0.1	RMS	860.1	-64.68	-13	Pass	1411
1000	3000	1	RMS	2958	-49.38	-13	Pass	2001
3000	10000	1	RMS	6965	-61.86	-13	Pass	7001




**24.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.27	-73.2	-13	Pass	2986
30	814	0.1	RMS	813.9	-56.59	-13	Pass	7841
814	859	0.1	RMS	844.2	1.49	60	Pass	451
859	1000	0.1	RMS	859.8	-64.64	-13	Pass	1411
1000	3000	1	RMS	2957	-49.35	-13	Pass	2001
3000	10000	1	RMS	6962	-61.86	-13	Pass	7001




**24.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.23	-73.19	-13	Pass	2986
30	814	0.1	RMS	805.9	-64.4	-13	Pass	7841
814	859	0.1	RMS	843.3	6.07	60	Pass	451
859	1000	0.1	RMS	865.5	-64.71	-13	Pass	1411
1000	3000	1	RMS	2957	-49.39	-13	Pass	2001
3000	10000	1	RMS	6963	-61.92	-13	Pass	7001




**24.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	Pass	2986
30	814	0.1	RMS	813.7	-43.11	-13	Pass	7841
814	859	0.1	RMS	836.3	-0.25	60	Pass	451
859	1000	0.1	RMS	865.6	-64.68	-13	Pass	1411
1000	3000	1	RMS	2952	-49.34	-13	Pass	2001
3000	10000	1	RMS	6961	-61.91	-13	Pass	7001




**24.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-13	Pass	2986
30	814	0.1	RMS	809.6	-64.36	-13	Pass	7841
814	859	0.1	RMS	843.3	5.94	60	Pass	451
859	1000	0.1	RMS	866	-64.69	-13	Pass	1411
1000	3000	1	RMS	2946	-49.37	-13	Pass	2001
3000	10000	1	RMS	6967	-61.92	-13	Pass	7001




**24.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.96	-13	Pass	2986
30	814	0.1	RMS	814	-46.47	-13	Pass	7841
814	859	0.1	RMS	836.3	-1.43	60	Pass	451
859	1000	0.1	RMS	861.8	-64.66	-13	Pass	1411
1000	3000	1	RMS	2959	-49.39	-13	Pass	2001
3000	10000	1	RMS	6962	-61.87	-13	Pass	7001




**24.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.21	-13	Pass	2986
30	814	0.1	RMS	808.6	-61.31	-13	Pass	7841
814	859	0.1	RMS	845.9	5.88	60	Pass	451
859	1000	0.1	RMS	866.4	-64.72	-13	Pass	1411
1000	3000	1	RMS	2961	-49.44	-13	Pass	2001
3000	10000	1	RMS	6958	-61.9	-13	Pass	7001




**24.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2986
30	814	0.1	RMS	813.8	-42.97	-13	Pass	7841
814	859	0.1	RMS	837.5	-0.21	60	Pass	451
859	1000	0.1	RMS	996.3	-64.66	-13	Pass	1411
1000	3000	1	RMS	2954	-49.42	-13	Pass	2001
3000	10000	1	RMS	6969	-61.88	-13	Pass	7001




**24.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2986
30	814	0.1	RMS	808.5	-61.71	-13	Pass	7841
814	859	0.1	RMS	845.9	5.84	60	Pass	451
859	1000	0.1	RMS	868.5	-64.67	-13	Pass	1411
1000	3000	1	RMS	2957	-49.33	-13	Pass	2001
3000	10000	1	RMS	6965	-61.89	-13	Pass	7001




**24.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	Pass	2986
30	814	0.1	RMS	813.8	-46.12	-13	Pass	7841
814	859	0.1	RMS	837.6	-1.35	60	Pass	451
859	1000	0.1	RMS	860	-64.66	-13	Pass	1411
1000	3000	1	RMS	2959	-49.36	-13	Pass	2001
3000	10000	1	RMS	6963	-61.92	-13	Pass	7001




**24.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.78	-13	Pass	2986
30	814	0.1	RMS	811	-44.8	-13	Pass	7841
814	859	0.1	RMS	848.4	5.49	60	Pass	451
859	1000	0.1	RMS	994.9	-64.69	-13	Pass	1411
1000	3000	1	RMS	2959	-49.33	-13	Pass	2001
3000	10000	1	RMS	6968	-61.89	-13	Pass	7001




**24.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.13	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.57	-13	Pass	2986
30	814	0.1	RMS	813.9	-47.41	-13	Pass	7841
814	859	0.1	RMS	839.9	-0.34	60	Pass	451
859	1000	0.1	RMS	861	-64.6	-13	Pass	1411
1000	3000	1	RMS	2956	-49.38	-13	Pass	2001
3000	10000	1	RMS	6962	-61.88	-13	Pass	7001




**24.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.4	-13	Pass	2986
30	814	0.1	RMS	811	-45.64	-13	Pass	7841
814	859	0.1	RMS	848.4	5.45	60	Pass	451
859	1000	0.1	RMS	860.4	-64.64	-13	Pass	1411
1000	3000	1	RMS	2959	-49.36	-13	Pass	2001
3000	10000	1	RMS	6962	-61.82	-13	Pass	7001



**24.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	Pass	2986
30	814	0.1	RMS	813.9	-48.98	-13	Pass	7841
814	859	0.1	RMS	839.7	-1.28	60	Pass	451
859	1000	0.1	RMS	860.1	-64.64	-13	Pass	1411
1000	3000	1	RMS	2951	-49.21	-13	Pass	2001
3000	10000	1	RMS	6964	-61.91	-13	Pass	7001



25. CA_7C


25.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-25	Pass	2985
30	1000	0.1	RMS	849.3	-63.77	-25	Pass	9699
1000	2475	1	RMS	2472.999	-49.5	-25	Pass	1475
2475	2735	1	RMS	2528.3	10.57	60	Pass	401
2735	3000	1	RMS	2951.638	-49.35	-25	Pass	401
3000	12000	1	RMS	11851.817	-51.63	-25	Pass	9000
12000	26000	1	RMS	25998	-37.8	-25	Pass	14000




**25.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-25	Pass	2985
30	1000	0.1	RMS	864.32	-63.86	-25	Pass	9699
1000	2475	1	RMS	2475	-49	-25	Pass	1475
2475	2735	1	RMS	2521.8	8.52	60	Pass	401
2735	3000	1	RMS	2959.588	-49.32	-25	Pass	401
3000	12000	1	RMS	11845.809	-51.59	-25	Pass	9000
12000	26000	1	RMS	25962.994	-37.93	-25	Pass	14000




**25.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-25	Pass	2985
30	1000	0.1	RMS	850.902	-64.03	-25	Pass	9699
1000	2475	1	RMS	2472.999	-49.13	-25	Pass	1475
2475	2735	1	RMS	2528.3	10.54	60	Pass	401
2735	3000	1	RMS	2958.925	-49.33	-25	Pass	401
3000	12000	1	RMS	11854.82	-51.51	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.9	-25	Pass	14000




**25.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.75	-25	Pass	2985
30	1000	0.1	RMS	820.196	-63.88	-25	Pass	9699
1000	2475	1	RMS	2475	-49.77	-25	Pass	1475
2475	2735	1	RMS	2520.5	7.54	60	Pass	401
2735	3000	1	RMS	2957.6	-49.32	-25	Pass	401
3000	12000	1	RMS	11853.819	-51.54	-25	Pass	9000
12000	26000	1	RMS	26000	-37.95	-25	Pass	14000




**25.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-25	Pass	2985
30	1000	0.1	RMS	847.7	-63.91	-25	Pass	9699
1000	2475	1	RMS	2471.998	-51.07	-25	Pass	1475
2475	2735	1	RMS	2548.45	10.64	60	Pass	401
2735	3000	1	RMS	2956.938	-49.3	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.64	-25	Pass	9000
12000	26000	1	RMS	26000	-37.79	-25	Pass	14000




**25.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.24	-25	Pass	2985
30	1000	0.1	RMS	833.698	-63.94	-25	Pass	9699
1000	2475	1	RMS	2473.999	-50.95	-25	Pass	1475
2475	2735	1	RMS	2545.2	8.59	60	Pass	401
2735	3000	1	RMS	2959.588	-49.31	-25	Pass	401
3000	12000	1	RMS	11858.825	-51.58	-25	Pass	9000
12000	26000	1	RMS	25991.999	-37.84	-25	Pass	14000




**25.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-25	Pass	2985
30	1000	0.1	RMS	848.6	-63.79	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51.01	-25	Pass	1475
2475	2735	1	RMS	2548.45	10.73	60	Pass	401
2735	3000	1	RMS	2956.938	-49.31	-25	Pass	401
3000	12000	1	RMS	11841.804	-51.55	-25	Pass	9000
12000	26000	1	RMS	25999	-37.88	-25	Pass	14000




**25.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.78	-25	Pass	2985
30	1000	0.1	RMS	850.502	-64	-25	Pass	9699
1000	2475	1	RMS	2475	-50.95	-25	Pass	1475
2475	2735	1	RMS	2544.55	7.56	60	Pass	401
2735	3000	1	RMS	2947.663	-49.33	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.46	-25	Pass	9000
12000	26000	1	RMS	25999	-37.94	-25	Pass	14000




**25.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2985
30	1000	0.1	RMS	850.201	-63.97	-25	Pass	9699
1000	2475	1	RMS	2460.991	-51.04	-25	Pass	1475
2475	2735	1	RMS	2568.6	10.74	60	Pass	401
2735	3000	1	RMS	2954.288	-49.33	-25	Pass	401
3000	12000	1	RMS	11841.804	-51.58	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.94	-25	Pass	14000




**25.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-25	Pass	2985
30	1000	0.1	RMS	844.099	-63.94	-25	Pass	9699
1000	2475	1	RMS	2464.993	-51.07	-25	Pass	1475
2475	2735	1	RMS	2562.1	8.48	60	Pass	401
2735	3000	1	RMS	2950.313	-49.35	-25	Pass	401
3000	12000	1	RMS	11857.824	-51.55	-25	Pass	9000
12000	26000	1	RMS	25979.997	-37.93	-25	Pass	14000




**25.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-25	Pass	2985
30	1000	0.1	RMS	849.2	-63.92	-25	Pass	9699
1000	2475	1	RMS	2468.996	-51.09	-25	Pass	1475
2475	2735	1	RMS	2568.6	10.82	60	Pass	401
2735	3000	1	RMS	2959.588	-49.3	-25	Pass	401
3000	12000	1	RMS	11846.81	-51.52	-25	Pass	9000
12000	26000	1	RMS	25996.999	-37.84	-25	Pass	14000




**25.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.27	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.91	-25	Pass	2985
30	1000	0.1	RMS	830.298	-63.96	-25	Pass	9699
1000	2475	1	RMS	2475	-51	-25	Pass	1475
2475	2735	1	RMS	2560.8	7.47	60	Pass	401
2735	3000	1	RMS	2959.588	-49.31	-25	Pass	401
3000	12000	1	RMS	11845.809	-51.63	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.85	-25	Pass	14000




**25.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-25	Pass	2985
30	1000	0.1	RMS	858.412	-63.96	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51	-25	Pass	1475
2475	2735	1	RMS	2501	9.53	60	Pass	401
2735	3000	1	RMS	2958.263	-49.34	-25	Pass	401
3000	12000	1	RMS	11852.818	-51.55	-25	Pass	9000
12000	26000	1	RMS	25996.999	-37.86	-25	Pass	14000




**25.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-25	Pass	2985
30	1000	0.1	RMS	858.512	-64.03	-25	Pass	9699
1000	2475	1	RMS	2475	-50.61	-25	Pass	1475
2475	2735	1	RMS	2512.05	-1.31	60	Pass	401
2735	3000	1	RMS	2948.988	-49.34	-25	Pass	401
3000	12000	1	RMS	11851.817	-51.51	-25	Pass	9000
12000	26000	1	RMS	25998	-37.78	-25	Pass	14000



**25.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.32	-72.74	-25	Pass	2985
30	1000	0.1	RMS	860.916	-63.79	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.04	-25	Pass	1475
2475	2735	1	RMS	2501	9.47	60	Pass	401
2735	3000	1	RMS	2952.3	-49.32	-25	Pass	401
3000	12000	1	RMS	11846.81	-51.63	-25	Pass	9000
12000	26000	1	RMS	26000	-37.93	-25	Pass	14000




**25.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-25	Pass	2985
30	1000	0.1	RMS	843.799	-63.71	-25	Pass	9699
1000	2475	1	RMS	2475	-50.68	-25	Pass	1475
2475	2735	1	RMS	2513.35	-1.33	60	Pass	401
2735	3000	1	RMS	2959.588	-49.31	-25	Pass	401
3000	12000	1	RMS	11829.789	-51.65	-25	Pass	9000
12000	26000	1	RMS	25998	-37.94	-25	Pass	14000



**25.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	Pass	2985
30	1000	0.1	RMS	852.605	-63.91	-25	Pass	9699
1000	2475	1	RMS	2469.997	-51.01	-25	Pass	1475
2475	2735	1	RMS	2515.95	10.11	60	Pass	401
2735	3000	1	RMS	2959.588	-49.31	-25	Pass	401
3000	12000	1	RMS	11846.81	-51.55	-25	Pass	9000
12000	26000	1	RMS	26000	-37.79	-25	Pass	14000




**25.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-25	Pass	2985
30	1000	0.1	RMS	853.706	-63.87	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.02	-25	Pass	1475
2475	2735	1	RMS	2547.8	-1.32	60	Pass	401
2735	3000	1	RMS	2956.938	-49.3	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.61	-25	Pass	9000
12000	26000	1	RMS	26000	-37.87	-25	Pass	14000



**25.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	818.396	-63.94	-25	Pass	9699
1000	2475	1	RMS	2469.997	-51.04	-25	Pass	1475
2475	2735	1	RMS	2515.95	10	60	Pass	401
2735	3000	1	RMS	2957.6	-49.33	-25	Pass	401
3000	12000	1	RMS	11852.818	-51.59	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.96	-25	Pass	14000




**25.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.22	-25	Pass	2985
30	1000	0.1	RMS	848.6	-63.85	-25	Pass	9699
1000	2475	1	RMS	2475	-51.01	-25	Pass	1475
2475	2735	1	RMS	2549.1	-1.32	60	Pass	401
2735	3000	1	RMS	2954.288	-49.32	-25	Pass	401
3000	12000	1	RMS	11844.808	-51.53	-25	Pass	9000
12000	26000	1	RMS	25993.999	-37.88	-25	Pass	14000




**25.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.06	-25	Pass	2985
30	1000	0.1	RMS	866.924	-63.94	-25	Pass	9699
1000	2475	1	RMS	2456.988	-51.05	-25	Pass	1475
2475	2735	1	RMS	2568.6	10.76	60	Pass	401
2735	3000	1	RMS	2954.288	-49.35	-25	Pass	401
3000	12000	1	RMS	11839.802	-51.54	-25	Pass	9000
12000	26000	1	RMS	25976.996	-37.88	-25	Pass	14000




**25.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2985
30	1000	0.1	RMS	849.601	-63.84	-25	Pass	9699
1000	2475	1	RMS	2475	-50.65	-25	Pass	1475
2475	2735	1	RMS	2553	5.72	60	Pass	401
2735	3000	1	RMS	2958.925	-49.32	-25	Pass	401
3000	12000	1	RMS	11844.808	-51.6	-25	Pass	9000
12000	26000	1	RMS	25994.999	-37.87	-25	Pass	14000




**25.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-25	Pass	2985
30	1000	0.1	RMS	852.304	-63.78	-25	Pass	9699
1000	2475	1	RMS	2475	-51.06	-25	Pass	1475
2475	2735	1	RMS	2530.9	10.76	60	Pass	401
2735	3000	1	RMS	2953.625	-49.34	-25	Pass	401
3000	12000	1	RMS	11845.809	-51.54	-25	Pass	9000
12000	26000	1	RMS	25999	-37.89	-25	Pass	14000



**25.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2985
30	1000	0.1	RMS	856.41	-63.9	-25	Pass	9699
1000	2475	1	RMS	2475	-50.91	-25	Pass	1475
2475	2735	1	RMS	2556.9	4.69	60	Pass	401
2735	3000	1	RMS	2957.6	-49.33	-25	Pass	401
3000	12000	1	RMS	11841.804	-51.59	-25	Pass	9000
12000	26000	1	RMS	25987.998	-37.82	-25	Pass	14000



26. CA_38C


**26.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.55	-25	Pass	2986
30	1000	0.1	RMS	864.11	-60.07	-25	Pass	9701
1000	2525	1	RMS	2514	-40.87	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.42	60	Pass	401
2665	3000	1	RMS	2956.45	-45.48	-25	Pass	401
3000	12000	1	RMS	11991	-50.82	-25	Pass	9002
12000	26500	1	RMS	25992	-35.85	-25	Pass	14502




**26.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.34	-25	Pass	2986
30	1000	0.1	RMS	835.4	-60.15	-25	Pass	9701
1000	2525	1	RMS	2523	-43.12	-25	Pass	1526
2525	2665	1	RMS	2590.45	7.55	60	Pass	401
2665	3000	1	RMS	2956.45	-45.45	-25	Pass	401
3000	12000	1	RMS	11990	-50.71	-25	Pass	9002
12000	26500	1	RMS	26032	-35.81	-25	Pass	14502




**26.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-25	Pass	2986
30	1000	0.1	RMS	863.209	-60.14	-25	Pass	9701
1000	2525	1	RMS	2515	-42.48	-25	Pass	1526
2525	2665	1	RMS	2598.85	10.79	60	Pass	401
2665	3000	1	RMS	2961.475	-45.45	-25	Pass	401
3000	12000	1	RMS	12000	-50.69	-25	Pass	9002
12000	26500	1	RMS	25996	-35.84	-25	Pass	14502




**26.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.52	-25	Pass	2986
30	1000	0.1	RMS	850.101	-60.16	-25	Pass	9701
1000	2525	1	RMS	2525	-44.01	-25	Pass	1526
2525	2665	1	RMS	2588.35	6.36	60	Pass	401
2665	3000	1	RMS	2958.963	-45.45	-25	Pass	401
3000	12000	1	RMS	11999	-50.74	-25	Pass	9002
12000	26500	1	RMS	26005	-35.74	-25	Pass	14502




**26.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.3	-25	Pass	2986
30	1000	0.1	RMS	841.2	-60.17	-25	Pass	9701
1000	2525	1	RMS	2525	-42.62	-25	Pass	1526
2525	2665	1	RMS	2609	11.37	60	Pass	401
2665	3000	1	RMS	2665.838	-43.91	-25	Pass	401
3000	12000	1	RMS	12000	-50.65	-25	Pass	9002
12000	26500	1	RMS	26002	-35.77	-25	Pass	14502




**26.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.6	-25	Pass	2986
30	1000	0.1	RMS	843	-60.13	-25	Pass	9701
1000	2525	1	RMS	2524	-45.34	-25	Pass	1526
2525	2665	1	RMS	2584.15	6.71	60	Pass	401
2665	3000	1	RMS	2962.313	-45.46	-25	Pass	401
3000	12000	1	RMS	11997	-50.76	-25	Pass	9002
12000	26500	1	RMS	25993	-35.82	-25	Pass	14502




**26.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69	-25	Pass	2986
30	1000	0.1	RMS	984.089	-59.98	-25	Pass	9701
1000	2525	1	RMS	2525	-42.88	-25	Pass	1526
2525	2665	1	RMS	2609	11.19	60	Pass	401
2665	3000	1	RMS	2665	-43.1	-25	Pass	401
3000	12000	1	RMS	12000	-50.69	-25	Pass	9002
12000	26500	1	RMS	26005	-35.8	-25	Pass	14502




**26.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.26	-25	Pass	2986
30	1000	0.1	RMS	838.4	-60.18	-25	Pass	9701
1000	2525	1	RMS	2525	-45.99	-25	Pass	1526
2525	2665	1	RMS	2597.1	5.79	60	Pass	401
2665	3000	1	RMS	2956.45	-45.49	-25	Pass	401
3000	12000	1	RMS	11994	-50.8	-25	Pass	9002
12000	26500	1	RMS	26006	-35.77	-25	Pass	14502




**26.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.16	-25	Pass	2986
30	1000	0.1	RMS	847.5	-60.2	-25	Pass	9701
1000	2525	1	RMS	2506	-44.75	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.04	60	Pass	401
2665	3000	1	RMS	2675.888	-43.39	-25	Pass	401
3000	12000	1	RMS	12000	-50.73	-25	Pass	9002
12000	26500	1	RMS	26031	-35.86	-25	Pass	14502




26.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.69	-25	Pass	2986
30	1000	0.1	RMS	841.8	-59.97	-25	Pass	9701
1000	2525	1	RMS	2523	-46.09	-25	Pass	1526
2525	2665	1	RMS	2596.05	7.48	60	Pass	401
2665	3000	1	RMS	2665	-43.51	-25	Pass	401
3000	12000	1	RMS	11993	-50.79	-25	Pass	9002
12000	26500	1	RMS	25991	-35.85	-25	Pass	14502




26.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-25	Pass	2986
30	1000	0.1	RMS	986.291	-60.22	-25	Pass	9701
1000	2525	1	RMS	2505	-46.04	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.08	60	Pass	401
2665	3000	1	RMS	2675.05	-43.73	-25	Pass	401
3000	12000	1	RMS	11996	-50.77	-25	Pass	9002
12000	26500	1	RMS	26004	-35.78	-25	Pass	14502




**26.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.59	-25	Pass	2986
30	1000	0.1	RMS	846	-60.09	-25	Pass	9701
1000	2525	1	RMS	2521	-46.44	-25	Pass	1526
2525	2665	1	RMS	2595	6.48	60	Pass	401
2665	3000	1	RMS	2665	-44.44	-25	Pass	401
3000	12000	1	RMS	11997	-50.79	-25	Pass	9002
12000	26500	1	RMS	26008	-35.82	-25	Pass	14502




**26.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.01	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.24	-25	Pass	2986
30	1000	0.1	RMS	818.6	-60.18	-25	Pass	9701
1000	2525	1	RMS	2496	-40.83	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.52	60	Pass	401
2665	3000	1	RMS	2683.425	-43.09	-25	Pass	401
3000	12000	1	RMS	11995	-50.72	-25	Pass	9002
12000	26500	1	RMS	26004	-35.85	-25	Pass	14502




**26.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.63	-25	Pass	2986
30	1000	0.1	RMS	813.8	-60.18	-25	Pass	9701
1000	2525	1	RMS	2524	-38.69	-25	Pass	1526
2525	2665	1	RMS	2571.9	6.19	60	Pass	401
2665	3000	1	RMS	2665	-42.53	-25	Pass	401
3000	12000	1	RMS	11990	-50.79	-25	Pass	9002
12000	26500	1	RMS	26002	-35.89	-25	Pass	14502




**26.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-25	Pass	2986
30	1000	0.1	RMS	833.1	-60.13	-25	Pass	9701
1000	2525	1	RMS	2496	-40.77	-25	Pass	1526
2525	2665	1	RMS	2608.65	11.63	60	Pass	401
2665	3000	1	RMS	2683.425	-43.08	-25	Pass	401
3000	12000	1	RMS	11992	-50.79	-25	Pass	9002
12000	26500	1	RMS	26002	-35.77	-25	Pass	14502




**26.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-25	Pass	2986
30	1000	0.1	RMS	837.2	-60.1	-25	Pass	9701
1000	2525	1	RMS	2524	-40.5	-25	Pass	1526
2525	2665	1	RMS	2575.75	5.27	60	Pass	401
2665	3000	1	RMS	2665.838	-44.31	-25	Pass	401
3000	12000	1	RMS	11999	-50.67	-25	Pass	9002
12000	26500	1	RMS	25999	-35.82	-25	Pass	14502




**26.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.15	-25	Pass	2986
30	1000	0.1	RMS	847.7	-60.17	-25	Pass	9701
1000	2525	1	RMS	2501	-40.58	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.6	60	Pass	401
2665	3000	1	RMS	2688.45	-43.23	-25	Pass	401
3000	12000	1	RMS	12000	-50.72	-25	Pass	9002
12000	26500	1	RMS	26010	-35.82	-25	Pass	14502




**26.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2986
30	1000	0.1	RMS	817.9	-60.1	-25	Pass	9701
1000	2525	1	RMS	2524	-40.15	-25	Pass	1526
2525	2665	1	RMS	2602.35	6.21	60	Pass	401
2665	3000	1	RMS	2665	-40.67	-25	Pass	401
3000	12000	1	RMS	11989	-50.75	-25	Pass	9002
12000	26500	1	RMS	26027	-35.85	-25	Pass	14502




**26.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.92	-25	Pass	2986
30	1000	0.1	RMS	840.3	-60.06	-25	Pass	9701
1000	2525	1	RMS	2501	-40.41	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.05	60	Pass	401
2665	3000	1	RMS	2688.45	-43.3	-25	Pass	401
3000	12000	1	RMS	11997	-50.66	-25	Pass	9002
12000	26500	1	RMS	26001	-35.79	-25	Pass	14502




**26.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.19	-25	Pass	2986
30	1000	0.1	RMS	825.8	-60.13	-25	Pass	9701
1000	2525	1	RMS	2525	-42.06	-25	Pass	1526
2525	2665	1	RMS	2581.35	4.86	60	Pass	401
2665	3000	1	RMS	2665.838	-42.96	-25	Pass	401
3000	12000	1	RMS	12000	-50.78	-25	Pass	9002
12000	26500	1	RMS	26007	-35.84	-25	Pass	14502




**26.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	Pass	2986
30	1000	0.1	RMS	839.6	-60.18	-25	Pass	9701
1000	2525	1	RMS	2506	-41.13	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.72	60	Pass	401
2665	3000	1	RMS	2693.475	-42.3	-25	Pass	401
3000	12000	1	RMS	11996	-50.7	-25	Pass	9002
12000	26500	1	RMS	26030	-35.82	-25	Pass	14502




**26.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.72	-25	Pass	2986
30	1000	0.1	RMS	832.7	-60.06	-25	Pass	9701
1000	2525	1	RMS	2524	-41.62	-25	Pass	1526
2525	2665	1	RMS	2609	5.64	60	Pass	401
2665	3000	1	RMS	2665.838	-39.61	-25	Pass	401
3000	12000	1	RMS	11988	-50.73	-25	Pass	9002
12000	26500	1	RMS	26023	-35.8	-25	Pass	14502




**26.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-25	Pass	2986
30	1000	0.1	RMS	869.914	-60.17	-25	Pass	9701
1000	2525	1	RMS	2506	-39.14	-25	Pass	1526
2525	2665	1	RMS	2581.35	11.11	60	Pass	401
2665	3000	1	RMS	2693.475	-43.08	-25	Pass	401
3000	12000	1	RMS	11997	-50.74	-25	Pass	9002
12000	26500	1	RMS	26006	-35.82	-25	Pass	14502



**26.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.95	-25	Pass	2986
30	1000	0.1	RMS	865.211	-60.08	-25	Pass	9701
1000	2525	1	RMS	2525	-43.11	-25	Pass	1526
2525	2665	1	RMS	2586.25	5.28	60	Pass	401
2665	3000	1	RMS	2665.838	-41.23	-25	Pass	401
3000	12000	1	RMS	11996	-50.72	-25	Pass	9002
12000	26500	1	RMS	26019	-35.82	-25	Pass	14502



27. CA_41C_full


**27.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.02	-25	Pass	2985
30	1000	0.1	RMS	847.6	-60.07	-25	Pass	9699
1000	2475	1	RMS	2475	-35.7	-25	Pass	1475
2475	2735	1	RMS	2519.85	10.32	60	Pass	401
2735	3000	1	RMS	2956.938	-45.43	-25	Pass	401
3000	12000	1	RMS	11852.818	-51.63	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.74	-25	Pass	15000




**27.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-25	Pass	2985
30	1000	0.1	RMS	846.6	-59.88	-25	Pass	9699
1000	2475	1	RMS	2473.999	-39.8	-25	Pass	1475
2475	2735	1	RMS	2517.25	12.54	60	Pass	401
2735	3000	1	RMS	2956.938	-45.42	-25	Pass	401
3000	12000	1	RMS	11852.818	-51.66	-25	Pass	9000
12000	27000	1	RMS	25999.853	-37.71	-25	Pass	15000




**27.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.92	-25	Pass	2985
30	1000	0.1	RMS	833.098	-60.01	-25	Pass	9699
1000	2475	1	RMS	2473.999	-34.57	-25	Pass	1475
2475	2735	1	RMS	2519.85	11.21	60	Pass	401
2735	3000	1	RMS	2956.938	-45.43	-25	Pass	401
3000	12000	1	RMS	11847.812	-51.65	-25	Pass	9000
12000	27000	1	RMS	26006.854	-37.71	-25	Pass	15000




**27.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-25	Pass	2985
30	1000	0.1	RMS	848.9	-59.97	-25	Pass	9699
1000	2475	1	RMS	2475	-40.36	-25	Pass	1475
2475	2735	1	RMS	2516.6	11.68	60	Pass	401
2735	3000	1	RMS	2943.688	-45.45	-25	Pass	401
3000	12000	1	RMS	11838.8	-51.63	-25	Pass	9000
12000	27000	1	RMS	26008.854	-37.74	-25	Pass	15000




**27.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.39	-25	Pass	2985
30	1000	0.1	RMS	836.898	-59.99	-25	Pass	9699
1000	2475	1	RMS	2470.997	-47.15	-25	Pass	1475
2475	2735	1	RMS	2604.35	10.91	60	Pass	401
2735	3000	1	RMS	2958.263	-45.4	-25	Pass	401
3000	12000	1	RMS	11848.813	-51.57	-25	Pass	9000
12000	27000	1	RMS	26016.856	-37.73	-25	Pass	15000




**27.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	Pass	2985
30	1000	0.1	RMS	850.402	-59.98	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.13	-25	Pass	1475
2475	2735	1	RMS	2602.4	12.32	60	Pass	401
2735	3000	1	RMS	2956.938	-45.44	-25	Pass	401
3000	12000	1	RMS	11834.796	-51.61	-25	Pass	9000
12000	27000	1	RMS	25993.852	-37.76	-25	Pass	15000




**27.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.52	-25	Pass	2985
30	1000	0.1	RMS	849.2	-59.96	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.16	-25	Pass	1475
2475	2735	1	RMS	2580.95	10.24	60	Pass	401
2735	3000	1	RMS	2956.938	-45.43	-25	Pass	401
3000	12000	1	RMS	11841.804	-51.6	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.75	-25	Pass	15000




**27.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.55	-25	Pass	2985
30	1000	0.1	RMS	879.14	-60.04	-25	Pass	9699
1000	2475	1	RMS	2475	-47.14	-25	Pass	1475
2475	2735	1	RMS	2601.75	11.08	60	Pass	401
2735	3000	1	RMS	2957.6	-45.45	-25	Pass	401
3000	12000	1	RMS	11843.807	-51.54	-25	Pass	9000
12000	27000	1	RMS	26006.854	-37.77	-25	Pass	15000




**27.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	Pass	2985
30	1000	0.1	RMS	846.9	-60.05	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.15	-25	Pass	1475
2475	2735	1	RMS	2665.45	10.74	60	Pass	401
2735	3000	1	RMS	2945.013	-45.44	-25	Pass	401
3000	12000	1	RMS	11848.813	-51.62	-25	Pass	9000
12000	27000	1	RMS	26003.854	-37.79	-25	Pass	15000




**27.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.7	-25	Pass	2985
30	1000	0.1	RMS	837.399	-60.04	-25	Pass	9699
1000	2475	1	RMS	2475	-47.19	-25	Pass	1475
2475	2735	1	RMS	2686.25	12.39	60	Pass	401
2735	3000	1	RMS	2954.288	-45.43	-25	Pass	401
3000	12000	1	RMS	11853.819	-51.61	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.79	-25	Pass	15000




**27.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	Pass	2985
30	1000	0.1	RMS	844.499	-60.02	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.18	-25	Pass	1475
2475	2735	1	RMS	2688.85	10.38	60	Pass	401
2735	3000	1	RMS	2959.588	-45.45	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.6	-25	Pass	9000
12000	27000	1	RMS	26007.854	-37.8	-25	Pass	15000




27.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	Pass	2985
30	1000	0.1	RMS	846.2	-60	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.2	-25	Pass	1475
2475	2735	1	RMS	2688.2	11.73	60	Pass	401
2735	3000	1	RMS	2959.588	-45.47	-25	Pass	401
3000	12000	1	RMS	11855.822	-51.66	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.81	-25	Pass	15000




**27.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	Pass	2985
30	1000	0.1	RMS	841.999	-59.89	-25	Pass	9699
1000	2475	1	RMS	2459.99	-47.05	-25	Pass	1475
2475	2735	1	RMS	2534.15	9.86	60	Pass	401
2735	3000	1	RMS	2959.588	-45.46	-25	Pass	401
3000	12000	1	RMS	11857.824	-51.65	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.8	-25	Pass	15000




**27.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2985
30	1000	0.1	RMS	834.398	-59.83	-25	Pass	9699
1000	2475	1	RMS	2473.999	-44.9	-25	Pass	1475
2475	2735	1	RMS	2510.1	-0.87	60	Pass	401
2735	3000	1	RMS	2956.938	-45.43	-25	Pass	401
3000	12000	1	RMS	11845.809	-51.62	-25	Pass	9000
12000	27000	1	RMS	26010.855	-37.72	-25	Pass	15000




**27.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.79	-25	Pass	2985
30	1000	0.1	RMS	843.499	-60.04	-25	Pass	9699
1000	2475	1	RMS	2459.99	-46.97	-25	Pass	1475
2475	2735	1	RMS	2497.1	10.2	60	Pass	401
2735	3000	1	RMS	2958.263	-45.46	-25	Pass	401
3000	12000	1	RMS	11845.809	-51.62	-25	Pass	9000
12000	27000	1	RMS	25993.852	-37.83	-25	Pass	15000




**27.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	Pass	2985
30	1000	0.1	RMS	844.799	-60.13	-25	Pass	9699
1000	2475	1	RMS	2473.999	-44.74	-25	Pass	1475
2475	2735	1	RMS	2521.8	-1	60	Pass	401
2735	3000	1	RMS	2947.663	-45.46	-25	Pass	401
3000	12000	1	RMS	11854.82	-51.68	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.73	-25	Pass	15000




**27.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-25	Pass	2985
30	1000	0.1	RMS	851.503	-59.96	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.18	-25	Pass	1475
2475	2735	1	RMS	2573.8	11.17	60	Pass	401
2735	3000	1	RMS	2956.275	-45.45	-25	Pass	401
3000	12000	1	RMS	11847.812	-51.64	-25	Pass	9000
12000	27000	1	RMS	26004.854	-37.77	-25	Pass	15000




**27.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.65	-25	Pass	2985
30	1000	0.1	RMS	931.409	-60.01	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47	-25	Pass	1475
2475	2735	1	RMS	2580.3	6.18	60	Pass	401
2735	3000	1	RMS	2959.588	-45.43	-25	Pass	401
3000	12000	1	RMS	11850.815	-51.62	-25	Pass	9000
12000	27000	1	RMS	26004.854	-37.77	-25	Pass	15000




**27.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-25	Pass	2985
30	1000	0.1	RMS	847.6	-59.98	-25	Pass	9699
1000	2475	1	RMS	2458.989	-47.19	-25	Pass	1475
2475	2735	1	RMS	2611.5	11.45	60	Pass	401
2735	3000	1	RMS	2956.275	-45.46	-25	Pass	401
3000	12000	1	RMS	11861.829	-51.58	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.67	-25	Pass	15000




**27.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.73	-25	Pass	2985
30	1000	0.1	RMS	849.901	-59.82	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.09	-25	Pass	1475
2475	2735	1	RMS	2599.15	5.6	60	Pass	401
2735	3000	1	RMS	2944.35	-45.44	-25	Pass	401
3000	12000	1	RMS	11860.828	-51.57	-25	Pass	9000
12000	27000	1	RMS	26003.854	-37.81	-25	Pass	15000




**27.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.88	-25	Pass	2985
30	1000	0.1	RMS	847.6	-59.94	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.13	-25	Pass	1475
2475	2735	1	RMS	2688.2	10.48	60	Pass	401
2735	3000	1	RMS	2954.95	-45.43	-25	Pass	401
3000	12000	1	RMS	11850.815	-51.62	-25	Pass	9000
12000	27000	1	RMS	26000.853	-37.83	-25	Pass	15000




**27.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.98	-25	Pass	2985
30	1000	0.1	RMS	825.897	-60.1	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.1	-25	Pass	1475
2475	2735	1	RMS	2656.35	6.49	60	Pass	401
2735	3000	1	RMS	2957.6	-45.43	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.68	-25	Pass	9000
12000	27000	1	RMS	25998.853	-37.82	-25	Pass	15000




**27.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.05	-25	Pass	2985
30	1000	0.1	RMS	854.307	-59.91	-25	Pass	9699
1000	2475	1	RMS	2469.997	-47.15	-25	Pass	1475
2475	2735	1	RMS	2651.15	11.48	60	Pass	401
2735	3000	1	RMS	2955.613	-45.41	-25	Pass	401
3000	12000	1	RMS	11849.814	-51.6	-25	Pass	9000
12000	27000	1	RMS	26014.855	-37.81	-25	Pass	15000



**27.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.44	-25	Pass	2985
30	1000	0.1	RMS	829.598	-60.02	-25	Pass	9699
1000	2475	1	RMS	2469.997	-47.13	-25	Pass	1475
2475	2735	1	RMS	2655.7	5.64	60	Pass	401
2735	3000	1	RMS	2957.6	-45.44	-25	Pass	401
3000	12000	1	RMS	11835.797	-51.67	-25	Pass	9000
12000	27000	1	RMS	26001.853	-37.71	-25	Pass	15000



28. CA_42C(3450-3550)


**28.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	Pass	2986
30	1000	0.1	RMS	990.494	-60.24	-13	Pass	9701
1000	3000	1	RMS	2967	-45.52	-13	Pass	2001
3000	3410	1	RMS	3405	-41.12	-13	Pass	411
3410	3590	1	RMS	3473.45	10.47	60	Pass	401
3590	6500	1	RMS	6491	-41.79	-13	Pass	2911
6500	26000	1	RMS	25994	-45.04	-13	Pass	19503




**28.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42190|42307, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-13	Pass	2986
30	1000	0.1	RMS	837.7	-60.34	-13	Pass	9701
1000	3000	1	RMS	2957	-45.56	-13	Pass	2001
3000	3410	1	RMS	3409	-42.95	-13	Pass	411
3410	3590	1	RMS	3471.2	10.9	60	Pass	401
3590	6500	1	RMS	6489	-41.8	-13	Pass	2911
6500	26000	1	RMS	25998	-45.02	-13	Pass	19503




**28.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.98	-13	Pass	2986
30	1000	0.1	RMS	833.9	-60.3	-13	Pass	9701
1000	3000	1	RMS	2967	-45.58	-13	Pass	2001
3000	3410	1	RMS	3405	-40.92	-13	Pass	411
3410	3590	1	RMS	3473.45	10.37	60	Pass	401
3590	6500	1	RMS	6492	-41.78	-13	Pass	2911
6500	26000	1	RMS	25996	-45.03	-13	Pass	19503




**28.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42190|42307, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.67	-13	Pass	2986
30	1000	0.1	RMS	852.402	-60.38	-13	Pass	9701
1000	3000	1	RMS	2957	-45.58	-13	Pass	2001
3000	3410	1	RMS	3294	-43.33	-13	Pass	411
3410	3590	1	RMS	3472.1	9.91	60	Pass	401
3590	6500	1	RMS	6499	-41.72	-13	Pass	2911
6500	26000	1	RMS	25990	-45.1	-13	Pass	19503




**28.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42569|42686, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.37	-13	Pass	2986
30	1000	0.1	RMS	840.5	-60.36	-13	Pass	9701
1000	3000	1	RMS	2966	-45.54	-13	Pass	2001
3000	3410	1	RMS	3294	-43.31	-13	Pass	411
3410	3590	1	RMS	3511.25	10.21	60	Pass	401
3590	6500	1	RMS	6495	-41.77	-13	Pass	2911
6500	26000	1	RMS	25987	-45.14	-13	Pass	19503




**28.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42569|42686, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69	-13	Pass	2986
30	1000	0.1	RMS	844	-60.29	-13	Pass	9701
1000	3000	1	RMS	2963	-45.55	-13	Pass	2001
3000	3410	1	RMS	3294	-43.34	-13	Pass	411
3410	3590	1	RMS	3509	10.72	60	Pass	401
3590	6500	1	RMS	6492	-41.78	-13	Pass	2911
6500	26000	1	RMS	25993	-45.05	-13	Pass	19503




**28.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42569|42686, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.19	-13	Pass	2986
30	1000	0.1	RMS	987.192	-60.31	-13	Pass	9701
1000	3000	1	RMS	2949	-45.6	-13	Pass	2001
3000	3410	1	RMS	3293	-43.34	-13	Pass	411
3410	3590	1	RMS	3511.25	10.17	60	Pass	401
3590	6500	1	RMS	6494	-41.79	-13	Pass	2911
6500	26000	1	RMS	25994	-45.1	-13	Pass	19503




**28.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42569|42686, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.12	-13	Pass	2986
30	1000	0.1	RMS	833.6	-60.36	-13	Pass	9701
1000	3000	1	RMS	2962	-45.54	-13	Pass	2001
3000	3410	1	RMS	3292	-43.35	-13	Pass	411
3410	3590	1	RMS	3508.55	9.7	60	Pass	401
3590	6500	1	RMS	6496	-41.79	-13	Pass	2911
6500	26000	1	RMS	25994	-45.11	-13	Pass	19503




**28.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.84	-13	Pass	2986
30	1000	0.1	RMS	837.8	-60.38	-13	Pass	9701
1000	3000	1	RMS	2959	-45.58	-13	Pass	2001
3000	3410	1	RMS	3296	-43.34	-13	Pass	411
3410	3590	1	RMS	3526.55	10.12	60	Pass	401
3590	6500	1	RMS	3595	-39.58	-13	Pass	2911
6500	26000	1	RMS	25999	-45.11	-13	Pass	19503




**28.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42948|43065, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-13	Pass	2986
30	1000	0.1	RMS	826.4	-60.2	-13	Pass	9701
1000	3000	1	RMS	2958	-45.59	-13	Pass	2001
3000	3410	1	RMS	3300	-43.33	-13	Pass	411
3410	3590	1	RMS	3548.15	10.48	60	Pass	401
3590	6500	1	RMS	6499	-41.77	-13	Pass	2911
6500	26000	1	RMS	25997	-45.12	-13	Pass	19503




**28.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.04	-13	Pass	2986
30	1000	0.1	RMS	849.7	-60.27	-13	Pass	9701
1000	3000	1	RMS	2958	-45.62	-13	Pass	2001
3000	3410	1	RMS	3300	-43.35	-13	Pass	411
3410	3590	1	RMS	3526.55	9.87	60	Pass	401
3590	6500	1	RMS	3595	-40.64	-13	Pass	2911
6500	26000	1	RMS	25996	-45.16	-13	Pass	19503




**28.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42948|43065, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.86	-13	Pass	2986
30	1000	0.1	RMS	856.105	-60.36	-13	Pass	9701
1000	3000	1	RMS	2966	-45.59	-13	Pass	2001
3000	3410	1	RMS	3295	-43.34	-13	Pass	411
3410	3590	1	RMS	3546.35	9.46	60	Pass	401
3590	6500	1	RMS	6499	-41.8	-13	Pass	2911
6500	26000	1	RMS	25997	-45.12	-13	Pass	19503




**28.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.25	-13	Pass	2986
30	1000	0.1	RMS	857.205	-60.36	-13	Pass	9701
1000	3000	1	RMS	2962	-45.59	-13	Pass	2001
3000	3410	1	RMS	3375	-39.5	-13	Pass	411
3410	3590	1	RMS	3488.3	10.52	60	Pass	401
3590	6500	1	RMS	6499	-41.77	-13	Pass	2911
6500	26000	1	RMS	25997	-45.04	-13	Pass	19503




**28.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42190|42388, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-13	Pass	2986
30	1000	0.1	RMS	845.8	-60.34	-13	Pass	9701
1000	3000	1	RMS	2961	-45.5	-13	Pass	2001
3000	3410	1	RMS	3410	-40.06	-13	Pass	411
3410	3590	1	RMS	3481.55	4.93	60	Pass	401
3590	6500	1	RMS	6497	-41.79	-13	Pass	2911
6500	26000	1	RMS	25999	-45.11	-13	Pass	19503




**28.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.54	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.91	-13	Pass	2986
30	1000	0.1	RMS	846.8	-60.28	-13	Pass	9701
1000	3000	1	RMS	2955	-45.57	-13	Pass	2001
3000	3410	1	RMS	3375	-39.31	-13	Pass	411
3410	3590	1	RMS	3488.3	10.45	60	Pass	401
3590	6500	1	RMS	6494	-41.78	-13	Pass	2911
6500	26000	1	RMS	26000	-45.14	-13	Pass	19503




**28.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42190|42388, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.03	-13	Pass	2986
30	1000	0.1	RMS	855.804	-60.08	-13	Pass	9701
1000	3000	1	RMS	2957	-45.55	-13	Pass	2001
3000	3410	1	RMS	3410	-41.36	-13	Pass	411
3410	3590	1	RMS	3483.35	4.01	60	Pass	401
3590	6500	1	RMS	6491	-41.8	-13	Pass	2911
6500	26000	1	RMS	25987	-45.09	-13	Pass	19503




**28.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42491|42689, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.61	-13	Pass	2986
30	1000	0.1	RMS	836.7	-60.29	-13	Pass	9701
1000	3000	1	RMS	2960	-45.54	-13	Pass	2001
3000	3410	1	RMS	3405	-39.38	-13	Pass	411
3410	3590	1	RMS	3480.65	10.25	60	Pass	401
3590	6500	1	RMS	3594	-38.64	-13	Pass	2911
6500	26000	1	RMS	25995	-45.09	-13	Pass	19503




**28.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42491|42689, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.35	-13	Pass	2986
30	1000	0.1	RMS	860.107	-60.36	-13	Pass	9701
1000	3000	1	RMS	2953	-45.56	-13	Pass	2001
3000	3410	1	RMS	3299	-43.31	-13	Pass	411
3410	3590	1	RMS	3491.9	4.89	60	Pass	401
3590	6500	1	RMS	3590	-41.4	-13	Pass	2911
6500	26000	1	RMS	25999	-45.08	-13	Pass	19503




**28.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42491|42689, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	Pass	2986
30	1000	0.1	RMS	843.4	-60.22	-13	Pass	9701
1000	3000	1	RMS	2961	-45.52	-13	Pass	2001
3000	3410	1	RMS	3405	-39.59	-13	Pass	411
3410	3590	1	RMS	3480.65	10.14	60	Pass	401
3590	6500	1	RMS	3594	-39.82	-13	Pass	2911
6500	26000	1	RMS	25971	-45.13	-13	Pass	19503




**28.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42491|42689, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.21	-13	Pass	2986
30	1000	0.1	RMS	861.408	-60.32	-13	Pass	9701
1000	3000	1	RMS	2965	-45.54	-13	Pass	2001
3000	3410	1	RMS	3295	-43.31	-13	Pass	411
3410	3590	1	RMS	3488.75	3.9	60	Pass	401
3590	6500	1	RMS	6494	-41.82	-13	Pass	2911
6500	26000	1	RMS	25995	-45.07	-13	Pass	19503




**28.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.21	-13	Pass	2986
30	1000	0.1	RMS	860.808	-60.15	-13	Pass	9701
1000	3000	1	RMS	2962	-45.59	-13	Pass	2001
3000	3410	1	RMS	3295	-43.33	-13	Pass	411
3410	3590	1	RMS	3510.8	10.09	60	Pass	401
3590	6500	1	RMS	3624	-39.21	-13	Pass	2911
6500	26000	1	RMS	25999	-45.15	-13	Pass	19503




**28.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:42792|42990, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.72	-13	Pass	2986
30	1000	0.1	RMS	849.1	-60.35	-13	Pass	9701
1000	3000	1	RMS	2959	-45.6	-13	Pass	2001
3000	3410	1	RMS	3298	-43.33	-13	Pass	411
3410	3590	1	RMS	3516.65	4.58	60	Pass	401
3590	6500	1	RMS	3615	-41	-13	Pass	2911
6500	26000	1	RMS	26000	-45.2	-13	Pass	19503




**28.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.03	-13	Pass	2986
30	1000	0.1	RMS	853.203	-60.34	-13	Pass	9701
1000	3000	1	RMS	2957	-45.54	-13	Pass	2001
3000	3410	1	RMS	3299	-43.36	-13	Pass	411
3410	3590	1	RMS	3548.6	9.93	60	Pass	401
3590	6500	1	RMS	3624	-39.29	-13	Pass	2911
6500	26000	1	RMS	26000	-45.11	-13	Pass	19503



**28.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:42792|42990, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.14	-13	Pass	2986
30	1000	0.1	RMS	861.208	-60.3	-13	Pass	9701
1000	3000	1	RMS	2964	-45.62	-13	Pass	2001
3000	3410	1	RMS	3299	-43.34	-13	Pass	411
3410	3590	1	RMS	3518	3.56	60	Pass	401
3590	6500	1	RMS	3595	-41.78	-13	Pass	2911
6500	26000	1	RMS	26000	-45.14	-13	Pass	19503



29. CA_48C


29.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:55340|55457, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.6	-40	Pass	401
0.15	30	0.01	RMS	0.22	-68.93	-40	Pass	2985
30	1000	0.1	RMS	840.699	-60.04	-40	Pass	9699
1000	3000	1	RMS	2959.98	-45.34	-40	Pass	2000
3000	3500	1	RMS	3285.571	-44.78	-40	Pass	500
3500	3750	1	RMS	3573.125	-0.78	60	Pass	401
3750	6500	1	RMS	6491.997	-44.17	-40	Pass	2750
6500	26500	1	RMS	26049.876	-43.69	-40	Pass	20000




**29.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:55340|55457, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.18	-40	Pass	401
0.15	30	0.01	RMS	0.24	-68.26	-40	Pass	2985
30	1000	0.1	RMS	858.412	-60.01	-40	Pass	9699
1000	3000	1	RMS	2959.98	-45.37	-40	Pass	2000
3000	3500	1	RMS	3288.577	-44.8	-40	Pass	500
3500	3750	1	RMS	3571.25	-6.24	60	Pass	401
3750	6500	1	RMS	6499	-44.13	-40	Pass	2750
6500	26500	1	RMS	25998.861	-43.66	-40	Pass	20000




**29.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:55340|55457, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.7	-40	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-40	Pass	2985
30	1000	0.1	RMS	843.199	-59.97	-40	Pass	9699
1000	3000	1	RMS	2956.978	-45.27	-40	Pass	2000
3000	3500	1	RMS	3284.569	-44.8	-40	Pass	500
3500	3750	1	RMS	3573.125	-0.66	60	Pass	401
3750	6500	1	RMS	6490.997	-44.18	-40	Pass	2750
6500	26500	1	RMS	25996.861	-43.62	-40	Pass	20000




**29.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:55340|55457, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-40	Pass	2985
30	1000	0.1	RMS	847	-59.98	-40	Pass	9699
1000	3000	1	RMS	2958.979	-45.31	-40	Pass	2000
3000	3500	1	RMS	3288.577	-44.81	-40	Pass	500
3500	3750	1	RMS	3570.625	-6.23	60	Pass	401
3750	6500	1	RMS	6490.997	-44.17	-40	Pass	2750
6500	26500	1	RMS	25990.859	-43.67	-40	Pass	20000




**29.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:55965|56082, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.41	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-40	Pass	2985
30	1000	0.1	RMS	841.999	-60.04	-40	Pass	9699
1000	3000	1	RMS	2960.98	-45.36	-40	Pass	2000
3000	3500	1	RMS	3284.569	-44.81	-40	Pass	500
3500	3750	1	RMS	3635.625	6.21	60	Pass	401
3750	6500	1	RMS	6489.996	-44.18	-40	Pass	2750
6500	26500	1	RMS	26017.867	-43.58	-40	Pass	20000




**29.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:55965|56082, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.8	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-40	Pass	2985
30	1000	0.1	RMS	842.799	-59.98	-40	Pass	9699
1000	3000	1	RMS	2936.968	-45.33	-40	Pass	2000
3000	3500	1	RMS	3285.571	-44.8	-40	Pass	500
3500	3750	1	RMS	3634.375	6.94	60	Pass	401
3750	6500	1	RMS	6484.995	-44.19	-40	Pass	2750
6500	26500	1	RMS	25991.859	-43.71	-40	Pass	20000




**29.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:55965|56082, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.88	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.36	-40	Pass	2985
30	1000	0.1	RMS	855.508	-60.05	-40	Pass	9699
1000	3000	1	RMS	2953.977	-45.35	-40	Pass	2000
3000	3500	1	RMS	3287.575	-44.78	-40	Pass	500
3500	3750	1	RMS	3613.125	6.13	60	Pass	401
3750	6500	1	RMS	6497.999	-44.18	-40	Pass	2750
6500	26500	1	RMS	26008.864	-43.67	-40	Pass	20000




**29.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:55965|56082, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.79	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-40	Pass	2985
30	1000	0.1	RMS	842.799	-60.05	-40	Pass	9699
1000	3000	1	RMS	2957.979	-45.27	-40	Pass	2000
3000	3500	1	RMS	3284.569	-44.8	-40	Pass	500
3500	3750	1	RMS	3634.375	5.93	60	Pass	401
3750	6500	1	RMS	6499	-44.12	-40	Pass	2750
6500	26500	1	RMS	26001.862	-43.71	-40	Pass	20000




**29.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:56590|56707, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.02	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.8	-40	Pass	2985
30	1000	0.1	RMS	854.507	-60.08	-40	Pass	9699
1000	3000	1	RMS	2960.98	-45.34	-40	Pass	2000
3000	3500	1	RMS	3290.581	-44.79	-40	Pass	500
3500	3750	1	RMS	3698.125	-0.1	60	Pass	401
3750	6500	1	RMS	6496.999	-44.19	-40	Pass	2750
6500	26500	1	RMS	26000.862	-43.62	-40	Pass	20000




**29.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:56590|56707, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.72	-40	Pass	401
0.15	30	0.01	RMS	0.17	-68.61	-40	Pass	2985
30	1000	0.1	RMS	836.198	-59.99	-40	Pass	9699
1000	3000	1	RMS	2939.97	-45.31	-40	Pass	2000
3000	3500	1	RMS	3287.575	-44.83	-40	Pass	500
3500	3750	1	RMS	3695.625	-5.83	60	Pass	401
3750	6500	1	RMS	6500	-44.15	-40	Pass	2750
6500	26500	1	RMS	25988.859	-43.68	-40	Pass	20000




**29.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:56590|56707, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-40	Pass	401
0.15	30	0.01	RMS	0.21	-68.23	-40	Pass	2985
30	1000	0.1	RMS	849.4	-59.9	-40	Pass	9699
1000	3000	1	RMS	2951.976	-45.39	-40	Pass	2000
3000	3500	1	RMS	3287.575	-44.83	-40	Pass	500
3500	3750	1	RMS	3698.125	-0.11	60	Pass	401
3750	6500	1	RMS	6499	-44.21	-40	Pass	2750
6500	26500	1	RMS	26002.863	-43.68	-40	Pass	20000




**29.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:56590|56707, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-40	Pass	2985
30	1000	0.1	RMS	838.299	-59.88	-40	Pass	9699
1000	3000	1	RMS	2948.974	-45.37	-40	Pass	2000
3000	3500	1	RMS	3285.571	-44.83	-40	Pass	500
3500	3750	1	RMS	3696.875	-5.81	60	Pass	401
3750	6500	1	RMS	6490.997	-44.16	-40	Pass	2750
6500	26500	1	RMS	26001.862	-43.56	-40	Pass	20000




**29.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:55340|55538, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-40	Pass	401
0.15	30	0.01	RMS	0.16	-67.49	-40	Pass	2985
30	1000	0.1	RMS	854.908	-60	-40	Pass	9699
1000	3000	1	RMS	2956.978	-45.36	-40	Pass	2000
3000	3500	1	RMS	3286.573	-44.82	-40	Pass	500
3500	3750	1	RMS	3588.125	-0.43	60	Pass	401
3750	6500	1	RMS	6493.998	-44.2	-40	Pass	2750
6500	26500	1	RMS	26002.863	-43.73	-40	Pass	20000




**29.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:55340|55538, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.32	-40	Pass	401
0.15	30	0.01	RMS	0.21	-68.67	-40	Pass	2985
30	1000	0.1	RMS	852.204	-60.11	-40	Pass	9699
1000	3000	1	RMS	2956.978	-45.36	-40	Pass	2000
3000	3500	1	RMS	3286.573	-44.83	-40	Pass	500
3500	3750	1	RMS	3575	-12.3	60	Pass	401
3750	6500	1	RMS	6497.999	-44.17	-40	Pass	2750
6500	26500	1	RMS	26003.863	-43.6	-40	Pass	20000




**29.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:55340|55538, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.66	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-40	Pass	2985
30	1000	0.1	RMS	846.3	-60.12	-40	Pass	9699
1000	3000	1	RMS	2955.978	-45.37	-40	Pass	2000
3000	3500	1	RMS	3291.583	-44.83	-40	Pass	500
3500	3750	1	RMS	3588.125	-0.3	60	Pass	401
3750	6500	1	RMS	6491.997	-44.2	-40	Pass	2750
6500	26500	1	RMS	26004.863	-43.65	-40	Pass	20000




**29.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:55340|55538, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-40	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-40	Pass	2985
30	1000	0.1	RMS	858.713	-60.06	-40	Pass	9699
1000	3000	1	RMS	2958.979	-45.28	-40	Pass	2000
3000	3500	1	RMS	3286.573	-44.81	-40	Pass	500
3500	3750	1	RMS	3574.375	-12.32	60	Pass	401
3750	6500	1	RMS	6496.999	-44.18	-40	Pass	2750
6500	26500	1	RMS	25997.861	-43.74	-40	Pass	20000




**29.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:55891|56089, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.18	-40	Pass	401
0.15	30	0.01	RMS	0.21	-68.98	-40	Pass	2985
30	1000	0.1	RMS	846.6	-60.01	-40	Pass	9699
1000	3000	1	RMS	2953.977	-45.33	-40	Pass	2000
3000	3500	1	RMS	3289.579	-44.82	-40	Pass	500
3500	3750	1	RMS	3643.125	6.29	60	Pass	401
3750	6500	1	RMS	6494.998	-44.14	-40	Pass	2750
6500	26500	1	RMS	25998.861	-43.74	-40	Pass	20000




**29.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:55891|56089, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-40	Pass	2985
30	1000	0.1	RMS	842.399	-59.97	-40	Pass	9699
1000	3000	1	RMS	2956.978	-45.37	-40	Pass	2000
3000	3500	1	RMS	3286.573	-44.81	-40	Pass	500
3500	3750	1	RMS	3631.25	0.96	60	Pass	401
3750	6500	1	RMS	6492.997	-44.16	-40	Pass	2750
6500	26500	1	RMS	25998.861	-43.53	-40	Pass	20000




**29.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:55891|56089, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-40	Pass	401
0.15	30	0.01	RMS	0.34	-68.27	-40	Pass	2985
30	1000	0.1	RMS	837.799	-60.02	-40	Pass	9699
1000	3000	1	RMS	2950.975	-45.38	-40	Pass	2000
3000	3500	1	RMS	3278.557	-44.81	-40	Pass	500
3500	3750	1	RMS	3643.125	6.19	60	Pass	401
3750	6500	1	RMS	6496.999	-44.22	-40	Pass	2750
6500	26500	1	RMS	25988.859	-43.66	-40	Pass	20000




**29.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:55891|56089, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-40	Pass	401
0.15	30	0.01	RMS	0.22	-68.78	-40	Pass	2985
30	1000	0.1	RMS	820.396	-60.09	-40	Pass	9699
1000	3000	1	RMS	2955.978	-45.4	-40	Pass	2000
3000	3500	1	RMS	3286.573	-44.84	-40	Pass	500
3500	3750	1	RMS	3636.25	-0.06	60	Pass	401
3750	6500	1	RMS	6494.998	-44.21	-40	Pass	2750
6500	26500	1	RMS	25988.859	-43.76	-40	Pass	20000




**29.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:56442|56640, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.81	-40	Pass	401
0.15	30	0.01	RMS	0.19	-68.76	-40	Pass	2985
30	1000	0.1	RMS	829.498	-59.88	-40	Pass	9699
1000	3000	1	RMS	2955.978	-45.35	-40	Pass	2000
3000	3500	1	RMS	3315.631	-44.84	-40	Pass	500
3500	3750	1	RMS	3660.625	-0.28	60	Pass	401
3750	6500	1	RMS	6497.999	-44.19	-40	Pass	2750
6500	26500	1	RMS	26003.863	-43.7	-40	Pass	20000




**29.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:56442|56640, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.84	-40	Pass	401
0.15	30	0.01	RMS	0.2	-68.25	-40	Pass	2985
30	1000	0.1	RMS	852.204	-59.93	-40	Pass	9699
1000	3000	1	RMS	2961.981	-45.38	-40	Pass	2000
3000	3500	1	RMS	3284.569	-44.82	-40	Pass	500
3500	3750	1	RMS	3691.25	-11.84	60	Pass	401
3750	6500	1	RMS	6492.997	-44.19	-40	Pass	2750
6500	26500	1	RMS	26003.863	-43.72	-40	Pass	20000




**29.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:56442|56640, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.89	-40	Pass	401
0.15	30	0.01	RMS	0.16	-68.33	-40	Pass	2985
30	1000	0.1	RMS	848.3	-60.03	-40	Pass	9699
1000	3000	1	RMS	2959.98	-45.37	-40	Pass	2000
3000	3500	1	RMS	3280.561	-44.82	-40	Pass	500
3500	3750	1	RMS	3660.625	-0.31	60	Pass	401
3750	6500	1	RMS	6499	-44.19	-40	Pass	2750
6500	26500	1	RMS	26006.864	-43.54	-40	Pass	20000



**29.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:56442|56640, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.92	-40	Pass	401
0.15	30	0.01	RMS	0.2	-69.1	-40	Pass	2985
30	1000	0.1	RMS	843.199	-60.09	-40	Pass	9699
1000	3000	1	RMS	2958.979	-45.38	-40	Pass	2000
3000	3500	1	RMS	3284.569	-44.83	-40	Pass	500
3500	3750	1	RMS	3686.25	-11.84	60	Pass	401
3750	6500	1	RMS	6492.997	-44.21	-40	Pass	2750
6500	26500	1	RMS	26000.862	-43.59	-40	Pass	20000



30. CA_66C


30.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2986
30	1000	0.1	RMS	833.6	-64.38	-13	Pass	9701
1000	1670	1	RMS	1666	-53.24	-13	Pass	671
1670	1820	1	RMS	1710.875	11.96	60	Pass	401
1820	3000	1	RMS	2957	-49.64	-13	Pass	1181
3000	20000	1	RMS	19404	-53.45	-13	Pass	17003




**30.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.35	-73.28	-13	Pass	2986
30	1000	0.1	RMS	845.8	-64.24	-13	Pass	9701
1000	1670	1	RMS	1670	-53.28	-13	Pass	671
1670	1820	1	RMS	1732.25	12.57	60	Pass	401
1820	3000	1	RMS	2958	-49.62	-13	Pass	1181
3000	20000	1	RMS	17948	-53.42	-13	Pass	17003




**30.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.24	-13	Pass	2986
30	1000	0.1	RMS	989.393	-64.33	-13	Pass	9701
1000	1670	1	RMS	1668	-53.27	-13	Pass	671
1670	1820	1	RMS	1733.75	12.08	60	Pass	401
1820	3000	1	RMS	2962	-49.59	-13	Pass	1181
3000	20000	1	RMS	19411	-53.51	-13	Pass	17003




**30.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.02	-13	Pass	2986
30	1000	0.1	RMS	844.1	-64.17	-13	Pass	9701
1000	1670	1	RMS	1664	-53.24	-13	Pass	671
1670	1820	1	RMS	1732.625	11.67	60	Pass	401
1820	3000	1	RMS	2957	-49.58	-13	Pass	1181
3000	20000	1	RMS	17951	-53.47	-13	Pass	17003




**30.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2986
30	1000	0.1	RMS	835.8	-64.26	-13	Pass	9701
1000	1670	1	RMS	1668	-53.24	-13	Pass	671
1670	1820	1	RMS	1766	11.87	60	Pass	401
1820	3000	1	RMS	2959	-49.64	-13	Pass	1181
3000	20000	1	RMS	19396	-53.39	-13	Pass	17003




**30.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	Pass	2986
30	1000	0.1	RMS	842.5	-64.14	-13	Pass	9701
1000	1670	1	RMS	1669	-53.26	-13	Pass	671
1670	1820	1	RMS	1764.875	12.63	60	Pass	401
1820	3000	1	RMS	2956	-49.61	-13	Pass	1181
3000	20000	1	RMS	19720	-53.5	-13	Pass	17003




**30.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2986
30	1000	0.1	RMS	828	-64.27	-13	Pass	9701
1000	1670	1	RMS	1668	-53.27	-13	Pass	671
1670	1820	1	RMS	1743.5	12.09	60	Pass	401
1820	3000	1	RMS	2957	-49.56	-13	Pass	1181
3000	20000	1	RMS	19395	-53.48	-13	Pass	17003




**30.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.74	-13	Pass	2986
30	1000	0.1	RMS	844.2	-64.33	-13	Pass	9701
1000	1670	1	RMS	1668	-53.26	-13	Pass	671
1670	1820	1	RMS	1765.25	11.68	60	Pass	401
1820	3000	1	RMS	2964	-49.54	-13	Pass	1181
3000	20000	1	RMS	19401	-53.49	-13	Pass	17003




**30.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.32	-73.18	-13	Pass	2986
30	1000	0.1	RMS	842.1	-64.24	-13	Pass	9701
1000	1670	1	RMS	1667	-53.27	-13	Pass	671
1670	1820	1	RMS	1755.875	12.09	60	Pass	401
1820	3000	1	RMS	2955	-49.63	-13	Pass	1181
3000	20000	1	RMS	19889	-53.49	-13	Pass	17003




**30.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.92	-13	Pass	2986
30	1000	0.1	RMS	859.807	-64.21	-13	Pass	9701
1000	1670	1	RMS	1670	-53.26	-13	Pass	671
1670	1820	1	RMS	1775.375	12.71	60	Pass	401
1820	3000	1	RMS	2958	-49.61	-13	Pass	1181
3000	20000	1	RMS	17950	-53.42	-13	Pass	17003




**30.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	1000	0.1	RMS	854.804	-64.31	-13	Pass	9701
1000	1670	1	RMS	1668	-53.28	-13	Pass	671
1670	1820	1	RMS	1778.75	12.04	60	Pass	401
1820	3000	1	RMS	2954	-49.62	-13	Pass	1181
3000	20000	1	RMS	17950	-53.47	-13	Pass	17003




**30.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	Pass	2986
30	1000	0.1	RMS	844.1	-64.38	-13	Pass	9701
1000	1670	1	RMS	1662	-53.28	-13	Pass	671
1670	1820	1	RMS	1775.375	11.61	60	Pass	401
1820	3000	1	RMS	2968	-49.6	-13	Pass	1181
3000	20000	1	RMS	17951	-53.52	-13	Pass	17003




**30.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.99	-13	Pass	2986
30	1000	0.1	RMS	849.6	-64.14	-13	Pass	9701
1000	1670	1	RMS	1667	-53.29	-13	Pass	671
1670	1820	1	RMS	1748.375	11.94	60	Pass	401
1820	3000	1	RMS	2962	-49.61	-13	Pass	1181
3000	20000	1	RMS	19400	-53.5	-13	Pass	17003




**30.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.51	-13	Pass	2986
30	1000	0.1	RMS	828.8	-64.16	-13	Pass	9701
1000	1670	1	RMS	1670	-53.23	-13	Pass	671
1670	1820	1	RMS	1739.75	6.81	60	Pass	401
1820	3000	1	RMS	2959	-49.59	-13	Pass	1181
3000	20000	1	RMS	19399	-53.48	-13	Pass	17003




**30.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.92	-13	Pass	2986
30	1000	0.1	RMS	827.4	-64.34	-13	Pass	9701
1000	1670	1	RMS	1666	-53.23	-13	Pass	671
1670	1820	1	RMS	1748.375	11.9	60	Pass	401
1820	3000	1	RMS	2964	-49.61	-13	Pass	1181
3000	20000	1	RMS	19912	-53.4	-13	Pass	17003




**30.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2986
30	1000	0.1	RMS	835.4	-64.43	-13	Pass	9701
1000	1670	1	RMS	1651	-53.26	-13	Pass	671
1670	1820	1	RMS	1742.375	5.76	60	Pass	401
1820	3000	1	RMS	2957	-49.55	-13	Pass	1181
3000	20000	1	RMS	19401	-53.45	-13	Pass	17003




**30.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:132323|132521, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73	-13	Pass	2986
30	1000	0.1	RMS	839.6	-64.38	-13	Pass	9701
1000	1670	1	RMS	1593	-53.29	-13	Pass	671
1670	1820	1	RMS	1773.5	12.08	60	Pass	401
1820	3000	1	RMS	2963	-49.61	-13	Pass	1181
3000	20000	1	RMS	19402	-53.46	-13	Pass	17003




**30.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:132323|132521, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	Pass	2986
30	1000	0.1	RMS	849.8	-64.08	-13	Pass	9701
1000	1670	1	RMS	1669	-53.23	-13	Pass	671
1670	1820	1	RMS	1767.875	7.02	60	Pass	401
1820	3000	1	RMS	2950	-49.65	-13	Pass	1181
3000	20000	1	RMS	19401	-53.49	-13	Pass	17003




**30.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132323|132521, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.34	-73.19	-13	Pass	2986
30	1000	0.1	RMS	854.404	-64.31	-13	Pass	9701
1000	1670	1	RMS	1659	-53.27	-13	Pass	671
1670	1820	1	RMS	1736	11.86	60	Pass	401
1820	3000	1	RMS	2955	-49.63	-13	Pass	1181
3000	20000	1	RMS	19934	-53.5	-13	Pass	17003



**30.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132323|132521, Bandwidth:20|20, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.23	-13	Pass	2986
30	1000	0.1	RMS	843.3	-64.3	-13	Pass	9701
1000	1670	1	RMS	1667	-53.29	-13	Pass	671
1670	1820	1	RMS	1771.625	6.02	60	Pass	401
1820	3000	1	RMS	2973	-49.62	-13	Pass	1181
3000	20000	1	RMS	19885	-53.45	-13	Pass	17003



**30.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	Pass	2986
30	1000	0.1	RMS	853.603	-64.29	-13	Pass	9701
1000	1670	1	RMS	1670	-53.24	-13	Pass	671
1670	1820	1	RMS	1778.75	12.17	60	Pass	401
1820	3000	1	RMS	2957	-49.65	-13	Pass	1181
3000	20000	1	RMS	19889	-53.5	-13	Pass	17003

