



**53.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	969.9	-59.94	-13	Pass	9701
1000	3000	1	RMS	2637	-47.1	-13	Pass	2001
3000	3690	1	RMS	3148	-46.22	-13	Pass	691
3690	3810	1	RMS	3753	15.34	60	Pass	601
3810	6500	1	RMS	3810	-54.18	-13	Pass	2691
6500	27000	1	RMS	25015	-45.11	-13	Pass	20501




**53.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,  
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.96	-13	Pass	2986
30	1000	0.1	RMS	784.5	-59.93	-13	Pass	9701
1000	3000	1	RMS	2657	-46.91	-13	Pass	2001
3000	3690	1	RMS	3158	-46.19	-13	Pass	691
3690	3810	1	RMS	3787.6	15.29	60	Pass	601
3810	6500	1	RMS	3810	-41.9	-13	Pass	2691
6500	27000	1	RMS	24887	-45.5	-13	Pass	20501




**53.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.51	-13	Pass	2986
30	1000	0.1	RMS	982.2	-59.94	-13	Pass	9701
1000	3000	1	RMS	2634	-47.09	-13	Pass	2001
3000	3690	1	RMS	3154	-46.15	-13	Pass	691
3690	3810	1	RMS	3793	15.15	60	Pass	601
3810	6500	1	RMS	3810	-40.4	-13	Pass	2691
6500	27000	1	RMS	25028	-45.17	-13	Pass	20501




**53.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,  
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	1000	0.1	RMS	883.7	-60.23	-13	Pass	9701
1000	3000	1	RMS	2660	-47.01	-13	Pass	2001
3000	3690	1	RMS	3690	-44.63	-13	Pass	691
3690	3810	1	RMS	3716	11.06	60	Pass	601
3810	6500	1	RMS	3813	-53.79	-13	Pass	2691
6500	27000	1	RMS	25011	-44.95	-13	Pass	20501




**53.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-54.42	-13	Pass	2986
30	1000	0.1	RMS	921.9	-60.35	-13	Pass	9701
1000	3000	1	RMS	2655	-46.98	-13	Pass	2001
3000	3690	1	RMS	3675	-43.61	-13	Pass	691
3690	3810	1	RMS	3722.2	11.14	60	Pass	601
3810	6500	1	RMS	3812	-48.63	-13	Pass	2691
6500	27000	1	RMS	25019	-45.73	-13	Pass	20501




**53.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,  
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	1000	0.1	RMS	913.7	-60.26	-13	Pass	9701
1000	3000	1	RMS	2652	-47.22	-13	Pass	2001
3000	3690	1	RMS	3162	-46.29	-13	Pass	691
3690	3810	1	RMS	3755	11.12	60	Pass	601
3810	6500	1	RMS	3815	-48.51	-13	Pass	2691
6500	27000	1	RMS	24962	-45.59	-13	Pass	20501




**53.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.28	-13	Pass	2986
30	1000	0.1	RMS	921.8	-60.43	-13	Pass	9701
1000	3000	1	RMS	2659	-47.18	-13	Pass	2001
3000	3690	1	RMS	3151	-46.24	-13	Pass	691
3690	3810	1	RMS	3747.2	11.26	60	Pass	601
3810	6500	1	RMS	3815	-44.92	-13	Pass	2691
6500	27000	1	RMS	25016	-45.36	-13	Pass	20501



**53.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,  
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2986
30	1000	0.1	RMS	889.6	-60.31	-13	Pass	9701
1000	3000	1	RMS	2647	-47.1	-13	Pass	2001
3000	3690	1	RMS	3152	-46.22	-13	Pass	691
3690	3810	1	RMS	3766	11.04	60	Pass	601
3810	6500	1	RMS	3819	-43.96	-13	Pass	2691
6500	27000	1	RMS	25011	-45.4	-13	Pass	20501






**53.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2986
30	1000	0.1	RMS	771.4	-59.88	-13	Pass	9701
1000	3000	1	RMS	2656	-47.1	-13	Pass	2001
3000	3690	1	RMS	3154	-46.28	-13	Pass	691
3690	3810	1	RMS	3772.2	11.16	60	Pass	601
3810	6500	1	RMS	3829	-42.79	-13	Pass	2691
6500	27000	1	RMS	24914	-45.53	-13	Pass	20501




**53.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.17	-13	Pass	2986
30	1000	0.1	RMS	968.4	-60.12	-13	Pass	9701
1000	3000	1	RMS	2663	-47.13	-13	Pass	2001
3000	3690	1	RMS	3687	-41.89	-13	Pass	691
3690	3810	1	RMS	3733.6	7.98	60	Pass	601
3810	6500	1	RMS	3816	-38.57	-13	Pass	2691
6500	27000	1	RMS	25014	-45.42	-13	Pass	20501



**53.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.5	-13	Pass	2986
30	1000	0.1	RMS	916.2	-59.93	-13	Pass	9701
1000	3000	1	RMS	2652	-47.13	-13	Pass	2001
3000	3690	1	RMS	3690	-40.45	-13	Pass	691
3690	3810	1	RMS	3736	7.88	60	Pass	601
3810	6500	1	RMS	3811	-34.99	-13	Pass	2691
6500	27000	1	RMS	25019	-45.43	-13	Pass	20501



## 54. UL MIMO\_n41\_SCS30\_20M\_L\_CP QPSK\_25@12

### 54.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.45	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.91	-25	Pass	2986
30	1000	0.1	RMS	925.9	-59.94	-25	Pass	9701
1000	2486	1	RMS	2486	-46.02	-25	Pass	1487
2486	2700	1	RMS	2508.827	12.24	60	Pass	601
2700	3000	1	RMS	2992	-47.38	-25	Pass	601
3000	7000	1	RMS	6981	-67.2	-25	Pass	4001
7000	27000	1	RMS	25421	-42.68	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_20M\_M\_CP QPSK\_25@12

### 54.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.08	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.52	-25	Pass	2986
30	1000	0.1	RMS	825.2	-60.04	-25	Pass	9701
1000	2486	1	RMS	2477	-48.67	-25	Pass	1487
2486	2700	1	RMS	2589.79	12.32	60	Pass	601
2700	3000	1	RMS	3000	-47.28	-25	Pass	601
3000	7000	1	RMS	6979	-67.27	-25	Pass	4001
7000	27000	1	RMS	25012	-42.46	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_20M\_H\_CP QPSK\_25@12

### 54.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2986
30	1000	0.1	RMS	968.4	-60.35	-25	Pass	9701
1000	2486	1	RMS	2485	-48.71	-25	Pass	1487
2486	2700	1	RMS	2676.817	11.83	60	Pass	601
2700	3000	1	RMS	2700	-41.32	-25	Pass	601
3000	7000	1	RMS	6982	-67.2	-25	Pass	4001
7000	27000	1	RMS	25013	-42.61	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_60M\_L\_CP QPSK\_81@40

### 54.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.33	-25	Pass	2986
30	1000	0.1	RMS	798.7	-60.14	-25	Pass	9701
1000	2486	1	RMS	2486	-39.24	-25	Pass	1487
2486	2700	1	RMS	2517.387	6.94	60	Pass	601
2700	3000	1	RMS	2773.5	-47.31	-25	Pass	601
3000	7000	1	RMS	6979	-67.23	-25	Pass	4001
7000	27000	1	RMS	25014	-42.84	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_60M\_M\_CP QPSK\_81@40

### 54.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.28	-25	Pass	2986
30	1000	0.1	RMS	937.2	-59.48	-25	Pass	9701
1000	2486	1	RMS	2485	-48.4	-25	Pass	1487
2486	2700	1	RMS	2580.16	7.26	60	Pass	601
2700	3000	1	RMS	2997.5	-47.27	-25	Pass	601
3000	7000	1	RMS	6977	-67.22	-25	Pass	4001
7000	27000	1	RMS	25006	-41.88	-25	Pass	20001






## 54. UL MIMO\_n41\_SCS30\_60M\_H\_CP QPSK\_81@40

### 54.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.94	-25	Pass	2986
30	1000	0.1	RMS	893.6	-59.35	-25	Pass	9701
1000	2486	1	RMS	2485	-48.67	-25	Pass	1487
2486	2700	1	RMS	2646.857	7.24	60	Pass	601
2700	3000	1	RMS	2700	-38.37	-25	Pass	601
3000	7000	1	RMS	6978	-67.35	-25	Pass	4001
7000	27000	1	RMS	25451	-42.58	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_L\_CP QPSK\_137@68

### 54.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.99	-25	Pass	2986
30	1000	0.1	RMS	885	-59.6	-25	Pass	9701
1000	2486	1	RMS	2486	-37.2	-25	Pass	1487
2486	2700	1	RMS	2523.45	5.22	60	Pass	601
2700	3000	1	RMS	2763	-47.3	-25	Pass	601
3000	7000	1	RMS	6980	-67.15	-25	Pass	4001
7000	27000	1	RMS	25030	-42.89	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_M\_CP QPSK\_137@68

### 54.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.83	-25	Pass	2986
30	1000	0.1	RMS	731.1	-59.66	-25	Pass	9701
1000	2486	1	RMS	2486	-47.43	-25	Pass	1487
2486	2700	1	RMS	2569.817	5.03	60	Pass	601
2700	3000	1	RMS	2700	-45.99	-25	Pass	601
3000	7000	1	RMS	6982	-67.05	-25	Pass	4001
7000	27000	1	RMS	25010	-42.57	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_H\_CP QPSK\_137@68

### 54.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.54	-25	Pass	2986
30	1000	0.1	RMS	925.9	-60.2	-25	Pass	9701
1000	2486	1	RMS	2486	-48.45	-25	Pass	1487
2486	2700	1	RMS	2618.323	4.84	60	Pass	601
2700	3000	1	RMS	2700	-36.43	-25	Pass	601
3000	7000	1	RMS	6970	-67.28	-25	Pass	4001
7000	27000	1	RMS	24960	-42.99	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_20M\_L\_CP QPSK\_25@12

### 54.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.16	-25	Pass	601
0.15	30	0.01	RMS	0.16	-53.98	-25	Pass	2986
30	1000	0.1	RMS	843.7	-60.18	-25	Pass	9701
1000	2486	1	RMS	2486	-44.12	-25	Pass	1487
2486	2700	1	RMS	2502.407	12.2	60	Pass	601
2700	3000	1	RMS	2996.5	-47.31	-25	Pass	601
3000	7000	1	RMS	6984	-67.45	-25	Pass	4001
7000	27000	1	RMS	25070	-41.25	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_20M\_M\_CP QPSK\_25@12

### 54.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.17	-55.8	-25	Pass	2986
30	1000	0.1	RMS	891.7	-60.12	-25	Pass	9701
1000	2486	1	RMS	2484	-48.8	-25	Pass	1487
2486	2700	1	RMS	2589.433	12.69	60	Pass	601
2700	3000	1	RMS	2999.5	-47.19	-25	Pass	601
3000	7000	1	RMS	6058	-67.5	-25	Pass	4001
7000	27000	1	RMS	25018	-40.9	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_20M\_H\_CP QPSK\_25@12

### 54.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-25	Pass	2986
30	1000	0.1	RMS	975.3	-60.38	-25	Pass	9701
1000	2486	1	RMS	2482	-48.69	-25	Pass	1487
2486	2700	1	RMS	2676.103	12.26	60	Pass	601
2700	3000	1	RMS	2700	-42.49	-25	Pass	601
3000	7000	1	RMS	6988	-67.17	-25	Pass	4001
7000	27000	1	RMS	25019	-40.56	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_60M\_L\_CP QPSK\_81@40

### 54.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	974.9	-59.99	-25	Pass	9701
1000	2486	1	RMS	2486	-39.94	-25	Pass	1487
2486	2700	1	RMS	2513.82	7.25	60	Pass	601
2700	3000	1	RMS	2990	-47.22	-25	Pass	601
3000	7000	1	RMS	6986	-67.4	-25	Pass	4001
7000	27000	1	RMS	25461	-41.23	-25	Pass	20001






## 54. UL MIMO\_n41\_SCS30\_60M\_M\_CP QPSK\_81@40

### 54.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.72	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.04	-25	Pass	2986
30	1000	0.1	RMS	968.6	-59.78	-25	Pass	9701
1000	2486	1	RMS	2486	-48.42	-25	Pass	1487
2486	2700	1	RMS	2580.873	7.66	60	Pass	601
2700	3000	1	RMS	2998	-47.36	-25	Pass	601
3000	7000	1	RMS	6983	-67.46	-25	Pass	4001
7000	27000	1	RMS	25013	-41.01	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_60M\_H\_CP QPSK\_81@40

### 54.15. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.57	-25	Pass	2986
30	1000	0.1	RMS	872.5	-60.15	-25	Pass	9701
1000	2486	1	RMS	2486	-48.55	-25	Pass	1487
2486	2700	1	RMS	2648.283	7.29	60	Pass	601
2700	3000	1	RMS	2700	-39.04	-25	Pass	601
3000	7000	1	RMS	6984	-67.3	-25	Pass	4001
7000	27000	1	RMS	25005	-40.64	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_L\_CP QPSK\_137@68

### 54.16. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.52	-25	Pass	2986
30	1000	0.1	RMS	800.3	-59.47	-25	Pass	9701
1000	2486	1	RMS	2486	-39.2	-25	Pass	1487
2486	2700	1	RMS	2522.737	5.15	60	Pass	601
2700	3000	1	RMS	2999	-47.29	-25	Pass	601
3000	7000	1	RMS	6990	-67.41	-25	Pass	4001
7000	27000	1	RMS	25021	-40.7	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_M\_CP QPSK\_137@68

### 54.17. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.81	-25	Pass	2986
30	1000	0.1	RMS	840.7	-60.09	-25	Pass	9701
1000	2486	1	RMS	2485	-47.72	-25	Pass	1487
2486	2700	1	RMS	2570.887	5.3	60	Pass	601
2700	3000	1	RMS	2700	-46.31	-25	Pass	601
3000	7000	1	RMS	6979	-67.15	-25	Pass	4001
7000	27000	1	RMS	25386	-40.9	-25	Pass	20001



## 54. UL MIMO\_n41\_SCS30\_100M\_H\_CP QPSK\_137@68

### 54.18. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-25	Pass	2986
30	1000	0.1	RMS	914.9	-58.99	-25	Pass	9701
1000	2486	1	RMS	2476	-48.45	-25	Pass	1487
2486	2700	1	RMS	2616.54	5.2	60	Pass	601
2700	3000	1	RMS	2700	-37.24	-25	Pass	601
3000	7000	1	RMS	6051	-67.4	-25	Pass	4001
7000	27000	1	RMS	25023	-40.85	-25	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_L\_CP QPSK\_25@12

### 55.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.29	-40	Pass	601
0.15	30	0.01	RMS	0.16	-58.25	-40	Pass	2986
30	1000	0.1	RMS	915.7	-60.06	-40	Pass	9701
1000	3000	1	RMS	2647	-46.93	-40	Pass	2001
3000	3540	1	RMS	3540	-47.38	-40	Pass	601
3540	3710	1	RMS	3558.983	7.58	60	Pass	601
3710	7000	1	RMS	3863	-53.35	-40	Pass	3291
7000	27000	1	RMS	25013	-49.87	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_H\_CP QPSK\_25@12

### 55.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-40	Pass	601
0.15	30	0.01	RMS	0.16	-56.78	-40	Pass	2986
30	1000	0.1	RMS	932.6	-59.87	-40	Pass	9701
1000	3000	1	RMS	2642	-46.94	-40	Pass	2001
3000	3540	1	RMS	3386.1	-58.55	-40	Pass	601
3540	3710	1	RMS	3693	7.69	60	Pass	601
3710	7000	1	RMS	3710	-47.19	-40	Pass	3291
7000	27000	1	RMS	25004	-49.24	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_M\_CP QPSK\_25@12

### 55.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-40	Pass	601
0.15	30	0.01	RMS	0.15	-56.69	-40	Pass	2986
30	1000	0.1	RMS	910.7	-59.89	-40	Pass	9701
1000	3000	1	RMS	2630	-47.04	-40	Pass	2001
3000	3540	1	RMS	3321.3	-58.36	-40	Pass	601
3540	3710	1	RMS	3622.167	7.66	60	Pass	601
3710	7000	1	RMS	3928	-54.24	-40	Pass	3291
7000	27000	1	RMS	25014	-49.68	-40	Pass	20001






## 55. UL MIMO\_n48\_SCS30\_40M\_L\_CP QPSK\_53@26

### 55.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-40	Pass	601
0.15	30	0.01	RMS	0.16	-56.28	-40	Pass	2986
30	1000	0.1	RMS	927.2	-60.07	-40	Pass	9701
1000	3000	1	RMS	2655	-47.03	-40	Pass	2001
3000	3540	1	RMS	3540	-46.66	-40	Pass	601
3540	3710	1	RMS	3562.1	4.51	60	Pass	601
3710	7000	1	RMS	4219	-63.61	-40	Pass	3291
7000	27000	1	RMS	25034	-49.64	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_40M\_M\_CP QPSK\_53@26

### 55.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-40	Pass	601
0.15	30	0.01	RMS	0.15	-59.72	-40	Pass	2986
30	1000	0.1	RMS	956.9	-59.58	-40	Pass	9701
1000	3000	1	RMS	2654	-47.04	-40	Pass	2001
3000	3540	1	RMS	3540	-64.56	-40	Pass	601
3540	3710	1	RMS	3617.633	4.37	60	Pass	601
3710	7000	1	RMS	3710	-62.77	-40	Pass	3291
7000	27000	1	RMS	24972	-49.61	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_40M\_H\_CP QPSK\_53@26

### 55.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-53.54	-40	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-40	Pass	2986
30	1000	0.1	RMS	909.2	-59.98	-40	Pass	9701
1000	3000	1	RMS	2648	-47.03	-40	Pass	2001
3000	3540	1	RMS	3378.9	-65.89	-40	Pass	601
3540	3710	1	RMS	3684.783	4.64	60	Pass	601
3710	7000	1	RMS	3711	-45.2	-40	Pass	3291
7000	27000	1	RMS	25009	-49.66	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_L\_CP QPSK\_25@12

### 55.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-40	Pass	601
0.15	30	0.01	RMS	0.18	-58.86	-40	Pass	2986
30	1000	0.1	RMS	917	-60.23	-40	Pass	9701
1000	3000	1	RMS	2635	-46.54	-40	Pass	2001
3000	3540	1	RMS	3540	-46.58	-40	Pass	601
3540	3710	1	RMS	3562.1	7.98	60	Pass	601
3710	7000	1	RMS	3863	-53.01	-40	Pass	3291
7000	27000	1	RMS	25008	-47.07	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_M\_CP QPSK\_25@12

### 55.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-40	Pass	601
0.15	30	0.01	RMS	0.17	-57.48	-40	Pass	2986
30	1000	0.1	RMS	905.2	-59.74	-40	Pass	9701
1000	3000	1	RMS	2653	-46.58	-40	Pass	2001
3000	3540	1	RMS	3321.3	-55.9	-40	Pass	601
3540	3710	1	RMS	3626.417	8.54	60	Pass	601
3710	7000	1	RMS	3936	-53.02	-40	Pass	3291
7000	27000	1	RMS	25408	-47.39	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_20M\_H\_CP QPSK\_25@12

### 55.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.65	-40	Pass	601
0.15	30	0.01	RMS	0.15	-54.19	-40	Pass	2986
30	1000	0.1	RMS	807.2	-60.08	-40	Pass	9701
1000	3000	1	RMS	2635	-46.58	-40	Pass	2001
3000	3540	1	RMS	3386.1	-57.63	-40	Pass	601
3540	3710	1	RMS	3693	8.5	60	Pass	601
3710	7000	1	RMS	3710	-47.84	-40	Pass	3291
7000	27000	1	RMS	25377	-47.52	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_40M\_L\_CP QPSK\_53@26

### 55.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-40	Pass	601
0.15	30	0.01	RMS	0.16	-56.33	-40	Pass	2986
30	1000	0.1	RMS	984.4	-59.73	-40	Pass	9701
1000	3000	1	RMS	2634	-46.58	-40	Pass	2001
3000	3540	1	RMS	3540	-46.39	-40	Pass	601
3540	3710	1	RMS	3562.1	4.89	60	Pass	601
3710	7000	1	RMS	3871	-63.8	-40	Pass	3291
7000	27000	1	RMS	25020	-47.77	-40	Pass	20001



## 55. UL MIMO\_n48\_SCS30\_40M\_M\_CP QPSK\_53@26

### 55.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-40	Pass	601
0.15	30	0.01	RMS	0.17	-54.95	-40	Pass	2986
30	1000	0.1	RMS	840.6	-59.3	-40	Pass	9701
1000	3000	1	RMS	2634	-46.52	-40	Pass	2001
3000	3540	1	RMS	3540	-62.75	-40	Pass	601
3540	3710	1	RMS	3617.917	4.97	60	Pass	601
3710	7000	1	RMS	3710	-61.24	-40	Pass	3291
7000	27000	1	RMS	25415	-47.68	-40	Pass	20001






## 55. UL MIMO\_n48\_SCS30\_40M\_H\_CP QPSK\_53@26

### 55.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-40	Pass	601
0.15	30	0.01	RMS	0.15	-54.4	-40	Pass	2986
30	1000	0.1	RMS	922.8	-59.84	-40	Pass	9701
1000	3000	1	RMS	2630	-46.68	-40	Pass	2001
3000	3540	1	RMS	3373.5	-64.59	-40	Pass	601
3540	3710	1	RMS	3671.467	5.11	60	Pass	601
3710	7000	1	RMS	3711	-45.54	-40	Pass	3291
7000	27000	1	RMS	25018	-47.84	-40	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 56.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.1	-13	Pass	2986
30	1000	0.1	RMS	972.8	-59.85	-13	Pass	9701
1000	3000	1	RMS	2642	-46.95	-13	Pass	2001
3000	3440	1	RMS	3440	-46.66	-13	Pass	601
3440	3560	1	RMS	3457	10.7	60	Pass	601
3560	7000	1	RMS	3565	-61.89	-13	Pass	3441
7000	27000	1	RMS	25010	-42.68	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 56.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2986
30	1000	0.1	RMS	932.5	-59.5	-13	Pass	9701
1000	3000	1	RMS	2654	-46.92	-13	Pass	2001
3000	3440	1	RMS	3440	-63.65	-13	Pass	601
3440	3560	1	RMS	3497	10.43	60	Pass	601
3560	7000	1	RMS	3561	-61.84	-13	Pass	3441
7000	27000	1	RMS	25014	-42.98	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 56.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	788.5	-59.9	-13	Pass	9701
1000	3000	1	RMS	2633	-47.07	-13	Pass	2001
3000	3440	1	RMS	3276.467	-63.49	-13	Pass	601
3440	3560	1	RMS	3537	10.23	60	Pass	601
3560	7000	1	RMS	3560	-47.56	-13	Pass	3441
7000	27000	1	RMS	24932	-42.97	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 56.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	996.3	-59.74	-13	Pass	9701
1000	3000	1	RMS	2652	-46.95	-13	Pass	2001
3000	3440	1	RMS	3437.8	-44.82	-13	Pass	601
3440	3560	1	RMS	3467.2	5.47	60	Pass	601
3560	7000	1	RMS	3560	-53.24	-13	Pass	3441
7000	27000	1	RMS	25005	-42.93	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 56.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.78	-13	Pass	2986
30	1000	0.1	RMS	936.2	-60.37	-13	Pass	9701
1000	3000	1	RMS	2644	-47.02	-13	Pass	2001
3000	3440	1	RMS	3439.267	-48.77	-13	Pass	601
3440	3560	1	RMS	3503	5.15	60	Pass	601
3560	7000	1	RMS	3561	-50.48	-13	Pass	3441
7000	27000	1	RMS	25007	-42.94	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 56.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	906.8	-60.2	-13	Pass	9701
1000	3000	1	RMS	2650	-46.99	-13	Pass	2001
3000	3440	1	RMS	3440	-53.56	-13	Pass	601
3440	3560	1	RMS	3506.8	5.16	60	Pass	601
3560	7000	1	RMS	3560	-45.87	-13	Pass	3441
7000	27000	1	RMS	25009	-43.06	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 56.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2986
30	1000	0.1	RMS	918.3	-59.99	-13	Pass	9701
1000	3000	1	RMS	2657	-47.03	-13	Pass	2001
3000	3440	1	RMS	3440	-44.84	-13	Pass	601
3440	3560	1	RMS	3477.2	2.85	60	Pass	601
3560	7000	1	RMS	3560	-43.3	-13	Pass	3441
7000	27000	1	RMS	25009	-42.87	-13	Pass	20001






## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 56.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	1000	0.1	RMS	940.8	-59.82	-13	Pass	9701
1000	3000	1	RMS	2654	-46.68	-13	Pass	2001
3000	3440	1	RMS	3440	-47.34	-13	Pass	601
3440	3560	1	RMS	3462.2	10.92	60	Pass	601
3560	7000	1	RMS	3565	-59.05	-13	Pass	3441
7000	27000	1	RMS	25438	-41.11	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 56.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.39	-13	Pass	2986
30	1000	0.1	RMS	995.4	-59.95	-13	Pass	9701
1000	3000	1	RMS	2645	-46.94	-13	Pass	2001
3000	3440	1	RMS	3400.4	-61.11	-13	Pass	601
3440	3560	1	RMS	3496.6	10.87	60	Pass	601
3560	7000	1	RMS	6998	-57.48	-13	Pass	3441
7000	27000	1	RMS	24950	-41.25	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 56.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.77	-13	Pass	2986
30	1000	0.1	RMS	733.4	-60.02	-13	Pass	9701
1000	3000	1	RMS	2638	-46.83	-13	Pass	2001
3000	3440	1	RMS	3440	-60.33	-13	Pass	601
3440	3560	1	RMS	3536.6	10.56	60	Pass	601
3560	7000	1	RMS	3560	-46.6	-13	Pass	3441
7000	27000	1	RMS	25023	-41.15	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 56.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	1000	0.1	RMS	940.2	-59.54	-13	Pass	9701
1000	3000	1	RMS	2639	-46.96	-13	Pass	2001
3000	3440	1	RMS	3440	-44.55	-13	Pass	601
3440	3560	1	RMS	3492.6	5.67	60	Pass	601
3560	7000	1	RMS	3560	-49.69	-13	Pass	3441
7000	27000	1	RMS	25025	-40.82	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 56.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.14	-13	Pass	2986
30	1000	0.1	RMS	860.4	-59.67	-13	Pass	9701
1000	3000	1	RMS	2643	-46.84	-13	Pass	2001
3000	3440	1	RMS	3440	-48.28	-13	Pass	601
3440	3560	1	RMS	3491.4	5.6	60	Pass	601
3560	7000	1	RMS	3569	-50.13	-13	Pass	3441
7000	27000	1	RMS	25003	-40.75	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 56.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.52	-13	Pass	601
0.15	30	0.01	RMS	0.17	-56.68	-13	Pass	2986
30	1000	0.1	RMS	960.6	-60.33	-13	Pass	9701
1000	3000	1	RMS	2639	-46.97	-13	Pass	2001
3000	3440	1	RMS	3439.267	-56.23	-13	Pass	601
3440	3560	1	RMS	3528	5.43	60	Pass	601
3560	7000	1	RMS	3560	-45.43	-13	Pass	3441
7000	27000	1	RMS	25023	-40.43	-13	Pass	20001



## 56. UL MIMO\_n77(3450-3550)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 56.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	899.9	-59.81	-13	Pass	9701
1000	3000	1	RMS	2632	-46.91	-13	Pass	2001
3000	3440	1	RMS	3440	-43.31	-13	Pass	601
3440	3560	1	RMS	3523.2	3.18	60	Pass	601
3560	7000	1	RMS	3560	-41.09	-13	Pass	3441
7000	27000	1	RMS	25010	-40.57	-13	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 57.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-40	Pass	2986
30	1000	0.1	RMS	948.5	-59.68	-40	Pass	9701
1000	3000	1	RMS	2637	-47.02	-40	Pass	2001
3000	3540	1	RMS	3540	-47.01	-40	Pass	541
3540	3710	1	RMS	3557.425	8.62	60	Pass	401
3710	7000	1	RMS	3768	-63.6	-40	Pass	3291
7000	27000	1	RMS	24903	-50	-40	Pass	20001






## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 57.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-40	Pass	2986
30	1000	0.1	RMS	848.1	-59.76	-40	Pass	9701
1000	3000	1	RMS	2655	-47.01	-40	Pass	2001
3000	3540	1	RMS	3314	-65.35	-40	Pass	541
3540	3710	1	RMS	3624.15	8.57	60	Pass	401
3710	7000	1	RMS	3831	-62.88	-40	Pass	3291
7000	27000	1	RMS	24998	-50.05	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 57.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-40	Pass	2986
30	1000	0.1	RMS	886.3	-60.01	-40	Pass	9701
1000	3000	1	RMS	2637	-46.93	-40	Pass	2001
3000	3540	1	RMS	3384	-65.12	-40	Pass	541
3540	3710	1	RMS	3690.025	8.77	60	Pass	401
3710	7000	1	RMS	3710	-47.43	-40	Pass	3291
7000	27000	1	RMS	25014	-49.82	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 57.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.45	-40	Pass	401
0.15	30	0.01	RMS	0.18	-58.76	-40	Pass	2986
30	1000	0.1	RMS	860.3	-59.91	-40	Pass	9701
1000	3000	1	RMS	2642	-46.93	-40	Pass	2001
3000	3540	1	RMS	3535	-46.62	-40	Pass	541
3540	3710	1	RMS	3566.35	3.4	60	Pass	401
3710	7000	1	RMS	3712	-60.25	-40	Pass	3291
7000	27000	1	RMS	25018	-49.95	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 57.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.56	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-40	Pass	2986
30	1000	0.1	RMS	950.7	-59.89	-40	Pass	9701
1000	3000	1	RMS	2629	-46.94	-40	Pass	2001
3000	3540	1	RMS	3540	-56.89	-40	Pass	541
3540	3710	1	RMS	3637.75	3.3	60	Pass	401
3710	7000	1	RMS	3713	-55.05	-40	Pass	3291
7000	27000	1	RMS	25016	-49.88	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 57.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-40	Pass	2986
30	1000	0.1	RMS	988.9	-59.5	-40	Pass	9701
1000	3000	1	RMS	2650	-46.78	-40	Pass	2001
3000	3540	1	RMS	3540	-64.48	-40	Pass	541
3540	3710	1	RMS	3658.15	3.5	60	Pass	401
3710	7000	1	RMS	3712	-46.23	-40	Pass	3291
7000	27000	1	RMS	25010	-50.02	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 57.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-40	Pass	2986
30	1000	0.1	RMS	896.9	-59.79	-40	Pass	9701
1000	3000	1	RMS	2639	-46.94	-40	Pass	2001
3000	3540	1	RMS	3540	-45.14	-40	Pass	541
3540	3710	1	RMS	3587.6	0.94	60	Pass	401
3710	7000	1	RMS	3710	-52.3	-40	Pass	3291
7000	27000	1	RMS	25017	-49.86	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 57.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.21	-40	Pass	401
0.15	30	0.01	RMS	0.17	-55.36	-40	Pass	2986
30	1000	0.1	RMS	855.7	-60.28	-40	Pass	9701
1000	3000	1	RMS	2653	-47.06	-40	Pass	2001
3000	3540	1	RMS	3540	-52.52	-40	Pass	541
3540	3710	1	RMS	3653.9	0.99	60	Pass	401
3710	7000	1	RMS	3710	-44.67	-40	Pass	3291
7000	27000	1	RMS	25010	-49.66	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 57.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-40	Pass	401
0.15	30	0.01	RMS	0.17	-55.79	-40	Pass	2986
30	1000	0.1	RMS	760.7	-59.73	-40	Pass	9701
1000	3000	1	RMS	2654	-47.08	-40	Pass	2001
3000	3540	1	RMS	3540	-53.56	-40	Pass	541
3540	3710	1	RMS	3653.9	1.02	60	Pass	401
3710	7000	1	RMS	3710	-45.5	-40	Pass	3291
7000	27000	1	RMS	24915	-50.16	-40	Pass	20001






## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 57.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-40	Pass	2986
30	1000	0.1	RMS	961.3	-60.22	-40	Pass	9701
1000	3000	1	RMS	2644	-46.78	-40	Pass	2001
3000	3540	1	RMS	3540	-44.96	-40	Pass	541
3540	3710	1	RMS	3557	7.95	60	Pass	401
3710	7000	1	RMS	3868	-63.04	-40	Pass	3291
7000	27000	1	RMS	25010	-48.01	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 57.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.59	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-40	Pass	2986
30	1000	0.1	RMS	817.5	-59.9	-40	Pass	9701
1000	3000	1	RMS	2630	-46.77	-40	Pass	2001
3000	3540	1	RMS	3521	-60.66	-40	Pass	541
3540	3710	1	RMS	3621.6	8.21	60	Pass	401
3710	7000	1	RMS	3929	-62.17	-40	Pass	3291
7000	27000	1	RMS	25010	-48	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 57.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.82	-40	Pass	2986
30	1000	0.1	RMS	915.7	-60.07	-40	Pass	9701
1000	3000	1	RMS	2644	-46.81	-40	Pass	2001
3000	3540	1	RMS	3382	-63.86	-40	Pass	541
3540	3710	1	RMS	3687.9	8.14	60	Pass	401
3710	7000	1	RMS	3710	-48.05	-40	Pass	3291
7000	27000	1	RMS	25012	-47.65	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 57.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-40	Pass	401
0.15	30	0.01	RMS	0.18	-58.13	-40	Pass	2986
30	1000	0.1	RMS	722.9	-60.08	-40	Pass	9701
1000	3000	1	RMS	2643	-46.92	-40	Pass	2001
3000	3540	1	RMS	3540	-45.61	-40	Pass	541
3540	3710	1	RMS	3566.775	2.99	60	Pass	401
3710	7000	1	RMS	3710	-60.61	-40	Pass	3291
7000	27000	1	RMS	24858	-47.91	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 57.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-40	Pass	2986
30	1000	0.1	RMS	969.3	-60.35	-40	Pass	9701
1000	3000	1	RMS	2646	-46.96	-40	Pass	2001
3000	3540	1	RMS	3536	-57.16	-40	Pass	541
3540	3710	1	RMS	3627.55	2.83	60	Pass	401
3710	7000	1	RMS	3713	-56.49	-40	Pass	3291
7000	27000	1	RMS	25011	-48	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 57.15. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-40	Pass	401
0.15	30	0.01	RMS	0.17	-55.43	-40	Pass	2986
30	1000	0.1	RMS	761.8	-60.07	-40	Pass	9701
1000	3000	1	RMS	2641	-46.97	-40	Pass	2001
3000	3540	1	RMS	3540	-62.69	-40	Pass	541
3540	3710	1	RMS	3671.75	2.8	60	Pass	401
3710	7000	1	RMS	3715	-45.92	-40	Pass	3291
7000	27000	1	RMS	25016	-48.16	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 57.16. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-40	Pass	401
0.15	30	0.01	RMS	0.18	-57.3	-40	Pass	2986
30	1000	0.1	RMS	962.7	-59.62	-40	Pass	9701
1000	3000	1	RMS	2631	-47	-40	Pass	2001
3000	3540	1	RMS	3540	-43.13	-40	Pass	541
3540	3710	1	RMS	3579.95	0.72	60	Pass	401
3710	7000	1	RMS	3712	-52.14	-40	Pass	3291
7000	27000	1	RMS	25018	-48.34	-40	Pass	20001



## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 57.17. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.95	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.56	-40	Pass	2986
30	1000	0.1	RMS	905.7	-59.48	-40	Pass	9701
1000	3000	1	RMS	2638	-46.79	-40	Pass	2001
3000	3540	1	RMS	3538	-50.26	-40	Pass	541
3540	3710	1	RMS	3602.9	0.57	60	Pass	401
3710	7000	1	RMS	3711	-48.44	-40	Pass	3291
7000	27000	1	RMS	25018	-48.07	-40	Pass	20001






## 57. UL MIMO\_n77(3550-3700)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 57.18. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-40	Pass	2986
30	1000	0.1	RMS	890.7	-60.23	-40	Pass	9701
1000	3000	1	RMS	2633	-46.79	-40	Pass	2001
3000	3540	1	RMS	3540	-53.99	-40	Pass	541
3540	3710	1	RMS	3627.975	0.63	60	Pass	401
3710	7000	1	RMS	3710	-45.17	-40	Pass	3291
7000	27000	1	RMS	25012	-47.93	-40	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 58.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.39	-13	Pass	2986
30	1000	0.1	RMS	848.7	-59.4	-13	Pass	9701
1000	3000	1	RMS	2637	-47.03	-13	Pass	2001
3000	3690	1	RMS	3690	-45.11	-13	Pass	691
3690	3990	1	RMS	3707	10.59	60	Pass	601
3990	7000	1	RMS	4016	-64.7	-13	Pass	3011
7000	27000	1	RMS	24911	-42.79	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 58.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.06	-13	Pass	2986
30	1000	0.1	RMS	970.7	-60.25	-13	Pass	9701
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	3690	1	RMS	3686	-64.1	-13	Pass	691
3690	3990	1	RMS	3837.5	9.72	60	Pass	601
3990	7000	1	RMS	4047	-63.93	-13	Pass	3011
7000	27000	1	RMS	25019	-42.33	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 58.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	819.4	-59.12	-13	Pass	9701
1000	3000	1	RMS	2632	-46.68	-13	Pass	2001
3000	3690	1	RMS	3686	-58.96	-13	Pass	691
3690	3990	1	RMS	3966.5	9.71	60	Pass	601
3990	7000	1	RMS	3990	-44.17	-13	Pass	3011
7000	27000	1	RMS	25007	-42.47	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 58.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.17	-57.71	-13	Pass	2986
30	1000	0.1	RMS	799.7	-59.63	-13	Pass	9701
1000	3000	1	RMS	2646	-46.79	-13	Pass	2001
3000	3690	1	RMS	3690	-46.28	-13	Pass	691
3690	3990	1	RMS	3732	4.47	60	Pass	601
3990	7000	1	RMS	4215	-62.46	-13	Pass	3011
7000	27000	1	RMS	25019	-42.44	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 58.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	1000	0.1	RMS	922.5	-59.9	-13	Pass	9701
1000	3000	1	RMS	2655	-46.77	-13	Pass	2001
3000	3690	1	RMS	3686	-57.77	-13	Pass	691
3690	3990	1	RMS	3831.5	4.87	60	Pass	601
3990	7000	1	RMS	3994	-62.02	-13	Pass	3011
7000	27000	1	RMS	25027	-41.98	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 58.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	1000	0.1	RMS	941	-59.49	-13	Pass	9701
1000	3000	1	RMS	2644	-46.56	-13	Pass	2001
3000	3690	1	RMS	3686	-55.15	-13	Pass	691
3690	3990	1	RMS	3937.5	4.51	60	Pass	601
3990	7000	1	RMS	3990	-44.62	-13	Pass	3011
7000	27000	1	RMS	25022	-42.06	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 58.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.8	-13	Pass	2986
30	1000	0.1	RMS	866.3	-59.99	-13	Pass	9701
1000	3000	1	RMS	2645	-46.75	-13	Pass	2001
3000	3690	1	RMS	3690	-46.04	-13	Pass	691
3690	3990	1	RMS	3754	2.25	60	Pass	601
3990	7000	1	RMS	3992	-59.48	-13	Pass	3011
7000	27000	1	RMS	25048	-42	-13	Pass	20001






## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 58.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	991.3	-59.63	-13	Pass	9701
1000	3000	1	RMS	2658	-46.72	-13	Pass	2001
3000	3690	1	RMS	3686	-54.27	-13	Pass	691
3690	3990	1	RMS	3816.5	2.24	60	Pass	601
3990	7000	1	RMS	3991	-56.67	-13	Pass	3011
7000	27000	1	RMS	25417	-42.14	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 58.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.94	-13	Pass	2986
30	1000	0.1	RMS	983.5	-59.41	-13	Pass	9701
1000	3000	1	RMS	2652	-46.7	-13	Pass	2001
3000	3690	1	RMS	3686	-54.39	-13	Pass	691
3690	3990	1	RMS	3906.5	2.27	60	Pass	601
3990	7000	1	RMS	3990	-44.2	-13	Pass	3011
7000	27000	1	RMS	25463	-42.34	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 58.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.29	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.47	-13	Pass	2986
30	1000	0.1	RMS	828.4	-60.12	-13	Pass	9701
1000	3000	1	RMS	2641	-46.86	-13	Pass	2001
3000	3690	1	RMS	3690	-44.56	-13	Pass	691
3690	3990	1	RMS	3710	10.84	60	Pass	601
3990	7000	1	RMS	4014	-59.76	-13	Pass	3011
7000	27000	1	RMS	25011	-40.91	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 58.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.04	-13	Pass	2986
30	1000	0.1	RMS	917.6	-59.69	-13	Pass	9701
1000	3000	1	RMS	2637	-46.89	-13	Pass	2001
3000	3690	1	RMS	3535	-60.59	-13	Pass	691
3690	3990	1	RMS	3836.5	10.05	60	Pass	601
3990	7000	1	RMS	4149	-61.08	-13	Pass	3011
7000	27000	1	RMS	25015	-40.72	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 58.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.17	-55.65	-13	Pass	2986
30	1000	0.1	RMS	910.3	-59.54	-13	Pass	9701
1000	3000	1	RMS	2638	-46.85	-13	Pass	2001
3000	3690	1	RMS	3664	-60.03	-13	Pass	691
3690	3990	1	RMS	3966.5	10.72	60	Pass	601
3990	7000	1	RMS	3990	-42.52	-13	Pass	3011
7000	27000	1	RMS	25016	-41.02	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_L\_CP QPSK\_81@40

### 58.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	930.3	-60.15	-13	Pass	9701
1000	3000	1	RMS	2629	-46.89	-13	Pass	2001
3000	3690	1	RMS	3687	-45.28	-13	Pass	691
3690	3990	1	RMS	3718.5	5.61	60	Pass	601
3990	7000	1	RMS	4040	-62.7	-13	Pass	3011
7000	27000	1	RMS	25002	-40.82	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_M\_CP QPSK\_81@40

### 58.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2986
30	1000	0.1	RMS	937.9	-60	-13	Pass	9701
1000	3000	1	RMS	2631	-46.97	-13	Pass	2001
3000	3690	1	RMS	3686	-55.69	-13	Pass	691
3690	3990	1	RMS	3827.5	5.19	60	Pass	601
3990	7000	1	RMS	3990	-60.97	-13	Pass	3011
7000	27000	1	RMS	25007	-40.73	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_60M\_H\_CP QPSK\_81@40

### 58.15. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	1000	0.1	RMS	876.7	-59.51	-13	Pass	9701
1000	3000	1	RMS	2652	-46.91	-13	Pass	2001
3000	3690	1	RMS	3686	-56.46	-13	Pass	691
3690	3990	1	RMS	3942.5	5.23	60	Pass	601
3990	7000	1	RMS	3990	-44.21	-13	Pass	3011
7000	27000	1	RMS	25348	-41.14	-13	Pass	20001






## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 58.16. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	808.3	-59.42	-13	Pass	9701
1000	3000	1	RMS	2639	-46.95	-13	Pass	2001
3000	3690	1	RMS	3690	-43.48	-13	Pass	691
3690	3990	1	RMS	3728	3.01	60	Pass	601
3990	7000	1	RMS	4001	-59.31	-13	Pass	3011
7000	27000	1	RMS	25022	-40.66	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 58.17. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	899.7	-59.99	-13	Pass	9701
1000	3000	1	RMS	2640	-46.74	-13	Pass	2001
3000	3690	1	RMS	3686	-54.27	-13	Pass	691
3690	3990	1	RMS	3816.5	2.62	60	Pass	601
3990	7000	1	RMS	3993	-55.34	-13	Pass	3011
7000	27000	1	RMS	25000	-40.7	-13	Pass	20001



## 58. UL MIMO\_n77(3700-3980)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 58.18. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	1000	0.1	RMS	818.9	-59.58	-13	Pass	9701
1000	3000	1	RMS	2637	-46.87	-13	Pass	2001
3000	3690	1	RMS	3686	-54.57	-13	Pass	691
3690	3990	1	RMS	3907	3.03	60	Pass	601
3990	7000	1	RMS	3990	-42.23	-13	Pass	3011
7000	27000	1	RMS	24933	-40.96	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 59.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.6	-13	Pass	2986
30	1000	0.1	RMS	854.7	-59.45	-13	Pass	9701
1000	3000	1	RMS	2641	-46.69	-13	Pass	2001
3000	3440	1	RMS	3440	-46.36	-13	Pass	601
3440	3560	1	RMS	3460.4	10.51	60	Pass	601
3560	7000	1	RMS	3565	-60.78	-13	Pass	3441
7000	27000	1	RMS	25018	-42.31	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 59.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.56	-13	Pass	2986
30	1000	0.1	RMS	907	-59.99	-13	Pass	9701
1000	3000	1	RMS	2628	-46.58	-13	Pass	2001
3000	3440	1	RMS	3277.2	-64.13	-13	Pass	601
3440	3560	1	RMS	3498.8	9.41	60	Pass	601
3560	7000	1	RMS	3598	-62.77	-13	Pass	3441
7000	27000	1	RMS	25028	-41.84	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 59.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.5	-13	Pass	2986
30	1000	0.1	RMS	855.5	-59.94	-13	Pass	9701
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	3440	1	RMS	3276.467	-63.5	-13	Pass	601
3440	3560	1	RMS	3537.2	10.01	60	Pass	601
3560	7000	1	RMS	3560	-46.02	-13	Pass	3441
7000	27000	1	RMS	25008	-42.21	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 59.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.44	-13	Pass	2986
30	1000	0.1	RMS	884.7	-59.39	-13	Pass	9701
1000	3000	1	RMS	2654	-46.57	-13	Pass	2001
3000	3440	1	RMS	3439.267	-45.97	-13	Pass	601
3440	3560	1	RMS	3465	6.22	60	Pass	601
3560	7000	1	RMS	3560	-56.9	-13	Pass	3441
7000	27000	1	RMS	24997	-42.08	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 59.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	924.1	-59.79	-13	Pass	9701
1000	3000	1	RMS	2640	-46.62	-13	Pass	2001
3000	3440	1	RMS	3440	-52.54	-13	Pass	601
3440	3560	1	RMS	3489.4	5.95	60	Pass	601
3560	7000	1	RMS	3561	-52.17	-13	Pass	3441
7000	27000	1	RMS	25017	-42.34	-13	Pass	20001






## 59. UL MIMO\_n78(3450-3550)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 59.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	919.4	-60.17	-13	Pass	9701
1000	3000	1	RMS	2650	-46.6	-13	Pass	2001
3000	3440	1	RMS	3440	-59.72	-13	Pass	601
3440	3560	1	RMS	3514.2	5.86	60	Pass	601
3560	7000	1	RMS	3560	-45.77	-13	Pass	3441
7000	27000	1	RMS	25015	-42.36	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 59.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	958.2	-59.44	-13	Pass	9701
1000	3000	1	RMS	2633	-46.61	-13	Pass	2001
3000	3440	1	RMS	3440	-44.27	-13	Pass	601
3440	3560	1	RMS	3478.2	2.95	60	Pass	601
3560	7000	1	RMS	3560	-44.35	-13	Pass	3441
7000	27000	1	RMS	25412	-42.45	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 59.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	888	-59.21	-13	Pass	9701
1000	3000	1	RMS	2646	-46.55	-13	Pass	2001
3000	3440	1	RMS	3440	-45.97	-13	Pass	601
3440	3560	1	RMS	3460.8	10.75	60	Pass	601
3560	7000	1	RMS	3565	-59.02	-13	Pass	3441
7000	27000	1	RMS	25011	-40.26	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 59.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	939.2	-59.78	-13	Pass	9701
1000	3000	1	RMS	2634	-46.55	-13	Pass	2001
3000	3440	1	RMS	3397.467	-61.39	-13	Pass	601
3440	3560	1	RMS	3500.8	10.79	60	Pass	601
3560	7000	1	RMS	6999	-57.62	-13	Pass	3441
7000	27000	1	RMS	25412	-40.15	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 59.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.26	-13	Pass	2986
30	1000	0.1	RMS	860.2	-59.85	-13	Pass	9701
1000	3000	1	RMS	2643	-46.46	-13	Pass	2001
3000	3440	1	RMS	3437.067	-60.38	-13	Pass	601
3440	3560	1	RMS	3536.4	10.5	60	Pass	601
3560	7000	1	RMS	3560	-44.74	-13	Pass	3441
7000	27000	1	RMS	24998	-39.94	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 59.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2986
30	1000	0.1	RMS	918.3	-59.48	-13	Pass	9701
1000	3000	1	RMS	2629	-46.64	-13	Pass	2001
3000	3440	1	RMS	3436.333	-45.88	-13	Pass	601
3440	3560	1	RMS	3476	6.39	60	Pass	601
3560	7000	1	RMS	3561	-54.8	-13	Pass	3441
7000	27000	1	RMS	25011	-40.15	-13	Pass	20001



## 59. UL MIMO\_n78(3450-3550)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 59.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	929.9	-59.57	-13	Pass	9701
1000	3000	1	RMS	2634	-46.55	-13	Pass	2001
3000	3440	1	RMS	3440	-52.16	-13	Pass	601
3440	3560	1	RMS	3492	6.44	60	Pass	601
3560	7000	1	RMS	3561	-49.72	-13	Pass	3441
7000	27000	1	RMS	25030	-40.22	-13	Pass	20001



## 59 UL MIMO\_n78(3450-3550)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 59.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.42	-13	Pass	2986
30	1000	0.1	RMS	951.1	-59.68	-13	Pass	9701
1000	3000	1	RMS	2643	-46.54	-13	Pass	2001
3000	3440	1	RMS	3439.267	-60.85	-13	Pass	601
3440	3560	1	RMS	3529.4	6.31	60	Pass	601
3560	7000	1	RMS	3563	-46.99	-13	Pass	3441
7000	27000	1	RMS	25011	-40.04	-13	Pass	20001






## 59. UL MIMO\_n78(3450-3550)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 59.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	1000	0.1	RMS	924.8	-59.84	-13	Pass	9701
1000	3000	1	RMS	2637	-46.67	-13	Pass	2001
3000	3440	1	RMS	3440	-43.06	-13	Pass	601
3440	3560	1	RMS	3518.4	3.32	60	Pass	601
3560	7000	1	RMS	3565	-40.49	-13	Pass	3441
7000	27000	1	RMS	25012	-39.91	-13	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 60.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.52	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-40	Pass	2986
30	1000	0.1	RMS	950.2	-59.51	-40	Pass	9701
1000	3000	1	RMS	2666	-47.05	-40	Pass	2001
3000	3540	1	RMS	3540	-45.91	-40	Pass	541
3540	3710	1	RMS	3560.4	8.28	60	Pass	401
3710	7000	1	RMS	3765	-63.34	-40	Pass	3291
7000	27000	1	RMS	24956	-50.11	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 60.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.58	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-40	Pass	2986
30	1000	0.1	RMS	925.3	-59.93	-40	Pass	9701
1000	3000	1	RMS	2651	-47.05	-40	Pass	2001
3000	3540	1	RMS	3522	-65.16	-40	Pass	541
3540	3710	1	RMS	3623.725	8.45	60	Pass	401
3710	7000	1	RMS	3828	-62.25	-40	Pass	3291
7000	27000	1	RMS	25028	-50.04	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 60.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.05	-40	Pass	2986
30	1000	0.1	RMS	848.6	-60.26	-40	Pass	9701
1000	3000	1	RMS	2652	-47.02	-40	Pass	2001
3000	3540	1	RMS	3382	-65.12	-40	Pass	541
3540	3710	1	RMS	3690.45	8.55	60	Pass	401
3710	7000	1	RMS	3710	-46.92	-40	Pass	3291
7000	27000	1	RMS	25006	-49.88	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 60.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-40	Pass	401
0.15	30	0.01	RMS	0.16	-57.31	-40	Pass	2986
30	1000	0.1	RMS	948.7	-60.31	-40	Pass	9701
1000	3000	1	RMS	2636	-46.9	-40	Pass	2001
3000	3540	1	RMS	3540	-47.22	-40	Pass	541
3540	3710	1	RMS	3564.65	4.07	60	Pass	401
3710	7000	1	RMS	3711	-63.2	-40	Pass	3291
7000	27000	1	RMS	25413	-50.03	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 60.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.96	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-40	Pass	2986
30	1000	0.1	RMS	874.9	-59.86	-40	Pass	9701
1000	3000	1	RMS	2630	-47.12	-40	Pass	2001
3000	3540	1	RMS	3540	-59.03	-40	Pass	541
3540	3710	1	RMS	3634.775	3.99	60	Pass	401
3710	7000	1	RMS	3711	-55.5	-40	Pass	3291
7000	27000	1	RMS	24933	-49.97	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 60.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-40	Pass	2986
30	1000	0.1	RMS	943.3	-60.04	-40	Pass	9701
1000	3000	1	RMS	2636	-46.94	-40	Pass	2001
3000	3540	1	RMS	3456	-66.14	-40	Pass	541
3540	3710	1	RMS	3678.125	4.16	60	Pass	401
3710	7000	1	RMS	3710	-45.14	-40	Pass	3291
7000	27000	1	RMS	24981	-49.92	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 60.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.52	-40	Pass	2986
30	1000	0.1	RMS	792.8	-60.3	-40	Pass	9701
1000	3000	1	RMS	2632	-47.03	-40	Pass	2001
3000	3540	1	RMS	3540	-46.49	-40	Pass	541
3540	3710	1	RMS	3578.25	0.96	60	Pass	401
3710	7000	1	RMS	3710	-52.04	-40	Pass	3291
7000	27000	1	RMS	25004	-49.87	-40	Pass	20001






## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 60.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-40	Pass	2986
30	1000	0.1	RMS	952.6	-60.01	-40	Pass	9701
1000	3000	1	RMS	2638	-46.96	-40	Pass	2001
3000	3540	1	RMS	3539	-49.61	-40	Pass	541
3540	3710	1	RMS	3643.7	0.91	60	Pass	401
3710	7000	1	RMS	3710	-48.89	-40	Pass	3291
7000	27000	1	RMS	25406	-49.88	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 60.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.76	-40	Pass	2986
30	1000	0.1	RMS	922.7	-59.86	-40	Pass	9701
1000	3000	1	RMS	2649	-47.07	-40	Pass	2001
3000	3540	1	RMS	3537	-53.64	-40	Pass	541
3540	3710	1	RMS	3656.025	0.81	60	Pass	401
3710	7000	1	RMS	3710	-44.94	-40	Pass	3291
7000	27000	1	RMS	24995	-49.8	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 60.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.18	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-40	Pass	2986
30	1000	0.1	RMS	936.5	-58.39	-40	Pass	9701
1000	3000	1	RMS	2640	-46.79	-40	Pass	2001
3000	3540	1	RMS	3540	-45.08	-40	Pass	541
3540	3710	1	RMS	3557	7.81	60	Pass	401
3710	7000	1	RMS	3865	-63.38	-40	Pass	3291
7000	27000	1	RMS	25012	-48.07	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 60.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.99	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-40	Pass	2986
30	1000	0.1	RMS	961.5	-59.7	-40	Pass	9701
1000	3000	1	RMS	2642	-46.89	-40	Pass	2001
3000	3540	1	RMS	3522	-60.69	-40	Pass	541
3540	3710	1	RMS	3621.6	8.2	60	Pass	401
3710	7000	1	RMS	3929	-62.49	-40	Pass	3291
7000	27000	1	RMS	25415	-48.05	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 60.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.86	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.99	-40	Pass	2986
30	1000	0.1	RMS	790.6	-59.67	-40	Pass	9701
1000	3000	1	RMS	2633	-46.91	-40	Pass	2001
3000	3540	1	RMS	3382	-63.38	-40	Pass	541
3540	3710	1	RMS	3692.575	8.11	60	Pass	401
3710	7000	1	RMS	3710	-48.17	-40	Pass	3291
7000	27000	1	RMS	25007	-48.1	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 60.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-40	Pass	2986
30	1000	0.1	RMS	995.3	-59.55	-40	Pass	9701
1000	3000	1	RMS	2633	-46.91	-40	Pass	2001
3000	3540	1	RMS	3540	-45.7	-40	Pass	541
3540	3710	1	RMS	3575.7	3.65	60	Pass	401
3710	7000	1	RMS	3776	-63.08	-40	Pass	3291
7000	27000	1	RMS	25402	-48.13	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 60.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.47	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-40	Pass	2986
30	1000	0.1	RMS	912	-60.03	-40	Pass	9701
1000	3000	1	RMS	2637	-46.92	-40	Pass	2001
3000	3540	1	RMS	3539	-56.7	-40	Pass	541
3540	3710	1	RMS	3630.525	3.81	60	Pass	401
3710	7000	1	RMS	3711	-56.36	-40	Pass	3291
7000	27000	1	RMS	24910	-48.14	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 60.15. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-40	Pass	401
0.15	30	0.01	RMS	0.16	-58.85	-40	Pass	2986
30	1000	0.1	RMS	803.7	-60.11	-40	Pass	9701
1000	3000	1	RMS	2658	-46.88	-40	Pass	2001
3000	3540	1	RMS	3482	-64.66	-40	Pass	541
3540	3710	1	RMS	3670.9	3.55	60	Pass	401
3710	7000	1	RMS	3712	-45.71	-40	Pass	3291
7000	27000	1	RMS	25012	-48.06	-40	Pass	20001






## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_L\_CP QPSK\_137@68

### 60.16. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.78	-40	Pass	2986
30	1000	0.1	RMS	921.9	-60.34	-40	Pass	9701
1000	3000	1	RMS	2648	-46.87	-40	Pass	2001
3000	3540	1	RMS	3540	-44.17	-40	Pass	541
3540	3710	1	RMS	3577.825	0.73	60	Pass	401
3710	7000	1	RMS	3711	-51.42	-40	Pass	3291
7000	27000	1	RMS	25010	-47.87	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 60.17. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-40	Pass	401
0.15	30	0.01	RMS	0.17	-57.06	-40	Pass	2986
30	1000	0.1	RMS	953.5	-60.45	-40	Pass	9701
1000	3000	1	RMS	2642	-46.95	-40	Pass	2001
3000	3540	1	RMS	3540	-48.83	-40	Pass	541
3540	3710	1	RMS	3602.9	0.54	60	Pass	401
3710	7000	1	RMS	3710	-48.18	-40	Pass	3291
7000	27000	1	RMS	25428	-47.79	-40	Pass	20001



## 60. UL MIMO\_n78(3550-3700)\_SCS30\_100M\_H\_CP QPSK\_137@68

### 60.18. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-40	Pass	2986
30	1000	0.1	RMS	920.1	-60.36	-40	Pass	9701
1000	3000	1	RMS	2630	-47.02	-40	Pass	2001
3000	3540	1	RMS	3540	-53.92	-40	Pass	541
3540	3710	1	RMS	3630.525	0.6	60	Pass	401
3710	7000	1	RMS	3710	-44.48	-40	Pass	3291
7000	27000	1	RMS	25429	-47.84	-40	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 61.1. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.59	-13	Pass	2986
30	1000	0.1	RMS	931.3	-59.78	-13	Pass	9701
1000	3000	1	RMS	2651	-46.67	-13	Pass	2001
3000	3690	1	RMS	3690	-45.2	-13	Pass	691
3690	3810	1	RMS	3706.8	10.3	60	Pass	601
3810	7000	1	RMS	3912	-62.27	-13	Pass	3191
7000	27000	1	RMS	25018	-42.02	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 61.2. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	1000	0.1	RMS	945.1	-60.02	-13	Pass	9701
1000	3000	1	RMS	2647	-46.47	-13	Pass	2001
3000	3690	1	RMS	3690	-62.77	-13	Pass	691
3690	3810	1	RMS	3752.6	10	60	Pass	601
3810	7000	1	RMS	3810	-61.5	-13	Pass	3191
7000	27000	1	RMS	25008	-41.5	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 61.3. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	942.1	-58.77	-13	Pass	9701
1000	3000	1	RMS	2627	-46.74	-13	Pass	2001
3000	3690	1	RMS	3482	-64.15	-13	Pass	691
3690	3810	1	RMS	3786.4	9.67	60	Pass	601
3810	7000	1	RMS	3810	-46.82	-13	Pass	3191
7000	27000	1	RMS	25019	-42.25	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 61.4. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.2	-13	Pass	2986
30	1000	0.1	RMS	800.4	-59.89	-13	Pass	9701
1000	3000	1	RMS	2641	-46.69	-13	Pass	2001
3000	3690	1	RMS	3686	-46.17	-13	Pass	691
3690	3810	1	RMS	3736	5.76	60	Pass	601
3810	7000	1	RMS	3810	-54.45	-13	Pass	3191
7000	27000	1	RMS	25012	-42.1	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 61.5. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2986
30	1000	0.1	RMS	837.8	-60.12	-13	Pass	9701
1000	3000	1	RMS	2647	-46.58	-13	Pass	2001
3000	3690	1	RMS	3690	-50.24	-13	Pass	691
3690	3810	1	RMS	3740	5.68	60	Pass	601
3810	7000	1	RMS	3810	-51.35	-13	Pass	3191
7000	27000	1	RMS	25019	-42.18	-13	Pass	20001






## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 61.6. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	820.5	-59.72	-13	Pass	9701
1000	3000	1	RMS	2649	-46.75	-13	Pass	2001
3000	3690	1	RMS	3686	-54	-13	Pass	691
3690	3810	1	RMS	3765.4	5.54	60	Pass	601
3810	7000	1	RMS	3814	-46.54	-13	Pass	3191
7000	27000	1	RMS	25019	-41.81	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 61.7. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT1(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.02	-13	Pass	2986
30	1000	0.1	RMS	819.1	-60.02	-13	Pass	9701
1000	3000	1	RMS	2640	-46.75	-13	Pass	2001
3000	3690	1	RMS	3690	-44.38	-13	Pass	691
3690	3810	1	RMS	3736.2	2.47	60	Pass	601
3810	7000	1	RMS	3810	-46.13	-13	Pass	3191
7000	27000	1	RMS	25013	-42.16	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_L\_CP QPSK\_25@12

### 61.8. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	924.2	-59.65	-13	Pass	9701
1000	3000	1	RMS	2635	-46.58	-13	Pass	2001
3000	3690	1	RMS	3690	-44.69	-13	Pass	691
3690	3810	1	RMS	3710	10.96	60	Pass	601
3810	7000	1	RMS	3815	-59.41	-13	Pass	3191
7000	27000	1	RMS	25018	-39.9	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_M\_CP QPSK\_25@12

### 61.9. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.77	-13	Pass	2986
30	1000	0.1	RMS	975.8	-59.77	-13	Pass	9701
1000	3000	1	RMS	2635	-46.51	-13	Pass	2001
3000	3690	1	RMS	3446	-60.55	-13	Pass	691
3690	3810	1	RMS	3750.4	10.65	60	Pass	601
3810	7000	1	RMS	3856	-59.76	-13	Pass	3191
7000	27000	1	RMS	25014	-40.12	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_20M\_H\_CP QPSK\_25@12

### 61.10. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.14	-13	Pass	2986
30	1000	0.1	RMS	929.3	-60.06	-13	Pass	9701
1000	3000	1	RMS	2642	-46.58	-13	Pass	2001
3000	3690	1	RMS	3481	-60.44	-13	Pass	691
3690	3810	1	RMS	3790.8	10.38	60	Pass	601
3810	7000	1	RMS	3810	-46.43	-13	Pass	3191
7000	27000	1	RMS	25418	-40.28	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_L\_CP QPSK\_67@33

### 61.11. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	911.3	-60.13	-13	Pass	9701
1000	3000	1	RMS	2644	-46.44	-13	Pass	2001
3000	3690	1	RMS	3687	-45.41	-13	Pass	691
3690	3810	1	RMS	3716.6	6.55	60	Pass	601
3810	7000	1	RMS	3814	-54.01	-13	Pass	3191
7000	27000	1	RMS	25403	-40.28	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_M\_CP QPSK\_67@33

### 61.12. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.94	-13	Pass	2986
30	1000	0.1	RMS	881.8	-59.47	-13	Pass	9701
1000	3000	1	RMS	2638	-46.48	-13	Pass	2001
3000	3690	1	RMS	3690	-50.51	-13	Pass	691
3690	3810	1	RMS	3749.8	6.28	60	Pass	601
3810	7000	1	RMS	3812	-49.92	-13	Pass	3191
7000	27000	1	RMS	25004	-39.89	-13	Pass	20001



## 61. UL MIMO\_n78(3700-3800)\_SCS30\_50M\_H\_CP QPSK\_67@33

### 61.13. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2986
30	1000	0.1	RMS	854.2	-60.08	-13	Pass	9701
1000	3000	1	RMS	2640	-46.61	-13	Pass	2001
3000	3690	1	RMS	3686	-54.41	-13	Pass	691
3690	3810	1	RMS	3765	6.39	60	Pass	601
3810	7000	1	RMS	3813	-43.73	-13	Pass	3191
7000	27000	1	RMS	25404	-40.08	-13	Pass	20001






## 61. UL MIMO\_n78(3700-3800)\_SCS30\_100M\_M\_CP QPSK\_137@68

### 61.14. Spurious Emission at Antenna Terminals for SA UL MIMO-ANT2(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	601
0.15	30	0.01	RMS	0.17	-56.52	-13	Pass	2986
30	1000	0.1	RMS	974.9	-59.63	-13	Pass	9701
1000	3000	1	RMS	2638	-46.58	-13	Pass	2001
3000	3690	1	RMS	3690	-43.09	-13	Pass	691
3690	3810	1	RMS	3752.2	3.06	60	Pass	601
3810	7000	1	RMS	3810	-44.14	-13	Pass	3191
7000	27000	1	RMS	25018	-39.69	-13	Pass	20001



--BLANK BELOW--