



39.19. Band Edge for SA(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-36.33	-13	Pass	45
1849	1850	0.2	RMS	1850	-17.28	-13	Pass	601
1850	1890	1	RMS	1850.6	22.07	30	Pass	601




39.20. Band Edge for SA(NTNV)(Subtest:4, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-26.23	-13	Pass	601
1849	1850	0.2	RMS	1849.998	-31.18	-13	Pass	601
1850	1890	1	RMS	1866.8	10.94	30	Pass	601




39.21. Band Edge for SA(NTNV)(Subtest:5, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.467	22.18	30	Pass	601
1915	1916	0.2	RMS	1915	-20.7	-13	Pass	601
1916	1960	1	RMS	1916	-36.98	-13	Pass	45




39.22. Band Edge for SA(NTNV)(Subtest:6, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1899.467	10.78	30	Pass	601
1915	1916	0.2	RMS	1915.59	-37.68	-13	Pass	601
1916	1960	1	RMS	1916	-31.51	-13	Pass	601




39.23. Band Edge for SA(NTNV)(Subtest:7, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.467	21.71	30	Pass	601
1915	1916	0.2	RMS	1915	-19.32	-13	Pass	601
1916	1960	1	RMS	1916	-36.57	-13	Pass	45



39.24. Band Edge for SA(NTNV)(Subtest:8, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1899.667	10.04	30	Pass	601
1915	1916	0.2	RMS	1915.233	-36.01	-13	Pass	601
1916	1960	1	RMS	1916	-29.75	-13	Pass	601



40. n26 15kHz_824-849MHz

40.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-53.5	-13	Pass	401
823	824	0.02	RMS	824	-24.79	-13	Pass	401
824	844	0.1	RMS	824.3	16.64	30	Pass	401




40.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.86	-40.52	-13	Pass	401
823	824	0.051	RMS	824	-28.9	-13	Pass	401
824	844	0.1	RMS	825.2	3.59	30	Pass	401




40.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.82	-13	Pass	401
823	824	0.02	RMS	824	-23.75	-13	Pass	401
824	844	0.1	RMS	824.35	16.51	30	Pass	401




40.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-37.76	-13	Pass	401
823	824	0.051	RMS	824	-29.23	-13	Pass	401
824	844	0.1	RMS	825	3.29	30	Pass	401




40.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	17.02	30	Pass	401
849	850	0.02	RMS	849	-25.15	-13	Pass	401
850	874	0.1	RMS	850	-52.84	-13	Pass	401




40.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	4.1	30	Pass	401
849	850	0.051	RMS	849.003	-26.92	-13	Pass	401
850	874	0.1	RMS	850.9	-34.15	-13	Pass	401




40.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	16.46	30	Pass	401
849	850	0.02	RMS	849	-23.89	-13	Pass	401
850	874	0.1	RMS	850	-53.36	-13	Pass	401




40.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845	3.37	30	Pass	401
849	850	0.051	RMS	849	-28.37	-13	Pass	401
850	874	0.1	RMS	850.24	-35.34	-13	Pass	401




40.9. Band Edge for SA(NTNV)(Subtest:1, Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-51.81	-13	Pass	401
823	824	0.02	RMS	824	-24.24	-13	Pass	401
824	844	0.1	RMS	824.4	17.33	30	Pass	401




40.10. Band Edge for SA(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	819.94	-39.39	-13	Pass	401
823	824	0.1	RMS	824	-29.48	-13	Pass	401
824	844	0.1	RMS	826	1.49	30	Pass	401




40.11. Band Edge for SA(NTNV)(Subtest:3, Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-52.56	-13	Pass	401
823	824	0.02	RMS	824	-25.33	-13	Pass	401
824	844	0.1	RMS	824.4	16.5	30	Pass	401




40.12. Band Edge for SA(NTNV)(Subtest:4, Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-41.72	-13	Pass	401
823	824	0.1	RMS	824	-31.91	-13	Pass	401
824	844	0.1	RMS	827.25	0.46	30	Pass	401




40.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	16.96	30	Pass	401
849	850	0.02	RMS	849.003	-27.29	-13	Pass	401
850	874	0.1	RMS	850	-52.68	-13	Pass	401




40.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841	1.6	30	Pass	401
849	850	0.1	RMS	849.003	-33.09	-13	Pass	401
850	874	0.1	RMS	852.4	-33.89	-13	Pass	401




40.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	16.15	30	Pass	401
849	850	0.02	RMS	849	-26.32	-13	Pass	401
850	874	0.1	RMS	850.06	-52.97	-13	Pass	401




40.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.15	0.61	30	Pass	401
849	850	0.1	RMS	849.093	-33.43	-13	Pass	401
850	874	0.1	RMS	852.94	-35.89	-13	Pass	401




40.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-52.15	-13	Pass	401
823	824	0.02	RMS	824	-31.03	-13	Pass	401
824	844	0.1	RMS	824.55	17.26	30	Pass	401




40.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-39.41	-13	Pass	401
823	824	0.2	RMS	823.99	-34.21	-13	Pass	401
824	844	0.1	RMS	837.55	-4.64	30	Pass	401




40.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.71	-13	Pass	401
823	824	0.02	RMS	824	-32.97	-13	Pass	401
824	844	0.1	RMS	824.55	16.42	30	Pass	401




40.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-44.06	-13	Pass	401
823	824	0.2	RMS	823.993	-35.28	-13	Pass	401
824	844	0.1	RMS	836.6	-4.86	30	Pass	401




40.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.03	30	Pass	401
849	850	0.02	RMS	849	-34.7	-13	Pass	401
850	874	0.1	RMS	850	-54.08	-13	Pass	401




40.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	833.25	-1.04	30	Pass	401
849	850	0.2	RMS	849.218	-35.82	-13	Pass	401
850	874	0.1	RMS	850.42	-42.46	-13	Pass	401




40.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	16.06	30	Pass	401
849	850	0.02	RMS	849	-33.22	-13	Pass	401
850	874	0.1	RMS	850	-52.18	-13	Pass	401



40.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	830.05	-2.24	30	Pass	401
849	850	0.2	RMS	849.243	-38.4	-13	Pass	401
850	874	0.1	RMS	850.72	-42.05	-13	Pass	401



41. n26 15kHz_814-824MHz


41.1. Band Edge for SA(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.81	-13	Pass	401
813.9625	814	0.01	RMS	813.991	-26.36	-20	Pass	401
814	819	0.1	RMS	814.313	17.11	30	Pass	401




41.2. Band Edge for SA(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.5	-13	Pass	401
813.9625	814	0.051	RMS	814	-30.15	-20	Pass	401
814	819	0.1	RMS	818.6	4.36	30	Pass	401




41.3. Band Edge for SA(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.32	-13	Pass	401
813.9625	814	0.01	RMS	814	-27.9	-20	Pass	401
814	819	0.1	RMS	814.338	16.48	30	Pass	401




41.4. Band Edge for SA(NTNV)(Subtest:4, Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.88	-13	Pass	401
813.9625	814	0.051	RMS	814	-27.59	-20	Pass	401
814	819	0.1	RMS	817.213	4.34	30	Pass	401




41.5. Band Edge for SA(NTNV)(Subtest:5, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.638	18.08	30	Pass	401
824	824.0375	0.01	RMS	824.004	-28.1	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.21	-13	Pass	401




41.6. Band Edge for SA(NTNV)(Subtest:6, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.588	4.01	30	Pass	401
824	824.0375	0.051	RMS	824	-27.61	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.83	-13	Pass	401




41.7. Band Edge for SA(NTNV)(Subtest:7, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	16.51	30	Pass	401
824	824.0375	0.01	RMS	824.003	-29.72	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-21.41	-13	Pass	401




41.8. Band Edge for SA(NTNV)(Subtest:8, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.025	3.29	30	Pass	401
824	824.0375	0.051	RMS	824.011	-28.16	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.16	-13	Pass	401




41.9. Band Edge for SA(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.87	-13	Pass	401
813.9625	814	0.01	RMS	813.991	-28.43	-20	Pass	401
814	819	0.1	RMS	814.388	17.14	30	Pass	401




41.10. Band Edge for SA(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.87	-13	Pass	401
813.9625	814	0.1	RMS	814	-31.45	-20	Pass	401
814	819	0.1	RMS	817.15	1.27	30	Pass	401




41.11. Band Edge for SA(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.86	-13	Pass	401
813.9625	814	0.01	RMS	814	-29.31	-20	Pass	401
814	819	0.1	RMS	814.388	16.44	30	Pass	401




41.12. Band Edge for SA(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.55	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-30.64	-20	Pass	401
814	819	0.1	RMS	818.2	0.28	30	Pass	401




41.13. Band Edge for SA(NTNV)(Subtest:5, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.563	17.03	30	Pass	401
824	824.0375	0.01	RMS	824.005	-30.03	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.25	-13	Pass	401




41.14. Band Edge for SA(NTNV)(Subtest:6, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.163	1.38	30	Pass	401
824	824.0375	0.1	RMS	824	-34.53	-20	Pass	401
824.0375	829	0.1	RMS	825.191	-33.29	-13	Pass	401




41.15. Band Edge for SA(NTNV)(Subtest:7, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.588	16.13	30	Pass	401
824	824.0375	0.01	RMS	824.007	-28.88	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.97	-13	Pass	401



41.16. Band Edge for SA(NTNV)(Subtest:8, Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.05	0.47	30	Pass	401
824	824.0375	0.1	RMS	824.003	-32.87	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.76	-13	Pass	401



42. n30 15kHz


42.1. Band Edge for SA(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-49.33	-40	Pass	601
2292	2296	1	RMS	2295.86	-49.06	-31	Pass	601
2296	2300	1	RMS	2300	-48.5	-25	Pass	5
2300	2304	1	RMS	2304	-32.62	-13	Pass	5
2304	2305	0.02	RMS	2305	-23.24	-13	Pass	601
2305	2315	0.1	RMS	2305.4	19.46	30	Pass	601




42.2. Band Edge for SA(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-44.31	-40	Pass	601
2292	2296	1	RMS	2296	-39.37	-31	Pass	601
2296	2300	1	RMS	2299	-33.74	-25	Pass	5
2300	2304	1	RMS	2304	-19.88	-13	Pass	601
2304	2305	0.2	RMS	2304.998	-25.83	-13	Pass	601
2305	2315	0.1	RMS	2308.1	3.42	30	Pass	601




42.3. Band Edge for SA(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2280	2292	1	RMS	2291.3	-49.37	-40	Pass	601
2292	2296	1	RMS	2295.867	-49.11	-31	Pass	601
2296	2300	1	RMS	2300	-48.72	-25	Pass	5
2300	2304	1	RMS	2304	-33.09	-13	Pass	5
2304	2305	0.02	RMS	2305	-23.65	-13	Pass	601
2305	2315	0.1	RMS	2305.383	18.84	30	Pass	601




42.4. Band Edge for SA(NTNV)(Subtest:4, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-44.77	-40	Pass	601
2292	2296	1	RMS	2296	-36.88	-31	Pass	601
2296	2300	1	RMS	2300	-32.81	-25	Pass	5
2300	2304	1	RMS	2304	-20	-13	Pass	601
2304	2305	0.2	RMS	2305	-25.55	-13	Pass	601
2305	2315	0.1	RMS	2314.067	2.63	30	Pass	601




42.5. Band Edge for SA(NTNV)(Subtest:5, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.583	19.37	30	Pass	601
2315	2316	0.02	RMS	2315	-24.09	-13	Pass	601
2316	2320	1	RMS	2316	-31.45	-13	Pass	5
2320	2324	1	RMS	2320.033	-47.43	-25	Pass	601
2324	2328	1	RMS	2324.233	-49.05	-31	Pass	601
2328	2340	1	RMS	2328.42	-49.28	-40	Pass	601




42.6. Band Edge for SA(NTNV)(Subtest:6, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2305	2315	0.1	RMS	2311.4	3.33	30	Pass	601
2315	2316	0.2	RMS	2315	-34.22	-13	Pass	601
2316	2320	1	RMS	2316	-31.13	-13	Pass	5
2320	2324	1	RMS	2320.667	-33.64	-25	Pass	601
2324	2328	1	RMS	2324.033	-40.89	-31	Pass	601
2328	2340	1	RMS	2328	-45.93	-40	Pass	601



42.7. Band Edge for SA(NTNV)(Subtest:7, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.567	18.8	30	Pass	601
2315	2316	0.02	RMS	2315	-23.12	-13	Pass	601
2316	2320	1	RMS	2316	-31.97	-13	Pass	5
2320	2324	1	RMS	2320.007	-47.72	-25	Pass	601
2324	2328	1	RMS	2324.053	-49.08	-31	Pass	601
2328	2340	1	RMS	2331.62	-49.29	-40	Pass	601



42.8. Band Edge for SA(NTNV)(Subtest:8, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2305	2315	0.1	RMS	2313.05	3.04	30	Pass	601
2315	2316	0.2	RMS	2315.002	-31.67	-13	Pass	601
2316	2320	1	RMS	2316	-27.87	-13	Pass	5
2320	2324	1	RMS	2320.66	-32.03	-25	Pass	601
2324	2328	1	RMS	2324	-38.01	-31	Pass	601
2328	2340	1	RMS	2328	-45.92	-40	Pass	601



43. n38 30kHz_PC3


43.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2547.333	-47.68	-25	Pass	601
2550	2565	1	RMS	2562.025	-44.41	-13	Pass	601
2565	2569	1	RMS	2569	-25.42	-10	Pass	601
2569	2570	0.39	RMS	2569.998	-15.07	-10	Pass	601
2570	2610	1	RMS	2571	22.15	30	Pass	601




43.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2545.542	-44.37	-25	Pass	601
2550	2565	1	RMS	2561.3	-35.42	-13	Pass	601
2565	2569	1	RMS	2568.993	-31.71	-10	Pass	601
2569	2570	0.39	RMS	2569.998	-26.39	-10	Pass	601
2570	2610	1	RMS	2574.533	10.59	30	Pass	601




43.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.917	-47.73	-25	Pass	601
2550	2565	1	RMS	2561.85	-44.61	-13	Pass	601
2565	2569	1	RMS	2568.993	-26.2	-10	Pass	601
2569	2570	0.39	RMS	2570	-15.72	-10	Pass	601
2570	2610	1	RMS	2570.933	21.65	30	Pass	601




43.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.875	-43.15	-25	Pass	601
2550	2565	1	RMS	2565	-33.43	-13	Pass	601
2565	2569	1	RMS	2568.887	-28.59	-10	Pass	601
2569	2570	0.39	RMS	2570	-26.67	-10	Pass	601
2570	2610	1	RMS	2572.4	10.1	30	Pass	601




43.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	22.09	30	Pass	601
2620	2621	0.4	RMS	2620	-18.26	-10	Pass	4
2621	2625	1	RMS	2621	-25.83	-10	Pass	601
2625	2640	1	RMS	2625.3	-45.79	-13	Pass	601
2640	2665	1	RMS	2640.667	-46.58	-25	Pass	601




43.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.6	10.3	30	Pass	601
2620	2621	0.4	RMS	2620	-33.08	-10	Pass	4
2621	2625	1	RMS	2621	-32.22	-10	Pass	601
2625	2640	1	RMS	2625	-36.88	-13	Pass	601
2640	2665	1	RMS	2641.333	-42.79	-25	Pass	601




43.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.933	21.5	30	Pass	601
2620	2621	0.4	RMS	2620	-18.16	-10	Pass	4
2621	2625	1	RMS	2621	-26.44	-10	Pass	601
2625	2640	1	RMS	2628.175	-45.47	-13	Pass	601
2640	2665	1	RMS	2641.333	-46.67	-25	Pass	601




43.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2603.133	9.94	30	Pass	601
2620	2621	0.4	RMS	2620	-29.22	-10	Pass	4
2621	2625	1	RMS	2621.033	-27.2	-10	Pass	601
2625	2640	1	RMS	2625.025	-34.08	-13	Pass	601
2640	2665	1	RMS	2640.833	-42.2	-25	Pass	601




43.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2537.1	-47.91	-25	Pass	601
2540	2565	1	RMS	2557.083	-45.27	-13	Pass	601
2565	2569	1	RMS	2568.993	-28.65	-10	Pass	601
2569	2570	0.51	RMS	2570	-15.63	-10	Pass	601
2570	2610	1	RMS	2571.133	22.27	30	Pass	601




43.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2533.875	-45.37	-25	Pass	601
2540	2565	1	RMS	2554.917	-35.31	-13	Pass	601
2565	2569	1	RMS	2568.987	-32.03	-10	Pass	601
2569	2570	0.62	RMS	2569.992	-25.55	-10	Pass	601
2570	2610	1	RMS	2573.067	8.96	30	Pass	601




43.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.95	-47.91	-25	Pass	601
2540	2565	1	RMS	2557.292	-45.63	-13	Pass	601
2565	2569	1	RMS	2569	-29.77	-10	Pass	601
2569	2570	0.51	RMS	2570	-16.77	-10	Pass	601
2570	2610	1	RMS	2571.133	21.72	30	Pass	601




43.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.925	-44.95	-25	Pass	601
2540	2565	1	RMS	2564.833	-33.14	-13	Pass	601
2565	2569	1	RMS	2568.907	-29.55	-10	Pass	601
2569	2570	0.62	RMS	2569.995	-26.3	-10	Pass	601
2570	2610	1	RMS	2575.6	8.4	30	Pass	601




43.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	22.16	30	Pass	601
2620	2621	0.5	RMS	2620	-19.27	-10	Pass	3
2621	2625	1	RMS	2621	-29.5	-10	Pass	601
2625	2650	1	RMS	2625.292	-46.01	-13	Pass	601
2650	2665	1	RMS	2650.025	-46.74	-25	Pass	601




43.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2593.467	8.83	30	Pass	601
2620	2621	0.6	RMS	2620	-37.04	-10	Pass	3
2621	2625	1	RMS	2621.153	-35.09	-10	Pass	601
2625	2650	1	RMS	2633.708	-37.23	-13	Pass	601
2650	2665	1	RMS	2654.525	-44.06	-25	Pass	601



43.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	21.64	30	Pass	601
2620	2621	0.6	RMS	2620	-19.61	-10	Pass	3
2621	2625	1	RMS	2621.013	-30.7	-10	Pass	601
2625	2650	1	RMS	2625.125	-46.07	-13	Pass	601
2650	2665	1	RMS	2650.275	-46.77	-25	Pass	601




43.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2598.733	8.21	30	Pass	601
2620	2621	0.6	RMS	2620	-34.2	-10	Pass	3
2621	2625	1	RMS	2621.14	-31.77	-10	Pass	601
2625	2650	1	RMS	2625	-34.8	-13	Pass	601
2650	2665	1	RMS	2650.525	-44.19	-25	Pass	601




43.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.817	-47.93	-25	Pass	601
2530	2565	1	RMS	2552.225	-44.59	-13	Pass	601
2565	2569	1	RMS	2569	-27.98	-10	Pass	601
2569	2570	0.51	RMS	2569.997	-14.74	-10	Pass	601
2570	2610	1	RMS	2571.067	22.27	30	Pass	601




43.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.308	-46.03	-25	Pass	601
2530	2565	1	RMS	2552.283	-35.16	-13	Pass	601
2565	2569	1	RMS	2568.987	-32.93	-10	Pass	601
2569	2570	0.82	RMS	2569.998	-17.74	-10	Pass	601
2570	2610	1	RMS	2573.2	7.64	30	Pass	601




43.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.525	-47.86	-25	Pass	601
2530	2565	1	RMS	2552.342	-44.09	-13	Pass	601
2565	2569	1	RMS	2569	-28.51	-10	Pass	601
2569	2570	0.51	RMS	2569.998	-15.1	-10	Pass	601
2570	2610	1	RMS	2571.067	21.72	30	Pass	601




43.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.108	-44.79	-25	Pass	601
2530	2565	1	RMS	2565	-34.35	-13	Pass	601
2565	2569	1	RMS	2569	-31.76	-10	Pass	601
2569	2570	0.82	RMS	2569.998	-17.84	-10	Pass	601
2570	2610	1	RMS	2578.133	7.09	30	Pass	601




43.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	22.1	30	Pass	601
2620	2621	0.5	RMS	2620	-17.64	-10	Pass	3
2621	2625	1	RMS	2621.007	-29.05	-10	Pass	601
2625	2660	1	RMS	2625	-46.04	-13	Pass	601
2660	2665	1	RMS	2660.058	-46.91	-25	Pass	601




43.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2583.733	7.64	30	Pass	601
2620	2621	0.8	RMS	2620	-37.4	-10	Pass	3
2621	2625	1	RMS	2621.04	-36.57	-10	Pass	601
2625	2660	1	RMS	2636.083	-37.51	-13	Pass	601
2660	2665	1	RMS	2664.417	-44.27	-25	Pass	601




43.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	21.62	30	Pass	601
2620	2621	0.8	RMS	2620	-14.72	-10	Pass	3
2621	2625	1	RMS	2621	-29.45	-10	Pass	601
2625	2660	1	RMS	2637.95	-45.96	-13	Pass	601
2660	2665	1	RMS	2660.433	-46.86	-25	Pass	601



43.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2589.667	7.08	30	Pass	601
2620	2621	0.8	RMS	2620	-34.92	-10	Pass	3
2621	2625	1	RMS	2621.08	-34.13	-10	Pass	601
2625	2660	1	RMS	2625	-35.95	-13	Pass	601
2660	2665	1	RMS	2660.15	-44.08	-25	Pass	601



44. n41 30kHz


44.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-38.68	-25	Pass	401
2490	2495	1	RMS	2495	-24.8	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.46	-13	Pass	401
2496	2596	1	RMS	2497	22.5	30	Pass	401




44.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488	-29.35	-25	Pass	100
2490	2495	1	RMS	2495	-26.18	-13	Pass	401
2495	2496	0.4	RMS	2496	-26.42	-13	Pass	4
2496	2596	1	RMS	2499.25	10.75	30	Pass	401




44.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.4	-25	Pass	401
2490	2495	1	RMS	2495	-25.32	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-25.43	-13	Pass	401
2496	2596	1	RMS	2497	22.58	30	Pass	401




44.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-29.81	-25	Pass	100
2490	2495	1	RMS	2495	-25.21	-13	Pass	401
2495	2496	0.4	RMS	2496	-25.55	-13	Pass	4
2496	2596	1	RMS	2500.5	10.9	30	Pass	401




44.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	24.17	30	Pass	401
2690	2691	0.1	RMS	2690.005	-21.76	-13	Pass	401
2691	2695	1	RMS	2691	-24.46	-13	Pass	401
2695	2710	1	RMS	2696.088	-38.02	-13	Pass	401
2710	2795	1	RMS	2758.238	-47.34	-25	Pass	401




44.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2687.5	12.09	30	Pass	401
2690	2691	0.4	RMS	2690	-26.57	-13	Pass	4
2691	2695	1	RMS	2691.02	-25.58	-13	Pass	401
2695	2710	1	RMS	2697.513	-25.82	-13	Pass	401
2710	2715	1	RMS	2711.813	-43.03	-25	Pass	401
2715	2795	1	RMS	2715.2	-43.72	-25	Pass	401




44.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	24.02	30	Pass	401
2690	2691	0.1	RMS	2690	-19.91	-13	Pass	401
2691	2695	1	RMS	2691.01	-22.93	-13	Pass	401
2695	2710	1	RMS	2695.038	-38.15	-13	Pass	401
2710	2795	1	RMS	2721.688	-47.27	-25	Pass	401




44.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2674.25	12.18	30	Pass	401
2690	2691	0.4	RMS	2690	-26.72	-13	Pass	4
2691	2695	1	RMS	2691.14	-24.02	-13	Pass	401
2695	2710	1	RMS	2695	-26.15	-13	Pass	401
2710	2715	1	RMS	2711.55	-40.82	-25	Pass	401
2715	2795	1	RMS	2715.6	-41.09	-25	Pass	401




44.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-38.91	-25	Pass	401
2490	2495	1	RMS	2494.988	-25.55	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-25.67	-13	Pass	401
2496	2596	1	RMS	2497	22.67	30	Pass	401




44.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.38	-25	Pass	401
2490	2495	1	RMS	2494.863	-30.18	-13	Pass	401
2495	2496	1.2	RMS	2496	-23.53	-13	Pass	2
2496	2596	1	RMS	2498.75	6.1	30	Pass	401




44.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.25	-25	Pass	401
2490	2495	1	RMS	2495	-25.33	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-25.14	-13	Pass	401
2496	2596	1	RMS	2497	22.61	30	Pass	401




44.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.11	-25	Pass	401
2490	2495	1	RMS	2494.925	-30.02	-13	Pass	401
2495	2496	1.2	RMS	2496	-24.15	-13	Pass	2
2496	2596	1	RMS	2498.5	6.02	30	Pass	401



44.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.74	30	Pass	401
2690	2691	0.1	RMS	2690.005	-23.23	-13	Pass	401
2691	2695	1	RMS	2691	-26.11	-13	Pass	401
2695	2750	1	RMS	2696.238	-38.36	-13	Pass	401
2750	2795	1	RMS	2777.113	-47.25	-25	Pass	401




44.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2632.25	7.44	30	Pass	401
2690	2691	1.2	RMS	2690	-23.08	-13	Pass	2
2691	2695	1	RMS	2691.01	-26.5	-13	Pass	401
2695	2750	1	RMS	2695	-30.6	-13	Pass	401
2750	2755	1	RMS	2750.9	-45.94	-25	Pass	401
2755	2795	1	RMS	2765.7	-45.66	-25	Pass	401



44.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.89	30	Pass	401
2690	2691	0.1	RMS	2690.005	-21.83	-13	Pass	401
2691	2695	1	RMS	2691	-24.96	-13	Pass	401
2695	2750	1	RMS	2695	-38.31	-13	Pass	401
2750	2795	1	RMS	2782.738	-47.3	-25	Pass	401




44.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2632.5	7.26	30	Pass	401
2690	2691	1.2	RMS	2690	-23.52	-13	Pass	2
2691	2695	1	RMS	2691.4	-26.82	-13	Pass	401
2695	2750	1	RMS	2695	-29.06	-13	Pass	401
2750	2755	1	RMS	2752.8	-44.21	-25	Pass	401
2755	2795	1	RMS	2756.4	-44.47	-25	Pass	401




44.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.03	-25	Pass	401
2490	2495	1	RMS	2495	-26.06	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.59	-13	Pass	401
2496	2596	1	RMS	2497	22.62	30	Pass	401




44.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.69	-25	Pass	401
2490	2495	1	RMS	2494.9	-31.74	-13	Pass	401
2495	2496	1	RMS	2496	-27.95	-13	Pass	2
2496	2596	1	RMS	2506.25	3.79	30	Pass	401




44.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-39.45	-25	Pass	401
2490	2495	1	RMS	2495	-26.14	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.46	-13	Pass	401
2496	2596	1	RMS	2497	22.51	30	Pass	401




44.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.4	-25	Pass	100
2490	2495	1	RMS	2495	-32.59	-13	Pass	401
2495	2496	1	RMS	2496	-27.67	-13	Pass	2
2496	2596	1	RMS	2500.75	3.85	30	Pass	401




44.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.58	30	Pass	401
2690	2691	0.1	RMS	2690.005	-22.9	-13	Pass	401
2691	2695	1	RMS	2691	-25.55	-13	Pass	401
2695	2790	1	RMS	2696.188	-38.31	-13	Pass	401
2790	2795	1	RMS	2791.15	-47.3	-25	Pass	401




44.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2592.25	5.31	30	Pass	401
2690	2691	2	RMS	2690	-27.85	-13	Pass	2
2691	2695	1	RMS	2691.02	-31.06	-13	Pass	401
2695	2790	1	RMS	2735.613	-32.22	-13	Pass	401
2790	2795	1	RMS	2791.9	-44.55	-25	Pass	401




44.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.73	30	Pass	401
2690	2691	0.1	RMS	2690	-21.45	-13	Pass	401
2691	2695	1	RMS	2691	-24.62	-13	Pass	401
2695	2790	1	RMS	2695.238	-38.48	-13	Pass	401
2790	2795	1	RMS	2790.163	-47.26	-25	Pass	401



44.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2594.5	5.23	30	Pass	401
2690	2691	2	RMS	2690	-27.44	-13	Pass	2
2691	2695	1	RMS	2691.41	-30.39	-13	Pass	401
2695	2790	1	RMS	2697.138	-31.29	-13	Pass	401
2790	2795	1	RMS	2791.85	-43.38	-25	Pass	401



45. n48 30kHz


45.1. Band Edge for SA(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3522.65	-47.83	-40	Pass	401
3530	3540	1	RMS	3532.9	-44.41	-25	Pass	401
3540	3549	1	RMS	3549	-33.72	-13	Pass	401
3549	3550	0.2	RMS	3549.998	-28.72	-13	Pass	401
3550	3570	0.1	RMS	3550.95	9.41	30	Pass	401




45.2. Band Edge for SA(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3528.35	-47.14	-40	Pass	401
3530	3540	1	RMS	3539.025	-43.98	-25	Pass	401
3540	3549	1	RMS	3549	-38.36	-13	Pass	401
3549	3550	0.2	RMS	3550	-37.78	-13	Pass	401
3550	3570	0.1	RMS	3554.5	-6.53	30	Pass	401




45.3. Band Edge for SA(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3517.775	-47.82	-40	Pass	401
3530	3540	1	RMS	3532.975	-44.56	-25	Pass	401
3540	3549	1	RMS	3549	-34.29	-13	Pass	401
3549	3550	0.2	RMS	3549.993	-29.56	-13	Pass	401
3550	3570	0.1	RMS	3551	8.62	30	Pass	401




45.4. Band Edge for SA(NTNV)(Subtest:4, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3524.825	-46.56	-40	Pass	401
3530	3540	1	RMS	3538.775	-45.08	-25	Pass	401
3540	3549	1	RMS	3548.955	-36.79	-13	Pass	401
3549	3550	0.2	RMS	3550	-37.3	-13	Pass	401
3550	3570	0.1	RMS	3564.4	-7.01	30	Pass	401




45.5. Band Edge for SA(NTNV)(Subtest:5, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.9	10.2	30	Pass	401
3700	3701	0.2	RMS	3700	-26.76	-13	Pass	401
3701	3710	1	RMS	3701	-33.86	-13	Pass	401
3710	3720	1	RMS	3716.875	-42.73	-25	Pass	401
3720	3750	1	RMS	3744.975	-49.45	-40	Pass	401




45.6. Band Edge for SA(NTNV)(Subtest:6, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3698.1	-6.25	30	Pass	401
3700	3701	0.2	RMS	3700.025	-43.49	-13	Pass	401
3701	3710	1	RMS	3707.21	-40.51	-13	Pass	401
3710	3720	1	RMS	3710.825	-43.55	-25	Pass	401
3720	3750	1	RMS	3721.725	-48.62	-40	Pass	401




45.7. Band Edge for SA(NTNV)(Subtest:7, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3699	9.24	30	Pass	401
3700	3701	0.2	RMS	3700	-27.27	-13	Pass	401
3701	3710	1	RMS	3701	-32.8	-13	Pass	401
3710	3720	1	RMS	3716.975	-43.44	-25	Pass	401
3720	3750	1	RMS	3749.925	-49.45	-40	Pass	401




45.8. Band Edge for SA(NTNV)(Subtest:8, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	0.1	RMS	3683.3	-7.03	30	Pass	401
3700	3701	0.2	RMS	3700.008	-41.59	-13	Pass	401
3701	3710	1	RMS	3701	-37.55	-13	Pass	401
3710	3720	1	RMS	3711.2	-44.8	-25	Pass	401
3720	3750	1	RMS	3729	-49.68	-40	Pass	31




45.9. Band Edge for SA(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3513.2	-43.7	-40	Pass	401
3530	3540	1	RMS	3532.025	-46.38	-25	Pass	401
3540	3549	1	RMS	3549	-35.84	-13	Pass	401
3549	3550	0.39	RMS	3549.998	-24.44	-13	Pass	401
3550	3590	0.1	RMS	3551	9.69	30	Pass	401




45.10. Band Edge for SA(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3523.55	-46.38	-40	Pass	401
3530	3540	1	RMS	3533.7	-44.28	-25	Pass	401
3540	3549	1	RMS	3549	-41.51	-13	Pass	401
3549	3550	0.39	RMS	3550	-39.45	-13	Pass	401
3550	3590	0.1	RMS	3565.9	-9.36	30	Pass	401




45.11. Band Edge for SA(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3513.275	-44.15	-40	Pass	401
3530	3540	1	RMS	3532.25	-46.39	-25	Pass	401
3540	3549	1	RMS	3549	-38.15	-13	Pass	401
3549	3550	0.39	RMS	3549.995	-27.99	-13	Pass	401
3550	3590	0.1	RMS	3551.2	8.45	30	Pass	401




45.12. Band Edge for SA(NTNV)(Subtest:4, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-48.9	-40	Pass	31
3530	3540	1	RMS	3530.575	-45.86	-25	Pass	401
3540	3549	1	RMS	3549	-42.48	-13	Pass	401
3549	3550	0.39	RMS	3549.983	-38.94	-13	Pass	401
3550	3590	0.1	RMS	3570.9	-10.13	30	Pass	401




45.13. Band Edge for SA(NTNV)(Subtest:5, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	0.1	RMS	3698.8	10.01	30	Pass	401
3700	3701	0.39	RMS	3700	-27.81	-13	Pass	401
3701	3710	1	RMS	3701	-37.92	-13	Pass	401
3710	3720	1	RMS	3717.675	-47.24	-25	Pass	401
3720	3750	1	RMS	3736.575	-42.24	-40	Pass	401




45.14. Band Edge for SA(NTNV)(Subtest:6, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	0.1	RMS	3690.5	-9.32	30	Pass	401
3700	3701	0.39	RMS	3700.113	-43.82	-13	Pass	401
3701	3710	1	RMS	3701.113	-42.03	-13	Pass	401
3710	3720	1	RMS	3713.775	-41.21	-25	Pass	401
3720	3750	1	RMS	3720	-43.57	-40	Pass	31




45.15. Band Edge for SA(NTNV)(Subtest:7, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	0.1	RMS	3698.8	8.81	30	Pass	401
3700	3701	0.39	RMS	3700	-26.53	-13	Pass	401
3701	3710	1	RMS	3701	-37.13	-13	Pass	401
3710	3720	1	RMS	3717.85	-47.28	-25	Pass	401
3720	3750	1	RMS	3736.575	-42.45	-40	Pass	401



45.16. Band Edge for SA(NTNV)(Subtest:8, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	0.1	RMS	3680.6	-10.07	30	Pass	401
3700	3701	0.39	RMS	3700.02	-46.32	-13	Pass	401
3701	3710	1	RMS	3701.068	-44.21	-13	Pass	401
3710	3720	1	RMS	3717.575	-47.07	-25	Pass	401
3720	3750	1	RMS	3721.125	-48	-40	Pass	401



46. n66 15kHz


46.1. Band Edge for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.962	-40.45	-13	Pass	601
1708	1709	1	RMS	1709	-35.91	-13	Pass	2
1709	1710	0.05	RMS	1710	-16.35	-13	Pass	21
1710	1730	1	RMS	1710.333	22.37	30	Pass	601




46.2. Band Edge for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-29.07	-13	Pass	601
1708	1709	1	RMS	1709	-28.92	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-27.9	-13	Pass	601
1710	1730	1	RMS	1711.333	15.7	30	Pass	601




46.3. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-41.83	-13	Pass	601
1708	1709	1	RMS	1709	-36.98	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.4	-13	Pass	601
1710	1730	1	RMS	1710.333	21.32	30	Pass	601




46.4. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-30.15	-13	Pass	601
1708	1709	1	RMS	1709	-28.25	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-26.44	-13	Pass	601
1710	1730	1	RMS	1711.167	14.9	30	Pass	601




46.5. Band Edge for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.667	22.27	30	Pass	601
1780	1781	0.051	RMS	1780	-18.38	-13	Pass	601
1781	1782	1	RMS	1781	-35.21	-13	Pass	2
1782	1805	1	RMS	1782	-37.14	-13	Pass	601




46.6. Band Edge for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.367	15.92	30	Pass	601
1780	1781	0.051	RMS	1780	-24.65	-13	Pass	601
1781	1782	1	RMS	1781	-32.97	-13	Pass	2
1782	1805	1	RMS	1782	-34.28	-13	Pass	601




46.7. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.633	21.15	30	Pass	601
1780	1781	0.051	RMS	1780.002	-18.04	-13	Pass	601
1781	1782	1	RMS	1781	-35.43	-13	Pass	2
1782	1805	1	RMS	1782	-38.69	-13	Pass	601




46.8. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.233	15.22	30	Pass	601
1780	1781	0.051	RMS	1780.002	-27.5	-13	Pass	601
1781	1782	1	RMS	1781	-31.69	-13	Pass	2
1782	1805	1	RMS	1782.077	-34.37	-13	Pass	601




46.9. Band Edge for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-41.1	-13	Pass	601
1708	1709	1	RMS	1709	-37.41	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.99	-13	Pass	601
1710	1730	1	RMS	1710.533	22.11	30	Pass	601




46.10. Band Edge for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-35.5	-13	Pass	601
1708	1709	1	RMS	1709	-33.21	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.64	-13	Pass	601
1710	1730	1	RMS	1711.767	9.3	30	Pass	601




46.11. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-42.02	-13	Pass	601
1708	1709	1	RMS	1709	-38.04	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.52	-13	Pass	601
1710	1730	1	RMS	1710.533	22.03	30	Pass	601




46.12. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-30.95	-13	Pass	601
1708	1709	1	RMS	1709	-29.15	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-31.55	-13	Pass	601
1710	1730	1	RMS	1727	8.67	30	Pass	601



46.13. Band Edge for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.433	22.19	30	Pass	601
1780	1781	0.2	RMS	1780	-19.66	-13	Pass	601
1781	1782	1	RMS	1781	-36.16	-13	Pass	2
1782	1805	1	RMS	1782	-37.73	-13	Pass	601




46.14. Band Edge for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1772.4	10.42	30	Pass	601
1780	1781	0.2	RMS	1780.002	-39.55	-13	Pass	601
1781	1782	1	RMS	1781	-34.2	-13	Pass	2
1782	1805	1	RMS	1782	-35.85	-13	Pass	601




46.15. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.433	21.92	30	Pass	601
1780	1781	0.2	RMS	1780	-18.7	-13	Pass	601
1781	1782	1	RMS	1781	-35.73	-13	Pass	2
1782	1805	1	RMS	1782	-37.44	-13	Pass	601




46.16. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1767.133	9.59	30	Pass	601
1780	1781	0.2	RMS	1780.223	-35.2	-13	Pass	601
1781	1782	1	RMS	1781	-29.89	-13	Pass	2
1782	1805	1	RMS	1782	-31.53	-13	Pass	601




46.17. Band Edge for SA(NTNV)(Subtest:1, Channel:345000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.962	-41.72	-13	Pass	601
1708	1709	1	RMS	1709	-39.15	-13	Pass	2
1709	1710	0.3	RMS	1709.998	-20.69	-13	Pass	601
1710	1730	1	RMS	1710.667	21.52	30	Pass	601




46.18. Band Edge for SA(NTNV)(Subtest:2, Channel:345000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-36.66	-13	Pass	601
1708	1709	1	RMS	1709	-35.54	-13	Pass	2
1709	1710	0.3	RMS	1709.998	-35.82	-13	Pass	601
1710	1730	1	RMS	1711.667	6.9	30	Pass	601




46.19. Band Edge for SA(NTNV)(Subtest:3, Channel:345000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.923	-42.14	-13	Pass	601
1708	1709	1	RMS	1709	-39.63	-13	Pass	2
1709	1710	0.3	RMS	1710	-22.06	-13	Pass	601
1710	1730	1	RMS	1710.667	21.12	30	Pass	601




46.20. Band Edge for SA(NTNV)(Subtest:4, Channel:345000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-32.78	-13	Pass	601
1708	1709	1	RMS	1709	-31.48	-13	Pass	2
1709	1710	0.3	RMS	1709.997	-33.94	-13	Pass	601
1710	1730	1	RMS	1728	6.41	30	Pass	601




46.21. Band Edge for SA(NTNV)(Subtest:5, Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	22.17	30	Pass	601
1780	1781	0.3	RMS	1780	-22.7	-13	Pass	601
1781	1782	1	RMS	1781	-36.89	-13	Pass	2
1782	1805	1	RMS	1782	-38.2	-13	Pass	601




46.22. Band Edge for SA(NTNV)(Subtest:6, Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1771.467	8.35	30	Pass	601
1780	1781	0.3	RMS	1780	-35.8	-13	Pass	601
1781	1782	1	RMS	1781	-34.31	-13	Pass	2
1782	1805	1	RMS	1782	-35.22	-13	Pass	601




46.23. Band Edge for SA(NTNV)(Subtest:7, Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.4	30	Pass	601
1780	1781	0.3	RMS	1780.002	-22.45	-13	Pass	601
1781	1782	1	RMS	1781	-37.35	-13	Pass	2
1782	1805	1	RMS	1782	-38.65	-13	Pass	601



46.24. Band Edge for SA(NTNV)(Subtest:8, Channel:353000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1768.033	7.73	30	Pass	601
1780	1781	0.3	RMS	1780.002	-35.15	-13	Pass	601
1781	1782	1	RMS	1781	-31.94	-13	Pass	2
1782	1805	1	RMS	1782	-33.07	-13	Pass	601



47. n71 15kHz


47.1. Band Edge for SA(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-47.84	-13	Pass	601
662	663	0.05	RMS	663	-17.98	-13	Pass	21
663	683	0.1	RMS	663.333	19.47	30	Pass	601




47.2. Band Edge for SA(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	660.72	-40.2	-13	Pass	601
662	663	0.051	RMS	662.998	-28.04	-13	Pass	601
663	683	0.1	RMS	667.6	6.65	30	Pass	601



47.3. Band Edge for SA(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-52.2	-13	Pass	601
662	663	0.051	RMS	662.998	-17.23	-13	Pass	601
663	683	0.1	RMS	663.333	19.07	30	Pass	601




47.4. Band Edge for SA(NTNV)(Subtest:4, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.84	-37.36	-13	Pass	601
662	663	0.051	RMS	663	-26.46	-13	Pass	601
663	683	0.1	RMS	664	6.01	30	Pass	601




47.5. Band Edge for SA(NTNV)(Subtest:5, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.633	19.46	30	Pass	601
698	699	0.051	RMS	698	-19.8	-13	Pass	601
699	723	0.1	RMS	699.72	-38.13	-13	Pass	601




47.6. Band Edge for SA(NTNV)(Subtest:6, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	695.667	6.44	30	Pass	601
698	699	0.051	RMS	698	-25.13	-13	Pass	601
699	723	0.1	RMS	699.88	-30.32	-13	Pass	601




47.7. Band Edge for SA(NTNV)(Subtest:7, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.633	18.73	30	Pass	601
698	699	0.051	RMS	698	-18.75	-13	Pass	601
699	723	0.1	RMS	699.84	-40.36	-13	Pass	601




47.8. Band Edge for SA(NTNV)(Subtest:8, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	694	5.82	30	Pass	601
698	699	0.051	RMS	698.002	-27.54	-13	Pass	601
699	723	0.1	RMS	702.08	-40.66	-13	Pass	601



47.9. Band Edge for SA(NTNV)(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-48.44	-13	Pass	601
662	663	0.02	RMS	663	-22.81	-13	Pass	601
663	683	0.1	RMS	663.4	19.54	30	Pass	601




47.10. Band Edge for SA(NTNV)(Subtest:2, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.92	-37.65	-13	Pass	601
662	663	0.1	RMS	663	-28.45	-13	Pass	601
663	683	0.1	RMS	665	3.41	30	Pass	601




47.11. Band Edge for SA(NTNV)(Subtest:3, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.92	-51.71	-13	Pass	601
662	663	0.1	RMS	662.997	-16.09	-13	Pass	601
663	683	0.1	RMS	663.4	19.16	30	Pass	601




47.12. Band Edge for SA(NTNV)(Subtest:4, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	660.4	-34.1	-13	Pass	601
662	663	0.1	RMS	662.997	-26.41	-13	Pass	601
663	683	0.1	RMS	671.1	3.08	30	Pass	601




47.13. Band Edge for SA(NTNV)(Subtest:5, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.567	19.56	30	Pass	601
698	699	0.1	RMS	698	-18.25	-13	Pass	601
699	723	0.1	RMS	699	-49.47	-13	Pass	601




47.14. Band Edge for SA(NTNV)(Subtest:6, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	691.1	3.84	30	Pass	601
698	699	0.1	RMS	698	-36	-13	Pass	601
699	723	0.1	RMS	699.2	-37.53	-13	Pass	601



47.15. Band Edge for SA(NTNV)(Subtest:7, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.567	18.73	30	Pass	601
698	699	0.1	RMS	698.002	-17.03	-13	Pass	601
699	723	0.1	RMS	699	-47.76	-13	Pass	601




47.16. Band Edge for SA(NTNV)(Subtest:8, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	691.233	2.99	30	Pass	601
698	699	0.1	RMS	698.128	-35.66	-13	Pass	601
699	723	0.1	RMS	699	-37.03	-13	Pass	601




47.17. Band Edge for SA(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.96	-50.29	-13	Pass	601
662	663	0.2	RMS	663	-16.6	-13	Pass	601
663	683	0.1	RMS	663.533	20	30	Pass	601




47.18. Band Edge for SA(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.92	-35.21	-13	Pass	601
662	663	0.2	RMS	662.998	-29.31	-13	Pass	601
663	683	0.1	RMS	676.567	1.36	30	Pass	601




47.19. Band Edge for SA(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-49.37	-13	Pass	601
662	663	0.2	RMS	663	-17.74	-13	Pass	601
663	683	0.1	RMS	663.533	19.58	30	Pass	601




47.20. Band Edge for SA(NTNV)(Subtest:4, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.6	-38.03	-13	Pass	601
662	663	0.2	RMS	663	-30.31	-13	Pass	601
663	683	0.1	RMS	675.6	0.53	30	Pass	601




47.21. Band Edge for SA(NTNV)(Subtest:5, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.433	19.46	30	Pass	601
698	699	0.2	RMS	698	-21.15	-13	Pass	601
699	723	0.1	RMS	699	-51.38	-13	Pass	601




47.22. Band Edge for SA(NTNV)(Subtest:6, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	682.233	0.86	30	Pass	601
698	699	0.2	RMS	698.02	-30.92	-13	Pass	601
699	723	0.1	RMS	705.4	-32.91	-13	Pass	601




47.23. Band Edge for SA(NTNV)(Subtest:7, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.433	18.8	30	Pass	601
698	699	0.2	RMS	698	-18.99	-13	Pass	601
699	723	0.1	RMS	699	-47.31	-13	Pass	601



47.24. Band Edge for SA(NTNV)(Subtest:8, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	680.3	0.2	30	Pass	601
698	699	0.2	RMS	698.05	-34.44	-13	Pass	601
699	723	0.1	RMS	699	-38.58	-13	Pass	601



48. n77 30kHz(3450-3550)


48.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442	-38.79	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-38.31	-13	Pass	601
3449	3450	0.2	RMS	3449.992	-21.16	-13	Pass	601
3450	3550	1	RMS	3451	20.81	30	Pass	601




48.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.333	-26.94	-13	Pass	601
3445	3449	0.62	RMS	3448.98	-29.52	-13	Pass	601
3449	3450	0.2	RMS	3450	-26.67	-13	Pass	601
3450	3550	1	RMS	3465.5	11.99	30	Pass	601




48.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.833	-40	-13	Pass	601
3445	3449	0.62	RMS	3449	-37.3	-13	Pass	601
3449	3450	0.2	RMS	3450	-21.82	-13	Pass	601
3450	3550	1	RMS	3451	20.87	30	Pass	601




48.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-31.86	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-28.88	-13	Pass	601
3449	3450	0.2	RMS	3449.987	-28.23	-13	Pass	601
3450	3550	1	RMS	3466.833	11.64	30	Pass	601




48.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.76	30	Pass	601
3550	3551	0.2	RMS	3550	-21.19	-13	Pass	601
3551	3555	0.62	RMS	3551	-37.18	-13	Pass	601
3555	3655	1	RMS	3558	-37.39	-13	Pass	601




48.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543.5	11.98	30	Pass	601
3550	3551	0.2	RMS	3550.01	-33.58	-13	Pass	601
3551	3555	0.62	RMS	3551.067	-31.95	-13	Pass	601
3555	3655	1	RMS	3557.5	-30.06	-13	Pass	601




48.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.75	30	Pass	601
3550	3551	0.2	RMS	3550	-21.02	-13	Pass	601
3551	3555	0.62	RMS	3551	-36.08	-13	Pass	601
3555	3655	1	RMS	3558	-39.51	-13	Pass	601



48.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3544.333	11.63	30	Pass	601
3550	3551	0.2	RMS	3550.015	-31.2	-13	Pass	601
3551	3555	0.62	RMS	3551.007	-28.76	-13	Pass	601
3555	3655	1	RMS	3555	-30.81	-13	Pass	601



48.9. Band Edge for SA(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3422.167	-38.62	-13	Pass	601
3445	3449	0.62	RMS	3448.987	-38.6	-13	Pass	601
3449	3450	0.2	RMS	3449.998	-21.32	-13	Pass	601
3450	3550	1	RMS	3451	20.66	30	Pass	601

