



61.3 n78 UL MIMO(3700-3800) BW100, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3700-3800) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.170	-58.17	-19.14	-13.0	45.17	124.00	Horizontal	Horizontal	Pass
2210.800	-53.92	-1.95	-13.0	40.92	360.00	Horizontal	Horizontal	Pass
3849.250	-37.33	13.67	-13.0	24.33	61.00	Horizontal	Horizontal	Pass
7977.750	-30.96	23.90	-13.0	17.96	181.00	Horizontal	Horizontal	Pass
13405.463	-39.64	16.89	-13.0	26.64	341.00	Horizontal	Horizontal	Pass
17804.700	-42.79	13.07	-13.0	29.79	101.00	Horizontal	Horizontal	Pass

RSE-V&H n78 UL MIMO(3700-3800) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.174	-53.87	-19.89	-13.0	40.87	220.00	Vertical	Horizontal	Pass
2220.600	-54.68	-1.19	-13.0	41.68	1.00	Vertical	Horizontal	Pass
3835.000	-37.63	13.70	-13.0	24.63	299.00	Vertical	Horizontal	Pass
7944.750	-29.74	24.05	-13.0	16.74	187.00	Vertical	Horizontal	Pass
13395.750	-37.91	16.97	-13.0	24.91	15.00	Vertical	Horizontal	Pass
19741.499	-42.16	12.94	-13.0	29.16	218.00	Vertical	Horizontal	Pass

62 DC_2A_n66A


62.1 DC_2A_n66A BW20(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.067	-50.38	-20.34	-13.0	37.38	141.00	Horizontal	Horizontal	Pass
1836.100	-31.38	1.58	-13.0	18.38	313.00	Horizontal	Horizontal	Pass
1943.000	-20.46	1.83	-13.0	7.46	255.00	Horizontal	Horizontal	N/A
2117.000	-29.56	3.48	-13.0	16.56	242.00	Horizontal	Horizontal	N/A
7464.000	-40.91	13.83	-13.0	27.91	103.00	Horizontal	Horizontal	Pass
13801.838	-39.28	16.97	-13.0	26.28	6.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.164	-49.73	-20.71	-13.0	36.73	132.00	Vertical	Horizontal	Pass
1832.400	-45.88	1.19	-13.0	32.88	-1.00	Vertical	Horizontal	Pass
1934.500	-33.95	2.04	-13.0	20.95	146.00	Vertical	Horizontal	N/A
2116.700	-42.14	3.45	-13.0	29.14	325.00	Vertical	Horizontal	Pass
7599.000	-39.73	13.83	-13.0	26.73	69.00	Vertical	Horizontal	Pass
11952.238	-39.38	14.00	-13.0	26.38	106.00	Vertical	Horizontal	Pass


62.2 DC_2A_n66A BW20(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC_2A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
30.922	-50.34	-19.96	-13.0	37.34	141.00	Horizontal	Horizontal	Pass
1986.300	-21.88	1.53	-13.0	8.88	270.00	Horizontal	Horizontal	N/A
2154.400	-32.09	3.66	-13.0	19.09	257.00	Horizontal	Horizontal	N/A
5899.000	-42.19	10.37	-13.0	29.19	89.00	Horizontal	Horizontal	Pass
11984.775	-40.56	13.88	-13.0	27.56	152.00	Horizontal	Horizontal	Pass
20021.400	-41.87	12.95	-13.0	28.87	-1.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n66A BW20(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.358	-50.15	-21.44	-13.0	37.15	197.00	Vertical	Horizontal	Pass
1982.600	-37.38	1.53	-13.0	24.38	129.00	Vertical	Horizontal	N/A
2154.700	-40.65	3.67	-13.0	27.65	14.00	Vertical	Horizontal	N/A
7112.500	-41.07	13.77	-13.0	28.07	157.00	Vertical	Horizontal	Pass
13386.037	-39.53	16.88	-13.0	26.53	243.00	Vertical	Horizontal	Pass
20110.199	-40.99	12.96	-13.0	27.99	40.00	Vertical	Horizontal	Pass

63 DC_5A_n66A


63.1 DC_5A_n66A BW10(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC_5A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.964	-46.78	4.45	-13.0	33.78	313.00	Horizontal	Horizontal	N/A
871.281	-32.78	4.35	-13.0	19.78	47.00	Horizontal	Horizontal	N/A
1711.500	-28.75	2.48	-13.0	15.75	81.00	Horizontal	Horizontal	N/A
2118.300	-24.28	4.16	-13.0	11.28	357.00	Horizontal	Horizontal	N/A
7221.750	-41.02	13.94	-13.0	28.02	43.00	Horizontal	Horizontal	Pass
13810.500	-39.10	16.76	-13.0	26.10	1.00	Horizontal	Horizontal	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.964	-46.49	4.45	-13.0	33.49	288.00	Vertical	Horizontal	N/A
878.362	-32.93	4.12	-13.0	19.93	229.00	Vertical	Horizontal	N/A
1711.700	-38.78	2.47	-13.0	25.78	299.00	Vertical	Horizontal	N/A
2116.400	-38.12	3.99	-13.0	25.12	190.00	Vertical	Horizontal	N/A
3422.000	-45.33	3.83	-13.0	32.33	273.00	Vertical	Horizontal	Pass
13384.724	-39.18	16.87	-13.0	26.18	1.00	Vertical	Horizontal	Pass


63.2 DC_5A_n66A BW10(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC_5A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
852.463	-37.55	4.55	-13.0	24.55	284.00	Horizontal	Horizontal	Pass
893.397	-32.09	4.76	-13.0	19.09	220.00	Horizontal	Horizontal	N/A
1793.300	-34.07	1.45	-13.0	21.07	80.00	Horizontal	Horizontal	Pass
2156.700	-24.73	4.26	-13.0	11.73	151.00	Horizontal	Horizontal	N/A
7163.500	-40.09	13.90	-13.0	27.09	78.00	Horizontal	Horizontal	Pass
13347.713	-39.17	16.45	-13.0	26.17	1.00	Horizontal	Horizontal	Pass

RSE-V&H DC_5A_n66A BW10(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
853.094	-35.72	4.53	-13.0	22.72	283.00	Vertical	Horizontal	Pass
891.312	-32.16	4.70	-13.0	19.16	225.00	Vertical	Horizontal	N/A
1686.300	-48.17	0.92	-13.0	35.17	0.00	Vertical	Horizontal	Pass
2166.500	-36.26	4.18	-13.0	23.26	216.00	Vertical	Horizontal	N/A
3501.750	-48.04	5.21	-13.0	35.04	111.00	Vertical	Horizontal	Pass
13384.724	-39.64	16.87	-13.0	26.64	1.00	Vertical	Horizontal	Pass

64 DC_7A_n66A


64.1 DC_7A_n66A BW20(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.636	-53.40	-18.97	-25.0	28.40	269.00	Horizontal	Horizontal	Pass
1698.400	-31.40	1.35	-25.0	6.40	64.00	Horizontal	Horizontal	N/A
2129.400	-24.38	3.85	-25.0	-0.62	347.00	Horizontal	Horizontal	N/A
2491.900	-25.88	7.09	-25.0	0.88	225.00	Horizontal	Horizontal	N/A
2624.100	-26.25	6.17	-25.0	1.25	38.00	Horizontal	Horizontal	N/A
13375.799	-39.02	16.78	-25.0	14.02	185.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.921	-50.80	-19.39	-25.0	25.80	189.00	Vertical	Horizontal	Pass
1698.400	-41.91	1.35	-25.0	16.91	205.00	Vertical	Horizontal	N/A
2114.900	-36.89	3.46	-25.0	11.89	186.00	Vertical	Horizontal	N/A
2623.700	-39.17	6.12	-25.0	14.17	251.00	Vertical	Horizontal	N/A
3421.750	-45.16	3.80	-25.0	20.16	274.00	Vertical	Horizontal	Pass
13353.224	-39.72	16.57	-25.0	14.72	288.00	Vertical	Horizontal	Pass


64.2 DC_7A_n66A BW20(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC_7A_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.461	-52.29	-19.22	-25.0	27.29	271.00	Horizontal	Horizontal	Pass
1751.500	-40.84	0.92	-25.0	15.84	63.00	Horizontal	Horizontal	N/A
2172.700	-26.32	3.76	-25.0	1.32	361.00	Horizontal	Horizontal	N/A
2551.900	-35.04	7.52	-25.0	10.04	269.00	Horizontal	Horizontal	N/A
2674.600	-26.76	7.32	-25.0	1.76	224.00	Horizontal	Horizontal	N/A
13387.612	-39.03	16.89	-25.0	14.03	-1.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n66A BW20(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.394	-50.70	-18.90	-25.0	25.70	204.00	Vertical	Horizontal	Pass
2155.400	-38.62	3.80	-25.0	13.62	217.00	Vertical	Horizontal	N/A
2673.700	-38.39	7.23	-25.0	13.39	224.00	Vertical	Horizontal	N/A
3502.250	-48.15	5.18	-25.0	23.15	109.00	Vertical	Horizontal	Pass
7964.250	-39.83	15.11	-25.0	14.83	19.00	Vertical	Horizontal	Pass
13361.887	-39.02	16.65	-25.0	14.02	214.00	Vertical	Horizontal	Pass

65 DC_12A_n66A


65.1 DC_12A_n66A BW10(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC_12A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.655	-54.17	-17.89	-13.0	41.17	263.00	Horizontal	Horizontal	Pass
699.542	-28.46	1.05	-13.0	15.46	238.00	Horizontal	Horizontal	N/A
1711.400	-42.42	2.48	-13.0	29.42	15.00	Horizontal	Horizontal	N/A
2114.600	-38.94	3.87	-13.0	25.94	202.00	Horizontal	Horizontal	N/A
3422.000	-46.67	3.83	-13.0	33.67	239.00	Horizontal	Horizontal	Pass
11987.387	-39.48	13.87	-13.0	26.48	98.00	Horizontal	Horizontal	Pass


RSE-V&H DC_12A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.521	-50.50	-17.56	-13.0	37.50	188.00	Vertical	Horizontal	Pass
699.591	-34.75	1.04	-13.0	21.75	212.00	Vertical	Horizontal	N/A
1700.300	-39.61	2.61	-13.0	26.61	49.00	Vertical	Horizontal	Pass
2132.800	-38.73	4.20	-13.0	25.73	125.00	Vertical	Horizontal	N/A
3422.000	-46.36	3.83	-13.0	33.36	112.00	Vertical	Horizontal	Pass
13377.901	-39.17	16.80	-13.0	26.17	87.00	Vertical	Horizontal	Pass


65.2 DC_12A_n66A BW10(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC_12A_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.315	-52.71	-17.76	-13.0	39.71	259.00	Horizontal	Horizontal	Pass
706.672	-36.61	1.11	-13.0	23.61	239.00	Horizontal	Horizontal	N/A
1751.600	-43.38	2.02	-13.0	30.38	83.00	Horizontal	Horizontal	N/A
2152.100	-25.06	4.18	-13.0	12.06	162.00	Horizontal	Horizontal	N/A
3502.000	-46.75	5.20	-13.0	33.75	178.00	Horizontal	Horizontal	Pass
12724.588	-39.96	14.75	-13.0	26.96	56.00	Horizontal	Horizontal	Pass

RSE-V&H DC_12A_n66A BW10(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.909	-57.74	-17.46	-13.0	44.74	169.00	Vertical	Horizontal	Pass
706.575	-46.93	1.11	-13.0	33.93	215.00	Vertical	Horizontal	N/A
2178.100	-39.82	4.08	-13.0	26.82	126.00	Vertical	Horizontal	N/A
3501.750	-45.67	5.21	-13.0	32.67	273.00	Vertical	Horizontal	Pass
8754.062	-39.19	9.86	-13.0	26.19	75.00	Vertical	Horizontal	Pass
13384.463	-39.18	16.86	-13.0	26.18	212.00	Vertical	Horizontal	Pass

66 DC_2A_n7A


66.1 DC_2A_n7A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.897	-53.98	-19.30	-25.0	28.98	125.00	Horizontal	Horizontal	Pass
1836.200	-35.13	0.92	-25.0	10.13	57.00	Horizontal	Horizontal	Pass
1945.700	-23.28	2.16	-25.0	-1.72	172.00	Horizontal	Horizontal	N/A
2501.300	-37.46	6.95	-25.0	12.46	108.00	Horizontal	Horizontal	N/A
2622.300	-27.51	5.87	-25.0	2.51	31.00	Horizontal	Horizontal	N/A
13380.787	-39.26	16.83	-25.0	14.26	62.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.242	-49.45	-19.55	-25.0	24.45	204.00	Vertical	Horizontal	Pass
1841.900	-44.80	1.75	-25.0	19.80	249.00	Vertical	Horizontal	Pass
1933.500	-37.08	2.60	-25.0	12.08	38.00	Vertical	Horizontal	N/A
2634.800	-40.48	6.67	-25.0	15.48	211.00	Vertical	Horizontal	N/A
7360.750	-40.41	14.42	-25.0	15.41	215.00	Vertical	Horizontal	Pass
10002.838	-34.78	10.92	-25.0	9.78	23.00	Vertical	Horizontal	Pass


66.2 DC_2A_n7A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_2A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.946	-52.47	-19.31	-25.0	27.47	237.00	Horizontal	Horizontal	Pass
1982.300	-20.83	1.74	-25.0	-4.17	352.00	Horizontal	Horizontal	N/A
2555.600	-33.31	7.49	-25.0	8.31	101.00	Horizontal	Horizontal	N/A
2673.700	-28.44	7.54	-25.0	3.44	229.00	Horizontal	Horizontal	N/A
7225.000	-39.91	14.15	-25.0	14.91	360.00	Horizontal	Horizontal	Pass
13342.725	-39.03	16.25	-25.0	14.03	338.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.775	-50.40	-19.42	-25.0	25.40	194.00	Vertical	Horizontal	Pass
1988.800	-38.63	1.66	-25.0	13.63	117.00	Vertical	Horizontal	N/A
2675.900	-40.28	7.58	-25.0	15.28	219.00	Vertical	Horizontal	N/A
7250.000	-40.40	14.56	-25.0	15.40	215.00	Vertical	Horizontal	Pass
10202.812	-33.41	11.10	-25.0	8.41	23.00	Vertical	Horizontal	Pass
19751.426	-41.98	12.94	-25.0	16.98	96.00	Vertical	Horizontal	Pass

67 DC_5A_n7A


67.1 DC_5A_n7A BW10(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.624	-44.42	4.43	-25.0	19.42	223.00	Horizontal	Horizontal	N/A
876.665	-57.08	3.97	-25.0	32.08	293.00	Horizontal	Horizontal	N/A
1650.100	-38.97	-0.10	-25.0	13.97	360.00	Horizontal	Horizontal	Pass
2474.600	-22.97	6.79	-25.0	-2.03	197.00	Horizontal	Horizontal	N/A
4123.500	-34.99	7.07	-25.0	9.99	42.00	Horizontal	Horizontal	Pass
13380.000	-39.31	16.82	-25.0	14.31	88.00	Horizontal	Horizontal	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-51.97	4.43	-25.0	26.97	291.00	Vertical	Horizontal	N/A
869.632	-50.39	4.45	-25.0	25.39	6.00	Vertical	Horizontal	N/A
1650.600	-40.33	-0.19	-25.0	15.33	82.00	Vertical	Horizontal	Pass
2474.400	-37.96	6.71	-25.0	12.96	43.00	Vertical	Horizontal	Pass
4123.250	-47.44	7.08	-25.0	22.44	215.00	Vertical	Horizontal	Pass
10003.075	-31.12	10.93	-25.0	6.12	124.00	Vertical	Horizontal	Pass

67.2 DC_5A_n7A BW10(LTE)+BW20(NR), QPSK, High Chanel


RSE-H&H DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.659	-40.06	5.02	-25.0	15.06	317.00	Horizontal	Horizontal	N/A
887.625	-54.17	4.58	-25.0	29.17	261.00	Horizontal	Horizontal	N/A
1679.200	-38.73	0.38	-25.0	13.73	84.00	Horizontal	Horizontal	Pass
2551.200	-39.22	9.47	-25.0	14.22	39.00	Horizontal	Horizontal	N/A
4198.500	-29.11	6.86	-25.0	4.11	193.00	Horizontal	Horizontal	N/A
4198.500*	-43.752	6.86	-25.0	18.752	193.00	Horizontal	Horizontal	Pass
13408.349	-38.49	16.83	-25.0	13.49	1.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.659	-50.36	5.02	-25.0	25.36	0.00	Vertical	Horizontal	N/A
871.426	-52.73	4.35	-25.0	27.73	122.00	Vertical	Horizontal	N/A
1679.900	-35.27	0.41	-25.0	10.27	195.00	Vertical	Horizontal	Pass
4198.250	-43.04	6.87	-25.0	18.04	78.00	Vertical	Horizontal	Pass
10202.575	-33.56	11.11	-25.0	8.56	121.00	Vertical	Horizontal	Pass
17999.739	-42.80	12.86	-25.0	17.80	337.00	Vertical	Horizontal	Pass

68 DC_66A_n7A


68.1 DC_66A_n7A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-30.05	1.26	-25.0	5.05	260.00	Horizontal	Horizontal	N/A
2128.400	-21.26	3.82	-25.0	-3.74	337.00	Horizontal	Horizontal	N/A
2501.200	-38.89	7.13	-25.0	13.89	279.00	Horizontal	Horizontal	N/A
2626.800	-28.01	6.15	-25.0	3.01	41.00	Horizontal	Horizontal	N/A
7221.250	-39.13	13.89	-25.0	14.13	252.00	Horizontal	Horizontal	Pass
13334.062	-39.51	15.91	-25.0	14.51	-1.00	Horizontal	Horizontal	Pass


RSE-V&H DC_66A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.782	-49.85	-19.01	-25.0	24.85	214.00	Vertical	Horizontal	Pass
1702.400	-31.06	1.35	-25.0	6.06	190.00	Vertical	Horizontal	N/A
2129.000	-36.70	3.84	-25.0	11.70	261.00	Vertical	Horizontal	N/A
2637.100	-40.61	7.24	-25.0	15.61	113.00	Vertical	Horizontal	N/A
7227.250	-40.50	14.20	-25.0	15.50	102.00	Vertical	Horizontal	Pass
13400.475	-39.17	17.00	-25.0	14.17	160.00	Vertical	Horizontal	Pass


68.2 DC_66A_n7A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_66A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.994	-51.62	-19.32	-25.0	26.62	104.00	Horizontal	Horizontal	Pass
1761.900	-38.76	0.89	-25.0	13.76	261.00	Horizontal	Horizontal	N/A
2173.100	-24.10	3.73	-25.0	-0.90	151.00	Horizontal	Horizontal	N/A
2555.500	-33.76	7.50	-25.0	8.76	68.00	Horizontal	Horizontal	N/A
2673.800	-28.62	7.25	-25.0	3.62	151.00	Horizontal	Horizontal	N/A
13423.050	-39.46	16.50	-25.0	14.46	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC_66A_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.000	-45.95	0.89	-25.0	20.95	230.00	Vertical	Horizontal	N/A
2169.000	-34.21	3.70	-25.0	9.21	217.00	Vertical	Horizontal	N/A
2676.400	-41.05	7.48	-25.0	16.05	230.00	Vertical	Horizontal	N/A
3523.000	-46.58	5.18	-25.0	21.58	216.00	Vertical	Horizontal	Pass
7652.250	-37.94	13.63	-25.0	12.94	67.00	Vertical	Horizontal	Pass
10202.575	-36.10	11.11	-25.0	11.10	170.00	Vertical	Horizontal	Pass

69 DC_7A_n5A


69.1 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-44.53	4.43	-25.0	19.53	333.00	Horizontal	Horizontal	N/A
870.505	-36.60	4.25	-25.0	11.60	321.00	Horizontal	Horizontal	N/A
2485.900	-32.51	7.88	-25.0	7.51	193.00	Horizontal	Horizontal	N/A
2625.400	-26.22	6.86	-25.0	1.22	226.00	Horizontal	Horizontal	N/A
7504.000	-39.48	13.71	-25.0	14.48	296.00	Horizontal	Horizontal	Pass
13394.437	-39.55	16.96	-25.0	14.55	261.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-54.89	4.43	-25.0	29.89	125.00	Vertical	Horizontal	N/A
869.826	-33.86	4.40	-25.0	8.86	348.00	Vertical	Horizontal	N/A
2635.900	-37.57	7.26	-25.0	12.57	142.00	Vertical	Horizontal	N/A
7503.750	-37.74	13.68	-25.0	12.74	66.00	Vertical	Horizontal	Pass
10005.213	-38.13	11.04	-25.0	13.13	242.00	Vertical	Horizontal	Pass
19888.200	-42.96	12.95	-25.0	17.96	273.00	Vertical	Horizontal	Pass


69.2 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-54.06	4.63	-25.0	29.06	319.00	Horizontal	Horizontal	N/A
877.343	-43.24	4.01	-25.0	18.24	319.00	Horizontal	Horizontal	N/A
2551.800	-35.25	9.47	-25.0	10.25	57.00	Horizontal	Horizontal	N/A
2672.900	-27.91	7.74	-25.0	2.91	214.00	Horizontal	Horizontal	N/A
7266.500	-40.84	14.67	-25.0	15.84	360.00	Horizontal	Horizontal	Pass
13354.537	-39.06	16.58	-25.0	14.06	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-55.39	4.63	-25.0	30.39	127.00	Vertical	Horizontal	N/A
886.753	-35.37	4.48	-25.0	10.37	131.00	Vertical	Horizontal	N/A
2672.400	-38.21	7.75	-25.0	13.21	131.00	Vertical	Horizontal	N/A
7653.750	-37.85	13.66	-25.0	12.85	67.00	Vertical	Horizontal	Pass
10205.187	-34.01	10.99	-25.0	9.01	23.00	Vertical	Horizontal	Pass
17944.875	-41.91	13.97	-25.0	16.91	1.00	Vertical	Horizontal	Pass

70 DC_66A_n5A


70.1 DC_66A_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.479	-56.07	4.43	-13.0	43.07	299.00	Horizontal	Horizontal	N/A
1711.900	-33.40	2.47	-13.0	20.40	66.00	Horizontal	Horizontal	N/A
2120.700	-40.83	4.09	-13.0	27.83	248.00	Horizontal	Horizontal	N/A
2474.600	-28.73	5.87	-13.0	15.73	53.00	Horizontal	Horizontal	Pass
3360.750	-31.51	4.78	-13.0	18.51	307.00	Horizontal	Horizontal	Pass
4123.000	-43.79	7.09	-13.0	30.79	47.00	Horizontal	Horizontal	Pass


RSE-V&H DC_66A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-53.74	4.43	-13.0	40.74	111.00	Vertical	Horizontal	N/A
870.796	-49.04	4.29	-13.0	36.04	161.00	Vertical	Horizontal	N/A
1712.000	-38.42	2.47	-13.0	25.42	75.00	Vertical	Horizontal	N/A
2474.500	-32.30	5.84	-13.0	19.30	43.00	Vertical	Horizontal	Pass
3360.750	-37.64	4.78	-13.0	24.64	115.00	Vertical	Horizontal	Pass
7818.750	-40.50	15.35	-13.0	27.50	115.00	Vertical	Horizontal	Pass


70.2 DC_66A_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_66A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-44.32	4.63	-13.0	31.32	228.00	Horizontal	Horizontal	N/A
875.840	-57.18	4.09	-13.0	44.18	278.00	Horizontal	Horizontal	N/A
1761.800	-31.37	1.97	-13.0	18.37	61.00	Horizontal	Horizontal	N/A
2171.100	-40.53	4.03	-13.0	27.53	231.00	Horizontal	Horizontal	N/A
2489.400	-25.45	5.61	-13.0	12.45	42.00	Horizontal	Horizontal	Pass
3420.750	-35.27	3.71	-13.0	22.27	47.00	Horizontal	Horizontal	Pass

RSE-V&H DC_66A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.522	-56.45	4.62	-13.0	43.45	222.00	Vertical	Horizontal	N/A
877.052	-58.52	3.99	-13.0	45.52	57.00	Vertical	Horizontal	N/A
1761.900	-43.87	1.97	-13.0	30.87	83.00	Vertical	Horizontal	N/A
2489.400	-38.84	5.61	-13.0	25.84	122.00	Vertical	Horizontal	Pass
7360.500	-40.31	14.46	-13.0	27.31	81.00	Vertical	Horizontal	Pass
12656.425	-40.17	14.34	-13.0	27.17	200.00	Vertical	Horizontal	Pass

71 DC_2A_n71A


71.1 DC_2A_n71A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
620.294	-42.26	-0.26	-13.0	29.26	183.00	Horizontal	Horizontal	N/A
658.706	-36.90	2.65	-13.0	23.90	232.00	Horizontal	Horizontal	N/A
1841.800	-29.64	2.08	-13.0	16.64	116.00	Horizontal	Horizontal	N/A
1937.500	-20.78	2.59	-13.0	7.78	337.00	Horizontal	Horizontal	N/A
7223.500	-40.27	14.07	-13.0	27.27	229.00	Horizontal	Horizontal	Pass
12459.062	-39.67	14.35	-13.0	26.67	360.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
618.499	-37.39	-0.35	-13.0	24.39	240.00	Vertical	Horizontal	N/A
660.403	-45.80	2.69	-13.0	32.80	287.00	Vertical	Horizontal	N/A
1841.900	-46.30	2.08	-13.0	33.30	56.00	Vertical	Horizontal	N/A
1934.600	-34.63	2.78	-13.0	21.63	324.00	Vertical	Horizontal	N/A
7220.000	-39.98	14.07	-13.0	26.98	134.00	Vertical	Horizontal	Pass
13382.362	-39.49	16.84	-13.0	26.49	12.00	Vertical	Horizontal	Pass


71.2 DC_2A_n71A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_2A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
651.140	-41.22	1.32	-13.0	28.22	178.00	Horizontal	Horizontal	N/A
678.494	-42.26	1.76	-13.0	29.26	312.00	Horizontal	Horizontal	N/A
1981.900	-20.52	2.12	-13.0	7.52	170.00	Horizontal	Horizontal	N/A
7943.750	-40.42	15.03	-13.0	27.42	111.00	Horizontal	Horizontal	Pass
10054.612	-41.82	13.13	-13.0	28.82	175.00	Horizontal	Horizontal	Pass
13345.613	-39.47	16.37	-13.0	26.47	135.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n71A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.146	-39.31	-0.35	-13.0	26.31	207.00	Vertical	Horizontal	N/A
678.494	-50.01	1.76	-13.0	37.01	4.00	Vertical	Horizontal	N/A
1979.900	-36.42	2.09	-13.0	23.42	349.00	Vertical	Horizontal	N/A
7565.250	-38.84	13.70	-13.0	25.84	63.00	Vertical	Horizontal	Pass
9456.349	-36.20	11.49	-13.0	23.20	19.00	Vertical	Horizontal	Pass
11931.338	-39.22	13.98	-13.0	26.22	19.00	Vertical	Horizontal	Pass

72.1 DC_66A_n71A


72.1 DC_66A_n71A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
617.820	-43.29	-0.39	-13.0	30.29	170.00	Horizontal	Horizontal	N/A
659.385	-38.45	2.68	-13.0	25.45	326.00	Horizontal	Horizontal	Pass
1711.900	-29.52	2.47	-13.0	16.52	71.00	Horizontal	Horizontal	N/A
2128.100	-21.41	4.22	-13.0	8.41	344.00	Horizontal	Horizontal	N/A
3422.750	-47.21	3.81	-13.0	34.21	321.00	Horizontal	Horizontal	Pass
13393.651	-39.36	16.95	-13.0	26.36	1.00	Horizontal	Horizontal	Pass


RSE-V&H DC_66A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
621.360	-36.13	-0.33	-13.0	23.13	208.00	Vertical	Horizontal	N/A
660.354	-48.18	2.69	-13.0	35.18	64.00	Vertical	Horizontal	Pass
1695.800	-40.28	1.62	-13.0	27.28	0.00	Vertical	Horizontal	Pass
2126.500	-35.62	4.15	-13.0	22.62	265.00	Vertical	Horizontal	N/A
3422.750	-46.24	3.81	-13.0	33.24	251.00	Vertical	Horizontal	Pass
13354.276	-39.44	16.58	-13.0	26.44	0.00	Vertical	Horizontal	Pass


72.2 DC_66A_n71A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC_66A_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
651.479	-47.88	1.34	-13.0	34.88	183.00	Horizontal	Horizontal	Pass
678.542	-51.41	1.76	-13.0	38.41	238.00	Horizontal	Horizontal	N/A
1761.900	-32.50	1.97	-13.0	19.50	70.00	Horizontal	Horizontal	N/A
2166.100	-23.63	4.14	-13.0	10.63	154.00	Horizontal	Horizontal	N/A
3522.750	-47.83	5.20	-13.0	34.83	334.00	Horizontal	Horizontal	Pass
13386.037	-39.27	16.88	-13.0	26.27	0.00	Horizontal	Horizontal	Pass

RSE-V&H DC_66A_n71A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
638.142	-39.26	-0.24	-13.0	26.26	190.00	Vertical	Horizontal	N/A
678.494	-48.40	1.76	-13.0	35.40	351.00	Vertical	Horizontal	N/A
1762.100	-46.14	1.97	-13.0	33.14	215.00	Vertical	Horizontal	N/A
2173.200	-35.42	4.16	-13.0	22.42	215.00	Vertical	Horizontal	N/A
3523.000	-47.30	5.18	-13.0	34.30	113.00	Vertical	Horizontal	Pass
13352.438	-39.26	16.56	-13.0	26.26	-1.00	Vertical	Horizontal	Pass

73 DC_2A_n41A


73.1 DC_2A_n41A BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1749.400	-48.92	-0.50	-25.0	23.92	71.00	Horizontal	Horizontal	Pass
1841.800	-31.41	1.75	-25.0	6.41	244.00	Horizontal	Horizontal	N/A
1932.900	-20.33	2.68	-25.0	-4.67	257.00	Horizontal	Horizontal	N/A
2586.000	-34.00	7.32	-25.0	9.00	199.00	Horizontal	Horizontal	N/A
7157.250	-40.26	13.82	-25.0	15.26	45.00	Horizontal	Horizontal	Pass
13375.799	-39.66	16.78	-25.0	14.66	337.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1940.200	-36.97	1.81	-25.0	11.97	262.00	Vertical	Horizontal	N/A
2989.600	-43.71	10.63	-25.0	18.71	87.00	Vertical	Horizontal	Pass
3703.000	-48.98	5.46	-25.0	23.98	210.00	Vertical	Horizontal	Pass
5030.750	-46.00	8.92	-25.0	21.00	115.00	Vertical	Horizontal	Pass
13371.338	-38.69	16.74	-25.0	13.69	316.00	Vertical	Horizontal	Pass
20451.600	-41.81	12.98	-25.0	16.81	45.00	Vertical	Horizontal	Pass


73.2 DC_2A_n41A BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1976.300	-21.08	1.56	-25.0	-3.92	261.00	Horizontal	Horizontal	N/A
2591.900	-24.03	6.62	-25.0	-0.97	116.00	Horizontal	Horizontal	N/A
4888.000	-47.90	8.33	-25.0	22.90	147.00	Horizontal	Horizontal	Pass
10043.688	-41.85	12.96	-25.0	16.85	242.00	Horizontal	Horizontal	Pass
13377.375	-39.73	16.80	-25.0	14.73	146.00	Horizontal	Horizontal	Pass
17819.662	-42.48	12.67	-25.0	17.48	116.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1974.700	-35.81	1.81	-25.0	10.81	330.00	Vertical	Horizontal	N/A
2591.800	-38.10	6.62	-25.0	13.10	336.00	Vertical	Horizontal	N/A
3783.000	-49.47	6.14	-25.0	24.47	214.00	Vertical	Horizontal	Pass
10062.213	-41.60	12.88	-25.0	16.60	91.00	Vertical	Horizontal	Pass
13426.987	-39.36	16.42	-25.0	14.36	344.00	Vertical	Horizontal	Pass
17775.825	-42.68	11.70	-25.0	17.68	361.00	Vertical	Horizontal	Pass

74 DC_66A_n41A


74.1 DC_66A_n41A BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-29.84	1.26	-25.0	4.84	75.00	Horizontal	Horizontal	N/A
2125.800	-22.01	3.69	-25.0	-2.99	245.00	Horizontal	Horizontal	N/A
2593.700	-34.75	6.70	-25.0	9.75	201.00	Horizontal	Horizontal	N/A
7222.500	-39.39	14.13	-25.0	14.39	257.00	Horizontal	Horizontal	Pass
13370.025	-39.12	16.73	-25.0	14.12	163.00	Horizontal	Horizontal	Pass
17825.438	-42.59	12.51	-25.0	17.59	357.00	Horizontal	Horizontal	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-42.98	1.26	-25.0	17.98	38.00	Vertical	Horizontal	N/A
2128.700	-36.52	3.83	-25.0	11.52	314.00	Vertical	Horizontal	N/A
5133.500	-45.00	9.02	-25.0	20.00	160.00	Vertical	Horizontal	Pass
7580.000	-39.92	14.37	-25.0	14.92	160.00	Vertical	Horizontal	Pass
13411.500	-39.39	16.76	-25.0	14.39	356.00	Vertical	Horizontal	Pass
17798.136	-41.61	13.08	-25.0	16.61	241.00	Vertical	Horizontal	Pass


74.2 DC_66A_n41A BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1761.900	-34.89	1.04	-25.0	9.89	244.00	Horizontal	Horizontal	N/A
2165.600	-22.42	3.64	-25.0	-2.58	250.00	Horizontal	Horizontal	N/A
2592.000	-25.15	6.90	-25.0	0.15	115.00	Horizontal	Horizontal	N/A
3856.750	-49.32	7.20	-25.0	24.32	0.00	Horizontal	Horizontal	Pass
13374.224	-39.59	16.77	-25.0	14.59	-3.00	Horizontal	Horizontal	Pass
17965.089	-42.06	13.72	-25.0	17.06	244.00	Horizontal	Horizontal	Pass

RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.100	-50.01	1.04	-25.0	25.01	102.00	Vertical	Horizontal	N/A
2165.300	-34.90	3.58	-25.0	9.90	321.00	Vertical	Horizontal	N/A
2592.000	-38.65	6.90	-25.0	13.65	335.00	Vertical	Horizontal	N/A
3522.750	-45.85	5.20	-25.0	20.85	195.00	Vertical	Horizontal	Pass
4891.500	-46.62	8.37	-25.0	21.62	360.00	Vertical	Horizontal	Pass
13383.412	-39.18	16.85	-25.0	14.18	123.00	Vertical	Horizontal	Pass

75 DC_18A_n77A (3450-3550)


75.1 DC_18A_n77A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n77A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-35.17	4.25	-13.0	22.17	66.00	Horizontal	Horizontal	N/A
861.920	-35.00	4.25	-13.0	22.00	325.00	Horizontal	Horizontal	N/A
3417.750	-43.50	13.35	-13.0	30.50	112.00	Horizontal	Horizontal	N/A
6008.500	-35.99	18.67	-13.0	22.99	352.00	Horizontal	Horizontal	Pass
12557.862	-39.29	13.96	-13.0	26.29	296.00	Horizontal	Horizontal	Pass
19726.199	-43.17	12.94	-13.0	30.17	232.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n77A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.894	-44.99	4.25	-13.0	31.99	174.00	Vertical	Horizontal	N/A
866.479	-36.91	4.27	-13.0	23.91	127.00	Vertical	Horizontal	N/A
3505.750	-42.80	13.20	-13.0	29.80	240.00	Vertical	Horizontal	N/A
7591.000	-31.29	22.84	-13.0	18.29	97.00	Vertical	Horizontal	Pass
12017.075	-39.84	13.28	-13.0	26.84	314.00	Vertical	Horizontal	Pass
19772.551	-42.93	12.94	-13.0	29.93	252.00	Vertical	Horizontal	Pass

76 DC_18A_n77A (3550-3700)


76.1 DC_18A_n77A (3550-3700)BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
867.886	-53.38	-0.99	-40.0	13.38	360.00	Horizontal	Horizontal	N/A
1270.400	-58.42	-5.56	-40.0	18.42	132.00	Horizontal	Horizontal	Pass
3551.000	-44.10	12.95	-40.0	4.10	47.00	Horizontal	Horizontal	N/A
3649.000	-31.42	11.04	-40.0	-8.58	81.00	Horizontal	Horizontal	N/A
7228.500	-45.42	23.00	-40.0	5.42	170.00	Horizontal	Horizontal	Pass
11960.075	-52.97	14.03	-40.0	12.97	133.00	Horizontal	Horizontal	Pass


RSE-V&H DC_18A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-43.45	-19.83	-40.0	3.45	161.00	Vertical	Horizontal	Pass
867.789	-53.48	-1.00	-40.0	13.48	218.00	Vertical	Horizontal	N/A
3649.000	-51.00	11.04	-40.0	11.00	362.00	Vertical	Horizontal	N/A
6646.500	-47.40	21.41	-40.0	7.40	312.00	Vertical	Horizontal	Pass
13393.125	-53.39	16.95	-40.0	13.39	-3.00	Vertical	Horizontal	Pass
17806.537	-56.25	13.02	-40.0	16.25	337.00	Vertical	Horizontal	Pass


76.2 DC_18A_n77A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_18A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.678	-56.17	-19.45	-40.0	16.17	158.00	Horizontal	Horizontal	Pass
869.487	-47.54	-0.89	-40.0	7.54	339.00	Horizontal	Horizontal	N/A
3601.000	-44.57	13.18	-40.0	4.57	276.00	Horizontal	Horizontal	N/A
3650.000	-37.64	10.92	-40.0	-2.36	57.00	Horizontal	Horizontal	N/A
3699.000	-27.75	11.02	-40.0	-12.25	80.00	Horizontal	Horizontal	N/A
13363.724	-53.58	16.67	-40.0	13.58	111.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n77A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.185	-44.19	-19.36	-40.0	4.19	346.00	Vertical	Horizontal	Pass
867.789	-50.90	-1.00	-40.0	10.90	104.00	Vertical	Horizontal	N/A
2956.500	-50.17	4.16	-40.0	10.17	141.00	Vertical	Horizontal	Pass
3699.000	-42.13	11.02	-40.0	2.13	107.00	Vertical	Horizontal	N/A
7275.500	-45.40	23.46	-40.0	5.40	39.00	Vertical	Horizontal	Pass
13340.888	-52.73	16.18	-40.0	12.73	316.00	Vertical	Horizontal	Pass

77 DC_18A_n77A (3700-3980)


77.1 DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.797	-35.99	4.25	-13.0	22.99	62.00	Horizontal	Horizontal	N/A
866.625	-32.44	4.26	-13.0	19.44	331.00	Horizontal	Horizontal	N/A
2448.400	-42.43	-1.22	-13.0	29.43	25.00	Horizontal	Horizontal	Pass
4964.000	-39.56	16.09	-13.0	26.56	292.00	Horizontal	Horizontal	Pass
7249.000	-30.54	23.95	-13.0	17.54	30.00	Horizontal	Horizontal	Pass
13380.525	-39.14	16.83	-13.0	26.14	162.00	Horizontal	Horizontal	Pass


RSE-V&H DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.797	-46.28	4.25	-13.0	33.28	193.00	Vertical	Horizontal	N/A
861.678	-34.32	4.25	-13.0	21.32	139.00	Vertical	Horizontal	N/A
2135.800	-54.33	-2.08	-13.0	41.33	267.00	Vertical	Horizontal	Pass
3852.250	-42.50	13.26	-13.0	29.50	335.00	Vertical	Horizontal	N/A
7254.000	-31.78	23.69	-13.0	18.78	106.00	Vertical	Horizontal	Pass
13376.588	-39.61	16.79	-13.0	26.61	196.00	Vertical	Horizontal	Pass


77.2 DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.943	-37.16	4.25	-13.0	24.16	143.00	Horizontal	Horizontal	N/A
864.588	-32.95	4.20	-13.0	19.95	326.00	Horizontal	Horizontal	N/A
2448.400	-45.77	-1.22	-13.0	32.77	307.00	Horizontal	Horizontal	Pass
4210.250	-41.03	14.94	-13.0	28.03	238.00	Horizontal	Horizontal	Pass
13366.875	-39.90	16.70	-13.0	26.90	247.00	Horizontal	Horizontal	Pass
17952.225	-42.20	14.03	-13.0	29.20	136.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n77A (3700-3980) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-47.00	4.25	-13.0	34.00	176.00	Vertical	Horizontal	N/A
865.946	-35.05	4.21	-13.0	22.05	138.00	Vertical	Horizontal	N/A
4057.000	-41.00	14.88	-13.0	28.00	360.00	Vertical	Horizontal	N/A
6638.500	-33.20	21.39	-13.0	20.20	29.00	Vertical	Horizontal	Pass
11908.062	-38.44	13.95	-13.0	25.44	235.00	Vertical	Horizontal	Pass
17951.699	-41.92	14.05	-13.0	28.92	314.00	Vertical	Horizontal	Pass

78 DC_19A_n77A (3450-3550)


78.1 DC_19A_n77A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_19A_n77A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-44.09	4.67	-13.0	31.09	295.00	Horizontal	Horizontal	N/A
875.985	-35.38	4.05	-13.0	22.38	150.00	Horizontal	Horizontal	N/A
2493.300	-19.02	-0.76	-13.0	6.02	20.00	Horizontal	Horizontal	Pass
6564.750	-33.50	20.94	-13.0	20.50	80.00	Horizontal	Horizontal	Pass
13391.813	-39.41	16.93	-13.0	26.41	286.00	Horizontal	Horizontal	Pass
17948.287	-43.12	14.05	-13.0	30.12	136.00	Horizontal	Horizontal	Pass

RSE-V&H DC_19A_n77A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-54.26	4.67	-13.0	41.26	360.00	Vertical	Horizontal	N/A
877.926	-36.41	4.07	-13.0	23.41	121.00	Vertical	Horizontal	N/A
2493.400	-34.95	-0.76	-13.0	21.95	30.00	Vertical	Horizontal	Pass
3490.500	-42.94	13.26	-13.0	29.94	318.00	Vertical	Horizontal	N/A
11910.438	-39.83	13.95	-13.0	26.83	206.00	Vertical	Horizontal	Pass
19722.600	-41.89	12.94	-13.0	28.89	125.00	Vertical	Horizontal	Pass

79 DC_19A_n77A (3550-3700)


79.1 DC_19A_n77A (3550-3700)BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_19A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
884.521	-51.94	-0.82	-40.0	11.94	272.00	Horizontal	Horizontal	N/A
1891.000	-55.78	-4.38	-40.0	15.78	35.00	Horizontal	Horizontal	Pass
3551.000	-45.15	12.95	-40.0	5.15	76.00	Horizontal	Horizontal	N/A
3649.000	-33.41	11.04	-40.0	-6.59	64.00	Horizontal	Horizontal	N/A
13427.250	-53.60	16.41	-40.0	13.60	159.00	Horizontal	Horizontal	Pass
19765.025	-56.77	12.94	-40.0	16.77	310.00	Horizontal	Horizontal	Pass


RSE-V&H DC_19A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.331	-44.16	-19.27	-40.0	4.16	131.00	Vertical	Horizontal	Pass
881.563	-51.35	-0.86	-40.0	11.35	118.00	Vertical	Horizontal	N/A
2137.300	-54.02	-1.45	-40.0	14.02	103.00	Vertical	Horizontal	Pass
3648.750	-46.11	11.00	-40.0	6.11	48.00	Vertical	Horizontal	N/A
7244.000	-45.76	23.53	-40.0	5.76	48.00	Vertical	Horizontal	Pass
13376.326	-53.18	16.79	-40.0	13.18	47.00	Vertical	Horizontal	Pass


79.2 DC_19A_n77A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_19A_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
882.242	-53.50	-0.92	-40.0	13.50	247.00	Horizontal	Horizontal	N/A
2125.700	-54.11	-1.99	-40.0	14.11	182.00	Horizontal	Horizontal	Pass
3601.000	-41.79	13.18	-40.0	1.79	87.00	Horizontal	Horizontal	N/A
3650.000	-37.00	10.92	-40.0	-3.00	87.00	Horizontal	Horizontal	N/A
3699.000	-29.42	11.02	-40.0	-10.58	75.00	Horizontal	Horizontal	N/A
13368.188	-53.50	16.71	-40.0	13.50	232.00	Horizontal	Horizontal	Pass

RSE-V&H DC_19A_n77A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.155	-44.79	-18.80	-40.0	4.79	214.00	Vertical	Horizontal	Pass
878.653	-53.86	-0.77	-40.0	13.86	0.00	Vertical	Horizontal	N/A
2981.300	-50.79	4.65	-40.0	10.79	305.00	Vertical	Horizontal	Pass
3699.000	-50.94	11.02	-40.0	10.94	236.00	Vertical	Horizontal	N/A
7474.500	-45.31	22.21	-40.0	5.31	-1.00	Vertical	Horizontal	Pass
13366.350	-53.07	16.69	-40.0	13.07	248.00	Vertical	Horizontal	Pass

80 DC_19A_n77A (3700-3980)

80.1 DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, Low Chanel


RSE-H&H DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-43.44	4.67	-13.0	30.44	233.00	Horizontal	Horizontal	N/A
877.828	-36.16	4.06	-13.0	23.16	331.00	Horizontal	Horizontal	N/A
1662.500	-53.21	-5.66	-13.0	40.21	48.00	Horizontal	Horizontal	Pass
2493.400	-17.90	-0.76	-13.0	4.90	22.00	Horizontal	Horizontal	N/A
2493.400*	-22.650	-0.76	-13.0	9.65	22.00	Horizontal	Horizontal	Pass
3701.750	-28.66	11.08	-13.0	15.66	256.00	Horizontal	Horizontal	N/A
13373.175	-39.20	16.76	-13.0	26.20	251.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 1GHz to 3GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.


RSE-V&H DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.832	-56.46	4.67	-13.0	43.46	194.00	Vertical	Horizontal	N/A
876.374	-35.43	3.97	-13.0	22.43	219.00	Vertical	Horizontal	N/A
2493.400	-33.43	-0.76	-13.0	20.43	118.00	Vertical	Horizontal	Pass
3701.750	-40.74	11.08	-13.0	27.74	344.00	Vertical	Horizontal	N/A
7365.750	-31.26	23.40	-13.0	18.26	287.00	Vertical	Horizontal	Pass
13416.750	-39.16	16.64	-13.0	26.16	339.00	Vertical	Horizontal	Pass

80.2 DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, High Chanel


RSE-H&H DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-43.65	4.67	-13.0	30.65	139.00	Horizontal	Horizontal	N/A
878.168	-34.26	4.10	-13.0	21.26	331.00	Horizontal	Horizontal	N/A
1662.600	-55.69	-5.65	-13.0	42.69	46.00	Horizontal	Horizontal	Pass
2493.400	-18.50	-0.76	-13.0	5.50	20.00	Horizontal	Horizontal	N/A
2493.400*	-23.361	-0.76	-13.0	10.361	20.00	Horizontal	Horizontal	Pass
3881.500	-31.17	13.99	-13.0	18.17	20.00	Horizontal	Horizontal	N/A
12511.787	-39.10	14.53	-13.0	26.10	331.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 1GHz to 3GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&H DC_19A_n77A (3700-3980) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-59.75	4.67	-13.0	46.75	-1.00	Vertical	Horizontal	N/A
878.944	-40.52	4.16	-13.0	27.52	227.00	Vertical	Horizontal	N/A
2493.300	-33.20	-0.76	-13.0	20.20	34.00	Vertical	Horizontal	Pass
3881.250	-40.97	14.02	-13.0	27.97	348.00	Vertical	Horizontal	N/A
7143.250	-31.49	22.07	-13.0	18.49	100.00	Vertical	Horizontal	Pass
12498.725	-39.68	14.71	-13.0	26.68	266.00	Vertical	Horizontal	Pass

81 DC_41A_n77A (3450-3550)


81.1 DC_41A_n77A (3450-3550) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2491.100	-24.90	8.09	-25.0	-0.10	187.00	Horizontal	Horizontal	N/A
2591.600	-37.85	8.39	-25.0	12.85	207.00	Horizontal	Horizontal	N/A
3353.750	-29.67	11.40	-25.0	4.67	58.00	Horizontal	Horizontal	N/A
3451.500	-30.71	13.38	-25.0	5.71	284.00	Horizontal	Horizontal	N/A
11995.463	-40.07	13.84	-25.0	15.07	360.00	Horizontal	Horizontal	Pass
17943.562	-42.71	13.94	-25.0	17.71	363.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
44.744	-53.59	-16.80	-25.0	28.59	261.00	Vertical	Horizontal	Pass
2487.900	-31.38	8.08	-25.0	6.38	217.00	Vertical	Horizontal	N/A
3451.750	-41.31	13.38	-25.0	16.31	360.00	Vertical	Horizontal	N/A
6007.000	-35.41	18.64	-25.0	10.41	252.00	Vertical	Horizontal	Pass
13405.200	-39.72	16.90	-25.0	14.72	236.00	Vertical	Horizontal	Pass
17974.536	-42.30	13.48	-25.0	17.30	186.00	Vertical	Horizontal	Pass


81.2 DC_41A_n77A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2702.300	-30.25	9.31	-25.0	5.25	286.00	Horizontal	Horizontal	N/A
3353.500	-29.09	11.41	-25.0	4.09	42.00	Horizontal	Horizontal	N/A
3451.500	-31.73	13.38	-25.0	6.73	209.00	Horizontal	Horizontal	N/A
7241.750	-31.94	23.48	-25.0	6.94	42.00	Horizontal	Horizontal	Pass
12909.600	-39.91	15.32	-25.0	14.91	363.00	Horizontal	Horizontal	Pass
20335.499	-42.72	12.97	-25.0	17.72	188.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n77A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.100	-52.43	0.71	-25.0	27.43	197.00	Vertical	Horizontal	Pass
2131.700	-47.94	4.94	-25.0	22.94	-1.00	Vertical	Horizontal	Pass
2671.700	-41.27	9.40	-25.0	16.27	291.00	Vertical	Horizontal	N/A
5999.250	-36.90	18.45	-25.0	11.90	103.00	Vertical	Horizontal	Pass
11999.025	-39.67	13.82	-25.0	14.67	269.00	Vertical	Horizontal	Pass
19783.801	-42.69	12.94	-25.0	17.69	226.00	Vertical	Horizontal	Pass

82 DC_41A_n77A (3550-3700)


82.1 DC_41A_n77A (3550-3700) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.096	-58.05	-19.58	-40.0	18.05	121.00	Horizontal	Horizontal	Pass
1293.100	-54.89	-1.20	-40.0	14.89	53.00	Horizontal	Horizontal	Pass
2555.100	-45.71	7.41	-40.0	5.71	211.00	Horizontal	Horizontal	N/A
3551.000	-51.93	12.95	-40.0	11.93	14.00	Horizontal	Horizontal	N/A
3649.000	-41.03	11.04	-40.0	1.03	-2.00	Horizontal	Horizontal	N/A
12704.638	-53.77	14.86	-40.0	13.77	0.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.573	-43.12	-19.11	-40.0	3.12	288.00	Vertical	Horizontal	Pass
1279.600	-53.45	-1.22	-40.0	13.45	190.00	Vertical	Horizontal	Pass
2571.900	-46.73	7.38	-40.0	6.73	121.00	Vertical	Horizontal	N/A
3649.000	-53.78	11.04	-40.0	13.78	-1.00	Vertical	Horizontal	N/A
7247.000	-44.72	23.63	-40.0	4.72	72.00	Vertical	Horizontal	Pass
13805.776	-53.12	16.87	-40.0	13.12	0.00	Vertical	Horizontal	Pass


82.2 DC_41A_n77A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1374.800	-53.51	-1.39	-40.0	13.51	361.00	Horizontal	Horizontal	Pass
2840.900	-43.09	8.23	-40.0	3.09	51.00	Horizontal	Horizontal	Pass
3601.000	-42.99	13.18	-40.0	2.99	255.00	Horizontal	Horizontal	N/A
3650.000	-41.96	10.92	-40.0	1.96	49.00	Horizontal	Horizontal	N/A
3699.000	-40.82	11.02	-40.0	0.82	232.00	Horizontal	Horizontal	N/A
7244.250	-45.27	23.55	-40.0	5.27	107.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n77A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1415.600	-54.26	-1.48	-40.0	14.26	299.00	Vertical	Horizontal	Pass
2136.300	-49.56	3.26	-40.0	9.56	271.00	Vertical	Horizontal	Pass
3698.750	-46.04	11.04	-40.0	6.04	126.00	Vertical	Horizontal	N/A
7221.500	-45.97	22.69	-40.0	5.97	-1.00	Vertical	Horizontal	Pass
13400.212	-53.32	17.01	-40.0	13.32	244.00	Vertical	Horizontal	Pass
17793.937	-56.41	12.82	-40.0	16.41	161.00	Vertical	Horizontal	Pass

83 DC_41A_n77A (3700-3980)


83.1 DC_41A_n77A (3700-3980) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
161.144	-60.59	-19.26	-25.0	35.59	259.00	Horizontal	Horizontal	Pass
1433.400	-52.17	-0.20	-25.0	27.17	-2.00	Horizontal	Horizontal	Pass
2571.800	-44.85	8.43	-25.0	19.85	8.00	Horizontal	Horizontal	N/A
3701.250	-39.86	12.56	-25.0	14.86	69.00	Horizontal	Horizontal	N/A
5852.500	-35.95	18.02	-25.0	10.95	0.00	Horizontal	Horizontal	Pass
12497.063	-39.19	14.69	-25.0	14.19	219.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1297.900	-52.55	0.19	-25.0	27.55	339.00	Vertical	Horizontal	Pass
2201.900	-47.80	5.13	-25.0	22.80	326.00	Vertical	Horizontal	Pass
4957.250	-39.67	15.77	-25.0	14.67	276.00	Vertical	Horizontal	Pass
7250.500	-31.86	23.89	-25.0	6.86	164.00	Vertical	Horizontal	Pass
13350.338	-39.00	16.54	-25.0	14.00	186.00	Vertical	Horizontal	Pass
17930.699	-43.03	13.63	-25.0	18.03	32.00	Vertical	Horizontal	Pass


83.2 DC_41A_n77A (3700-3980) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
162.114	-60.98	-19.07	-25.0	35.98	258.00	Horizontal	Horizontal	Pass
1289.900	-52.60	-0.15	-25.0	27.60	360.00	Horizontal	Horizontal	Pass
2638.200	-44.51	9.30	-25.0	19.51	172.00	Horizontal	Horizontal	N/A
3881.750	-39.28	14.75	-25.0	14.28	48.00	Horizontal	Horizontal	N/A
12705.825	-39.60	14.78	-25.0	14.60	102.00	Horizontal	Horizontal	Pass
19679.850	-42.92	12.94	-25.0	17.92	241.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n77A (3700-3980) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1223.800	-52.77	-0.60	-25.0	27.77	33.00	Vertical	Horizontal	Pass
2634.200	-44.09	9.29	-25.0	19.09	-1.00	Vertical	Horizontal	N/A
5011.500	-39.55	15.91	-25.0	14.55	112.00	Vertical	Horizontal	Pass
10063.875	-41.82	12.83	-25.0	16.82	124.00	Vertical	Horizontal	Pass
13369.238	-39.00	16.72	-25.0	14.00	4.00	Vertical	Horizontal	Pass
19950.301	-43.16	12.95	-25.0	18.16	219.00	Vertical	Horizontal	Pass

84 DC_42A_n77A (3450-3550)


84.1 DC_42A_n77A (3450-3550) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.562	-60.20	-19.33	-13.0	47.20	267.00	Horizontal	Horizontal	Pass
3354.000	-40.19	11.38	-13.0	27.19	32.00	Horizontal	Horizontal	Pass
3451.500	-27.21	13.38	-13.0	14.21	204.00	Horizontal	Horizontal	N/A
7162.750	-31.99	22.28	-13.0	18.99	167.00	Horizontal	Horizontal	Pass
9472.263	-40.75	13.31	-13.0	27.75	33.00	Horizontal	Horizontal	Pass
13412.025	-40.24	16.75	-13.0	27.24	152.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.074	-54.08	-22.38	-13.0	41.08	338.00	Vertical	Horizontal	Pass
1299.800	-52.56	0.07	-13.0	39.56	-1.00	Vertical	Horizontal	Pass
2964.300	-41.66	13.08	-13.0	28.66	66.00	Vertical	Horizontal	Pass
7249.750	-31.91	23.86	-13.0	18.91	89.00	Vertical	Horizontal	Pass
11951.762	-39.55	14.00	-13.0	26.55	235.00	Vertical	Horizontal	Pass
19725.750	-43.15	12.94	-13.0	30.15	-1.00	Vertical	Horizontal	Pass


84.2 DC_42A_n77A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.999	-59.65	-19.28	-13.0	46.65	261.00	Horizontal	Horizontal	Pass
2554.700	-44.34	8.51	-13.0	31.34	333.00	Horizontal	Horizontal	Pass
3353.750	-38.96	11.40	-13.0	25.96	278.00	Horizontal	Horizontal	Pass
3451.750	-35.31	13.38	-13.0	22.31	302.00	Horizontal	Horizontal	N/A
7614.750	-31.71	22.76	-13.0	18.71	351.00	Horizontal	Horizontal	Pass
13350.600	-39.52	16.55	-13.0	26.52	143.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n77A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.880	-53.90	-22.56	-13.0	40.90	63.00	Vertical	Horizontal	Pass
2536.900	-43.85	8.43	-13.0	30.85	-1.00	Vertical	Horizontal	Pass
3503.750	-42.58	13.21	-13.0	29.58	98.00	Vertical	Horizontal	N/A
7965.500	-31.17	25.22	-13.0	18.17	339.00	Vertical	Horizontal	Pass
13393.912	-39.86	16.95	-13.0	26.86	149.00	Vertical	Horizontal	Pass
20110.500	-42.70	12.96	-13.0	29.70	195.00	Vertical	Horizontal	Pass

85 DC_42A_n77A (3550-3700)


85.1 DC_42A_n77A (3550-3700) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1315.000	-57.07	-5.15	-40.0	17.07	189.00	Horizontal	Horizontal	Pass
2127.100	-54.54	-1.81	-40.0	14.54	110.00	Horizontal	Horizontal	Pass
3551.000	-45.48	12.95	-40.0	5.48	224.00	Horizontal	Horizontal	N/A
3649.000	-32.21	11.04	-40.0	-7.79	70.00	Horizontal	Horizontal	N/A
6567.000	-47.75	20.97	-40.0	7.75	279.00	Horizontal	Horizontal	Pass
13372.912	-53.59	16.76	-40.0	13.59	28.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.525	-45.93	-19.14	-40.0	5.93	271.00	Vertical	Horizontal	Pass
1328.700	-57.90	-5.06	-40.0	17.90	276.00	Vertical	Horizontal	Pass
3490.000	-53.80	13.27	-40.0	13.80	211.00	Vertical	Horizontal	N/A
3649.000	-49.51	11.04	-40.0	9.51	14.00	Vertical	Horizontal	N/A
7248.000	-45.62	23.71	-40.0	5.62	361.00	Vertical	Horizontal	Pass
13341.412	-53.37	16.20	-40.0	13.37	224.00	Vertical	Horizontal	Pass


85.2 DC_42A_n77A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1198.400	-58.71	-5.45	-40.0	18.71	259.00	Horizontal	Horizontal	Pass
3601.000	-43.68	13.18	-40.0	3.68	196.00	Horizontal	Horizontal	N/A
3650.000	-39.68	10.92	-40.0	-0.32	279.00	Horizontal	Horizontal	N/A
3699.000	-30.46	11.02	-40.0	-9.54	290.00	Horizontal	Horizontal	N/A
7242.250	-45.92	23.52	-40.0	5.92	208.00	Horizontal	Horizontal	Pass
13390.763	-53.47	16.92	-40.0	13.47	233.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n77A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.428	-45.59	-19.21	-40.0	5.59	100.00	Vertical	Horizontal	Pass
2136.400	-54.55	-1.41	-40.0	14.55	30.00	Vertical	Horizontal	Pass
3699.000	-45.95	11.02	-40.0	5.95	150.00	Vertical	Horizontal	N/A
7039.500	-46.39	22.54	-40.0	6.39	117.00	Vertical	Horizontal	Pass
11998.788	-52.96	14.01	-40.0	12.96	360.00	Vertical	Horizontal	Pass
17960.364	-56.38	13.83	-40.0	16.38	311.00	Vertical	Horizontal	Pass

86 DC_42A_n77A (3700-3980)


86.1 DC_42A_n77A (3700-3980) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.218	-58.51	-19.15	-13.0	45.51	99.00	Horizontal	Horizontal	Pass
2978.500	-42.20	13.55	-13.0	29.20	360.00	Horizontal	Horizontal	Pass
3701.875	-41.71	12.56	-13.0	28.71	58.00	Horizontal	Horizontal	N/A
7964.375	-31.13	24.88	-13.0	18.13	326.00	Horizontal	Horizontal	Pass
13322.776	-39.04	15.47	-13.0	26.04	363.00	Horizontal	Horizontal	Pass
18069.750	-42.99	12.85	-13.0	29.99	361.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.103	-51.99	-18.83	-13.0	38.99	202.00	Vertical	Horizontal	Pass
1312.200	-52.78	0.33	-13.0	39.78	152.00	Vertical	Horizontal	Pass
2921.500	-41.54	12.36	-13.0	28.54	259.00	Vertical	Horizontal	Pass
3642.500	-43.99	12.30	-13.0	30.99	256.00	Vertical	Horizontal	Pass
7048.125	-33.60	22.94	-13.0	20.60	168.00	Vertical	Horizontal	Pass
13803.938	-39.48	16.92	-13.0	26.48	-1.00	Vertical	Horizontal	Pass


86.2 DC_42A_n77A (3700-3980) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.121	-58.45	-19.12	-13.0	45.45	256.00	Horizontal	Horizontal	Pass
1512.700	-52.50	-0.01	-13.0	39.50	227.00	Horizontal	Horizontal	Pass
2967.700	-40.98	13.57	-13.0	27.98	50.00	Horizontal	Horizontal	Pass
3881.875	-35.80	14.75	-13.0	22.80	56.00	Horizontal	Horizontal	N/A
7248.125	-33.26	23.86	-13.0	20.26	361.00	Horizontal	Horizontal	Pass
13400.738	-39.02	16.99	-13.0	26.02	222.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n77A (3700-3980) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.763	-51.49	-18.86	-13.0	38.49	198.00	Vertical	Horizontal	Pass
1251.400	-52.93	-0.80	-13.0	39.93	90.00	Vertical	Horizontal	Pass
2971.200	-41.44	13.78	-13.0	28.44	1.00	Vertical	Horizontal	Pass
7953.125	-31.88	24.25	-13.0	18.88	296.00	Vertical	Horizontal	Pass
12499.912	-39.17	14.72	-13.0	26.17	189.00	Vertical	Horizontal	Pass
19763.550	-42.23	12.94	-13.0	29.23	360.00	Vertical	Horizontal	Pass

87 DC_18A_n78A (3450-3550)


87.1 DC_18A_n78A (3450-3550) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-36.00	4.25	-13.0	23.00	82.00	Horizontal	Horizontal	N/A
867.789	-35.19	4.26	-13.0	22.19	275.00	Horizontal	Horizontal	N/A
3430.500	-43.28	13.36	-13.0	30.28	295.00	Horizontal	Horizontal	N/A
7962.500	-30.78	25.47	-13.0	17.78	88.00	Horizontal	Horizontal	Pass
11993.800	-39.60	13.84	-13.0	26.60	360.00	Horizontal	Horizontal	Pass
17922.824	-42.64	13.44	-13.0	29.64	250.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-44.09	4.25	-13.0	31.09	363.00	Vertical	Horizontal	N/A
867.886	-35.28	4.26	-13.0	22.28	48.00	Vertical	Horizontal	N/A
2149.200	-54.42	-1.96	-13.0	41.42	92.00	Vertical	Horizontal	Pass
3490.750	-43.31	13.26	-13.0	30.31	109.00	Vertical	Horizontal	N/A
12480.912	-39.80	14.55	-13.0	26.80	360.00	Vertical	Horizontal	Pass
18049.499	-42.27	12.85	-13.0	29.27	54.00	Vertical	Horizontal	Pass

88 DC_18A_n78A (3550-3700)


88.1 DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.058	-56.13	-18.82	-40.0	16.13	359.00	Horizontal	Horizontal	Pass
867.159	-54.45	-1.07	-40.0	14.45	274.00	Horizontal	Horizontal	N/A
3551.000	-43.81	12.95	-40.0	3.81	114.00	Horizontal	Horizontal	N/A
3649.000	-38.60	11.04	-40.0	-1.40	300.00	Horizontal	Horizontal	N/A
7237.500	-45.25	23.37	-40.0	5.25	157.00	Horizontal	Horizontal	Pass
13389.975	-52.81	16.92	-40.0	12.81	263.00	Horizontal	Horizontal	Pass


RSE-V&H DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.767	-43.02	-18.99	-40.0	3.02	281.00	Vertical	Horizontal	Pass
869.487	-54.64	-0.89	-40.0	14.64	325.00	Vertical	Horizontal	N/A
2101.200	-53.65	-2.80	-40.0	13.65	313.00	Vertical	Horizontal	Pass
3648.750	-45.57	11.00	-40.0	5.57	205.00	Vertical	Horizontal	N/A
7044.750	-45.49	22.61	-40.0	5.49	229.00	Vertical	Horizontal	Pass
13408.612	-53.36	16.82	-40.0	13.36	46.00	Vertical	Horizontal	Pass


88.2 DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
867.789	-49.23	-1.00	-40.0	9.23	158.00	Horizontal	Horizontal	N/A
3601.000	-46.94	13.18	-40.0	6.94	146.00	Horizontal	Horizontal	N/A
3650.000	-38.52	10.92	-40.0	-1.48	86.00	Horizontal	Horizontal	N/A
3699.000	-33.00	11.02	-40.0	-7.00	110.00	Horizontal	Horizontal	N/A
7247.750	-45.76	23.69	-40.0	5.76	-1.00	Horizontal	Horizontal	Pass
13379.213	-53.80	16.81	-40.0	13.80	0.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
869.535	-52.92	-0.89	-40.0	12.92	244.00	Vertical	Horizontal	N/A
2137.200	-54.47	-1.44	-40.0	14.47	36.00	Vertical	Horizontal	Pass
3699.000	-45.10	11.02	-40.0	5.10	198.00	Vertical	Horizontal	N/A
7421.000	-45.64	22.95	-40.0	5.64	150.00	Vertical	Horizontal	Pass
13377.901	-53.59	16.80	-40.0	13.59	75.00	Vertical	Horizontal	Pass
17820.449	-56.62	12.64	-40.0	16.62	363.00	Vertical	Horizontal	Pass

89 DC_18A_n78A (3700-3800)


89.1 DC_18A_n78A (3700-3800) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_18A_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-37.70	4.25	-13.0	24.70	72.00	Horizontal	Horizontal	N/A
861.969	-34.81	4.25	-13.0	21.81	332.00	Horizontal	Horizontal	N/A
2448.400	-21.45	-1.22	-13.0	8.45	26.00	Horizontal	Horizontal	Pass
3701.750	-29.06	11.08	-13.0	16.06	264.00	Horizontal	Horizontal	N/A
12509.412	-39.98	14.57	-13.0	26.98	360.00	Horizontal	Horizontal	Pass
19783.801	-42.60	12.94	-13.0	29.60	117.00	Horizontal	Horizontal	Pass

RSE-V&H DC_18A_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
864.200	-33.54	4.22	-13.0	20.54	343.00	Vertical	Horizontal	N/A
815.846	-48.14	4.25	-13.0	35.14	190.00	Vertical	Horizontal	N/A
2448.400	-37.36	-1.22	-13.0	24.36	33.00	Vertical	Horizontal	Pass
3701.750	-41.60	11.08	-13.0	28.60	307.00	Vertical	Horizontal	N/A
13362.938	-39.27	16.66	-13.0	26.27	20.00	Vertical	Horizontal	Pass
17927.287	-42.26	13.54	-13.0	29.26	-3.00	Vertical	Horizontal	Pass

90 DC_19A_n78A (3450-3550)


90.1 DC_19A_n78A (3450-3550) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_19A_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-44.47	4.67	-13.0	31.47	279.00	Horizontal	Horizontal	N/A
877.537	-36.21	4.03	-13.0	23.21	330.00	Horizontal	Horizontal	N/A
2493.400	-20.64	-0.76	-13.0	7.64	20.00	Horizontal	Horizontal	Pass
3491.000	-43.19	13.26	-13.0	30.19	225.00	Horizontal	Horizontal	N/A
6639.500	-33.83	21.38	-13.0	20.83	164.00	Horizontal	Horizontal	Pass
13337.475	-39.16	16.05	-13.0	26.16	3.00	Horizontal	Horizontal	Pass

RSE-V&H DC_19A_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-54.15	4.67	-13.0	41.15	184.00	Vertical	Horizontal	N/A
878.993	-34.31	4.16	-13.0	21.31	354.00	Vertical	Horizontal	N/A
2493.400	-33.85	-0.76	-13.0	20.85	39.00	Vertical	Horizontal	Pass
3465.250	-43.60	13.34	-13.0	30.60	196.00	Vertical	Horizontal	N/A
5967.000	-34.98	19.07	-13.0	21.98	230.00	Vertical	Horizontal	Pass
13396.013	-39.57	16.97	-13.0	26.57	1.00	Vertical	Horizontal	Pass

91 DC_19A_n78A (3550-3700)


91.1 DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.290	-58.41	-19.53	-40.0	18.41	122.00	Horizontal	Horizontal	Pass
882.727	-53.67	-0.92	-40.0	13.67	236.00	Horizontal	Horizontal	N/A
2660.400	-52.94	0.96	-40.0	12.94	346.00	Horizontal	Horizontal	Pass
3649.000	-32.81	11.04	-40.0	-7.19	99.00	Horizontal	Horizontal	N/A
6645.000	-47.76	21.40	-40.0	7.76	361.00	Horizontal	Horizontal	Pass
13343.513	-53.09	16.28	-40.0	13.09	221.00	Horizontal	Horizontal	Pass


RSE-V&H DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
882.145	-53.14	-0.91	-40.0	13.14	216.00	Vertical	Horizontal	N/A
2136.200	-54.37	-1.40	-40.0	14.37	84.00	Vertical	Horizontal	Pass
3649.000	-45.62	11.04	-40.0	5.62	282.00	Vertical	Horizontal	N/A
7180.750	-45.40	22.61	-40.0	5.40	89.00	Vertical	Horizontal	Pass
13355.850	-53.48	16.59	-40.0	13.48	130.00	Vertical	Horizontal	Pass
19736.125	-56.38	12.94	-40.0	16.38	-1.00	Vertical	Horizontal	Pass


91.2 DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
881.660	-51.57	-0.87	-40.0	11.57	152.00	Horizontal	Horizontal	N/A
3601.000	-43.85	13.18	-40.0	3.85	277.00	Horizontal	Horizontal	N/A
3650.000	-41.82	10.92	-40.0	1.82	111.00	Horizontal	Horizontal	N/A
3699.000	-32.47	11.02	-40.0	-7.53	289.00	Horizontal	Horizontal	N/A
7248.750	-45.24	23.83	-40.0	5.24	361.00	Horizontal	Horizontal	Pass
13417.800	-53.35	16.62	-40.0	13.35	49.00	Horizontal	Horizontal	Pass

RSE-V&H DC_19A_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.543	-47.45	-18.74	-40.0	7.45	263.00	Vertical	Horizontal	Pass
878.750	-51.85	-0.77	-40.0	11.85	210.00	Vertical	Horizontal	N/A
2157.400	-54.33	-2.00	-40.0	14.33	151.00	Vertical	Horizontal	Pass
3699.000	-43.53	11.02	-40.0	3.53	208.00	Vertical	Horizontal	N/A
7212.000	-45.77	22.88	-40.0	5.77	310.00	Vertical	Horizontal	Pass
13357.688	-53.02	16.61	-40.0	13.02	43.00	Vertical	Horizontal	Pass

92 DC_19A_n78A (3700-3800)


92.1 DC_19A_n78A (3700-3800) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_19A_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-46.76	4.67	-13.0	33.76	292.00	Horizontal	Horizontal	N/A
885.879	-53.96	4.53	-13.0	40.96	244.00	Horizontal	Horizontal	N/A
2493.000	-49.60	-0.77	-13.0	36.60	118.00	Horizontal	Horizontal	Pass
3591.750	-41.73	12.39	-13.0	28.73	303.00	Horizontal	Horizontal	N/A
7259.000	-31.53	23.81	-13.0	18.53	233.00	Horizontal	Horizontal	Pass
12705.112	-39.59	14.78	-13.0	26.59	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC_19A_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-60.08	4.67	-13.0	47.08	356.00	Vertical	Horizontal	N/A
882.727	-50.25	4.34	-13.0	37.25	155.00	Vertical	Horizontal	N/A
2203.200	-54.63	-2.21	-13.0	41.63	306.00	Vertical	Horizontal	Pass
3792.750	-43.03	13.36	-13.0	30.03	45.00	Vertical	Horizontal	N/A
11990.475	-39.58	13.86	-13.0	26.58	357.00	Vertical	Horizontal	Pass
17975.849	-43.50	13.45	-13.0	30.50	-3.00	Vertical	Horizontal	Pass

93 DC_26A_n78A (3450-3550)


93.1 DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.876	-41.83	4.25	-13.0	28.83	83.00	Horizontal	Horizontal	N/A
866.237	-54.68	4.28	-13.0	41.68	244.00	Horizontal	Horizontal	N/A
2616.100	-42.67	-1.17	-13.0	29.67	110.00	Horizontal	Horizontal	Pass
3353.500	-30.81	11.41	-13.0	17.81	44.00	Horizontal	Horizontal	N/A
3451.500	-32.17	13.38	-13.0	19.17	44.00	Horizontal	Horizontal	N/A
13384.988	-39.95	16.87	-13.0	26.95	-3.00	Horizontal	Horizontal	Pass


RSE-V&H DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
810.171	-54.86	4.25	-13.0	41.86	10.00	Vertical	Horizontal	N/A
868.468	-51.88	4.34	-13.0	38.88	67.00	Vertical	Horizontal	N/A
2177.900	-55.09	-2.19	-13.0	42.09	240.00	Vertical	Horizontal	Pass
5014.000	-40.27	15.83	-13.0	27.27	0.00	Vertical	Horizontal	Pass
11968.388	-40.44	13.94	-13.0	27.44	340.00	Vertical	Horizontal	Pass
20029.051	-43.11	12.95	-13.0	30.11	275.00	Vertical	Horizontal	Pass


93.2 DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.809	-46.44	4.83	-13.0	33.44	287.00	Horizontal	Horizontal	N/A
888.062	-54.31	4.65	-13.0	41.31	292.00	Horizontal	Horizontal	N/A
2616.100	-43.03	-1.17	-13.0	30.03	118.00	Horizontal	Horizontal	Pass
3353.750	-35.25	11.40	-13.0	22.25	101.00	Horizontal	Horizontal	N/A
3451.750	-32.25	13.38	-13.0	19.25	101.00	Horizontal	Horizontal	N/A
13357.688	-39.18	16.61	-13.0	26.18	200.00	Horizontal	Horizontal	Pass

RSE-V&H DC_26A_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.857	-58.37	4.83	-13.0	45.37	0.00	Vertical	Horizontal	N/A
886.753	-50.81	4.48	-13.0	37.81	50.00	Vertical	Horizontal	N/A
2144.000	-54.80	-2.02	-13.0	41.80	180.00	Vertical	Horizontal	Pass
3431.750	-43.63	13.36	-13.0	30.63	261.00	Vertical	Horizontal	N/A
13399.162	-39.57	17.00	-13.0	26.57	61.00	Vertical	Horizontal	Pass
20385.901	-42.70	12.97	-13.0	29.70	-1.00	Vertical	Horizontal	Pass

94 DC_26A_n78A (3550-3700)


94.1 DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.145	-57.77	-19.57	-40.0	17.77	109.00	Horizontal	Horizontal	Pass
866.674	-50.08	-0.99	-40.0	10.08	239.00	Horizontal	Horizontal	N/A
3551.000	-45.50	12.95	-40.0	5.50	256.00	Horizontal	Horizontal	N/A
3649.000	-40.59	11.04	-40.0	0.59	300.00	Horizontal	Horizontal	N/A
7245.750	-45.95	23.64	-40.0	5.95	361.00	Horizontal	Horizontal	Pass
11956.987	-53.33	14.04	-40.0	13.33	195.00	Horizontal	Horizontal	Pass


RSE-V&H DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.446	-47.96	-18.75	-40.0	7.96	334.00	Vertical	Horizontal	Pass
866.334	-55.19	-0.91	-40.0	15.19	348.00	Vertical	Horizontal	N/A
3649.000	-47.52	11.04	-40.0	7.52	289.00	Vertical	Horizontal	N/A
7122.500	-45.75	21.93	-40.0	5.75	355.00	Vertical	Horizontal	Pass
12679.463	-53.80	14.56	-40.0	13.80	105.00	Vertical	Horizontal	Pass
17937.000	-56.18	13.78	-40.0	16.18	292.00	Vertical	Horizontal	Pass


94.2 DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.298	-50.81	-23.31	-40.0	10.81	167.00	Horizontal	Horizontal	Pass
885.637	-51.17	-0.70	-40.0	11.17	101.00	Horizontal	Horizontal	N/A
3650.000	-38.82	10.92	-40.0	-1.18	77.00	Horizontal	Horizontal	N/A
3699.000	-35.56	11.02	-40.0	-4.44	301.00	Horizontal	Horizontal	N/A
7059.750	-46.50	21.74	-40.0	6.50	361.00	Horizontal	Horizontal	Pass
11994.750	-53.12	14.01	-40.0	13.12	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC_26A_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.45	-19.55	-40.0	3.45	274.00	Vertical	Horizontal	Pass
885.637	-49.55	-0.70	-40.0	9.55	97.00	Vertical	Horizontal	N/A
3699.000	-49.28	11.02	-40.0	9.28	175.00	Vertical	Horizontal	N/A
7250.000	-45.11	23.70	-40.0	5.11	343.00	Vertical	Horizontal	Pass
11968.625	-53.67	14.03	-40.0	13.67	50.00	Vertical	Horizontal	Pass
17799.449	-56.26	13.17	-40.0	16.26	200.00	Vertical	Horizontal	Pass

95 DC_26A_n78A (3700-3800)


95.1 DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.876	-43.77	4.25	-13.0	30.77	81.00	Horizontal	Horizontal	N/A
866.625	-54.16	4.26	-13.0	41.16	242.00	Horizontal	Horizontal	N/A
2445.400	-51.49	-1.40	-13.0	38.49	128.00	Horizontal	Horizontal	Pass
3701.250	-40.43	12.56	-13.0	27.43	290.00	Horizontal	Horizontal	N/A
13798.950	-39.47	16.94	-13.0	26.47	54.00	Horizontal	Horizontal	Pass
19751.850	-42.90	12.94	-13.0	29.90	275.00	Horizontal	Horizontal	Pass


RSE-V&H DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
809.831	-49.23	4.25	-13.0	36.23	360.00	Vertical	Horizontal	N/A
870.166	-50.56	4.33	-13.0	37.56	0.00	Vertical	Horizontal	N/A
3785.500	-42.48	13.32	-13.0	29.48	304.00	Vertical	Horizontal	N/A
7166.250	-31.79	22.60	-13.0	18.79	304.00	Vertical	Horizontal	Pass
13396.275	-39.45	16.97	-13.0	26.45	60.00	Vertical	Horizontal	Pass
20011.950	-42.87	12.95	-13.0	29.87	-1.00	Vertical	Horizontal	Pass


95.2 DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.906	-44.60	4.83	-13.0	31.60	290.00	Horizontal	Horizontal	N/A
886.753	-52.43	4.48	-13.0	39.43	137.00	Horizontal	Horizontal	N/A
2505.300	-45.20	-0.89	-13.0	32.20	42.00	Horizontal	Horizontal	Pass
3701.250	-39.69	12.56	-13.0	26.69	38.00	Horizontal	Horizontal	N/A
11997.125	-39.69	13.83	-13.0	26.69	203.00	Horizontal	Horizontal	Pass
19368.901	-42.96	12.92	-13.0	29.96	-1.00	Horizontal	Horizontal	Pass

RSE-V&H DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.906	-57.93	4.83	-13.0	44.93	354.00	Vertical	Horizontal	N/A
879.817	-49.22	4.11	-13.0	36.22	170.00	Vertical	Horizontal	N/A
2505.500	-54.27	-0.90	-13.0	41.27	97.00	Vertical	Horizontal	Pass
5810.750	-36.76	17.55	-13.0	23.76	168.00	Vertical	Horizontal	Pass
12477.112	-38.80	14.51	-13.0	25.80	232.00	Vertical	Horizontal	Pass
19959.300	-43.09	12.95	-13.0	30.09	-1.00	Vertical	Horizontal	Pass

96 DC_2A_n78A (3450-3550)


96.1 DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.752	-59.40	-19.27	-13.0	46.40	277.00	Horizontal	Horizontal	Pass
1836.400	-35.36	0.45	-13.0	22.36	40.00	Horizontal	Horizontal	N/A
1947.600	-19.92	1.41	-13.0	6.92	248.00	Horizontal	Horizontal	N/A
7962.000	-30.31	25.40	-13.0	17.31	232.00	Horizontal	Horizontal	Pass
3464.750	-42.36	13.34	-13.0	29.36	30.00	Horizontal	Horizontal	Pass
13401.525	-39.35	16.98	-13.0	26.35	212.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-51.62	-19.83	-13.0	38.62	115.00	Vertical	Horizontal	Pass
1842.300	-45.39	1.09	-13.0	32.39	65.00	Vertical	Horizontal	N/A
1938.400	-35.28	1.06	-13.0	22.28	85.00	Vertical	Horizontal	N/A
7965.500	-30.17	25.22	-13.0	17.17	323.00	Vertical	Horizontal	Pass
12713.425	-39.70	14.77	-13.0	26.70	74.00	Vertical	Horizontal	Pass
17933.588	-42.93	13.70	-13.0	29.93	360.00	Vertical	Horizontal	Pass


96.2 DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1837.900	-31.25	0.84	-13.0	18.25	237.00	Horizontal	Horizontal	N/A
1981.200	-34.84	0.79	-13.0	21.84	256.00	Horizontal	Horizontal	N/A
3353.500	-27.76	11.41	-13.0	14.76	51.00	Horizontal	Horizontal	N/A
3451.500	-31.60	13.38	-13.0	18.60	74.00	Horizontal	Horizontal	N/A
7249.500	-30.89	23.74	-13.0	17.89	74.00	Horizontal	Horizontal	Pass
13358.474	-39.14	16.62	-13.0	26.14	138.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.928	-55.94	-22.49	-13.0	42.94	363.00	Vertical	Horizontal	Pass
1376.300	-54.75	-1.70	-13.0	41.75	269.00	Vertical	Horizontal	Pass
1838.100	-43.70	0.82	-13.0	30.70	64.00	Vertical	Horizontal	N/A
4962.750	-38.82	16.56	-13.0	25.82	107.00	Vertical	Horizontal	Pass
12720.312	-38.70	14.76	-13.0	25.70	360.00	Vertical	Horizontal	Pass
17961.150	-42.61	13.81	-13.0	29.61	285.00	Vertical	Horizontal	Pass

97 DC_2A_n78A (3550-3700)


97.1 DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1316.000	-54.67	-1.06	-40.0	14.67	301.00	Horizontal	Horizontal	Pass
1998.100	-48.73	1.48	-40.0	8.73	230.00	Horizontal	Horizontal	Pass
2888.600	-44.68	10.46	-40.0	4.68	331.00	Horizontal	Horizontal	Pass
3649.000	-29.65	11.04	-40.0	-10.35	48.00	Horizontal	Horizontal	N/A
7260.500	-45.45	24.12	-40.0	5.45	361.00	Horizontal	Horizontal	Pass
12658.088	-53.63	14.24	-40.0	13.63	78.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.700	-43.98	-19.56	-40.0	3.98	331.00	Vertical	Horizontal	Pass
1310.000	-54.14	-1.03	-40.0	14.14	363.00	Vertical	Horizontal	Pass
2236.200	-49.30	3.35	-40.0	9.30	278.00	Vertical	Horizontal	Pass
2886.200	-44.39	10.13	-40.0	4.39	91.00	Vertical	Horizontal	Pass
3649.000	-54.04	11.04	-40.0	14.04	60.00	Vertical	Horizontal	N/A
13383.937	-53.34	16.86	-40.0	13.34	198.00	Vertical	Horizontal	Pass


97.2 DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-54.98	-19.83	-40.0	14.98	360.00	Horizontal	Horizontal	Pass
1988.100	-44.20	2.51	-40.0	4.20	270.00	Horizontal	Horizontal	N/A
2044.000	-45.08	1.76	-40.0	5.08	129.00	Horizontal	Horizontal	Pass
3650.000	-39.89	10.92	-40.0	-0.11	95.00	Horizontal	Horizontal	N/A
3699.000	-30.26	11.02	-40.0	-9.74	35.00	Horizontal	Horizontal	N/A
13336.688	-52.37	16.02	-40.0	12.37	339.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.19	-19.55	-40.0	3.19	98.00	Vertical	Horizontal	Pass
1349.000	-53.55	-1.79	-40.0	13.55	133.00	Vertical	Horizontal	Pass
1932.400	-50.36	1.91	-40.0	10.36	242.00	Vertical	Horizontal	N/A
2884.700	-45.08	9.84	-40.0	5.08	-1.00	Vertical	Horizontal	Pass
3699.000	-51.35	11.02	-40.0	11.35	0.00	Vertical	Horizontal	N/A
13345.087	-53.11	16.35	-40.0	13.11	35.00	Vertical	Horizontal	Pass

98 DC_2A_n78A (3700-3800)


98.1 DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1839.000	-16.29	0.89	-13.0	3.29	222.00	Horizontal	Horizontal	N/A
1940.600	-37.71	1.01	-13.0	24.71	68.00	Horizontal	Horizontal	N/A
3701.750	-39.62	12.56	-13.0	26.62	40.00	Horizontal	Horizontal	N/A
7247.000	-31.64	23.82	-13.0	18.64	264.00	Horizontal	Horizontal	Pass
12905.138	-40.12	15.40	-13.0	27.12	288.00	Horizontal	Horizontal	Pass
17796.563	-42.72	12.99	-13.0	29.72	18.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1834.700	-33.64	-0.08	-13.0	20.64	65.00	Vertical	Horizontal	N/A
1940.700	-49.21	1.02	-13.0	36.21	110.00	Vertical	Horizontal	N/A
3832.500	-42.69	13.68	-13.0	29.69	129.00	Vertical	Horizontal	N/A
7245.250	-31.12	23.83	-13.0	18.12	295.00	Vertical	Horizontal	Pass
13379.474	-39.72	16.82	-13.0	26.72	17.00	Vertical	Horizontal	Pass
19737.901	-42.82	12.94	-13.0	29.82	361.00	Vertical	Horizontal	Pass


98.2 DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1829.200	-33.43	-0.26	-13.0	20.43	226.00	Horizontal	Horizontal	N/A
1980.700	-37.12	0.88	-13.0	24.12	251.00	Horizontal	Horizontal	N/A
3736.750	-43.14	12.99	-13.0	30.14	52.00	Horizontal	Horizontal	N/A
7588.000	-31.48	23.53	-13.0	18.48	240.00	Horizontal	Horizontal	Pass
13372.387	-38.29	16.75	-13.0	25.29	116.00	Horizontal	Horizontal	Pass
18236.250	-42.87	12.86	-13.0	29.87	155.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1828.500	-46.55	-0.28	-13.0	33.55	65.00	Vertical	Horizontal	N/A
2883.200	-44.79	9.19	-13.0	31.79	59.00	Vertical	Horizontal	Pass
3736.750	-43.29	12.99	-13.0	30.29	151.00	Vertical	Horizontal	N/A
7240.500	-32.31	23.38	-13.0	19.31	18.00	Vertical	Horizontal	Pass
13398.901	-39.32	17.00	-13.0	26.32	358.00	Vertical	Horizontal	Pass
19309.949	-43.41	12.92	-13.0	30.41	361.00	Vertical	Horizontal	Pass

99 DC_7A_n78A (3450-3550)


99.1 DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2491.200	-29.16	8.09	-25.0	4.16	361.00	Horizontal	Horizontal	N/A
2582.600	-35.27	8.37	-25.0	10.27	199.00	Horizontal	Horizontal	N/A
3354.000	-28.84	11.38	-25.0	3.84	51.00	Horizontal	Horizontal	N/A
3451.250	-28.83	13.38	-25.0	3.83	51.00	Horizontal	Horizontal	N/A
7201.250	-32.18	23.14	-25.0	7.18	150.00	Horizontal	Horizontal	Pass
13379.474	-38.50	16.82	-25.0	13.50	355.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1726.200	-51.04	0.40	-25.0	26.04	231.00	Vertical	Horizontal	Pass
2486.500	-30.80	8.08	-25.0	5.80	269.00	Vertical	Horizontal	N/A
3507.500	-43.20	13.19	-25.0	18.20	172.00	Vertical	Horizontal	N/A
4670.250	-41.07	13.74	-25.0	16.07	282.00	Vertical	Horizontal	Pass
13362.413	-39.32	16.66	-25.0	14.32	190.00	Vertical	Horizontal	Pass
20072.249	-42.67	12.96	-25.0	17.67	145.00	Vertical	Horizontal	Pass


99.2 DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2484.000	-29.58	7.39	-25.0	4.58	210.00	Horizontal	Horizontal	N/A
2580.800	-28.06	8.38	-25.0	3.06	216.00	Horizontal	Horizontal	N/A
3353.750	-35.48	11.40	-25.0	10.48	297.00	Horizontal	Horizontal	N/A
3451.000	-32.98	13.39	-25.0	7.98	109.00	Horizontal	Horizontal	N/A
5898.500	-36.02	17.65	-25.0	11.02	174.00	Horizontal	Horizontal	Pass
13425.675	-38.51	16.45	-25.0	13.51	165.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1303.900	-52.44	0.34	-25.0	27.44	90.00	Vertical	Horizontal	Pass
2044.500	-48.47	3.13	-25.0	23.47	353.00	Vertical	Horizontal	Pass
2497.900	-44.37	8.12	-25.0	19.37	90.00	Vertical	Horizontal	N/A
2581.700	-42.34	8.38	-25.0	17.34	116.00	Vertical	Horizontal	N/A
5002.750	-39.69	15.91	-25.0	14.69	312.00	Vertical	Horizontal	Pass
11999.974	-39.73	13.82	-25.0	14.73	200.00	Vertical	Horizontal	Pass

100 DC_7A_n78A (3550-3700)


100.1 DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.700	-55.25	-19.56	-40.0	15.25	360.00	Horizontal	Horizontal	Pass
1212.800	-53.22	-0.27	-40.0	13.22	-1.00	Horizontal	Horizontal	Pass
2130.800	-47.92	4.60	-40.0	7.92	253.00	Horizontal	Horizontal	Pass
3551.000	-42.41	12.95	-40.0	2.41	84.00	Horizontal	Horizontal	N/A
3649.000	-31.79	11.04	-40.0	-8.21	96.00	Horizontal	Horizontal	N/A
13369.500	-53.68	16.72	-40.0	13.68	89.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.554	-43.45	-19.61	-40.0	3.45	248.00	Vertical	Horizontal	Pass
1350.500	-52.78	-0.13	-40.0	12.78	-1.00	Vertical	Horizontal	Pass
2422.900	-46.69	6.48	-40.0	6.69	327.00	Vertical	Horizontal	Pass
6240.000	-50.17	18.28	-40.0	10.17	315.00	Vertical	Horizontal	Pass
11939.412	-53.63	13.95	-40.0	13.63	360.00	Vertical	Horizontal	Pass
17791.052	-56.50	12.65	-40.0	16.50	88.00	Vertical	Horizontal	Pass


100.2 DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1298.000	-52.43	0.62	-40.0	12.43	257.00	Horizontal	Horizontal	Pass
2206.500	-48.60	4.83	-40.0	8.60	3.00	Horizontal	Horizontal	Pass
2964.000	-43.17	10.88	-40.0	3.17	22.00	Horizontal	Horizontal	Pass
3503.000	-41.56	10.89	-40.0	1.56	0.00	Horizontal	Horizontal	N/A
7216.250	-45.98	22.47	-40.0	5.98	44.00	Horizontal	Horizontal	Pass
13393.125	-52.97	16.95	-40.0	12.97	216.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.972	-43.43	-19.81	-40.0	3.43	266.00	Vertical	Horizontal	Pass
1313.300	-52.86	0.36	-40.0	12.86	67.00	Vertical	Horizontal	Pass
2488.700	-45.45	5.91	-40.0	5.45	99.00	Vertical	Horizontal	Pass
3503.000	-49.62	10.89	-40.0	9.62	0.00	Vertical	Horizontal	N/A
7244.250	-44.94	23.66	-40.0	4.94	251.00	Vertical	Horizontal	Pass
13386.037	-53.25	16.88	-40.0	13.25	183.00	Vertical	Horizontal	Pass

101 DC_7A_n78A (3700-3800)


101.1 DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2487.600	-18.93	8.08	-25.0	-6.07	47.00	Horizontal	Horizontal	N/A
2584.700	-37.54	8.36	-25.0	12.54	218.00	Horizontal	Horizontal	N/A
3701.500	-39.70	12.56	-25.0	14.70	96.00	Horizontal	Horizontal	N/A
7229.500	-32.18	22.74	-25.0	7.18	96.00	Horizontal	Horizontal	Pass
13364.250	-39.44	16.67	-25.0	14.44	200.00	Horizontal	Horizontal	Pass
17910.225	-43.69	13.14	-25.0	18.69	247.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1287.700	-52.36	-0.12	-25.0	27.36	247.00	Vertical	Horizontal	Pass
2224.100	-47.50	4.97	-25.0	22.50	300.00	Vertical	Horizontal	Pass
2490.100	-34.50	8.09	-25.0	9.50	92.00	Vertical	Horizontal	N/A
3762.000	-42.76	13.21	-25.0	17.76	0.00	Vertical	Horizontal	N/A
6727.250	-33.86	21.60	-25.0	8.86	295.00	Vertical	Horizontal	Pass
13352.700	-39.21	16.57	-25.0	14.21	31.00	Vertical	Horizontal	Pass


101.2 DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2484.200	-29.30	7.40	-25.0	4.30	228.00	Horizontal	Horizontal	N/A
2580.400	-29.55	8.38	-25.0	4.55	22.00	Horizontal	Horizontal	N/A
3702.000	-42.36	12.56	-25.0	17.36	49.00	Horizontal	Horizontal	N/A
7209.750	-32.27	22.67	-25.0	7.27	127.00	Horizontal	Horizontal	Pass
13402.050	-39.49	16.96	-25.0	14.49	360.00	Horizontal	Horizontal	Pass
20340.900	-42.87	12.97	-25.0	17.87	63.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1447.500	-52.18	0.02	-25.0	27.18	194.00	Vertical	Horizontal	Pass
2496.700	-45.02	8.11	-25.0	20.02	27.00	Vertical	Horizontal	N/A
3840.000	-42.92	13.74	-25.0	17.92	78.00	Vertical	Horizontal	N/A
7163.750	-31.92	22.56	-25.0	6.92	231.00	Vertical	Horizontal	Pass
11952.474	-40.20	14.00	-25.0	15.20	42.00	Vertical	Horizontal	Pass
20081.250	-43.13	12.96	-25.0	18.13	-1.00	Vertical	Horizontal	Pass

102 DC_41A_n78A (3450-3550)


102.1 DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2490.000	-19.49	8.09	-25.0	-5.51	236.00	Horizontal	Horizontal	N/A
2588.500	-37.93	8.41	-25.0	12.93	56.00	Horizontal	Horizontal	N/A
3451.750	-30.19	13.38	-25.0	5.19	37.00	Horizontal	Horizontal	N/A
3656.500	-39.68	10.87	-25.0	14.68	49.00	Horizontal	Horizontal	N/A
12539.099	-40.03	14.09	-25.0	15.03	152.00	Horizontal	Horizontal	Pass
17801.288	-42.76	13.16	-25.0	17.76	337.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1255.300	-52.81	-0.63	-25.0	27.81	317.00	Vertical	Horizontal	Pass
2487.800	-28.21	8.08	-25.0	3.21	290.00	Vertical	Horizontal	N/A
3451.500	-41.06	13.38	-25.0	16.06	7.00	Vertical	Horizontal	N/A
5963.500	-36.23	19.18	-25.0	11.23	241.00	Vertical	Horizontal	Pass
13382.362	-39.82	16.84	-25.0	14.82	19.00	Vertical	Horizontal	Pass
20385.450	-42.62	12.97	-25.0	17.62	-1.00	Vertical	Horizontal	Pass


102.2 DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2699.300	-33.83	9.48	-25.0	8.83	243.00	Horizontal	Horizontal	N/A
3353.750	-31.18	11.40	-25.0	6.18	46.00	Horizontal	Horizontal	N/A
3451.500	-30.89	13.38	-25.0	5.89	35.00	Horizontal	Horizontal	N/A
5810.750	-36.95	17.65	-25.0	11.95	281.00	Horizontal	Horizontal	Pass
11975.276	-40.08	13.91	-25.0	15.08	149.00	Horizontal	Horizontal	Pass
17946.450	-42.50	14.00	-25.0	17.50	314.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1278.200	-52.53	-0.29	-25.0	27.53	223.00	Vertical	Horizontal	Pass
2698.000	-41.15	9.47	-25.0	16.15	282.00	Vertical	Horizontal	N/A
4967.250	-39.03	16.63	-25.0	14.03	162.00	Vertical	Horizontal	Pass
7277.500	-31.80	23.24	-25.0	6.80	115.00	Vertical	Horizontal	Pass
12492.313	-39.13	14.65	-25.0	14.13	147.00	Vertical	Horizontal	Pass
17945.401	-42.59	13.98	-25.0	17.59	150.00	Vertical	Horizontal	Pass

103 DC_41A_n78A (3550-3700)


103.1 DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1193.100	-53.35	-0.13	-40.0	13.35	132.00	Horizontal	Horizontal	Pass
1997.600	-50.10	2.45	-40.0	10.10	126.00	Horizontal	Horizontal	Pass
2491.400	-44.05	8.95	-40.0	4.05	158.00	Horizontal	Horizontal	Pass
3551.000	-41.13	12.95	-40.0	1.13	93.00	Horizontal	Horizontal	N/A
3649.000	-37.82	11.04	-40.0	-2.18	240.00	Horizontal	Horizontal	N/A
13383.937	-53.39	16.86	-40.0	13.39	359.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.215	-44.02	-19.71	-40.0	4.02	278.00	Vertical	Horizontal	Pass
1302.700	-52.38	0.56	-40.0	12.38	212.00	Vertical	Horizontal	Pass
2536.400	-43.21	9.34	-40.0	3.21	232.00	Vertical	Horizontal	N/A
3490.000	-54.27	13.27	-40.0	14.27	183.00	Vertical	Horizontal	Pass
7592.750	-45.32	22.82	-40.0	5.32	263.00	Vertical	Horizontal	Pass
13388.401	-53.17	16.90	-40.0	13.17	360.00	Vertical	Horizontal	Pass


103.2 DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1191.400	-52.88	-0.08	-40.0	12.88	-1.00	Horizontal	Horizontal	Pass
2194.400	-47.39	4.42	-40.0	7.39	80.00	Horizontal	Horizontal	Pass
2670.800	-44.34	8.97	-40.0	4.34	94.00	Horizontal	Horizontal	N/A
5836.750	-50.13	17.60	-40.0	10.13	180.00	Horizontal	Horizontal	Pass
10045.350	-54.64	14.00	-40.0	14.64	199.00	Horizontal	Horizontal	Pass
13364.250	-53.21	16.67	-40.0	13.21	283.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.56	-19.55	-40.0	3.56	187.00	Vertical	Horizontal	Pass
1189.700	-54.03	-0.28	-40.0	14.03	240.00	Vertical	Horizontal	Pass
1757.600	-51.62	0.07	-40.0	11.62	117.00	Vertical	Horizontal	Pass
3490.000	-54.89	13.27	-40.0	14.89	193.00	Vertical	Horizontal	Pass
7229.000	-45.55	23.06	-40.0	5.55	27.00	Vertical	Horizontal	Pass
13387.350	-52.28	16.89	-40.0	12.28	-3.00	Vertical	Horizontal	Pass

104 DC_41A_n78A (3700-3800)


104.1 DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1707.000	-51.55	0.86	-25.0	26.55	361.00	Horizontal	Horizontal	Pass
2481.800	-26.05	7.92	-25.0	1.05	304.00	Horizontal	Horizontal	N/A
2607.200	-40.22	7.58	-25.0	15.22	189.00	Horizontal	Horizontal	N/A
3701.250	-40.97	12.56	-25.0	15.97	42.00	Horizontal	Horizontal	N/A
12520.575	-39.46	14.39	-25.0	14.46	203.00	Horizontal	Horizontal	Pass
17941.725	-42.64	13.89	-25.0	17.64	50.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1288.300	-52.93	-0.15	-25.0	27.93	315.00	Vertical	Horizontal	Pass
2488.000	-31.53	8.08	-25.0	6.53	128.00	Vertical	Horizontal	N/A
3817.500	-42.79	13.55	-25.0	17.79	356.00	Vertical	Horizontal	N/A
5899.000	-35.71	17.77	-25.0	10.71	124.00	Vertical	Horizontal	Pass
12464.287	-39.23	14.40	-25.0	14.23	301.00	Vertical	Horizontal	Pass
17809.162	-41.58	12.95	-25.0	16.58	357.00	Vertical	Horizontal	Pass


104.2 DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2162.000	-47.87	4.69	-25.0	22.87	361.00	Horizontal	Horizontal	Pass
2702.800	-30.91	9.25	-25.0	5.91	263.00	Horizontal	Horizontal	N/A
3701.500	-41.57	12.56	-25.0	16.57	55.00	Horizontal	Horizontal	N/A
7967.000	-30.96	25.02	-25.0	5.96	356.00	Horizontal	Horizontal	Pass
13346.662	-39.68	16.41	-25.0	14.68	220.00	Horizontal	Horizontal	Pass
17976.900	-42.31	13.42	-25.0	17.31	70.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1303.400	-52.51	0.64	-25.0	27.51	85.00	Vertical	Horizontal	Pass
2671.700	-40.91	9.40	-25.0	15.91	85.00	Vertical	Horizontal	N/A
3759.000	-42.87	13.19	-25.0	17.87	1.00	Vertical	Horizontal	N/A
4987.000	-39.84	15.65	-25.0	14.84	67.00	Vertical	Horizontal	Pass
13360.312	-39.40	16.64	-25.0	14.40	355.00	Vertical	Horizontal	Pass
20114.551	-42.76	12.96	-25.0	17.76	320.00	Vertical	Horizontal	Pass

105 DC_42A_n78A (3450-3550)


105.1 DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.756	-59.20	-19.31	-13.0	46.20	248.00	Horizontal	Horizontal	Pass
1308.800	-52.40	0.15	-13.0	39.40	1.00	Horizontal	Horizontal	Pass
3353.750	-37.67	11.40	-13.0	24.67	275.00	Horizontal	Horizontal	Pass
3451.750	-27.14	13.38	-13.0	14.14	206.00	Horizontal	Horizontal	N/A
7250.000	-31.77	23.70	-13.0	18.77	11.00	Horizontal	Horizontal	Pass
13793.438	-39.70	16.57	-13.0	26.70	329.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.541	-55.35	-22.99	-13.0	42.35	69.00	Vertical	Horizontal	Pass
1216.400	-52.88	-0.77	-13.0	39.88	154.00	Vertical	Horizontal	Pass
2967.800	-41.48	13.59	-13.0	28.48	102.00	Vertical	Horizontal	Pass
7505.250	-31.64	22.39	-13.0	18.64	205.00	Vertical	Horizontal	Pass
13408.349	-39.81	16.83	-13.0	26.81	336.00	Vertical	Horizontal	Pass
19759.950	-42.71	12.94	-13.0	29.71	143.00	Vertical	Horizontal	Pass


105.2 DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
162.551	-60.82	-18.96	-13.0	47.82	255.00	Horizontal	Horizontal	Pass
2808.400	-43.48	10.51	-13.0	30.48	206.00	Horizontal	Horizontal	Pass
3353.500	-37.99	11.41	-13.0	24.99	279.00	Horizontal	Horizontal	Pass
3451.500	-31.96	13.38	-13.0	18.96	27.00	Horizontal	Horizontal	N/A
7960.000	-30.75	25.59	-13.0	17.75	184.00	Horizontal	Horizontal	Pass
13365.826	-39.51	16.69	-13.0	26.51	284.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.589	-54.83	-22.93	-13.0	41.83	118.00	Vertical	Horizontal	Pass
1297.900	-52.42	0.19	-13.0	39.42	-1.00	Vertical	Horizontal	Pass
2946.600	-41.43	11.96	-13.0	28.43	129.00	Vertical	Horizontal	Pass
7962.250	-30.71	25.43	-13.0	17.71	65.00	Vertical	Horizontal	Pass
13386.563	-39.73	16.88	-13.0	26.73	230.00	Vertical	Horizontal	Pass
19754.551	-42.63	12.94	-13.0	29.63	363.00	Vertical	Horizontal	Pass

106 DC_42A_n78A (3550-3700)


106.1 DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.633	-54.73	-20.01	-40.0	14.73	311.00	Horizontal	Horizontal	Pass
1216.000	-58.67	-5.72	-40.0	18.67	348.00	Horizontal	Horizontal	Pass
3551.000	-46.96	12.95	-40.0	6.96	270.00	Horizontal	Horizontal	N/A
3649.000	-43.19	11.04	-40.0	3.19	4.00	Horizontal	Horizontal	N/A
7199.250	-46.08	22.97	-40.0	6.08	112.00	Horizontal	Horizontal	Pass
13379.213	-53.77	16.81	-40.0	13.77	209.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.506	-44.35	-19.62	-40.0	4.35	330.00	Vertical	Horizontal	Pass
1297.500	-57.79	-4.59	-40.0	17.79	124.00	Vertical	Horizontal	Pass
2159.900	-54.46	-1.89	-40.0	14.46	63.00	Vertical	Horizontal	Pass
3551.000	-54.31	12.95	-40.0	14.31	228.00	Vertical	Horizontal	N/A
7245.250	-45.55	23.67	-40.0	5.55	7.00	Vertical	Horizontal	Pass
13392.862	-53.24	16.94	-40.0	13.24	69.00	Vertical	Horizontal	Pass


106.2 DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.651	-55.15	-19.58	-40.0	15.15	360.00	Horizontal	Horizontal	Pass
84.660	-59.13	-19.73	-40.0	19.13	112.00	Horizontal	Horizontal	Pass
1561.300	-56.94	-5.43	-40.0	16.94	-1.00	Horizontal	Horizontal	Pass
3503.250	-41.82	10.91	-40.0	1.82	261.00	Horizontal	Horizontal	N/A
7247.000	-45.80	23.82	-40.0	5.80	352.00	Horizontal	Horizontal	Pass
12688.012	-54.22	14.69	-40.0	14.22	129.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.409	-44.01	-19.65	-40.0	4.01	293.00	Vertical	Horizontal	Pass
1268.300	-57.97	-5.48	-40.0	17.97	248.00	Vertical	Horizontal	Pass
2200.100	-54.41	-1.88	-40.0	14.41	86.00	Vertical	Horizontal	Pass
3737.500	-57.41	13.00	-40.0	17.41	24.00	Vertical	Horizontal	Pass
7249.000	-46.25	23.95	-40.0	6.25	144.00	Vertical	Horizontal	Pass
13394.700	-52.65	16.96	-40.0	12.65	360.00	Vertical	Horizontal	Pass

107 DC_42A_n78A (3700-3800)

107.1 DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.927	-60.00	-18.63	-13.0	47.00	270.00	Horizontal	Horizontal	Pass
1478.800	-51.77	-0.13	-13.0	38.77	147.00	Horizontal	Horizontal	Pass
2967.000	-41.25	13.47	-13.0	28.25	44.00	Horizontal	Horizontal	Pass
7969.250	-31.20	25.07	-13.0	18.20	108.00	Horizontal	Horizontal	Pass
11955.325	-39.86	13.99	-13.0	26.86	15.00	Horizontal	Horizontal	Pass
17791.838	-43.33	12.69	-13.0	30.33	3.00	Horizontal	Horizontal	Pass