

**38.5. Occupied Bandwidth for SA(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.51	5.14	5	Pass



**38.6. Occupied Bandwidth for SA(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.5	5.16	5	Pass



### 39. n25


39.1. Occupied Bandwidth for SA(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.51	5.13	5	Pass



**39.2. Occupied Bandwidth for SA(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.51	5.19	5	Pass



**39.3. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.53	5.19	5	Pass





**39.4. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.5	5.07	5	Pass




**39.5. Occupied Bandwidth for SA(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	5.15	5	Pass



**39.6. Occupied Bandwidth for SA(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.5	5.08	5	Pass






**39.7. Occupied Bandwidth for SA(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	8.92	9.42	10	Pass



**39.8. Occupied Bandwidth for SA(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	8.93	9.38	10	Pass




**39.9. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	8.92	9.33	10	Pass



**39.10. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	8.93	9.42	10	Pass



**39.11. Occupied Bandwidth for SA(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	8.93	9.44	10	Pass






**39.12. Occupied Bandwidth for SA(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	8.93	9.38	10	Pass




**39.13. Occupied Bandwidth for SA(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	13.41	13.97	15	Pass



**39.14. Occupied Bandwidth for SA(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	13.4	13.9	15	Pass



**39.15. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	13.4	13.89	15	Pass



**39.16. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	13.4	13.99	15	Pass






**39.17. Occupied Bandwidth for SA(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	13.4	13.84	15	Pass



**39.18. Occupied Bandwidth for SA(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	13.4	14	15	Pass




**39.19. Occupied Bandwidth for SA(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	17.84	18.38	20	Pass



**39.20. Occupied Bandwidth for SA(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	17.87	18.4	20	Pass



**39.21. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	17.84	18.37	20	Pass





**39.22. Occupied Bandwidth for SA(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	17.87	18.44	20	Pass




**39.23. Occupied Bandwidth for SA(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	17.85	18.33	20	Pass



**39.24. Occupied Bandwidth for SA(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	17.87	18.37	20	Pass



## 40. n26\_824-849MHz


40.1. Occupied Bandwidth for SA(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.52	5.16	5	Pass



**40.2. Occupied Bandwidth for SA(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	5.07	5	Pass






**40.3. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	5.13	5	Pass



**40.4. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.09	5	Pass




**40.5. Occupied Bandwidth for SA(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.52	5.19	5	Pass




**40.6. Occupied Bandwidth for SA(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.07	5	Pass



**40.7. Occupied Bandwidth for SA(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	8.92	9.38	10	Pass





**40.8. Occupied Bandwidth for SA(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	8.92	9.45	10	Pass




**40.9. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	8.91	9.37	10	Pass




**40.10. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	8.92	9.45	10	Pass



**40.11. Occupied Bandwidth for SA(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	8.92	9.36	10	Pass



**40.12. Occupied Bandwidth for SA(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	8.92	9.43	10	Pass






**40.13. Occupied Bandwidth for SA(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	13.39	13.89	15	Pass




**40.14. Occupied Bandwidth for SA(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	13.39	13.93	15	Pass




**40.15. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	13.39	13.94	15	Pass



**40.16. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	13.39	13.84	15	Pass



**40.17. Occupied Bandwidth for SA(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	13.4	14	15	Pass






**40.18. Occupied Bandwidth for SA(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	13.4	13.86	15	Pass



**40.19. Occupied Bandwidth for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	17.81	18.27	20	Pass



**40.20. Occupied Bandwidth for SA(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	17.84	18.38	20	Pass



**40.21. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	17.82	18.35	20	Pass



**40.22. Occupied Bandwidth for SA(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	17.84	18.34	20	Pass





**40.23. Occupied Bandwidth for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	17.8	18.35	20	Pass



40.24. Occupied Bandwidth for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	17.84	18.38	20	Pass



## 41. n26\_814-824MHz

41.1. Occupied Bandwidth for SA(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.5	5.12	5	Pass



**41.2. Occupied Bandwidth for SA(NTNV)(Channel:163300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.5	5.16	5	Pass



**41.3. Occupied Bandwidth for SA(NTNV)(Channel:163800, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.51	5.15	5	Pass






**41.4. Occupied Bandwidth for SA(NTNV)(Channel:163800, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.49	5.11	5	Pass



**41.5. Occupied Bandwidth for SA(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.51	5.14	5	Pass



**41.6. Occupied Bandwidth for SA(NTNV)(Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.5	5.16	5	Pass




**41.7. Occupied Bandwidth for SA(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.03	Peak	8.91	9.34	10	Pass



**41.8. Occupied Bandwidth for SA(NTNV)(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.03	Peak	8.91	9.4	10	Pass





## 42. n30


### 42.1. Occupied Bandwidth for SA(NTNV)(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.03	Peak	8.92	9.38	10	Pass



**42.2. Occupied Bandwidth for SA(NTNV)(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.03	Peak	8.92	9.39	10	Pass



### 43. n38


43.1. Occupied Bandwidth for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.03	Peak	17.84	18.48	20	Pass




**43.2. Occupied Bandwidth for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.03	Peak	17.85	18.52	20	Pass



**43.3. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	17.84	18.52	20	Pass






**43.4. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.03	Peak	17.84	18.52	20	Pass




**43.5. Occupied Bandwidth for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	17.81	18.52	20	Pass




**43.6. Occupied Bandwidth for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.03	Peak	17.83	18.58	20	Pass



**43.7. Occupied Bandwidth for SA(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	27.08	29.85	30	Pass



**43.8. Occupied Bandwidth for SA(NTNV)(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2585	99	26	1	Peak	27.2	29.91	30	Pass





**43.9. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	27.08	29.8	30	Pass



**43.10. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	27.18	29.96	30	Pass




**43.11. Occupied Bandwidth for SA(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	1	Peak	27.14	29.85	30	Pass




**43.12. Occupied Bandwidth for SA(NTNV)(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2605	99	26	1	Peak	27.15	29.72	30	Pass



**43.13. Occupied Bandwidth for SA(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	35.84	38.71	40	Pass






**43.14. Occupied Bandwidth for SA(NTNV)(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2590	99	26	1	Peak	35.98	38.73	40	Pass



**43.15. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	35.95	38.63	40	Pass




**43.16. Occupied Bandwidth for SA(NTNV)(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	1	Peak	35.89	38.81	40	Pass




**43.17. Occupied Bandwidth for SA(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	35.88	38.77	40	Pass



**43.18. Occupied Bandwidth for SA(NTNV)(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2600	99	26	1	Peak	35.96	38.82	40	Pass






## 44. n41

44.1. Occupied Bandwidth for SA(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	17.89	18.57	20	Pass



**44.2. Occupied Bandwidth for SA(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	17.85	18.64	20	Pass

