



50.2 n77(3700-3980) BW60, QPSK, Middle Channel

RSE-H&H n77(3700-3980) BW60 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.354	-57.94	-19.79	-13.0	44.94	212.00	Horizontal	Horizontal	Pass
2134.900	-54.55	-1.34	-13.0	41.55	1.00	Horizontal	Horizontal	Pass
3839.000	-35.15	14.62	-13.0	22.15	49.00	Horizontal	Horizontal	N/A
7974.000	-31.38	24.39	-13.0	18.38	164.00	Horizontal	Horizontal	Pass
13391.287	-39.59	16.93	-13.0	26.59	307.00	Horizontal	Horizontal	Pass
17948.813	-42.86	14.06	-13.0	29.86	171.00	Horizontal	Horizontal	Pass


RSE-V&H n77(3700-3980) BW60 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.536	-46.39	-20.07	-13.0	33.39	158.00	Vertical	Horizontal	Pass
2149.700	-54.08	-1.74	-13.0	41.08	0.00	Vertical	Horizontal	Pass
3840.750	-40.92	14.63	-13.0	27.92	360.00	Vertical	Horizontal	N/A
7966.500	-30.79	24.87	-13.0	17.79	209.00	Vertical	Horizontal	Pass
13382.100	-39.16	16.84	-13.0	26.16	202.00	Vertical	Horizontal	Pass
17935.426	-41.87	13.74	-13.0	28.87	254.00	Vertical	Horizontal	Pass


50.3 n77(3700-3980) BW100, QPSK, Middle Channel

RSE-H&H n77(3700-3980) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.451	-56.49	-19.87	-13.0	43.49	218.00	Horizontal	Horizontal	Pass
3694.250	-27.48	11.31	-13.0	14.48	56.00	Horizontal	Horizontal	Pass
3791.500	-19.15	14.28	-13.0	6.15	0.00	Horizontal	Horizontal	N/A
7244.250	-30.64	23.56	-13.0	17.64	291.00	Horizontal	Horizontal	Pass
13351.912	-38.96	16.56	-13.0	25.96	241.00	Horizontal	Horizontal	Pass
17965.349	-43.04	13.71	-13.0	30.04	241.00	Horizontal	Horizontal	Pass


RSE-V&H n77(3700-3980) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.947	-46.61	-22.40	-13.0	33.61	157.00	Vertical	Horizontal	Pass
2147.500	-54.75	-1.82	-13.0	41.75	156.00	Vertical	Horizontal	Pass
3791.750	-34.18	14.28	-13.0	21.18	218.00	Vertical	Horizontal	N/A
7967.000	-31.21	25.03	-13.0	18.21	157.00	Vertical	Horizontal	Pass
13419.375	-39.20	16.58	-13.0	26.20	115.00	Vertical	Horizontal	Pass
17804.700	-42.99	13.07	-13.0	29.99	0.00	Vertical	Horizontal	Pass


50.4 n77(3700-3980) BW20, PI/2 BPSK, Middle Channel

RSE-H&H n77(3700-3980) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.212	-55.50	-20.89	-13.0	42.50	163.00	Horizontal	Horizontal	Pass
2674.100	-52.92	1.30	-13.0	39.92	31.00	Horizontal	Horizontal	Pass
3840.000	-28.55	14.63	-13.0	15.55	63.00	Horizontal	Horizontal	N/A
7965.500	-31.04	24.82	-13.0	18.04	239.00	Horizontal	Horizontal	Pass
13394.962	-38.87	16.96	-13.0	25.87	18.00	Horizontal	Horizontal	Pass
17928.864	-43.06	13.58	-13.0	30.06	360.00	Horizontal	Horizontal	Pass


RSE-V&H n77(3700-3980) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.215	-47.18	-19.71	-13.0	34.18	216.00	Vertical	Horizontal	Pass
2551.800	-52.86	0.45	-13.0	39.86	34.00	Vertical	Horizontal	Pass
3840.000	-36.57	14.63	-13.0	23.57	0.00	Vertical	Horizontal	N/A
7974.250	-30.72	24.35	-13.0	17.72	0.00	Vertical	Horizontal	Pass
13391.025	-38.93	16.93	-13.0	25.93	0.00	Vertical	Horizontal	Pass
20079.000	-42.84	12.96	-13.0	29.84	195.00	Vertical	Horizontal	Pass


50.5 n77(3700-3980) BW60, PI/2 BPSK, Middle Channel

RSE-H&H n77(3700-3980) BW60 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.694	-57.55	-20.05	-13.0	44.55	186.00	Horizontal	Horizontal	Pass
2539.500	-52.91	-0.13	-13.0	39.91	2.00	Horizontal	Horizontal	Pass
3842.250	-33.15	14.64	-13.0	20.15	280.00	Horizontal	Horizontal	N/A
7967.250	-31.36	24.99	-13.0	18.36	360.00	Horizontal	Horizontal	Pass
13406.775	-39.66	16.86	-13.0	26.66	347.00	Horizontal	Horizontal	Pass
19699.651	-42.67	12.94	-13.0	29.67	281.00	Horizontal	Horizontal	Pass

RSE-V&H n77(3700-3980) BW60 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.379	-47.32	-19.24	-13.0	34.32	360.00	Vertical	Horizontal	Pass
2116.100	-54.37	-1.93	-13.0	41.37	111.00	Vertical	Horizontal	Pass
3841.000	-41.42	14.63	-13.0	28.42	281.00	Vertical	Horizontal	N/A
7968.750	-30.98	24.87	-13.0	17.98	17.00	Vertical	Horizontal	Pass
13413.338	-39.07	16.72	-13.0	26.07	59.00	Vertical	Horizontal	Pass
19782.001	-42.77	12.94	-13.0	29.77	359.00	Vertical	Horizontal	Pass




50.6 n77(3700-3980) BW100, PI/2 BPSK, Middle Channel

RSE-H&H n77(3700-3980) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.597	-58.25	-19.97	-13.0	45.25	232.00	Horizontal	Horizontal	Pass
2179.500	-53.94	-1.35	-13.0	40.94	70.00	Horizontal	Horizontal	Pass
3791.750	-15.65	14.28	-13.0	2.65	188.00	Horizontal	Horizontal	N/A
7965.750	-31.10	24.81	-13.0	18.10	283.00	Horizontal	Horizontal	Pass
13355.588	-39.46	16.59	-13.0	26.46	51.00	Horizontal	Horizontal	Pass
17955.113	-42.57	13.96	-13.0	29.57	133.00	Horizontal	Horizontal	Pass

RSE-V&H n77(3700-3980) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.002	-46.12	-20.43	-13.0	33.12	123.00	Vertical	Horizontal	Pass
2197.700	-53.69	-1.92	-13.0	40.69	355.00	Vertical	Horizontal	Pass
3791.750	-28.14	14.28	-13.0	15.14	0.00	Vertical	Horizontal	N/A
7942.250	-30.45	23.84	-13.0	17.45	90.00	Vertical	Horizontal	Pass
13350.075	-39.94	16.54	-13.0	26.94	180.00	Vertical	Horizontal	Pass
17944.089	-42.70	13.95	-13.0	29.70	34.00	Vertical	Horizontal	Pass

51 n78(3450-3550)


51.1 n78(3450-3550) BW20, QPSK, Middle Channel

RSE-H&H n78(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.552	-54.38	-22.17	-13.0	41.38	135.00	Horizontal	Horizontal	Pass
2650.500	-53.25	0.88	-13.0	40.25	360.00	Horizontal	Horizontal	Pass
3501.500	-35.14	13.23	-13.0	22.14	91.00	Horizontal	Horizontal	N/A
7953.750	-30.52	24.91	-13.0	17.52	0.00	Horizontal	Horizontal	Pass
13373.963	-39.17	16.77	-13.0	26.17	60.00	Horizontal	Horizontal	Pass
19758.600	-42.95	12.94	-13.0	29.95	297.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
44.696	-46.29	-16.86	-13.0	33.29	233.00	Vertical	Horizontal	Pass
2515.300	-52.80	0.34	-13.0	39.80	79.00	Vertical	Horizontal	Pass
3494.000	-42.14	13.25	-13.0	29.14	26.00	Vertical	Horizontal	N/A
7955.500	-30.43	24.98	-13.0	17.43	360.00	Vertical	Horizontal	Pass
13405.725	-39.45	16.88	-13.0	26.45	323.00	Vertical	Horizontal	Pass
17825.962	-42.54	12.49	-13.0	29.54	222.00	Vertical	Horizontal	Pass


51.2 n78(3450-3550) BW50, QPSK, Middle Channel

RSE-H&H n78(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.164	-58.27	-20.71	-13.0	45.27	188.00	Horizontal	Horizontal	Pass
2160.600	-54.23	-1.89	-13.0	41.23	299.00	Horizontal	Horizontal	Pass
3503.000	-37.19	13.22	-13.0	24.19	92.00	Horizontal	Horizontal	N/A
7968.000	-30.53	24.95	-13.0	17.53	92.00	Horizontal	Horizontal	Pass
13349.550	-38.68	16.52	-13.0	25.68	214.00	Horizontal	Horizontal	Pass
19769.850	-42.95	12.94	-13.0	29.95	347.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.831	-53.11	-22.62	-13.0	40.11	199.00	Vertical	Horizontal	Pass
2178.000	-54.47	-1.44	-13.0	41.47	110.00	Vertical	Horizontal	Pass
3430.750	-42.55	13.36	-13.0	29.55	256.00	Vertical	Horizontal	Pass
7959.500	-30.18	25.57	-13.0	17.18	7.00	Vertical	Horizontal	Pass
13372.125	-39.69	16.75	-13.0	26.69	311.00	Vertical	Horizontal	Pass
19806.751	-43.22	12.94	-13.0	30.22	18.00	Vertical	Horizontal	Pass


51.3 n78(3450-3550) BW100, QPSK, Middle Channel

RSE-H&H n78(3450-3550) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.994	-60.86	-19.32	-13.0	47.86	302.00	Horizontal	Horizontal	Pass
3378.750	-33.40	13.30	-13.0	20.40	236.00	Horizontal	Horizontal	Pass
3523.250	-33.49	13.10	-13.0	20.49	272.00	Horizontal	Horizontal	N/A
7969.250	-30.28	24.90	-13.0	17.28	87.00	Horizontal	Horizontal	Pass
13380.525	-39.34	16.83	-13.0	26.34	114.00	Horizontal	Horizontal	Pass
19295.551	-42.96	12.92	-13.0	29.96	126.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3450-3550) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.734	-53.38	-22.74	-13.0	40.38	187.00	Vertical	Horizontal	Pass
2155.700	-53.07	-1.94	-13.0	40.07	360.00	Vertical	Horizontal	Pass
3564.500	-42.53	13.02	-13.0	29.53	17.00	Vertical	Horizontal	Pass
7949.500	-30.34	24.55	-13.0	17.34	1.00	Vertical	Horizontal	Pass
11989.526	-39.32	14.02	-13.0	26.32	129.00	Vertical	Horizontal	Pass
19738.350	-42.38	12.94	-13.0	29.38	0.00	Vertical	Horizontal	Pass




51.4 n78(3450-3550) BW20, PI/2 BPSK, Middle Channel

RSE-H&H n78(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
77.918	-57.55	-19.66	-13.0	44.55	239.00	Horizontal	Horizontal	Pass
2561.300	-52.74	-0.03	-13.0	39.74	273.00	Horizontal	Horizontal	Pass
3497.250	-32.18	13.24	-13.0	19.18	63.00	Horizontal	Horizontal	N/A
7956.750	-31.54	25.25	-13.0	18.54	132.00	Horizontal	Horizontal	Pass
13371.338	-37.09	16.74	-13.0	24.09	35.00	Horizontal	Horizontal	Pass
17813.363	-42.35	12.84	-13.0	29.35	278.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.148	-46.09	-20.33	-13.0	33.09	158.00	Vertical	Horizontal	Pass
2149.800	-54.49	-1.73	-13.0	41.49	29.00	Vertical	Horizontal	Pass
3492.750	-42.58	13.26	-13.0	29.58	263.00	Vertical	Horizontal	N/A
7957.250	-30.26	25.24	-13.0	17.26	61.00	Vertical	Horizontal	Pass
13422.788	-38.86	16.51	-13.0	25.86	347.00	Vertical	Horizontal	Pass
19771.199	-42.86	12.94	-13.0	29.86	112.00	Vertical	Horizontal	Pass


51.5 n78(3450-3550) BW50, PI/2 BPSK, Middle Channel

RSE-H&H n78(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.067	-55.05	-20.34	-13.0	42.05	166.00	Horizontal	Horizontal	Pass
1065.200	-53.90	-7.23	-13.0	40.90	111.00	Horizontal	Horizontal	Pass
3496.000	-36.03	13.25	-13.0	23.03	280.00	Horizontal	Horizontal	N/A
7953.500	-30.84	24.95	-13.0	17.84	358.00	Horizontal	Horizontal	Pass
13384.463	-39.35	16.86	-13.0	26.35	188.00	Horizontal	Horizontal	Pass
20162.699	-43.37	12.96	-13.0	30.37	99.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.069	-43.20	-19.76	-13.0	30.20	305.00	Vertical	Horizontal	Pass
1720.900	-51.93	-5.40	-13.0	38.93	116.00	Vertical	Horizontal	Pass
3431.500	-42.48	13.36	-13.0	29.48	1.00	Vertical	Horizontal	Pass
7962.750	-30.19	25.50	-13.0	17.19	1.00	Vertical	Horizontal	Pass
13369.238	-40.02	16.72	-13.0	27.02	245.00	Vertical	Horizontal	Pass
17980.838	-42.05	13.33	-13.0	29.05	262.00	Vertical	Horizontal	Pass


51.6 n78(3450-3550) BW100, PI/2 BPSK, Middle Channel

RSE-H&H n78(3450-3550) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
30.679	-55.12	-19.56	-13.0	42.12	148.00	Horizontal	Horizontal	Pass
3378.500	-31.62	13.16	-13.0	18.62	228.00	Horizontal	Horizontal	Pass
3523.000	-31.49	13.10	-13.0	18.49	83.00	Horizontal	Horizontal	N/A
7959.500	-30.75	25.57	-13.0	17.75	0.00	Horizontal	Horizontal	Pass
13352.963	-39.61	16.57	-13.0	26.61	354.00	Horizontal	Horizontal	Pass
19701.901	-42.59	12.94	-13.0	29.59	104.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3450-3550) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.779	-43.00	-19.92	-13.0	30.00	192.00	Vertical	Horizontal	Pass
1462.200	-51.31	-5.36	-13.0	38.31	360.00	Vertical	Horizontal	Pass
3480.750	-43.10	13.29	-13.0	30.10	28.00	Vertical	Horizontal	N/A
7961.500	-30.39	25.41	-13.0	17.39	0.00	Vertical	Horizontal	Pass
12700.125	-39.59	14.87	-13.0	26.59	287.00	Vertical	Horizontal	Pass
17960.624	-42.09	13.83	-13.0	29.09	237.00	Vertical	Horizontal	Pass

52 n78(3550-3700)


52.1 n78(3550-3700) BW20, QPSK, Middle Channel

RSE-H&H n78(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.058	-58.26	-18.82	-40.0	18.26	341.00	Horizontal	Horizontal	Pass
2992.250	-51.07	4.42	-40.0	11.07	1.00	Horizontal	Horizontal	Pass
7956.250	-46.44	24.20	-40.0	6.44	334.00	Horizontal	Horizontal	Pass
10062.925	-54.68	13.75	-40.0	14.68	264.00	Horizontal	Horizontal	Pass
13370.812	-53.16	16.74	-40.0	13.16	154.00	Horizontal	Horizontal	Pass
17941.987	-56.11	13.90	-40.0	16.11	10.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3550-3700) BW20 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
42.367	-48.28	-18.44	-40.0	8.28	228.00	Vertical	Horizontal	Pass
2970.000	-51.25	4.82	-40.0	11.25	123.00	Vertical	Horizontal	Pass
5808.125	-53.41	17.52	-40.0	13.41	360.00	Vertical	Horizontal	Pass
7968.125	-46.92	25.01	-40.0	6.92	147.00	Vertical	Horizontal	Pass
13381.313	-53.21	16.83	-40.0	13.21	269.00	Vertical	Horizontal	Pass
17954.849	-55.39	13.97	-40.0	15.39	360.00	Vertical	Horizontal	Pass




### 52.2 n78(3550-3700) BW50, QPSK, Middle Channel

RSE-H&H n78(3550-3700) BW50 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.688	-57.01	-18.71	-40.0	17.01	354.00	Horizontal	Horizontal	Pass
2147.750	-54.18	-1.76	-40.0	14.18	1.00	Horizontal	Horizontal	Pass
7249.375	-47.74	23.90	-40.0	7.74	360.00	Horizontal	Horizontal	Pass
9446.138	-54.76	13.75	-40.0	14.76	359.00	Horizontal	Horizontal	Pass
13389.975	-53.26	16.92	-40.0	13.26	360.00	Horizontal	Horizontal	Pass
17977.950	-56.62	13.40	-40.0	16.62	94.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3550-3700) BW50 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
42.270	-48.46	-18.49	-40.0	8.46	229.00	Vertical	Horizontal	Pass
2994.250	-50.88	4.54	-40.0	10.88	-1.00	Vertical	Horizontal	Pass
3835.625	-57.74	13.71	-40.0	17.74	361.00	Vertical	Horizontal	Pass
7956.875	-47.33	24.25	-40.0	7.33	345.00	Vertical	Horizontal	Pass
13384.724	-52.82	16.87	-40.0	12.82	42.00	Vertical	Horizontal	Pass
17945.926	-56.04	13.99	-40.0	16.04	74.00	Vertical	Horizontal	Pass


### 52.3 n78(3550-3700) BW100, QPSK, Middle Channel

RSE-H&H n78(3550-3700) BW100 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.688	-57.85	-18.71	-40.0	17.85	360.00	Horizontal	Horizontal	Pass
2957.750	-50.81	4.23	-40.0	10.81	348.00	Horizontal	Horizontal	Pass
3584.375	-22.41	12.34	-40.0	-17.59	302.00	Horizontal	Horizontal	N/A
7206.250	-47.89	22.66	-40.0	7.89	361.00	Horizontal	Horizontal	Pass
13387.612	-52.70	16.89	-40.0	12.70	360.00	Horizontal	Horizontal	Pass
17929.912	-56.41	13.61	-40.0	16.41	29.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3550-3700) BW100 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.106	-48.47	-18.81	-40.0	8.47	263.00	Vertical	Horizontal	Pass
2140.500	-55.07	-1.58	-40.0	15.07	92.00	Vertical	Horizontal	Pass
3584.375	-34.06	12.34	-40.0	-5.94	7.00	Vertical	Horizontal	N/A
7960.000	-46.71	24.52	-40.0	6.71	0.00	Vertical	Horizontal	Pass
9469.412	-54.53	13.37	-40.0	14.53	358.00	Vertical	Horizontal	Pass
13405.463	-53.51	16.89	-40.0	13.51	299.00	Vertical	Horizontal	Pass


## 52.4 n78(3550-3700) BW20, PI/2 BPSK, Middle Channel

RSE-H&H n78(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.737	-57.00	-18.70	-40.0	17.00	360.00	Horizontal	Horizontal	Pass
2967.500	-50.84	4.60	-40.0	10.84	126.00	Horizontal	Horizontal	Pass
5007.500	-55.13	15.69	-40.0	15.13	266.00	Horizontal	Horizontal	Pass
7973.125	-46.48	24.62	-40.0	6.48	227.00	Horizontal	Horizontal	Pass
11796.437	-53.06	12.32	-40.0	13.06	335.00	Horizontal	Horizontal	Pass
17807.849	-56.28	12.99	-40.0	16.28	116.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.640	-48.79	-18.72	-40.0	8.79	285.00	Vertical	Horizontal	Pass
2218.000	-54.42	-1.43	-40.0	14.42	363.00	Vertical	Horizontal	Pass
5046.250	-55.85	15.67	-40.0	15.85	208.00	Vertical	Horizontal	Pass
7947.500	-47.08	24.26	-40.0	7.08	83.00	Vertical	Horizontal	Pass
13406.775	-53.44	16.86	-40.0	13.44	207.00	Vertical	Horizontal	Pass
17933.324	-56.44	13.69	-40.0	16.44	82.00	Vertical	Horizontal	Pass


52.5 n78(3550-3700) BW50, PI/2 BPSK, Middle Channel

RSE-H&H n78(3550-3700) BW50 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.495	-58.33	-18.74	-40.0	18.33	-3.00	Horizontal	Horizontal	Pass
2211.250	-54.28	-1.94	-40.0	14.28	271.00	Horizontal	Horizontal	Pass
7960.625	-46.96	24.51	-40.0	6.96	359.00	Horizontal	Horizontal	Pass
9436.401	-54.06	13.67	-40.0	14.06	360.00	Horizontal	Horizontal	Pass
13425.412	-52.95	16.45	-40.0	12.95	219.00	Horizontal	Horizontal	Pass
18233.551	-56.73	12.86	-40.0	16.73	147.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3550-3700) BW50 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.525	-49.08	-19.14	-40.0	9.08	320.00	Vertical	Horizontal	Pass
2959.250	-50.60	4.27	-40.0	10.60	315.00	Vertical	Horizontal	Pass
3830.000	-58.65	13.66	-40.0	18.65	361.00	Vertical	Horizontal	Pass
7952.500	-47.29	24.11	-40.0	7.29	83.00	Vertical	Horizontal	Pass
13391.287	-52.60	16.93	-40.0	12.60	171.00	Vertical	Horizontal	Pass
17939.626	-56.70	13.84	-40.0	16.70	236.00	Vertical	Horizontal	Pass




52.6 n78(3550-3700) BW100, PI/2 BPSK, Middle Channel

RSE-H&H n78(3550-3700) BW100 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
42.077	-57.88	-18.60	-40.0	17.88	346.00	Horizontal	Horizontal	Pass
2182.000	-54.68	-1.33	-40.0	14.68	1.00	Horizontal	Horizontal	Pass
3576.250	-12.88	12.29	-40.0	-27.12	284.00	Horizontal	Horizontal	N/A
7968.125	-47.42	25.01	-40.0	7.42	5.00	Horizontal	Horizontal	Pass
9449.463	-54.71	13.78	-40.0	14.71	170.00	Horizontal	Horizontal	Pass
13350.075	-53.45	16.54	-40.0	13.45	28.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3550-3700) BW100 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.058	-48.33	-18.82	-40.0	8.33	218.00	Vertical	Horizontal	Pass
2975.000	-50.86	4.91	-40.0	10.86	285.00	Vertical	Horizontal	Pass
3576.250	-32.28	12.29	-40.0	-7.72	15.00	Vertical	Horizontal	N/A
7963.125	-47.32	24.72	-40.0	7.32	103.00	Vertical	Horizontal	Pass
10062.687	-54.12	13.76	-40.0	14.12	122.00	Vertical	Horizontal	Pass
13400.738	-52.41	16.99	-40.0	12.41	105.00	Vertical	Horizontal	Pass

53 n78(3700-3800)


53.1 n78(3700-3800) BW20, QPSK, Middle Channel

RSE-H&H n78(3700-3800) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.067	-53.45	-20.34	-13.0	40.45	163.00	Horizontal	Horizontal	Pass
2134.900	-54.73	-1.34	-13.0	41.73	360.00	Horizontal	Horizontal	Pass
3752.000	-38.50	13.16	-13.0	25.50	92.00	Horizontal	Horizontal	N/A
7966.000	-31.03	24.89	-13.0	18.03	124.00	Horizontal	Horizontal	Pass
13401.525	-39.38	16.98	-13.0	26.38	93.00	Horizontal	Horizontal	Pass
18192.151	-43.32	12.86	-13.0	30.32	12.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3700-3800) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.809	-46.80	-20.64	-13.0	33.80	0.00	Vertical	Horizontal	Pass
2203.800	-54.18	-2.10	-13.0	41.18	360.00	Vertical	Horizontal	Pass
3733.250	-42.42	12.94	-13.0	29.42	37.00	Vertical	Horizontal	N/A
7963.250	-30.79	24.74	-13.0	17.79	1.00	Vertical	Horizontal	Pass
12699.412	-39.26	14.86	-13.0	26.26	348.00	Vertical	Horizontal	Pass
20086.198	-43.09	12.96	-13.0	30.09	234.00	Vertical	Horizontal	Pass


### 53.2 n78(3700-3800) BW50, QPSK, Middle Channel

RSE-H&H n78(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
30.873	-54.92	-19.88	-13.0	41.92	151.00	Horizontal	Horizontal	Pass
2418.300	-53.68	-0.88	-13.0	40.68	28.00	Horizontal	Horizontal	Pass
3845.750	-34.78	13.79	-13.0	21.78	48.00	Horizontal	Horizontal	Pass
7144.250	-31.31	21.82	-13.0	18.31	224.00	Horizontal	Horizontal	Pass
13375.013	-39.23	16.78	-13.0	26.23	250.00	Horizontal	Horizontal	Pass
19991.699	-42.58	12.95	-13.0	29.58	0.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.779	-46.52	-19.92	-13.0	33.52	187.00	Vertical	Horizontal	Pass
2200.400	-53.97	-1.91	-13.0	40.97	360.00	Vertical	Horizontal	Pass
3867.250	-42.57	13.17	-13.0	29.57	301.00	Vertical	Horizontal	Pass
7589.750	-30.76	23.46	-13.0	17.76	0.00	Vertical	Horizontal	Pass
13360.050	-38.89	16.63	-13.0	25.89	207.00	Vertical	Horizontal	Pass
20102.400	-42.65	12.96	-13.0	29.65	167.00	Vertical	Horizontal	Pass


53.3 n78(3700-3800) BW100, QPSK, Middle Channel

RSE-H&H n78(3700-3800) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.549	-57.53	-19.94	-13.0	44.53	223.00	Horizontal	Horizontal	Pass
2149.800	-54.28	-1.73	-13.0	41.28	208.00	Horizontal	Horizontal	Pass
3860.750	-35.25	13.32	-13.0	22.25	283.00	Horizontal	Horizontal	Pass
7969.750	-31.08	24.99	-13.0	18.08	360.00	Horizontal	Horizontal	Pass
12004.250	-39.60	13.92	-13.0	26.60	331.00	Horizontal	Horizontal	Pass
17800.499	-42.25	13.19	-13.0	29.25	125.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3700-3800) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.972	-47.19	-19.81	-13.0	34.19	132.00	Vertical	Horizontal	Pass
2139.900	-54.06	-1.60	-13.0	41.06	60.00	Vertical	Horizontal	Pass
3764.000	-43.00	13.22	-13.0	30.00	15.00	Vertical	Horizontal	N/A
7962.500	-31.28	24.65	-13.0	18.28	248.00	Vertical	Horizontal	Pass
13378.950	-39.67	16.81	-13.0	26.67	274.00	Vertical	Horizontal	Pass
19739.699	-42.10	12.94	-13.0	29.10	65.00	Vertical	Horizontal	Pass




53.4 n78(3700-3800) BW20, PI/2 BPSK, Middle Channel

RSE-H&H n78(3700-3800) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.646	-56.80	-20.01	-13.0	43.80	206.00	Horizontal	Horizontal	Pass
2460.500	-50.82	-1.24	-13.0	37.82	158.00	Horizontal	Horizontal	Pass
3752.000	-37.96	13.16	-13.0	24.96	31.00	Horizontal	Horizontal	N/A
7959.250	-30.76	24.40	-13.0	17.76	248.00	Horizontal	Horizontal	Pass
13355.062	-39.13	16.59	-13.0	26.13	303.00	Horizontal	Horizontal	Pass
17949.600	-42.88	14.08	-13.0	29.88	193.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3700-3800) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.584	-47.19	-20.04	-13.0	34.19	159.00	Vertical	Horizontal	Pass
2464.200	-49.15	-1.12	-13.0	36.15	106.00	Vertical	Horizontal	Pass
3808.500	-43.34	13.47	-13.0	30.34	138.00	Vertical	Horizontal	Pass
7236.000	-31.42	22.96	-13.0	18.42	289.00	Vertical	Horizontal	Pass
13790.550	-39.49	16.38	-13.0	26.49	360.00	Vertical	Horizontal	Pass
17959.574	-42.81	13.85	-13.0	29.81	94.00	Vertical	Horizontal	Pass


53.5 n78(3700-3800) BW50, PI/2 BPSK, Middle Channel

RSE-H&H n78(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.403	-57.38	-19.83	-13.0	44.38	247.00	Horizontal	Horizontal	Pass
2661.500	-52.72	1.01	-13.0	39.72	173.00	Horizontal	Horizontal	Pass
3749.500	-37.57	13.14	-13.0	24.57	49.00	Horizontal	Horizontal	N/A
7593.000	-31.92	23.50	-13.0	18.92	304.00	Horizontal	Horizontal	Pass
13354.537	-39.15	16.58	-13.0	26.15	291.00	Horizontal	Horizontal	Pass
19296.000	-42.67	12.92	-13.0	29.67	165.00	Horizontal	Horizontal	Pass


RSE-V&H n78(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.282	-46.53	-19.30	-13.0	33.53	151.00	Vertical	Horizontal	Pass
2422.700	-53.32	-0.65	-13.0	40.32	203.00	Vertical	Horizontal	Pass
3739.250	-42.47	13.02	-13.0	29.47	91.00	Vertical	Horizontal	N/A
7959.000	-30.63	24.29	-13.0	17.63	160.00	Vertical	Horizontal	Pass
13785.825	-39.45	16.06	-13.0	26.45	331.00	Vertical	Horizontal	Pass
17795.774	-42.32	12.94	-13.0	29.32	177.00	Vertical	Horizontal	Pass


53.6 n78(3700-3800) BW100, PI/2 BPSK, Middle Channel

RSE-H&H n78(3700-3800) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
30.631	-55.98	-19.47	-13.0	42.98	158.00	Horizontal	Horizontal	Pass
2231.800	-54.24	-1.60	-13.0	41.24	113.00	Horizontal	Horizontal	Pass
3840.000	-35.01	13.74	-13.0	22.01	48.00	Horizontal	Horizontal	Pass
7972.500	-30.93	24.69	-13.0	17.93	114.00	Horizontal	Horizontal	Pass
11988.100	-39.39	14.02	-13.0	26.39	79.00	Horizontal	Horizontal	Pass
17964.036	-42.18	13.74	-13.0	29.18	360.00	Horizontal	Horizontal	Pass

RSE-V&H n78(3700-3800) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.312	-44.36	-19.68	-13.0	31.36	0.00	Vertical	Horizontal	Pass
2492.600	-51.55	-0.58	-13.0	38.55	160.00	Vertical	Horizontal	Pass
3812.500	-41.43	13.50	-13.0	28.43	191.00	Vertical	Horizontal	Pass
7238.750	-31.24	23.29	-13.0	18.24	0.00	Vertical	Horizontal	Pass
13387.612	-39.29	16.89	-13.0	26.29	275.00	Vertical	Horizontal	Pass
17964.562	-42.59	13.73	-13.0	29.59	171.00	Vertical	Horizontal	Pass

54 n41 UL MIMO


54.1 n41 UL MIMO BW20, QPSK, Middle Channel

RSE-H&H n41 UL MIMO BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1284.600	-54.28	-1.28	-25.0	29.28	70.00	Horizontal	Horizontal	Pass
2001.200	-48.18	1.46	-25.0	23.18	77.00	Horizontal	Horizontal	Pass
2590.900	-36.04	8.12	-25.0	11.04	104.00	Horizontal	Horizontal	N/A
6710.000	-42.28	13.13	-25.0	17.28	162.00	Horizontal	Horizontal	Pass
11981.450	-39.63	13.89	-25.0	14.63	49.00	Horizontal	Horizontal	Pass
19480.052	-43.46	12.93	-25.0	18.46	-1.00	Horizontal	Horizontal	Pass

RSE-V&H n41 UL MIMO BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1281.400	-53.84	-1.37	-25.0	28.84	-1.00	Vertical	Horizontal	Pass
2200.700	-49.69	3.13	-25.0	24.69	111.00	Vertical	Horizontal	Pass
2589.800	-45.08	8.11	-25.0	20.08	216.00	Vertical	Horizontal	N/A
7532.250	-40.38	13.20	-25.0	15.38	360.00	Vertical	Horizontal	Pass
13374.488	-40.00	16.77	-25.0	15.00	269.00	Vertical	Horizontal	Pass
19716.301	-42.89	12.94	-25.0	17.89	-1.00	Vertical	Horizontal	Pass




### 54.2 n41 UL MIMO BW60, QPSK, Middle Channel

RSE-H&H n41 UL MIMO BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1222.200	-54.64	-1.97	-25.0	29.64	41.00	Horizontal	Horizontal	Pass
1680.700	-51.78	-0.68	-25.0	26.78	34.00	Horizontal	Horizontal	Pass
5898.750	-42.53	10.35	-25.0	17.53	313.00	Horizontal	Horizontal	Pass
11947.013	-40.27	14.01	-25.0	15.27	305.00	Horizontal	Horizontal	Pass
17963.776	-43.22	13.75	-25.0	18.22	360.00	Horizontal	Horizontal	Pass
20070.001	-42.98	12.96	-25.0	17.98	-1.00	Horizontal	Horizontal	Pass


RSE-V&H n41 UL MIMO BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1317.000	-54.08	-1.00	-25.0	29.08	212.00	Vertical	Horizontal	Pass
2148.300	-49.71	3.31	-25.0	24.71	265.00	Vertical	Horizontal	Pass
2621.100	-45.57	8.44	-25.0	20.57	34.00	Vertical	Horizontal	N/A
7244.750	-39.73	14.59	-25.0	14.73	230.00	Vertical	Horizontal	Pass
13386.825	-39.20	16.89	-25.0	14.20	-3.00	Vertical	Horizontal	Pass
17947.763	-42.82	14.04	-25.0	17.82	341.00	Vertical	Horizontal	Pass


### 54.3 n41 UL MIMO BW100, QPSK, Middle Channel

RSE-H&H n41 UL MIMO BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1225.000	-54.50	-1.94	-25.0	29.50	118.00	Horizontal	Horizontal	Pass
2553.200	12.94	6.52	-25.0	-37.94	359.00	Horizontal	Horizontal	N/A
2627.500	-11.12	7.09	-25.0	-13.88	111.00	Horizontal	Horizontal	N/A
5899.000	-43.15	10.37	-25.0	18.15	232.00	Horizontal	Horizontal	Pass
13351.650	-39.13	16.56	-25.0	14.13	-3.00	Horizontal	Horizontal	Pass
20105.099	-42.66	12.96	-25.0	17.66	-1.00	Horizontal	Horizontal	Pass

RSE-V&H n41 UL MIMO BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1353.500	-52.50	-1.18	-25.0	27.50	361.00	Vertical	Horizontal	Pass
2628.400	-31.71	8.05	-25.0	6.71	119.00	Vertical	Horizontal	N/A
5898.750	-42.18	10.35	-25.0	17.18	272.00	Vertical	Horizontal	Pass
7657.000	-35.81	13.63	-25.0	10.81	65.00	Vertical	Horizontal	Pass
11988.575	-39.10	13.86	-25.0	14.10	171.00	Vertical	Horizontal	Pass
19719.901	-42.28	12.94	-25.0	17.28	361.00	Vertical	Horizontal	Pass

55 n48 UL MIMO


55.1 n48 UL MIMO BW20, QPSK, Middle Channel

RSE-H&H n48 UL MIMO BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1257.500	-58.01	-5.77	-40.0	18.01	221.00	Horizontal	Horizontal	Pass
3321.750	-61.97	10.46	-40.0	21.97	36.00	Horizontal	Horizontal	Pass
4993.750	-59.65	15.80	-40.0	19.65	186.00	Horizontal	Horizontal	Pass
7580.750	-50.54	23.04	-40.0	10.54	86.00	Horizontal	Horizontal	Pass
13781.363	-59.12	15.77	-40.0	19.12	361.00	Horizontal	Horizontal	Pass
17942.249	-63.15	13.90	-40.0	23.15	296.00	Horizontal	Horizontal	Pass


RSE-V&H n48 UL MIMO BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1162.200	-59.09	-6.70	-40.0	19.09	1.00	Vertical	Horizontal	Pass
2460.200	-51.98	-1.27	-40.0	11.98	363.00	Vertical	Horizontal	Pass
4299.500	-61.78	13.30	-40.0	21.78	336.00	Vertical	Horizontal	Pass
7177.000	-51.04	22.36	-40.0	11.04	31.00	Vertical	Horizontal	Pass
12515.588	-59.90	14.27	-40.0	19.9	285.00	Vertical	Horizontal	Pass
17942.776	-61.81	13.92	-40.0	21.81	167.00	Vertical	Horizontal	Pass


55.2 n48 UL MIMO BW40, QPSK, Middle Channel

RSE-H&H n48 UL MIMO BW40 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1216.800	-57.94	-5.70	-40.0	17.94	361.00	Horizontal	Horizontal	Pass
2131.800	-54.42	-1.56	-40.0	14.42	361.00	Horizontal	Horizontal	Pass
3568.750	-59.45	12.24	-40.0	19.45	134.00	Horizontal	Horizontal	N/A
7950.750	-50.79	24.16	-40.0	10.79	228.00	Horizontal	Horizontal	Pass
12499.200	-58.75	14.61	-40.0	18.75	361.00	Horizontal	Horizontal	Pass
17986.087	-62.09	13.20	-40.0	22.09	-1.00	Horizontal	Horizontal	Pass

RSE-V&H n48 UL MIMO BW40 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1205.500	-57.86	-5.68	-40.0	17.86	279.00	Vertical	Horizontal	Pass
2131.800	-54.65	-1.56	-40.0	14.65	318.00	Vertical	Horizontal	Pass
3814.500	-62.94	13.52	-40.0	22.94	-1.00	Vertical	Horizontal	Pass
7964.250	-51.05	24.87	-40.0	11.05	-1.00	Vertical	Horizontal	Pass
13370.025	-58.39	16.73	-40.0	18.39	62.00	Vertical	Horizontal	Pass
17929.650	-61.93	13.60	-40.0	21.93	-1.00	Vertical	Horizontal	Pass



56 n77 UL MIMO(3450-3550)


56.1 n77 UL MIMO(3450-3550) BW20, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1298.900	-56.91	-4.62	-13.0	43.91	356.00	Horizontal	Horizontal	Pass
3496.500	-30.34	13.25	-13.0	17.34	70.00	Horizontal	Horizontal	N/A
3644.500	-41.65	11.27	-13.0	28.65	47.00	Horizontal	Horizontal	Pass
7964.000	-30.89	25.53	-13.0	17.89	59.00	Horizontal	Horizontal	Pass
11970.763	-40.03	14.03	-13.0	27.03	199.00	Horizontal	Horizontal	Pass
18047.250	-42.60	12.85	-13.0	29.60	272.00	Horizontal	Horizontal	Pass


RSE-V&H n77UL MIMO(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1300.400	-57.85	-4.75	-13.0	44.85	169.00	Vertical	Horizontal	Pass
2188.800	-54.72	-1.77	-13.0	41.72	120.00	Vertical	Horizontal	Pass
3507.000	-43.52	13.19	-13.0	30.52	1.00	Vertical	Horizontal	N/A
7196.750	-31.85	22.80	-13.0	18.85	282.00	Vertical	Horizontal	Pass
9502.425	-39.31	12.75	-13.0	26.31	16.00	Vertical	Horizontal	Pass
13367.137	-39.42	16.70	-13.0	26.42	150.00	Vertical	Horizontal	Pass


56.2 n77 UL MIMO(3450-3550) BW60, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3450-3550) BW60 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2146.600	-54.41	-1.79	-13.0	41.41	361.00	Horizontal	Horizontal	Pass
3377.750	-35.35	12.72	-13.0	22.35	39.00	Horizontal	Horizontal	Pass
3498.000	-35.18	13.24	-13.0	22.18	124.00	Horizontal	Horizontal	N/A
7243.000	-31.76	23.51	-13.0	18.76	124.00	Horizontal	Horizontal	Pass
13380.525	-38.56	16.83	-13.0	25.56	228.00	Horizontal	Horizontal	Pass
17959.574	-43.33	13.85	-13.0	30.33	148.00	Horizontal	Horizontal	Pass


RSE-V&H n77UL MIMO(3450-3550) BW60 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1301.700	-57.85	-4.72	-13.0	44.85	266.00	Vertical	Horizontal	Pass
2261.300	-54.41	-2.17	-13.0	41.41	154.00	Vertical	Horizontal	Pass
3395.000	-42.97	13.33	-13.0	29.97	-1.00	Vertical	Horizontal	Pass
7950.500	-30.04	24.62	-13.0	17.04	328.00	Vertical	Horizontal	Pass
11953.901	-38.80	14.04	-13.0	25.80	345.00	Vertical	Horizontal	Pass
17803.125	-41.70	13.12	-13.0	28.70	363.00	Vertical	Horizontal	Pass


56.3 n77 UL MIMO(3450-3550) BW100, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3450-3550) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1289.800	-57.76	-4.66	-13.0	44.76	239.00	Horizontal	Horizontal	Pass
3378.750	-34.58	13.30	-13.0	21.58	16.00	Horizontal	Horizontal	Pass
3460.000	-34.15	13.36	-13.0	21.15	232.00	Horizontal	Horizontal	N/A
3520.000	-35.53	13.12	-13.0	22.53	113.00	Horizontal	Horizontal	Pass
12021.826	-39.35	13.56	-13.0	26.35	52.00	Horizontal	Horizontal	Pass
17953.538	-43.15	14.00	-13.0	30.15	281.00	Horizontal	Horizontal	Pass

RSE-V&H n77 UL MIMO(3450-3550) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1288.000	-58.18	-4.70	-13.0	45.18	225.00	Vertical	Horizontal	Pass
2570.700	-52.56	0.69	-13.0	39.56	305.00	Vertical	Horizontal	Pass
3540.000	-42.82	13.01	-13.0	29.82	95.00	Vertical	Horizontal	N/A
6646.750	-32.93	21.40	-13.0	19.93	335.00	Vertical	Horizontal	Pass
13392.600	-39.06	16.94	-13.0	26.06	0.00	Vertical	Horizontal	Pass
17981.886	-43.21	13.30	-13.0	30.21	363.00	Vertical	Horizontal	Pass

57 n77 UL MIMO(3550-3700)


57.1 n77 UL MIMO(3550-3700) BW20, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.039	-55.47	-19.45	-40.0	15.47	312.00	Horizontal	Horizontal	Pass
136.021	-61.20	-23.12	-40.0	21.20	131.00	Horizontal	Horizontal	Pass
1330.600	-57.18	-5.25	-40.0	17.18	-1.00	Horizontal	Horizontal	Pass
4944.750	-54.07	15.82	-40.0	14.07	99.00	Horizontal	Horizontal	Pass
7594.500	-45.31	23.21	-40.0	5.31	362.00	Horizontal	Horizontal	Pass
13387.088	-53.74	16.89	-40.0	13.74	360.00	Horizontal	Horizontal	Pass

RSE-V&H n77 UL MIMO(3550-3700) BW20 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.136	-44.03	-19.39	-40.0	4.03	224.00	Vertical	Horizontal	Pass
87.763	-59.73	-18.86	-40.0	19.73	136.00	Vertical	Horizontal	Pass
1295.300	-58.07	-4.58	-40.0	18.07	145.00	Vertical	Horizontal	Pass
3837.750	-56.58	13.73	-40.0	16.58	194.00	Vertical	Horizontal	Pass
11921.125	-53.80	13.79	-40.0	13.80	195.00	Vertical	Horizontal	Pass
17959.313	-56.42	13.86	-40.0	16.42	10.00	Vertical	Horizontal	Pass




57.2 n77 UL MIMO(3550-3700) BW60, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3550-3700) BW60 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.876	-53.62	-19.86	-40.0	13.62	33.00	Horizontal	Horizontal	Pass
1537.900	-57.58	-5.52	-40.0	17.58	363.00	Horizontal	Horizontal	Pass
2584.300	-52.59	0.36	-40.0	12.59	69.00	Horizontal	Horizontal	Pass
3543.250	-53.76	11.89	-40.0	13.76	128.00	Horizontal	Horizontal	N/A
13369.763	-53.54	16.73	-40.0	13.54	360.00	Horizontal	Horizontal	Pass
17928.073	-56.54	13.56	-40.0	16.54	177.00	Horizontal	Horizontal	Pass


RSE-V&H n77 UL MIMO(3550-3700) BW60 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.021	-43.14	-19.78	-40.0	3.14	172.00	Vertical	Horizontal	Pass
1274.300	-57.73	-5.44	-40.0	17.73	-1.00	Vertical	Horizontal	Pass
2206.700	-54.21	-1.97	-40.0	14.21	107.00	Vertical	Horizontal	Pass
5981.000	-51.14	18.44	-40.0	11.14	362.00	Vertical	Horizontal	Pass
13376.850	-53.11	16.79	-40.0	13.11	167.00	Vertical	Horizontal	Pass
17929.386	-56.53	13.60	-40.0	16.53	-3.00	Vertical	Horizontal	Pass


57.3 n77 UL MIMO(3550-3700) BW100, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3550-3700) BW100 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-56.00	-19.55	-40.0	16.00	6.00	Horizontal	Horizontal	Pass
1304.000	-57.77	-5.04	-40.0	17.77	54.00	Horizontal	Horizontal	Pass
2180.200	-54.03	-1.23	-40.0	14.03	169.00	Horizontal	Horizontal	Pass
3565.000	-47.52	12.21	-40.0	7.52	65.00	Horizontal	Horizontal	N/A
7225.750	-45.85	22.51	-40.0	5.85	361.00	Horizontal	Horizontal	Pass
12532.924	-53.28	13.88	-40.0	13.28	278.00	Horizontal	Horizontal	Pass

RSE-V&H n77 UL MIMO(3550-3700) BW100 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.991	-45.69	-19.48	-40.0	5.69	156.00	Vertical	Horizontal	Pass
1374.100	-56.95	-5.63	-40.0	16.95	-1.00	Vertical	Horizontal	Pass
2152.700	-54.28	-1.92	-40.0	14.28	264.00	Vertical	Horizontal	Pass
3728.750	-56.86	12.89	-40.0	16.86	28.00	Vertical	Horizontal	Pass
13378.425	-52.94	16.81	-40.0	12.94	-3.00	Vertical	Horizontal	Pass
17931.225	-55.98	13.64	-40.0	15.98	97.00	Vertical	Horizontal	Pass

58 n77 UL MIMO(3700-3980)


58.1 n77 UL MIMO(3700-3980) BW20, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3700-3980) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1233.400	-58.06	-5.44	-13.0	45.06	168.00	Horizontal	Horizontal	Pass
3831.750	-29.83	14.56	-13.0	16.83	36.00	Horizontal	Horizontal	N/A
5636.750	-37.49	17.05	-13.0	24.49	1.00	Horizontal	Horizontal	Pass
7261.250	-31.48	23.67	-13.0	18.48	2.00	Horizontal	Horizontal	Pass
13380.787	-39.26	16.83	-13.0	26.26	267.00	Horizontal	Horizontal	Pass
17808.636	-42.90	12.97	-13.0	29.90	267.00	Horizontal	Horizontal	Pass


RSE-V&H n77 UL MIMO(3700-3980) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1198.200	-59.11	-5.45	-13.0	46.11	335.00	Vertical	Horizontal	Pass
3171.500	-45.81	10.97	-13.0	32.81	326.00	Vertical	Horizontal	Pass
6798.250	-33.70	20.41	-13.0	20.70	4.00	Vertical	Horizontal	Pass
9460.625	-41.06	13.55	-13.0	28.06	28.00	Vertical	Horizontal	Pass
13426.987	-39.42	16.42	-13.0	26.42	240.00	Vertical	Horizontal	Pass
19750.500	-42.61	12.94	-13.0	29.61	361.00	Vertical	Horizontal	Pass


58.2 n77 UL MIMO(3700-3980) BW60, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3700-3980) BW60 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1427.800	-57.19	-5.09	-13.0	44.19	4.00	Horizontal	Horizontal	Pass
3833.500	-33.59	14.58	-13.0	20.59	60.00	Horizontal	Horizontal	N/A
5221.000	-36.81	15.95	-13.0	23.81	204.00	Horizontal	Horizontal	Pass
11912.813	-39.42	13.72	-13.0	26.42	348.00	Horizontal	Horizontal	Pass
17985.036	-43.04	13.22	-13.0	30.04	140.00	Horizontal	Horizontal	Pass
19666.801	-42.49	12.94	-13.0	29.49	361.00	Horizontal	Horizontal	Pass

RSE-V&H n77 UL MIMO(3700-3980) BW60 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1310.000	-57.69	-5.11	-13.0	44.69	70.00	Vertical	Horizontal	Pass
2193.600	-54.44	-1.84	-13.0	41.44	70.00	Vertical	Horizontal	Pass
4198.250	-41.30	14.91	-13.0	28.30	1.00	Vertical	Horizontal	Pass
7253.750	-31.85	23.66	-13.0	18.85	1.00	Vertical	Horizontal	Pass
11978.838	-39.08	14.02	-13.0	26.08	342.00	Vertical	Horizontal	Pass
17947.238	-41.79	14.02	-13.0	28.79	22.00	Vertical	Horizontal	Pass




58.3 n77 UL MIMO(3700-3980) BW100, QPSK, Middle Channel

RSE-H&H n77 UL MIMO(3700-3980) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1291.600	-57.38	-4.58	-13.0	44.38	139.00	Horizontal	Horizontal	Pass
3718.500	-31.39	11.59	-13.0	18.39	116.00	Horizontal	Horizontal	N/A
3791.500	-15.63	14.28	-13.0	2.63	267.00	Horizontal	Horizontal	N/A
7122.500	-31.80	21.81	-13.0	18.80	49.00	Horizontal	Horizontal	Pass
11992.375	-39.18	14.01	-13.0	26.18	63.00	Horizontal	Horizontal	Pass
19727.550	-41.87	12.94	-13.0	28.87	-2.00	Horizontal	Horizontal	Pass

RSE-V&H n77 UL MIMO(3700-3980) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1301.200	-57.90	-4.71	-13.0	44.90	361.00	Vertical	Horizontal	Pass
2213.100	-53.79	-1.83	-13.0	40.79	361.00	Vertical	Horizontal	Pass
3791.500	-30.10	14.28	-13.0	17.10	216.00	Vertical	Horizontal	N/A
7588.750	-31.34	22.90	-13.0	18.34	271.00	Vertical	Horizontal	Pass
12661.650	-40.25	14.29	-13.0	27.25	331.00	Vertical	Horizontal	Pass
17940.412	-42.96	13.86	-13.0	29.96	307.00	Vertical	Horizontal	Pass

59 n78 UL MIMO(3450-3550)


59.1 n78 UL MIMO(3450-3550) BW20, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.200	-57.86	-4.76	-13.0	44.86	216.00	Horizontal	Horizontal	Pass
2512.500	-53.38	0.26	-13.0	40.38	322.00	Horizontal	Horizontal	Pass
3496.500	-32.25	13.25	-13.0	19.25	43.00	Horizontal	Horizontal	N/A
3704.750	-41.04	11.20	-13.0	28.04	117.00	Horizontal	Horizontal	Pass
7617.000	-31.16	22.78	-13.0	18.16	339.00	Horizontal	Horizontal	Pass
11994.037	-39.56	14.01	-13.0	26.56	134.00	Horizontal	Horizontal	Pass


RSE-V&H n78 UL MIMO(3450-3550) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1320.400	-57.87	-5.16	-13.0	44.87	361.00	Vertical	Horizontal	Pass
2144.700	-54.05	-1.66	-13.0	41.05	361.00	Vertical	Horizontal	Pass
3416.500	-43.24	13.34	-13.0	30.24	-1.00	Vertical	Horizontal	Pass
7035.500	-32.24	22.26	-13.0	19.24	5.00	Vertical	Horizontal	Pass
12449.087	-39.85	13.93	-13.0	26.85	-3.00	Vertical	Horizontal	Pass
17964.562	-42.53	13.73	-13.0	29.53	-1.00	Vertical	Horizontal	Pass


59.2 n78 UL MIMO(3450-3550) BW50, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
891.845	-54.11	-0.75	-13.0	41.11	152.00	Horizontal	Horizontal	Pass
2161.500	-54.34	-1.84	-13.0	41.34	264.00	Horizontal	Horizontal	Pass
3382.750	-40.65	13.33	-13.0	27.65	72.00	Horizontal	Horizontal	Pass
3496.500	-34.60	13.25	-13.0	21.60	72.00	Horizontal	Horizontal	N/A
13795.537	-39.32	16.71	-13.0	26.32	7.00	Horizontal	Horizontal	Pass
20047.950	-42.67	12.95	-13.0	29.67	-3.00	Horizontal	Horizontal	Pass


RSE-V&H n78 UL MIMO(3450-3550) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1318.600	-57.39	-5.02	-13.0	44.39	361.00	Vertical	Horizontal	Pass
2219.600	-54.64	-1.25	-13.0	41.64	301.00	Vertical	Horizontal	Pass
3837.000	-42.83	12.76	-13.0	29.83	6.00	Vertical	Horizontal	Pass
7246.750	-31.23	23.61	-13.0	18.23	131.00	Vertical	Horizontal	Pass
13409.925	-39.03	16.79	-13.0	26.03	0.00	Vertical	Horizontal	Pass
18223.651	-42.75	12.86	-13.0	29.75	300.00	Vertical	Horizontal	Pass


59.3 n78 UL MIMO(3450-3550) BW100, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3450-3550) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1291.400	-57.23	-4.58	-13.0	44.23	261.00	Horizontal	Horizontal	Pass
3459.750	-29.47	13.36	-13.0	16.47	140.00	Horizontal	Horizontal	N/A
3522.750	-35.62	13.10	-13.0	22.62	61.00	Horizontal	Horizontal	N/A
7229.750	-31.53	23.06	-13.0	18.53	0.00	Horizontal	Horizontal	Pass
12496.349	-39.34	14.57	-13.0	26.34	34.00	Horizontal	Horizontal	Pass
17808.114	-43.00	12.98	-13.0	30.00	60.00	Horizontal	Horizontal	Pass

RSE-V&H n78 UL MIMO(3450-3550) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1289.400	-57.61	-4.71	-13.0	44.61	156.00	Vertical	Horizontal	Pass
2176.300	-53.88	-1.55	-13.0	40.88	239.00	Vertical	Horizontal	Pass
5013.000	-39.26	15.80	-13.0	26.26	0.00	Vertical	Horizontal	Pass
9499.813	-39.76	12.72	-13.0	26.76	36.00	Vertical	Horizontal	Pass
13361.887	-39.79	16.65	-13.0	26.79	86.00	Vertical	Horizontal	Pass
17979.001	-41.85	13.37	-13.0	28.85	0.00	Vertical	Horizontal	Pass



60 n78 UL MIMO(3550-3700)


60.1 n78 UL MIMO(3550-3700) BW20, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.409	-53.76	-19.65	-40.0	13.76	328.00	Horizontal	Horizontal	Pass
226.667	-65.29	-14.96	-40.0	25.29	277.00	Horizontal	Horizontal	Pass
1320.800	-57.72	-5.06	-40.0	17.72	-1.00	Horizontal	Horizontal	Pass
2139.900	-54.50	-1.60	-40.0	14.50	4.00	Horizontal	Horizontal	Pass
7044.500	-46.17	22.75	-40.0	6.17	356.00	Horizontal	Horizontal	Pass
13379.474	-53.71	16.82	-40.0	13.71	341.00	Horizontal	Horizontal	Pass


RSE-V&H n78 UL MIMO(3550-3700) BW20 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-43.87	-19.83	-40.0	3.87	271.00	Vertical	Horizontal	Pass
1258.800	-57.28	-5.71	-40.0	17.28	161.00	Vertical	Horizontal	Pass
2814.000	-51.12	2.73	-40.0	11.12	192.00	Vertical	Horizontal	Pass
3490.000	-56.22	11.52	-40.0	16.22	0.00	Vertical	Horizontal	Pass
7115.250	-46.01	21.77	-40.0	6.01	19.00	Vertical	Horizontal	Pass
13379.474	-53.46	16.82	-40.0	13.46	65.00	Vertical	Horizontal	Pass


60.2 n78 UL MIMO(3550-3700) BW50, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3550-3700) BW50 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.409	-55.55	-19.65	-40.0	15.55	58.00	Horizontal	Horizontal	Pass
133.062	-62.19	-23.25	-40.0	22.19	133.00	Horizontal	Horizontal	Pass
1195.900	-57.76	-5.62	-40.0	17.76	341.00	Horizontal	Horizontal	Pass
3693.250	-55.36	12.50	-40.0	15.36	361.00	Horizontal	Horizontal	N/A
7273.250	-45.37	23.30	-40.0	5.37	90.00	Horizontal	Horizontal	Pass
13362.938	-53.63	16.66	-40.0	13.63	199.00	Horizontal	Horizontal	Pass


RSE-V&H n78 UL MIMO(3550-3700) BW50 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.797	-43.23	-19.53	-40.0	3.23	267.00	Vertical	Horizontal	Pass
1293.500	-56.66	-4.53	-40.0	16.66	182.00	Vertical	Horizontal	Pass
3813.250	-57.00	13.51	-40.0	17.00	113.00	Vertical	Horizontal	Pass
7241.750	-45.26	23.53	-40.0	5.26	361.00	Vertical	Horizontal	Pass
13391.287	-52.86	16.93	-40.0	12.86	-3.00	Vertical	Horizontal	Pass
17806.012	-56.39	13.04	-40.0	16.39	220.00	Vertical	Horizontal	Pass


60.3 n78 UL MIMO(3550-3700) BW100, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3550-3700) BW100 CH641666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.573	-54.63	-19.11	-40.0	14.63	354.00	Horizontal	Horizontal	Pass
135.439	-61.24	-23.20	-40.0	21.24	109.00	Horizontal	Horizontal	Pass
1324.700	-58.11	-5.14	-40.0	18.11	353.00	Horizontal	Horizontal	Pass
3544.000	-49.25	11.98	-40.0	9.25	118.00	Horizontal	Horizontal	Pass
7240.750	-45.36	23.39	-40.0	5.36	361.00	Horizontal	Horizontal	Pass
13374.488	-51.94	16.77	-40.0	11.94	119.00	Horizontal	Horizontal	Pass

RSE-V&H n78 UL MIMO(3550-3700) BW100 CH641666




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.069	-43.31	-19.76	-40.0	3.31	305.00	Vertical	Horizontal	Pass
1291.400	-57.81	-4.58	-40.0	17.81	-1.00	Vertical	Horizontal	Pass
2960.600	-50.27	4.40	-40.0	10.27	56.00	Vertical	Horizontal	Pass
3490.000	-56.60	11.52	-40.0	16.60	332.00	Vertical	Horizontal	Pass
5878.500	-50.39	17.81	-40.0	10.39	129.00	Vertical	Horizontal	Pass
13398.112	-52.90	16.99	-40.0	12.90	-3.00	Vertical	Horizontal	Pass

61 n78 UL MIMO(3700-3800)


61.1 n78 UL MIMO(3700-3800) BW20, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3700-3800) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.800	-57.34	-19.28	-13.0	44.34	264.00	Horizontal	Horizontal	Pass
2138.900	-54.45	-1.47	-13.0	41.45	1.00	Horizontal	Horizontal	Pass
3748.250	-38.09	13.13	-13.0	25.09	68.00	Horizontal	Horizontal	N/A
7943.750	-30.58	24.01	-13.0	17.58	80.00	Horizontal	Horizontal	Pass
9483.662	-40.73	13.07	-13.0	27.73	13.00	Horizontal	Horizontal	Pass
13391.287	-39.06	16.93	-13.0	26.06	342.00	Horizontal	Horizontal	Pass

RSE-V&H n78 UL MIMO(3700-3800) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.424	-54.00	-18.95	-13.0	41.00	193.00	Vertical	Horizontal	Pass
2127.500	-54.36	-1.79	-13.0	41.36	1.00	Vertical	Horizontal	Pass
7244.000	-31.88	23.62	-13.0	18.88	360.00	Vertical	Horizontal	Pass
9463.238	-40.48	13.50	-13.0	27.48	299.00	Vertical	Horizontal	Pass
11992.849	-39.44	14.01	-13.0	26.44	125.00	Vertical	Horizontal	Pass
17827.537	-41.85	12.45	-13.0	28.85	317.00	Vertical	Horizontal	Pass




61.2 n78 UL MIMO(3700-3800) BW50, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.200	-58.02	-18.85	-13.0	45.02	257.00	Horizontal	Horizontal	Pass
2134.200	-54.65	-1.31	-13.0	41.65	1.00	Horizontal	Horizontal	Pass
3735.000	-40.96	12.97	-13.0	27.96	245.00	Horizontal	Horizontal	N/A
7982.250	-31.18	23.73	-13.0	18.18	245.00	Horizontal	Horizontal	Pass
12724.588	-38.68	14.83	-13.0	25.68	360.00	Horizontal	Horizontal	Pass
17938.573	-42.00	13.82	-13.0	29.00	242.00	Horizontal	Horizontal	Pass


RSE-V&H n78 UL MIMO(3700-3800) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.048	-53.24	-19.60	-13.0	40.24	192.00	Vertical	Horizontal	Pass
2136.800	-54.49	-1.42	-13.0	41.49	1.00	Vertical	Horizontal	Pass
3812.250	-42.23	13.50	-13.0	29.23	360.00	Vertical	Horizontal	Pass
7953.750	-30.85	24.14	-13.0	17.85	360.00	Vertical	Horizontal	Pass
12900.150	-38.79	15.48	-13.0	25.79	217.00	Vertical	Horizontal	Pass
20345.401	-42.21	12.97	-13.0	29.21	42.00	Vertical	Horizontal	Pass


61.3 n78 UL MIMO(3700-3800) BW100, QPSK, Middle Channel

RSE-H&H n78 UL MIMO(3700-3800) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.170	-58.17	-19.14	-13.0	45.17	124.00	Horizontal	Horizontal	Pass
2210.800	-53.92	-1.95	-13.0	40.92	360.00	Horizontal	Horizontal	Pass
3849.250	-37.33	13.67	-13.0	24.33	61.00	Horizontal	Horizontal	Pass
7977.750	-30.96	23.90	-13.0	17.96	181.00	Horizontal	Horizontal	Pass
13405.463	-39.64	16.89	-13.0	26.64	341.00	Horizontal	Horizontal	Pass
17804.700	-42.79	13.07	-13.0	29.79	101.00	Horizontal	Horizontal	Pass

RSE-V&H n78 UL MIMO(3700-3800) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.174	-53.87	-19.89	-13.0	40.87	220.00	Vertical	Horizontal	Pass
2220.600	-54.68	-1.19	-13.0	41.68	1.00	Vertical	Horizontal	Pass
3835.000	-37.63	13.70	-13.0	24.63	299.00	Vertical	Horizontal	Pass
7944.750	-29.74	24.05	-13.0	16.74	187.00	Vertical	Horizontal	Pass
13395.750	-37.91	16.97	-13.0	24.91	15.00	Vertical	Horizontal	Pass
19741.499	-42.16	12.94	-13.0	29.16	218.00	Vertical	Horizontal	Pass

62 DC\_2A\_n66A


62.1 DC\_2A\_n66A BW20(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.067	-50.38	-20.34	-13.0	37.38	141.00	Horizontal	Horizontal	Pass
1836.100	-31.38	1.58	-13.0	18.38	313.00	Horizontal	Horizontal	Pass
1943.000	-20.46	1.83	-13.0	7.46	255.00	Horizontal	Horizontal	N/A
2117.000	-29.56	3.48	-13.0	16.56	242.00	Horizontal	Horizontal	N/A
7464.000	-40.91	13.83	-13.0	27.91	103.00	Horizontal	Horizontal	Pass
13801.838	-39.28	16.97	-13.0	26.28	6.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.164	-49.73	-20.71	-13.0	36.73	132.00	Vertical	Horizontal	Pass
1832.400	-45.88	1.19	-13.0	32.88	-1.00	Vertical	Horizontal	Pass
1934.500	-33.95	2.04	-13.0	20.95	146.00	Vertical	Horizontal	N/A
2116.700	-42.14	3.45	-13.0	29.14	325.00	Vertical	Horizontal	Pass
7599.000	-39.73	13.83	-13.0	26.73	69.00	Vertical	Horizontal	Pass
11952.238	-39.38	14.00	-13.0	26.38	106.00	Vertical	Horizontal	Pass


## 62.2 DC\_2A\_n66A BW20(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
30.922	-50.34	-19.96	-13.0	37.34	141.00	Horizontal	Horizontal	Pass
1986.300	-21.88	1.53	-13.0	8.88	270.00	Horizontal	Horizontal	N/A
2154.400	-32.09	3.66	-13.0	19.09	257.00	Horizontal	Horizontal	N/A
5899.000	-42.19	10.37	-13.0	29.19	89.00	Horizontal	Horizontal	Pass
11984.775	-40.56	13.88	-13.0	27.56	152.00	Horizontal	Horizontal	Pass
20021.400	-41.87	12.95	-13.0	28.87	-1.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_2A\_n66A BW20(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
31.358	-50.15	-21.44	-13.0	37.15	197.00	Vertical	Horizontal	Pass
1982.600	-37.38	1.53	-13.0	24.38	129.00	Vertical	Horizontal	N/A
2154.700	-40.65	3.67	-13.0	27.65	14.00	Vertical	Horizontal	N/A
7112.500	-41.07	13.77	-13.0	28.07	157.00	Vertical	Horizontal	Pass
13386.037	-39.53	16.88	-13.0	26.53	243.00	Vertical	Horizontal	Pass
20110.199	-40.99	12.96	-13.0	27.99	40.00	Vertical	Horizontal	Pass



63 DC\_5A\_n66A


63.1 DC\_5A\_n66A BW10(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.964	-46.78	4.45	-13.0	33.78	313.00	Horizontal	Horizontal	N/A
871.281	-32.78	4.35	-13.0	19.78	47.00	Horizontal	Horizontal	N/A
1711.500	-28.75	2.48	-13.0	15.75	81.00	Horizontal	Horizontal	N/A
2118.300	-24.28	4.16	-13.0	11.28	357.00	Horizontal	Horizontal	N/A
7221.750	-41.02	13.94	-13.0	28.02	43.00	Horizontal	Horizontal	Pass
13810.500	-39.10	16.76	-13.0	26.10	1.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.964	-46.49	4.45	-13.0	33.49	288.00	Vertical	Horizontal	N/A
878.362	-32.93	4.12	-13.0	19.93	229.00	Vertical	Horizontal	N/A
1711.700	-38.78	2.47	-13.0	25.78	299.00	Vertical	Horizontal	N/A
2116.400	-38.12	3.99	-13.0	25.12	190.00	Vertical	Horizontal	N/A
3422.000	-45.33	3.83	-13.0	32.33	273.00	Vertical	Horizontal	Pass
13384.724	-39.18	16.87	-13.0	26.18	1.00	Vertical	Horizontal	Pass


### 63.2 DC\_5A\_n66A BW10(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
852.463	-37.55	4.55	-13.0	24.55	284.00	Horizontal	Horizontal	Pass
893.397	-32.09	4.76	-13.0	19.09	220.00	Horizontal	Horizontal	N/A
1793.300	-34.07	1.45	-13.0	21.07	80.00	Horizontal	Horizontal	Pass
2156.700	-24.73	4.26	-13.0	11.73	151.00	Horizontal	Horizontal	N/A
7163.500	-40.09	13.90	-13.0	27.09	78.00	Horizontal	Horizontal	Pass
13347.713	-39.17	16.45	-13.0	26.17	1.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_5A\_n66A BW10(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
853.094	-35.72	4.53	-13.0	22.72	283.00	Vertical	Horizontal	Pass
891.312	-32.16	4.70	-13.0	19.16	225.00	Vertical	Horizontal	N/A
1686.300	-48.17	0.92	-13.0	35.17	0.00	Vertical	Horizontal	Pass
2166.500	-36.26	4.18	-13.0	23.26	216.00	Vertical	Horizontal	N/A
3501.750	-48.04	5.21	-13.0	35.04	111.00	Vertical	Horizontal	Pass
13384.724	-39.64	16.87	-13.0	26.64	1.00	Vertical	Horizontal	Pass

64 DC\_7A\_n66A


64.1 DC\_7A\_n66A BW20(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.636	-53.40	-18.97	-25.0	28.40	269.00	Horizontal	Horizontal	Pass
1698.400	-31.40	1.35	-25.0	6.40	64.00	Horizontal	Horizontal	N/A
2129.400	-24.38	3.85	-25.0	-0.62	347.00	Horizontal	Horizontal	N/A
2491.900	-25.88	7.09	-25.0	0.88	225.00	Horizontal	Horizontal	N/A
2624.100	-26.25	6.17	-25.0	1.25	38.00	Horizontal	Horizontal	N/A
13375.799	-39.02	16.78	-25.0	14.02	185.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.921	-50.80	-19.39	-25.0	25.80	189.00	Vertical	Horizontal	Pass
1698.400	-41.91	1.35	-25.0	16.91	205.00	Vertical	Horizontal	N/A
2114.900	-36.89	3.46	-25.0	11.89	186.00	Vertical	Horizontal	N/A
2623.700	-39.17	6.12	-25.0	14.17	251.00	Vertical	Horizontal	N/A
3421.750	-45.16	3.80	-25.0	20.16	274.00	Vertical	Horizontal	Pass
13353.224	-39.72	16.57	-25.0	14.72	288.00	Vertical	Horizontal	Pass


### 64.2 DC\_7A\_n66A BW20(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.461	-52.29	-19.22	-25.0	27.29	271.00	Horizontal	Horizontal	Pass
1751.500	-40.84	0.92	-25.0	15.84	63.00	Horizontal	Horizontal	N/A
2172.700	-26.32	3.76	-25.0	1.32	361.00	Horizontal	Horizontal	N/A
2551.900	-35.04	7.52	-25.0	10.04	269.00	Horizontal	Horizontal	N/A
2674.600	-26.76	7.32	-25.0	1.76	224.00	Horizontal	Horizontal	N/A
13387.612	-39.03	16.89	-25.0	14.03	-1.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_7A\_n66A BW20(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.394	-50.70	-18.90	-25.0	25.70	204.00	Vertical	Horizontal	Pass
2155.400	-38.62	3.80	-25.0	13.62	217.00	Vertical	Horizontal	N/A
2673.700	-38.39	7.23	-25.0	13.39	224.00	Vertical	Horizontal	N/A
3502.250	-48.15	5.18	-25.0	23.15	109.00	Vertical	Horizontal	Pass
7964.250	-39.83	15.11	-25.0	14.83	19.00	Vertical	Horizontal	Pass
13361.887	-39.02	16.65	-25.0	14.02	214.00	Vertical	Horizontal	Pass



65 DC\_12A\_n66A


65.1 DC\_12A\_n66A BW10(LTE)+BW30(NR), QPSK, Low Chanel

RSE-H&H DC\_12A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.655	-54.17	-17.89	-13.0	41.17	263.00	Horizontal	Horizontal	Pass
699.542	-28.46	1.05	-13.0	15.46	238.00	Horizontal	Horizontal	N/A
1711.400	-42.42	2.48	-13.0	29.42	15.00	Horizontal	Horizontal	N/A
2114.600	-38.94	3.87	-13.0	25.94	202.00	Horizontal	Horizontal	N/A
3422.000	-46.67	3.83	-13.0	33.67	239.00	Horizontal	Horizontal	Pass
11987.387	-39.48	13.87	-13.0	26.48	98.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_12A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.521	-50.50	-17.56	-13.0	37.50	188.00	Vertical	Horizontal	Pass
699.591	-34.75	1.04	-13.0	21.75	212.00	Vertical	Horizontal	N/A
1700.300	-39.61	2.61	-13.0	26.61	49.00	Vertical	Horizontal	Pass
2132.800	-38.73	4.20	-13.0	25.73	125.00	Vertical	Horizontal	N/A
3422.000	-46.36	3.83	-13.0	33.36	112.00	Vertical	Horizontal	Pass
13377.901	-39.17	16.80	-13.0	26.17	87.00	Vertical	Horizontal	Pass


### 65.2 DC\_12A\_n66A BW10(LTE)+BW30(NR), QPSK, High Chanel

RSE-H&H DC\_12A\_n66A BW10(LTE)+BW30(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.315	-52.71	-17.76	-13.0	39.71	259.00	Horizontal	Horizontal	Pass
706.672	-36.61	1.11	-13.0	23.61	239.00	Horizontal	Horizontal	N/A
1751.600	-43.38	2.02	-13.0	30.38	83.00	Horizontal	Horizontal	N/A
2152.100	-25.06	4.18	-13.0	12.06	162.00	Horizontal	Horizontal	N/A
3502.000	-46.75	5.20	-13.0	33.75	178.00	Horizontal	Horizontal	Pass
12724.588	-39.96	14.75	-13.0	26.96	56.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_12A\_n66A BW10(LTE)+BW30(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.909	-57.74	-17.46	-13.0	44.74	169.00	Vertical	Horizontal	Pass
706.575	-46.93	1.11	-13.0	33.93	215.00	Vertical	Horizontal	N/A
2178.100	-39.82	4.08	-13.0	26.82	126.00	Vertical	Horizontal	N/A
3501.750	-45.67	5.21	-13.0	32.67	273.00	Vertical	Horizontal	Pass
8754.062	-39.19	9.86	-13.0	26.19	75.00	Vertical	Horizontal	Pass
13384.463	-39.18	16.86	-13.0	26.18	212.00	Vertical	Horizontal	Pass

66 DC\_2A\_n7A


66.1 DC\_2A\_n7A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_2A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.897	-53.98	-19.30	-25.0	28.98	125.00	Horizontal	Horizontal	Pass
1836.200	-35.13	0.92	-25.0	10.13	57.00	Horizontal	Horizontal	Pass
1945.700	-23.28	2.16	-25.0	-1.72	172.00	Horizontal	Horizontal	N/A
2501.300	-37.46	6.95	-25.0	12.46	108.00	Horizontal	Horizontal	N/A
2622.300	-27.51	5.87	-25.0	2.51	31.00	Horizontal	Horizontal	N/A
13380.787	-39.26	16.83	-25.0	14.26	62.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_2A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.242	-49.45	-19.55	-25.0	24.45	204.00	Vertical	Horizontal	Pass
1841.900	-44.80	1.75	-25.0	19.80	249.00	Vertical	Horizontal	Pass
1933.500	-37.08	2.60	-25.0	12.08	38.00	Vertical	Horizontal	N/A
2634.800	-40.48	6.67	-25.0	15.48	211.00	Vertical	Horizontal	N/A
7360.750	-40.41	14.42	-25.0	15.41	215.00	Vertical	Horizontal	Pass
10002.838	-34.78	10.92	-25.0	9.78	23.00	Vertical	Horizontal	Pass


66.2 DC\_2A\_n7A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_2A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.946	-52.47	-19.31	-25.0	27.47	237.00	Horizontal	Horizontal	Pass
1982.300	-20.83	1.74	-25.0	-4.17	352.00	Horizontal	Horizontal	N/A
2555.600	-33.31	7.49	-25.0	8.31	101.00	Horizontal	Horizontal	N/A
2673.700	-28.44	7.54	-25.0	3.44	229.00	Horizontal	Horizontal	N/A
7225.000	-39.91	14.15	-25.0	14.91	360.00	Horizontal	Horizontal	Pass
13342.725	-39.03	16.25	-25.0	14.03	338.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_2A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.775	-50.40	-19.42	-25.0	25.40	194.00	Vertical	Horizontal	Pass
1988.800	-38.63	1.66	-25.0	13.63	117.00	Vertical	Horizontal	N/A
2675.900	-40.28	7.58	-25.0	15.28	219.00	Vertical	Horizontal	N/A
7250.000	-40.40	14.56	-25.0	15.40	215.00	Vertical	Horizontal	Pass
10202.812	-33.41	11.10	-25.0	8.41	23.00	Vertical	Horizontal	Pass
19751.426	-41.98	12.94	-25.0	16.98	96.00	Vertical	Horizontal	Pass



67 DC\_5A\_n7A


67.1 DC\_5A\_n7A BW10(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.624	-44.42	4.43	-25.0	19.42	223.00	Horizontal	Horizontal	N/A
876.665	-57.08	3.97	-25.0	32.08	293.00	Horizontal	Horizontal	N/A
1650.100	-38.97	-0.10	-25.0	13.97	360.00	Horizontal	Horizontal	Pass
2474.600	-22.97	6.79	-25.0	-2.03	197.00	Horizontal	Horizontal	N/A
4123.500	-34.99	7.07	-25.0	9.99	42.00	Horizontal	Horizontal	Pass
13380.000	-39.31	16.82	-25.0	14.31	88.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.575	-51.97	4.43	-25.0	26.97	291.00	Vertical	Horizontal	N/A
869.632	-50.39	4.45	-25.0	25.39	6.00	Vertical	Horizontal	N/A
1650.600	-40.33	-0.19	-25.0	15.33	82.00	Vertical	Horizontal	Pass
2474.400	-37.96	6.71	-25.0	12.96	43.00	Vertical	Horizontal	Pass
4123.250	-47.44	7.08	-25.0	22.44	215.00	Vertical	Horizontal	Pass
10003.075	-31.12	10.93	-25.0	6.12	124.00	Vertical	Horizontal	Pass

### 67.2 DC\_5A\_n7A BW10(LTE)+BW20(NR), QPSK, High Chanel


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.659	-40.06	5.02	-25.0	15.06	317.00	Horizontal	Horizontal	N/A
887.625	-54.17	4.58	-25.0	29.17	261.00	Horizontal	Horizontal	N/A
1679.200	-38.73	0.38	-25.0	13.73	84.00	Horizontal	Horizontal	Pass
2551.200	-39.22	9.47	-25.0	14.22	39.00	Horizontal	Horizontal	N/A
4198.500	-29.11	6.86	-25.0	4.11	193.00	Horizontal	Horizontal	N/A
4198.500*	-43.752	6.86	-25.0	18.752	193.00	Horizontal	Horizontal	Pass
13408.349	-38.49	16.83	-25.0	13.49	1.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
839.659	-50.36	5.02	-25.0	25.36	0.00	Vertical	Horizontal	N/A
871.426	-52.73	4.35	-25.0	27.73	122.00	Vertical	Horizontal	N/A
1679.900	-35.27	0.41	-25.0	10.27	195.00	Vertical	Horizontal	Pass
4198.250	-43.04	6.87	-25.0	18.04	78.00	Vertical	Horizontal	Pass
10202.575	-33.56	11.11	-25.0	8.56	121.00	Vertical	Horizontal	Pass
17999.739	-42.80	12.86	-25.0	17.80	337.00	Vertical	Horizontal	Pass

68 DC\_66A\_n7A


68.1 DC\_66A\_n7A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-30.05	1.26	-25.0	5.05	260.00	Horizontal	Horizontal	N/A
2128.400	-21.26	3.82	-25.0	-3.74	337.00	Horizontal	Horizontal	N/A
2501.200	-38.89	7.13	-25.0	13.89	279.00	Horizontal	Horizontal	N/A
2626.800	-28.01	6.15	-25.0	3.01	41.00	Horizontal	Horizontal	N/A
7221.250	-39.13	13.89	-25.0	14.13	252.00	Horizontal	Horizontal	Pass
13334.062	-39.51	15.91	-25.0	14.51	-1.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.782	-49.85	-19.01	-25.0	24.85	214.00	Vertical	Horizontal	Pass
1702.400	-31.06	1.35	-25.0	6.06	190.00	Vertical	Horizontal	N/A
2129.000	-36.70	3.84	-25.0	11.70	261.00	Vertical	Horizontal	N/A
2637.100	-40.61	7.24	-25.0	15.61	113.00	Vertical	Horizontal	N/A
7227.250	-40.50	14.20	-25.0	15.50	102.00	Vertical	Horizontal	Pass
13400.475	-39.17	17.00	-25.0	14.17	160.00	Vertical	Horizontal	Pass


### 68.2 DC\_66A\_n7A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.994	-51.62	-19.32	-25.0	26.62	104.00	Horizontal	Horizontal	Pass
1761.900	-38.76	0.89	-25.0	13.76	261.00	Horizontal	Horizontal	N/A
2173.100	-24.10	3.73	-25.0	-0.90	151.00	Horizontal	Horizontal	N/A
2555.500	-33.76	7.50	-25.0	8.76	68.00	Horizontal	Horizontal	N/A
2673.800	-28.62	7.25	-25.0	3.62	151.00	Horizontal	Horizontal	N/A
13423.050	-39.46	16.50	-25.0	14.46	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.000	-45.95	0.89	-25.0	20.95	230.00	Vertical	Horizontal	N/A
2169.000	-34.21	3.70	-25.0	9.21	217.00	Vertical	Horizontal	N/A
2676.400	-41.05	7.48	-25.0	16.05	230.00	Vertical	Horizontal	N/A
3523.000	-46.58	5.18	-25.0	21.58	216.00	Vertical	Horizontal	Pass
7652.250	-37.94	13.63	-25.0	12.94	67.00	Vertical	Horizontal	Pass
10202.575	-36.10	11.11	-25.0	11.10	170.00	Vertical	Horizontal	Pass



69 DC\_7A\_n5A


69.1 DC\_7A\_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-44.53	4.43	-25.0	19.53	333.00	Horizontal	Horizontal	N/A
870.505	-36.60	4.25	-25.0	11.60	321.00	Horizontal	Horizontal	N/A
2485.900	-32.51	7.88	-25.0	7.51	193.00	Horizontal	Horizontal	N/A
2625.400	-26.22	6.86	-25.0	1.22	226.00	Horizontal	Horizontal	N/A
7504.000	-39.48	13.71	-25.0	14.48	296.00	Horizontal	Horizontal	Pass
13394.437	-39.55	16.96	-25.0	14.55	261.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-54.89	4.43	-25.0	29.89	125.00	Vertical	Horizontal	N/A
869.826	-33.86	4.40	-25.0	8.86	348.00	Vertical	Horizontal	N/A
2635.900	-37.57	7.26	-25.0	12.57	142.00	Vertical	Horizontal	N/A
7503.750	-37.74	13.68	-25.0	12.74	66.00	Vertical	Horizontal	Pass
10005.213	-38.13	11.04	-25.0	13.13	242.00	Vertical	Horizontal	Pass
19888.200	-42.96	12.95	-25.0	17.96	273.00	Vertical	Horizontal	Pass


69.2 DC\_7A\_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-54.06	4.63	-25.0	29.06	319.00	Horizontal	Horizontal	N/A
877.343	-43.24	4.01	-25.0	18.24	319.00	Horizontal	Horizontal	N/A
2551.800	-35.25	9.47	-25.0	10.25	57.00	Horizontal	Horizontal	N/A
2672.900	-27.91	7.74	-25.0	2.91	214.00	Horizontal	Horizontal	N/A
7266.500	-40.84	14.67	-25.0	15.84	360.00	Horizontal	Horizontal	Pass
13354.537	-39.06	16.58	-25.0	14.06	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-55.39	4.63	-25.0	30.39	127.00	Vertical	Horizontal	N/A
886.753	-35.37	4.48	-25.0	10.37	131.00	Vertical	Horizontal	N/A
2672.400	-38.21	7.75	-25.0	13.21	131.00	Vertical	Horizontal	N/A
7653.750	-37.85	13.66	-25.0	12.85	67.00	Vertical	Horizontal	Pass
10205.187	-34.01	10.99	-25.0	9.01	23.00	Vertical	Horizontal	Pass
17944.875	-41.91	13.97	-25.0	16.91	1.00	Vertical	Horizontal	Pass

70 DC\_66A\_n5A


70.1 DC\_66A\_n5A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.479	-56.07	4.43	-13.0	43.07	299.00	Horizontal	Horizontal	N/A
1711.900	-33.40	2.47	-13.0	20.40	66.00	Horizontal	Horizontal	N/A
2120.700	-40.83	4.09	-13.0	27.83	248.00	Horizontal	Horizontal	N/A
2474.600	-28.73	5.87	-13.0	15.73	53.00	Horizontal	Horizontal	Pass
3360.750	-31.51	4.78	-13.0	18.51	307.00	Horizontal	Horizontal	Pass
4123.000	-43.79	7.09	-13.0	30.79	47.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.527	-53.74	4.43	-13.0	40.74	111.00	Vertical	Horizontal	N/A
870.796	-49.04	4.29	-13.0	36.04	161.00	Vertical	Horizontal	N/A
1712.000	-38.42	2.47	-13.0	25.42	75.00	Vertical	Horizontal	N/A
2474.500	-32.30	5.84	-13.0	19.30	43.00	Vertical	Horizontal	Pass
3360.750	-37.64	4.78	-13.0	24.64	115.00	Vertical	Horizontal	Pass
7818.750	-40.50	15.35	-13.0	27.50	115.00	Vertical	Horizontal	Pass


### 70.2 DC\_66A\_n5A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.571	-44.32	4.63	-13.0	31.32	228.00	Horizontal	Horizontal	N/A
875.840	-57.18	4.09	-13.0	44.18	278.00	Horizontal	Horizontal	N/A
1761.800	-31.37	1.97	-13.0	18.37	61.00	Horizontal	Horizontal	N/A
2171.100	-40.53	4.03	-13.0	27.53	231.00	Horizontal	Horizontal	N/A
2489.400	-25.45	5.61	-13.0	12.45	42.00	Horizontal	Horizontal	Pass
3420.750	-35.27	3.71	-13.0	22.27	47.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_66A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
829.522	-56.45	4.62	-13.0	43.45	222.00	Vertical	Horizontal	N/A
877.052	-58.52	3.99	-13.0	45.52	57.00	Vertical	Horizontal	N/A
1761.900	-43.87	1.97	-13.0	30.87	83.00	Vertical	Horizontal	N/A
2489.400	-38.84	5.61	-13.0	25.84	122.00	Vertical	Horizontal	Pass
7360.500	-40.31	14.46	-13.0	27.31	81.00	Vertical	Horizontal	Pass
12656.425	-40.17	14.34	-13.0	27.17	200.00	Vertical	Horizontal	Pass



71 DC\_2A\_n71A


71.1 DC\_2A\_n71A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_2A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
620.294	-42.26	-0.26	-13.0	29.26	183.00	Horizontal	Horizontal	N/A
658.706	-36.90	2.65	-13.0	23.90	232.00	Horizontal	Horizontal	N/A
1841.800	-29.64	2.08	-13.0	16.64	116.00	Horizontal	Horizontal	N/A
1937.500	-20.78	2.59	-13.0	7.78	337.00	Horizontal	Horizontal	N/A
7223.500	-40.27	14.07	-13.0	27.27	229.00	Horizontal	Horizontal	Pass
12459.062	-39.67	14.35	-13.0	26.67	360.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_2A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
618.499	-37.39	-0.35	-13.0	24.39	240.00	Vertical	Horizontal	N/A
660.403	-45.80	2.69	-13.0	32.80	287.00	Vertical	Horizontal	N/A
1841.900	-46.30	2.08	-13.0	33.30	56.00	Vertical	Horizontal	N/A
1934.600	-34.63	2.78	-13.0	21.63	324.00	Vertical	Horizontal	N/A
7220.000	-39.98	14.07	-13.0	26.98	134.00	Vertical	Horizontal	Pass
13382.362	-39.49	16.84	-13.0	26.49	12.00	Vertical	Horizontal	Pass


### 71.2 DC\_2A\_n71A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_2A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
651.140	-41.22	1.32	-13.0	28.22	178.00	Horizontal	Horizontal	N/A
678.494	-42.26	1.76	-13.0	29.26	312.00	Horizontal	Horizontal	N/A
1981.900	-20.52	2.12	-13.0	7.52	170.00	Horizontal	Horizontal	N/A
7943.750	-40.42	15.03	-13.0	27.42	111.00	Horizontal	Horizontal	Pass
10054.612	-41.82	13.13	-13.0	28.82	175.00	Horizontal	Horizontal	Pass
13345.613	-39.47	16.37	-13.0	26.47	135.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_2A\_n71A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.146	-39.31	-0.35	-13.0	26.31	207.00	Vertical	Horizontal	N/A
678.494	-50.01	1.76	-13.0	37.01	4.00	Vertical	Horizontal	N/A
1979.900	-36.42	2.09	-13.0	23.42	349.00	Vertical	Horizontal	N/A
7565.250	-38.84	13.70	-13.0	25.84	63.00	Vertical	Horizontal	Pass
9456.349	-36.20	11.49	-13.0	23.20	19.00	Vertical	Horizontal	Pass
11931.338	-39.22	13.98	-13.0	26.22	19.00	Vertical	Horizontal	Pass

72.1 DC\_66A\_n71A


72.1 DC\_66A\_n71A BW20(LTE)+BW20(NR), QPSK, Low Chanel

RSE-H&H DC\_66A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
617.820	-43.29	-0.39	-13.0	30.29	170.00	Horizontal	Horizontal	N/A
659.385	-38.45	2.68	-13.0	25.45	326.00	Horizontal	Horizontal	Pass
1711.900	-29.52	2.47	-13.0	16.52	71.00	Horizontal	Horizontal	N/A
2128.100	-21.41	4.22	-13.0	8.41	344.00	Horizontal	Horizontal	N/A
3422.750	-47.21	3.81	-13.0	34.21	321.00	Horizontal	Horizontal	Pass
13393.651	-39.36	16.95	-13.0	26.36	1.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_66A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
621.360	-36.13	-0.33	-13.0	23.13	208.00	Vertical	Horizontal	N/A
660.354	-48.18	2.69	-13.0	35.18	64.00	Vertical	Horizontal	Pass
1695.800	-40.28	1.62	-13.0	27.28	0.00	Vertical	Horizontal	Pass
2126.500	-35.62	4.15	-13.0	22.62	265.00	Vertical	Horizontal	N/A
3422.750	-46.24	3.81	-13.0	33.24	251.00	Vertical	Horizontal	Pass
13354.276	-39.44	16.58	-13.0	26.44	0.00	Vertical	Horizontal	Pass


## 72.2 DC\_66A\_n71A BW20(LTE)+BW20(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n71A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
651.479	-47.88	1.34	-13.0	34.88	183.00	Horizontal	Horizontal	Pass
678.542	-51.41	1.76	-13.0	38.41	238.00	Horizontal	Horizontal	N/A
1761.900	-32.50	1.97	-13.0	19.50	70.00	Horizontal	Horizontal	N/A
2166.100	-23.63	4.14	-13.0	10.63	154.00	Horizontal	Horizontal	N/A
3522.750	-47.83	5.20	-13.0	34.83	334.00	Horizontal	Horizontal	Pass
13386.037	-39.27	16.88	-13.0	26.27	0.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_66A\_n71A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
638.142	-39.26	-0.24	-13.0	26.26	190.00	Vertical	Horizontal	N/A
678.494	-48.40	1.76	-13.0	35.40	351.00	Vertical	Horizontal	N/A
1762.100	-46.14	1.97	-13.0	33.14	215.00	Vertical	Horizontal	N/A
2173.200	-35.42	4.16	-13.0	22.42	215.00	Vertical	Horizontal	N/A
3523.000	-47.30	5.18	-13.0	34.30	113.00	Vertical	Horizontal	Pass
13352.438	-39.26	16.56	-13.0	26.26	-1.00	Vertical	Horizontal	Pass



73 DC\_2A\_n41A


73.1 DC\_2A\_n41A BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_2A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1749.400	-48.92	-0.50	-25.0	23.92	71.00	Horizontal	Horizontal	Pass
1841.800	-31.41	1.75	-25.0	6.41	244.00	Horizontal	Horizontal	N/A
1932.900	-20.33	2.68	-25.0	-4.67	257.00	Horizontal	Horizontal	N/A
2586.000	-34.00	7.32	-25.0	9.00	199.00	Horizontal	Horizontal	N/A
7157.250	-40.26	13.82	-25.0	15.26	45.00	Horizontal	Horizontal	Pass
13375.799	-39.66	16.78	-25.0	14.66	337.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_2A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1940.200	-36.97	1.81	-25.0	11.97	262.00	Vertical	Horizontal	N/A
2989.600	-43.71	10.63	-25.0	18.71	87.00	Vertical	Horizontal	Pass
3703.000	-48.98	5.46	-25.0	23.98	210.00	Vertical	Horizontal	Pass
5030.750	-46.00	8.92	-25.0	21.00	115.00	Vertical	Horizontal	Pass
13371.338	-38.69	16.74	-25.0	13.69	316.00	Vertical	Horizontal	Pass
20451.600	-41.81	12.98	-25.0	16.81	45.00	Vertical	Horizontal	Pass


### 73.2 DC\_2A\_n41A BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_2A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1976.300	-21.08	1.56	-25.0	-3.92	261.00	Horizontal	Horizontal	N/A
2591.900	-24.03	6.62	-25.0	-0.97	116.00	Horizontal	Horizontal	N/A
4888.000	-47.90	8.33	-25.0	22.90	147.00	Horizontal	Horizontal	Pass
10043.688	-41.85	12.96	-25.0	16.85	242.00	Horizontal	Horizontal	Pass
13377.375	-39.73	16.80	-25.0	14.73	146.00	Horizontal	Horizontal	Pass
17819.662	-42.48	12.67	-25.0	17.48	116.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_2A\_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1974.700	-35.81	1.81	-25.0	10.81	330.00	Vertical	Horizontal	N/A
2591.800	-38.10	6.62	-25.0	13.10	336.00	Vertical	Horizontal	N/A
3783.000	-49.47	6.14	-25.0	24.47	214.00	Vertical	Horizontal	Pass
10062.213	-41.60	12.88	-25.0	16.60	91.00	Vertical	Horizontal	Pass
13426.987	-39.36	16.42	-25.0	14.36	344.00	Vertical	Horizontal	Pass
17775.825	-42.68	11.70	-25.0	17.68	361.00	Vertical	Horizontal	Pass

74 DC\_66A\_n41A


74.1 DC\_66A\_n41A BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_66A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-29.84	1.26	-25.0	4.84	75.00	Horizontal	Horizontal	N/A
2125.800	-22.01	3.69	-25.0	-2.99	245.00	Horizontal	Horizontal	N/A
2593.700	-34.75	6.70	-25.0	9.75	201.00	Horizontal	Horizontal	N/A
7222.500	-39.39	14.13	-25.0	14.39	257.00	Horizontal	Horizontal	Pass
13370.025	-39.12	16.73	-25.0	14.12	163.00	Horizontal	Horizontal	Pass
17825.438	-42.59	12.51	-25.0	17.59	357.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_66A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.900	-42.98	1.26	-25.0	17.98	38.00	Vertical	Horizontal	N/A
2128.700	-36.52	3.83	-25.0	11.52	314.00	Vertical	Horizontal	N/A
5133.500	-45.00	9.02	-25.0	20.00	160.00	Vertical	Horizontal	Pass
7580.000	-39.92	14.37	-25.0	14.92	160.00	Vertical	Horizontal	Pass
13411.500	-39.39	16.76	-25.0	14.39	356.00	Vertical	Horizontal	Pass
17798.136	-41.61	13.08	-25.0	16.61	241.00	Vertical	Horizontal	Pass


### 74.2 DC\_66A\_n41A BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_66A\_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1761.900	-34.89	1.04	-25.0	9.89	244.00	Horizontal	Horizontal	N/A
2165.600	-22.42	3.64	-25.0	-2.58	250.00	Horizontal	Horizontal	N/A
2592.000	-25.15	6.90	-25.0	0.15	115.00	Horizontal	Horizontal	N/A
3856.750	-49.32	7.20	-25.0	24.32	0.00	Horizontal	Horizontal	Pass
13374.224	-39.59	16.77	-25.0	14.59	-3.00	Horizontal	Horizontal	Pass
17965.089	-42.06	13.72	-25.0	17.06	244.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_66A\_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1762.100	-50.01	1.04	-25.0	25.01	102.00	Vertical	Horizontal	N/A
2165.300	-34.90	3.58	-25.0	9.90	321.00	Vertical	Horizontal	N/A
2592.000	-38.65	6.90	-25.0	13.65	335.00	Vertical	Horizontal	N/A
3522.750	-45.85	5.20	-25.0	20.85	195.00	Vertical	Horizontal	Pass
4891.500	-46.62	8.37	-25.0	21.62	360.00	Vertical	Horizontal	Pass
13383.412	-39.18	16.85	-25.0	14.18	123.00	Vertical	Horizontal	Pass



75 DC\_18A\_n77A (3450-3550)


75.1 DC\_18A\_n77A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n77A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-35.17	4.25	-13.0	22.17	66.00	Horizontal	Horizontal	N/A
861.920	-35.00	4.25	-13.0	22.00	325.00	Horizontal	Horizontal	N/A
3417.750	-43.50	13.35	-13.0	30.50	112.00	Horizontal	Horizontal	N/A
6008.500	-35.99	18.67	-13.0	22.99	352.00	Horizontal	Horizontal	Pass
12557.862	-39.29	13.96	-13.0	26.29	296.00	Horizontal	Horizontal	Pass
19726.199	-43.17	12.94	-13.0	30.17	232.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n77A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.894	-44.99	4.25	-13.0	31.99	174.00	Vertical	Horizontal	N/A
866.479	-36.91	4.27	-13.0	23.91	127.00	Vertical	Horizontal	N/A
3505.750	-42.80	13.20	-13.0	29.80	240.00	Vertical	Horizontal	N/A
7591.000	-31.29	22.84	-13.0	18.29	97.00	Vertical	Horizontal	Pass
12017.075	-39.84	13.28	-13.0	26.84	314.00	Vertical	Horizontal	Pass
19772.551	-42.93	12.94	-13.0	29.93	252.00	Vertical	Horizontal	Pass

76 DC\_18A\_n77A (3550-3700)


76.1 DC\_18A\_n77A (3550-3700)BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
867.886	-53.38	-0.99	-40.0	13.38	360.00	Horizontal	Horizontal	N/A
1270.400	-58.42	-5.56	-40.0	18.42	132.00	Horizontal	Horizontal	Pass
3551.000	-44.10	12.95	-40.0	4.10	47.00	Horizontal	Horizontal	N/A
3649.000	-31.42	11.04	-40.0	-8.58	81.00	Horizontal	Horizontal	N/A
7228.500	-45.42	23.00	-40.0	5.42	170.00	Horizontal	Horizontal	Pass
11960.075	-52.97	14.03	-40.0	12.97	133.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_18A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-43.45	-19.83	-40.0	3.45	161.00	Vertical	Horizontal	Pass
867.789	-53.48	-1.00	-40.0	13.48	218.00	Vertical	Horizontal	N/A
3649.000	-51.00	11.04	-40.0	11.00	362.00	Vertical	Horizontal	N/A
6646.500	-47.40	21.41	-40.0	7.40	312.00	Vertical	Horizontal	Pass
13393.125	-53.39	16.95	-40.0	13.39	-3.00	Vertical	Horizontal	Pass
17806.537	-56.25	13.02	-40.0	16.25	337.00	Vertical	Horizontal	Pass


76.2 DC\_18A\_n77A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_18A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.678	-56.17	-19.45	-40.0	16.17	158.00	Horizontal	Horizontal	Pass
869.487	-47.54	-0.89	-40.0	7.54	339.00	Horizontal	Horizontal	N/A
3601.000	-44.57	13.18	-40.0	4.57	276.00	Horizontal	Horizontal	N/A
3650.000	-37.64	10.92	-40.0	-2.36	57.00	Horizontal	Horizontal	N/A
3699.000	-27.75	11.02	-40.0	-12.25	80.00	Horizontal	Horizontal	N/A
13363.724	-53.58	16.67	-40.0	13.58	111.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n77A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.185	-44.19	-19.36	-40.0	4.19	346.00	Vertical	Horizontal	Pass
867.789	-50.90	-1.00	-40.0	10.90	104.00	Vertical	Horizontal	N/A
2956.500	-50.17	4.16	-40.0	10.17	141.00	Vertical	Horizontal	Pass
3699.000	-42.13	11.02	-40.0	2.13	107.00	Vertical	Horizontal	N/A
7275.500	-45.40	23.46	-40.0	5.40	39.00	Vertical	Horizontal	Pass
13340.888	-52.73	16.18	-40.0	12.73	316.00	Vertical	Horizontal	Pass

77 DC\_18A\_n77A (3700-3980)


77.1 DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.797	-35.99	4.25	-13.0	22.99	62.00	Horizontal	Horizontal	N/A
866.625	-32.44	4.26	-13.0	19.44	331.00	Horizontal	Horizontal	N/A
2448.400	-42.43	-1.22	-13.0	29.43	25.00	Horizontal	Horizontal	Pass
4964.000	-39.56	16.09	-13.0	26.56	292.00	Horizontal	Horizontal	Pass
7249.000	-30.54	23.95	-13.0	17.54	30.00	Horizontal	Horizontal	Pass
13380.525	-39.14	16.83	-13.0	26.14	162.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.797	-46.28	4.25	-13.0	33.28	193.00	Vertical	Horizontal	N/A
861.678	-34.32	4.25	-13.0	21.32	139.00	Vertical	Horizontal	N/A
2135.800	-54.33	-2.08	-13.0	41.33	267.00	Vertical	Horizontal	Pass
3852.250	-42.50	13.26	-13.0	29.50	335.00	Vertical	Horizontal	N/A
7254.000	-31.78	23.69	-13.0	18.78	106.00	Vertical	Horizontal	Pass
13376.588	-39.61	16.79	-13.0	26.61	196.00	Vertical	Horizontal	Pass




77.2 DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.943	-37.16	4.25	-13.0	24.16	143.00	Horizontal	Horizontal	N/A
864.588	-32.95	4.20	-13.0	19.95	326.00	Horizontal	Horizontal	N/A
2448.400	-45.77	-1.22	-13.0	32.77	307.00	Horizontal	Horizontal	Pass
4210.250	-41.03	14.94	-13.0	28.03	238.00	Horizontal	Horizontal	Pass
13366.875	-39.90	16.70	-13.0	26.90	247.00	Horizontal	Horizontal	Pass
17952.225	-42.20	14.03	-13.0	29.20	136.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n77A (3700-3980) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-47.00	4.25	-13.0	34.00	176.00	Vertical	Horizontal	N/A
865.946	-35.05	4.21	-13.0	22.05	138.00	Vertical	Horizontal	N/A
4057.000	-41.00	14.88	-13.0	28.00	360.00	Vertical	Horizontal	N/A
6638.500	-33.20	21.39	-13.0	20.20	29.00	Vertical	Horizontal	Pass
11908.062	-38.44	13.95	-13.0	25.44	235.00	Vertical	Horizontal	Pass
17951.699	-41.92	14.05	-13.0	28.92	314.00	Vertical	Horizontal	Pass

78 DC\_19A\_n77A (3450-3550)


78.1 DC\_19A\_n77A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_19A\_n77A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-44.09	4.67	-13.0	31.09	295.00	Horizontal	Horizontal	N/A
875.985	-35.38	4.05	-13.0	22.38	150.00	Horizontal	Horizontal	N/A
2493.300	-19.02	-0.76	-13.0	6.02	20.00	Horizontal	Horizontal	Pass
6564.750	-33.50	20.94	-13.0	20.50	80.00	Horizontal	Horizontal	Pass
13391.813	-39.41	16.93	-13.0	26.41	286.00	Horizontal	Horizontal	Pass
17948.287	-43.12	14.05	-13.0	30.12	136.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n77A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-54.26	4.67	-13.0	41.26	360.00	Vertical	Horizontal	N/A
877.926	-36.41	4.07	-13.0	23.41	121.00	Vertical	Horizontal	N/A
2493.400	-34.95	-0.76	-13.0	21.95	30.00	Vertical	Horizontal	Pass
3490.500	-42.94	13.26	-13.0	29.94	318.00	Vertical	Horizontal	N/A
11910.438	-39.83	13.95	-13.0	26.83	206.00	Vertical	Horizontal	Pass
19722.600	-41.89	12.94	-13.0	28.89	125.00	Vertical	Horizontal	Pass

79 DC\_19A\_n77A (3550-3700)


79.1 DC\_19A\_n77A (3550-3700)BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_19A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
884.521	-51.94	-0.82	-40.0	11.94	272.00	Horizontal	Horizontal	N/A
1891.000	-55.78	-4.38	-40.0	15.78	35.00	Horizontal	Horizontal	Pass
3551.000	-45.15	12.95	-40.0	5.15	76.00	Horizontal	Horizontal	N/A
3649.000	-33.41	11.04	-40.0	-6.59	64.00	Horizontal	Horizontal	N/A
13427.250	-53.60	16.41	-40.0	13.60	159.00	Horizontal	Horizontal	Pass
19765.025	-56.77	12.94	-40.0	16.77	310.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_19A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.331	-44.16	-19.27	-40.0	4.16	131.00	Vertical	Horizontal	Pass
881.563	-51.35	-0.86	-40.0	11.35	118.00	Vertical	Horizontal	N/A
2137.300	-54.02	-1.45	-40.0	14.02	103.00	Vertical	Horizontal	Pass
3648.750	-46.11	11.00	-40.0	6.11	48.00	Vertical	Horizontal	N/A
7244.000	-45.76	23.53	-40.0	5.76	48.00	Vertical	Horizontal	Pass
13376.326	-53.18	16.79	-40.0	13.18	47.00	Vertical	Horizontal	Pass


79.2 DC\_19A\_n77A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_19A\_n77A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
882.242	-53.50	-0.92	-40.0	13.50	247.00	Horizontal	Horizontal	N/A
2125.700	-54.11	-1.99	-40.0	14.11	182.00	Horizontal	Horizontal	Pass
3601.000	-41.79	13.18	-40.0	1.79	87.00	Horizontal	Horizontal	N/A
3650.000	-37.00	10.92	-40.0	-3.00	87.00	Horizontal	Horizontal	N/A
3699.000	-29.42	11.02	-40.0	-10.58	75.00	Horizontal	Horizontal	N/A
13368.188	-53.50	16.71	-40.0	13.50	232.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n77A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.155	-44.79	-18.80	-40.0	4.79	214.00	Vertical	Horizontal	Pass
878.653	-53.86	-0.77	-40.0	13.86	0.00	Vertical	Horizontal	N/A
2981.300	-50.79	4.65	-40.0	10.79	305.00	Vertical	Horizontal	Pass
3699.000	-50.94	11.02	-40.0	10.94	236.00	Vertical	Horizontal	N/A
7474.500	-45.31	22.21	-40.0	5.31	-1.00	Vertical	Horizontal	Pass
13366.350	-53.07	16.69	-40.0	13.07	248.00	Vertical	Horizontal	Pass



80 DC\_19A\_n77A (3700-3980)

80.1 DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, Low Chanel


RSE-H&H DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-43.44	4.67	-13.0	30.44	233.00	Horizontal	Horizontal	N/A
877.828	-36.16	4.06	-13.0	23.16	331.00	Horizontal	Horizontal	N/A
1662.500	-53.21	-5.66	-13.0	40.21	48.00	Horizontal	Horizontal	Pass
2493.400	-17.90	-0.76	-13.0	4.90	22.00	Horizontal	Horizontal	N/A
2493.400*	-22.650	-0.76	-13.0	9.65	22.00	Horizontal	Horizontal	Pass
3701.750	-28.66	11.08	-13.0	15.66	256.00	Horizontal	Horizontal	N/A
13373.175	-39.20	16.76	-13.0	26.20	251.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 1GHz to 3GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.


RSE-V&H DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.832	-56.46	4.67	-13.0	43.46	194.00	Vertical	Horizontal	N/A
876.374	-35.43	3.97	-13.0	22.43	219.00	Vertical	Horizontal	N/A
2493.400	-33.43	-0.76	-13.0	20.43	118.00	Vertical	Horizontal	Pass
3701.750	-40.74	11.08	-13.0	27.74	344.00	Vertical	Horizontal	N/A
7365.750	-31.26	23.40	-13.0	18.26	287.00	Vertical	Horizontal	Pass
13416.750	-39.16	16.64	-13.0	26.16	339.00	Vertical	Horizontal	Pass

80.2 DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR), QPSK, High Chanel


RSE-H&H DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-43.65	4.67	-13.0	30.65	139.00	Horizontal	Horizontal	N/A
878.168	-34.26	4.10	-13.0	21.26	331.00	Horizontal	Horizontal	N/A
1662.600	-55.69	-5.65	-13.0	42.69	46.00	Horizontal	Horizontal	Pass
2493.400	-18.50	-0.76	-13.0	5.50	20.00	Horizontal	Horizontal	N/A
2493.400*	-23.361	-0.76	-13.0	10.361	20.00	Horizontal	Horizontal	Pass
3881.500	-31.17	13.99	-13.0	18.17	20.00	Horizontal	Horizontal	N/A
12511.787	-39.10	14.53	-13.0	26.10	331.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 1GHz to 3GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&H DC\_19A\_n77A (3700-3980) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-59.75	4.67	-13.0	46.75	-1.00	Vertical	Horizontal	N/A
878.944	-40.52	4.16	-13.0	27.52	227.00	Vertical	Horizontal	N/A
2493.300	-33.20	-0.76	-13.0	20.20	34.00	Vertical	Horizontal	Pass
3881.250	-40.97	14.02	-13.0	27.97	348.00	Vertical	Horizontal	N/A
7143.250	-31.49	22.07	-13.0	18.49	100.00	Vertical	Horizontal	Pass
12498.725	-39.68	14.71	-13.0	26.68	266.00	Vertical	Horizontal	Pass

81 DC\_41A\_n77A (3450-3550)


81.1 DC\_41A\_n77A (3450-3550) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_41A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2491.100	-24.90	8.09	-25.0	-0.10	187.00	Horizontal	Horizontal	N/A
2591.600	-37.85	8.39	-25.0	12.85	207.00	Horizontal	Horizontal	N/A
3353.750	-29.67	11.40	-25.0	4.67	58.00	Horizontal	Horizontal	N/A
3451.500	-30.71	13.38	-25.0	5.71	284.00	Horizontal	Horizontal	N/A
11995.463	-40.07	13.84	-25.0	15.07	360.00	Horizontal	Horizontal	Pass
17943.562	-42.71	13.94	-25.0	17.71	363.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_41A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
44.744	-53.59	-16.80	-25.0	28.59	261.00	Vertical	Horizontal	Pass
2487.900	-31.38	8.08	-25.0	6.38	217.00	Vertical	Horizontal	N/A
3451.750	-41.31	13.38	-25.0	16.31	360.00	Vertical	Horizontal	N/A
6007.000	-35.41	18.64	-25.0	10.41	252.00	Vertical	Horizontal	Pass
13405.200	-39.72	16.90	-25.0	14.72	236.00	Vertical	Horizontal	Pass
17974.536	-42.30	13.48	-25.0	17.30	186.00	Vertical	Horizontal	Pass


### 81.2 DC\_41A\_n77A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_41A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2702.300	-30.25	9.31	-25.0	5.25	286.00	Horizontal	Horizontal	N/A
3353.500	-29.09	11.41	-25.0	4.09	42.00	Horizontal	Horizontal	N/A
3451.500	-31.73	13.38	-25.0	6.73	209.00	Horizontal	Horizontal	N/A
7241.750	-31.94	23.48	-25.0	6.94	42.00	Horizontal	Horizontal	Pass
12909.600	-39.91	15.32	-25.0	14.91	363.00	Horizontal	Horizontal	Pass
20335.499	-42.72	12.97	-25.0	17.72	188.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_41A\_n77A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1302.100	-52.43	0.71	-25.0	27.43	197.00	Vertical	Horizontal	Pass
2131.700	-47.94	4.94	-25.0	22.94	-1.00	Vertical	Horizontal	Pass
2671.700	-41.27	9.40	-25.0	16.27	291.00	Vertical	Horizontal	N/A
5999.250	-36.90	18.45	-25.0	11.90	103.00	Vertical	Horizontal	Pass
11999.025	-39.67	13.82	-25.0	14.67	269.00	Vertical	Horizontal	Pass
19783.801	-42.69	12.94	-25.0	17.69	226.00	Vertical	Horizontal	Pass



82 DC\_41A\_n77A (3550-3700)


82.1 DC\_41A\_n77A (3550-3700) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_41A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.096	-58.05	-19.58	-40.0	18.05	121.00	Horizontal	Horizontal	Pass
1293.100	-54.89	-1.20	-40.0	14.89	53.00	Horizontal	Horizontal	Pass
2555.100	-45.71	7.41	-40.0	5.71	211.00	Horizontal	Horizontal	N/A
3551.000	-51.93	12.95	-40.0	11.93	14.00	Horizontal	Horizontal	N/A
3649.000	-41.03	11.04	-40.0	1.03	-2.00	Horizontal	Horizontal	N/A
12704.638	-53.77	14.86	-40.0	13.77	0.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_41A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.573	-43.12	-19.11	-40.0	3.12	288.00	Vertical	Horizontal	Pass
1279.600	-53.45	-1.22	-40.0	13.45	190.00	Vertical	Horizontal	Pass
2571.900	-46.73	7.38	-40.0	6.73	121.00	Vertical	Horizontal	N/A
3649.000	-53.78	11.04	-40.0	13.78	-1.00	Vertical	Horizontal	N/A
7247.000	-44.72	23.63	-40.0	4.72	72.00	Vertical	Horizontal	Pass
13805.776	-53.12	16.87	-40.0	13.12	0.00	Vertical	Horizontal	Pass


### 82.2 DC\_41A\_n77A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_41A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1374.800	-53.51	-1.39	-40.0	13.51	361.00	Horizontal	Horizontal	Pass
2840.900	-43.09	8.23	-40.0	3.09	51.00	Horizontal	Horizontal	Pass
3601.000	-42.99	13.18	-40.0	2.99	255.00	Horizontal	Horizontal	N/A
3650.000	-41.96	10.92	-40.0	1.96	49.00	Horizontal	Horizontal	N/A
3699.000	-40.82	11.02	-40.0	0.82	232.00	Horizontal	Horizontal	N/A
7244.250	-45.27	23.55	-40.0	5.27	107.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_41A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1415.600	-54.26	-1.48	-40.0	14.26	299.00	Vertical	Horizontal	Pass
2136.300	-49.56	3.26	-40.0	9.56	271.00	Vertical	Horizontal	Pass
3698.750	-46.04	11.04	-40.0	6.04	126.00	Vertical	Horizontal	N/A
7221.500	-45.97	22.69	-40.0	5.97	-1.00	Vertical	Horizontal	Pass
13400.212	-53.32	17.01	-40.0	13.32	244.00	Vertical	Horizontal	Pass
17793.937	-56.41	12.82	-40.0	16.41	161.00	Vertical	Horizontal	Pass

83 DC\_41A\_n77A (3700-3980)


83.1 DC\_41A\_n77A (3700-3980) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_41A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
161.144	-60.59	-19.26	-25.0	35.59	259.00	Horizontal	Horizontal	Pass
1433.400	-52.17	-0.20	-25.0	27.17	-2.00	Horizontal	Horizontal	Pass
2571.800	-44.85	8.43	-25.0	19.85	8.00	Horizontal	Horizontal	N/A
3701.250	-39.86	12.56	-25.0	14.86	69.00	Horizontal	Horizontal	N/A
5852.500	-35.95	18.02	-25.0	10.95	0.00	Horizontal	Horizontal	Pass
12497.063	-39.19	14.69	-25.0	14.19	219.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_41A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1297.900	-52.55	0.19	-25.0	27.55	339.00	Vertical	Horizontal	Pass
2201.900	-47.80	5.13	-25.0	22.80	326.00	Vertical	Horizontal	Pass
4957.250	-39.67	15.77	-25.0	14.67	276.00	Vertical	Horizontal	Pass
7250.500	-31.86	23.89	-25.0	6.86	164.00	Vertical	Horizontal	Pass
13350.338	-39.00	16.54	-25.0	14.00	186.00	Vertical	Horizontal	Pass
17930.699	-43.03	13.63	-25.0	18.03	32.00	Vertical	Horizontal	Pass


83.2 DC\_41A\_n77A (3700-3980) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_41A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
162.114	-60.98	-19.07	-25.0	35.98	258.00	Horizontal	Horizontal	Pass
1289.900	-52.60	-0.15	-25.0	27.60	360.00	Horizontal	Horizontal	Pass
2638.200	-44.51	9.30	-25.0	19.51	172.00	Horizontal	Horizontal	N/A
3881.750	-39.28	14.75	-25.0	14.28	48.00	Horizontal	Horizontal	N/A
12705.825	-39.60	14.78	-25.0	14.60	102.00	Horizontal	Horizontal	Pass
19679.850	-42.92	12.94	-25.0	17.92	241.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_41A\_n77A (3700-3980) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1223.800	-52.77	-0.60	-25.0	27.77	33.00	Vertical	Horizontal	Pass
2634.200	-44.09	9.29	-25.0	19.09	-1.00	Vertical	Horizontal	N/A
5011.500	-39.55	15.91	-25.0	14.55	112.00	Vertical	Horizontal	Pass
10063.875	-41.82	12.83	-25.0	16.82	124.00	Vertical	Horizontal	Pass
13369.238	-39.00	16.72	-25.0	14.00	4.00	Vertical	Horizontal	Pass
19950.301	-43.16	12.95	-25.0	18.16	219.00	Vertical	Horizontal	Pass



84 DC\_42A\_n77A (3450-3550)


84.1 DC\_42A\_n77A (3450-3550) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_42A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.562	-60.20	-19.33	-13.0	47.20	267.00	Horizontal	Horizontal	Pass
3354.000	-40.19	11.38	-13.0	27.19	32.00	Horizontal	Horizontal	Pass
3451.500	-27.21	13.38	-13.0	14.21	204.00	Horizontal	Horizontal	N/A
7162.750	-31.99	22.28	-13.0	18.99	167.00	Horizontal	Horizontal	Pass
9472.263	-40.75	13.31	-13.0	27.75	33.00	Horizontal	Horizontal	Pass
13412.025	-40.24	16.75	-13.0	27.24	152.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_42A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.074	-54.08	-22.38	-13.0	41.08	338.00	Vertical	Horizontal	Pass
1299.800	-52.56	0.07	-13.0	39.56	-1.00	Vertical	Horizontal	Pass
2964.300	-41.66	13.08	-13.0	28.66	66.00	Vertical	Horizontal	Pass
7249.750	-31.91	23.86	-13.0	18.91	89.00	Vertical	Horizontal	Pass
11951.762	-39.55	14.00	-13.0	26.55	235.00	Vertical	Horizontal	Pass
19725.750	-43.15	12.94	-13.0	30.15	-1.00	Vertical	Horizontal	Pass


84.2 DC\_42A\_n77A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_42A\_n77A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.999	-59.65	-19.28	-13.0	46.65	261.00	Horizontal	Horizontal	Pass
2554.700	-44.34	8.51	-13.0	31.34	333.00	Horizontal	Horizontal	Pass
3353.750	-38.96	11.40	-13.0	25.96	278.00	Horizontal	Horizontal	Pass
3451.750	-35.31	13.38	-13.0	22.31	302.00	Horizontal	Horizontal	N/A
7614.750	-31.71	22.76	-13.0	18.71	351.00	Horizontal	Horizontal	Pass
13350.600	-39.52	16.55	-13.0	26.52	143.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_42A\_n77A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.880	-53.90	-22.56	-13.0	40.90	63.00	Vertical	Horizontal	Pass
2536.900	-43.85	8.43	-13.0	30.85	-1.00	Vertical	Horizontal	Pass
3503.750	-42.58	13.21	-13.0	29.58	98.00	Vertical	Horizontal	N/A
7965.500	-31.17	25.22	-13.0	18.17	339.00	Vertical	Horizontal	Pass
13393.912	-39.86	16.95	-13.0	26.86	149.00	Vertical	Horizontal	Pass
20110.500	-42.70	12.96	-13.0	29.70	195.00	Vertical	Horizontal	Pass

85 DC\_42A\_n77A (3550-3700)


85.1 DC\_42A\_n77A (3550-3700) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_42A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1315.000	-57.07	-5.15	-40.0	17.07	189.00	Horizontal	Horizontal	Pass
2127.100	-54.54	-1.81	-40.0	14.54	110.00	Horizontal	Horizontal	Pass
3551.000	-45.48	12.95	-40.0	5.48	224.00	Horizontal	Horizontal	N/A
3649.000	-32.21	11.04	-40.0	-7.79	70.00	Horizontal	Horizontal	N/A
6567.000	-47.75	20.97	-40.0	7.75	279.00	Horizontal	Horizontal	Pass
13372.912	-53.59	16.76	-40.0	13.59	28.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_42A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.525	-45.93	-19.14	-40.0	5.93	271.00	Vertical	Horizontal	Pass
1328.700	-57.90	-5.06	-40.0	17.90	276.00	Vertical	Horizontal	Pass
3490.000	-53.80	13.27	-40.0	13.80	211.00	Vertical	Horizontal	N/A
3649.000	-49.51	11.04	-40.0	9.51	14.00	Vertical	Horizontal	N/A
7248.000	-45.62	23.71	-40.0	5.62	361.00	Vertical	Horizontal	Pass
13341.412	-53.37	16.20	-40.0	13.37	224.00	Vertical	Horizontal	Pass


85.2 DC\_42A\_n77A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_42A\_n77A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1198.400	-58.71	-5.45	-40.0	18.71	259.00	Horizontal	Horizontal	Pass
3601.000	-43.68	13.18	-40.0	3.68	196.00	Horizontal	Horizontal	N/A
3650.000	-39.68	10.92	-40.0	-0.32	279.00	Horizontal	Horizontal	N/A
3699.000	-30.46	11.02	-40.0	-9.54	290.00	Horizontal	Horizontal	N/A
7242.250	-45.92	23.52	-40.0	5.92	208.00	Horizontal	Horizontal	Pass
13390.763	-53.47	16.92	-40.0	13.47	233.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_42A\_n77A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.428	-45.59	-19.21	-40.0	5.59	100.00	Vertical	Horizontal	Pass
2136.400	-54.55	-1.41	-40.0	14.55	30.00	Vertical	Horizontal	Pass
3699.000	-45.95	11.02	-40.0	5.95	150.00	Vertical	Horizontal	N/A
7039.500	-46.39	22.54	-40.0	6.39	117.00	Vertical	Horizontal	Pass
11998.788	-52.96	14.01	-40.0	12.96	360.00	Vertical	Horizontal	Pass
17960.364	-56.38	13.83	-40.0	16.38	311.00	Vertical	Horizontal	Pass



86 DC\_42A\_n77A (3700-3980)


86.1 DC\_42A\_n77A (3700-3980) BW20 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_42A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.218	-58.51	-19.15	-13.0	45.51	99.00	Horizontal	Horizontal	Pass
2978.500	-42.20	13.55	-13.0	29.20	360.00	Horizontal	Horizontal	Pass
3701.875	-41.71	12.56	-13.0	28.71	58.00	Horizontal	Horizontal	N/A
7964.375	-31.13	24.88	-13.0	18.13	326.00	Horizontal	Horizontal	Pass
13322.776	-39.04	15.47	-13.0	26.04	363.00	Horizontal	Horizontal	Pass
18069.750	-42.99	12.85	-13.0	29.99	361.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_42A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.103	-51.99	-18.83	-13.0	38.99	202.00	Vertical	Horizontal	Pass
1312.200	-52.78	0.33	-13.0	39.78	152.00	Vertical	Horizontal	Pass
2921.500	-41.54	12.36	-13.0	28.54	259.00	Vertical	Horizontal	Pass
3642.500	-43.99	12.30	-13.0	30.99	256.00	Vertical	Horizontal	Pass
7048.125	-33.60	22.94	-13.0	20.60	168.00	Vertical	Horizontal	Pass
13803.938	-39.48	16.92	-13.0	26.48	-1.00	Vertical	Horizontal	Pass


86.2 DC\_42A\_n77A (3700-3980) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_42A\_n77A (3700-3980) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.121	-58.45	-19.12	-13.0	45.45	256.00	Horizontal	Horizontal	Pass
1512.700	-52.50	-0.01	-13.0	39.50	227.00	Horizontal	Horizontal	Pass
2967.700	-40.98	13.57	-13.0	27.98	50.00	Horizontal	Horizontal	Pass
3881.875	-35.80	14.75	-13.0	22.80	56.00	Horizontal	Horizontal	N/A
7248.125	-33.26	23.86	-13.0	20.26	361.00	Horizontal	Horizontal	Pass
13400.738	-39.02	16.99	-13.0	26.02	222.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_42A\_n77A (3700-3980) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.763	-51.49	-18.86	-13.0	38.49	198.00	Vertical	Horizontal	Pass
1251.400	-52.93	-0.80	-13.0	39.93	90.00	Vertical	Horizontal	Pass
2971.200	-41.44	13.78	-13.0	28.44	1.00	Vertical	Horizontal	Pass
7953.125	-31.88	24.25	-13.0	18.88	296.00	Vertical	Horizontal	Pass
12499.912	-39.17	14.72	-13.0	26.17	189.00	Vertical	Horizontal	Pass
19763.550	-42.23	12.94	-13.0	29.23	360.00	Vertical	Horizontal	Pass

87 DC\_18A\_n78A (3450-3550)


87.1 DC\_18A\_n78A (3450-3550) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-36.00	4.25	-13.0	23.00	82.00	Horizontal	Horizontal	N/A
867.789	-35.19	4.26	-13.0	22.19	275.00	Horizontal	Horizontal	N/A
3430.500	-43.28	13.36	-13.0	30.28	295.00	Horizontal	Horizontal	N/A
7962.500	-30.78	25.47	-13.0	17.78	88.00	Horizontal	Horizontal	Pass
11993.800	-39.60	13.84	-13.0	26.60	360.00	Horizontal	Horizontal	Pass
17922.824	-42.64	13.44	-13.0	29.64	250.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-44.09	4.25	-13.0	31.09	363.00	Vertical	Horizontal	N/A
867.886	-35.28	4.26	-13.0	22.28	48.00	Vertical	Horizontal	N/A
2149.200	-54.42	-1.96	-13.0	41.42	92.00	Vertical	Horizontal	Pass
3490.750	-43.31	13.26	-13.0	30.31	109.00	Vertical	Horizontal	N/A
12480.912	-39.80	14.55	-13.0	26.80	360.00	Vertical	Horizontal	Pass
18049.499	-42.27	12.85	-13.0	29.27	54.00	Vertical	Horizontal	Pass

88 DC\_18A\_n78A (3550-3700)


88.1 DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.058	-56.13	-18.82	-40.0	16.13	359.00	Horizontal	Horizontal	Pass
867.159	-54.45	-1.07	-40.0	14.45	274.00	Horizontal	Horizontal	N/A
3551.000	-43.81	12.95	-40.0	3.81	114.00	Horizontal	Horizontal	N/A
3649.000	-38.60	11.04	-40.0	-1.40	300.00	Horizontal	Horizontal	N/A
7237.500	-45.25	23.37	-40.0	5.25	157.00	Horizontal	Horizontal	Pass
13389.975	-52.81	16.92	-40.0	12.81	263.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.767	-43.02	-18.99	-40.0	3.02	281.00	Vertical	Horizontal	Pass
869.487	-54.64	-0.89	-40.0	14.64	325.00	Vertical	Horizontal	N/A
2101.200	-53.65	-2.80	-40.0	13.65	313.00	Vertical	Horizontal	Pass
3648.750	-45.57	11.00	-40.0	5.57	205.00	Vertical	Horizontal	N/A
7044.750	-45.49	22.61	-40.0	5.49	229.00	Vertical	Horizontal	Pass
13408.612	-53.36	16.82	-40.0	13.36	46.00	Vertical	Horizontal	Pass




88.2 DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
867.789	-49.23	-1.00	-40.0	9.23	158.00	Horizontal	Horizontal	N/A
3601.000	-46.94	13.18	-40.0	6.94	146.00	Horizontal	Horizontal	N/A
3650.000	-38.52	10.92	-40.0	-1.48	86.00	Horizontal	Horizontal	N/A
3699.000	-33.00	11.02	-40.0	-7.00	110.00	Horizontal	Horizontal	N/A
7247.750	-45.76	23.69	-40.0	5.76	-1.00	Horizontal	Horizontal	Pass
13379.213	-53.80	16.81	-40.0	13.80	0.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
869.535	-52.92	-0.89	-40.0	12.92	244.00	Vertical	Horizontal	N/A
2137.200	-54.47	-1.44	-40.0	14.47	36.00	Vertical	Horizontal	Pass
3699.000	-45.10	11.02	-40.0	5.10	198.00	Vertical	Horizontal	N/A
7421.000	-45.64	22.95	-40.0	5.64	150.00	Vertical	Horizontal	Pass
13377.901	-53.59	16.80	-40.0	13.59	75.00	Vertical	Horizontal	Pass
17820.449	-56.62	12.64	-40.0	16.62	363.00	Vertical	Horizontal	Pass

89 DC\_18A\_n78A (3700-3800)


89.1 DC\_18A\_n78A (3700-3800) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_18A\_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
815.846	-37.70	4.25	-13.0	24.70	72.00	Horizontal	Horizontal	N/A
861.969	-34.81	4.25	-13.0	21.81	332.00	Horizontal	Horizontal	N/A
2448.400	-21.45	-1.22	-13.0	8.45	26.00	Horizontal	Horizontal	Pass
3701.750	-29.06	11.08	-13.0	16.06	264.00	Horizontal	Horizontal	N/A
12509.412	-39.98	14.57	-13.0	26.98	360.00	Horizontal	Horizontal	Pass
19783.801	-42.60	12.94	-13.0	29.60	117.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_18A\_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
864.200	-33.54	4.22	-13.0	20.54	343.00	Vertical	Horizontal	N/A
815.846	-48.14	4.25	-13.0	35.14	190.00	Vertical	Horizontal	N/A
2448.400	-37.36	-1.22	-13.0	24.36	33.00	Vertical	Horizontal	Pass
3701.750	-41.60	11.08	-13.0	28.60	307.00	Vertical	Horizontal	N/A
13362.938	-39.27	16.66	-13.0	26.27	20.00	Vertical	Horizontal	Pass
17927.287	-42.26	13.54	-13.0	29.26	-3.00	Vertical	Horizontal	Pass

90 DC\_19A\_n78A (3450-3550)


90.1 DC\_19A\_n78A (3450-3550) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_19A\_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-44.47	4.67	-13.0	31.47	279.00	Horizontal	Horizontal	N/A
877.537	-36.21	4.03	-13.0	23.21	330.00	Horizontal	Horizontal	N/A
2493.400	-20.64	-0.76	-13.0	7.64	20.00	Horizontal	Horizontal	Pass
3491.000	-43.19	13.26	-13.0	30.19	225.00	Horizontal	Horizontal	N/A
6639.500	-33.83	21.38	-13.0	20.83	164.00	Horizontal	Horizontal	Pass
13337.475	-39.16	16.05	-13.0	26.16	3.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-54.15	4.67	-13.0	41.15	184.00	Vertical	Horizontal	N/A
878.993	-34.31	4.16	-13.0	21.31	354.00	Vertical	Horizontal	N/A
2493.400	-33.85	-0.76	-13.0	20.85	39.00	Vertical	Horizontal	Pass
3465.250	-43.60	13.34	-13.0	30.60	196.00	Vertical	Horizontal	N/A
5967.000	-34.98	19.07	-13.0	21.98	230.00	Vertical	Horizontal	Pass
13396.013	-39.57	16.97	-13.0	26.57	1.00	Vertical	Horizontal	Pass

91 DC\_19A\_n78A (3550-3700)


91.1 DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.290	-58.41	-19.53	-40.0	18.41	122.00	Horizontal	Horizontal	Pass
882.727	-53.67	-0.92	-40.0	13.67	236.00	Horizontal	Horizontal	N/A
2660.400	-52.94	0.96	-40.0	12.94	346.00	Horizontal	Horizontal	Pass
3649.000	-32.81	11.04	-40.0	-7.19	99.00	Horizontal	Horizontal	N/A
6645.000	-47.76	21.40	-40.0	7.76	361.00	Horizontal	Horizontal	Pass
13343.513	-53.09	16.28	-40.0	13.09	221.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
882.145	-53.14	-0.91	-40.0	13.14	216.00	Vertical	Horizontal	N/A
2136.200	-54.37	-1.40	-40.0	14.37	84.00	Vertical	Horizontal	Pass
3649.000	-45.62	11.04	-40.0	5.62	282.00	Vertical	Horizontal	N/A
7180.750	-45.40	22.61	-40.0	5.40	89.00	Vertical	Horizontal	Pass
13355.850	-53.48	16.59	-40.0	13.48	130.00	Vertical	Horizontal	Pass
19736.125	-56.38	12.94	-40.0	16.38	-1.00	Vertical	Horizontal	Pass




91.2 DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
881.660	-51.57	-0.87	-40.0	11.57	152.00	Horizontal	Horizontal	N/A
3601.000	-43.85	13.18	-40.0	3.85	277.00	Horizontal	Horizontal	N/A
3650.000	-41.82	10.92	-40.0	1.82	111.00	Horizontal	Horizontal	N/A
3699.000	-32.47	11.02	-40.0	-7.53	289.00	Horizontal	Horizontal	N/A
7248.750	-45.24	23.83	-40.0	5.24	361.00	Horizontal	Horizontal	Pass
13417.800	-53.35	16.62	-40.0	13.35	49.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.543	-47.45	-18.74	-40.0	7.45	263.00	Vertical	Horizontal	Pass
878.750	-51.85	-0.77	-40.0	11.85	210.00	Vertical	Horizontal	N/A
2157.400	-54.33	-2.00	-40.0	14.33	151.00	Vertical	Horizontal	Pass
3699.000	-43.53	11.02	-40.0	3.53	208.00	Vertical	Horizontal	N/A
7212.000	-45.77	22.88	-40.0	5.77	310.00	Vertical	Horizontal	Pass
13357.688	-53.02	16.61	-40.0	13.02	43.00	Vertical	Horizontal	Pass

92 DC\_19A\_n78A (3700-3800)


92.1 DC\_19A\_n78A (3700-3800) BW15 (LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_19A\_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-46.76	4.67	-13.0	33.76	292.00	Horizontal	Horizontal	N/A
885.879	-53.96	4.53	-13.0	40.96	244.00	Horizontal	Horizontal	N/A
2493.000	-49.60	-0.77	-13.0	36.60	118.00	Horizontal	Horizontal	Pass
3591.750	-41.73	12.39	-13.0	28.73	303.00	Horizontal	Horizontal	N/A
7259.000	-31.53	23.81	-13.0	18.53	233.00	Horizontal	Horizontal	Pass
12705.112	-39.59	14.78	-13.0	26.59	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_19A\_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
830.783	-60.08	4.67	-13.0	47.08	356.00	Vertical	Horizontal	N/A
882.727	-50.25	4.34	-13.0	37.25	155.00	Vertical	Horizontal	N/A
2203.200	-54.63	-2.21	-13.0	41.63	306.00	Vertical	Horizontal	Pass
3792.750	-43.03	13.36	-13.0	30.03	45.00	Vertical	Horizontal	N/A
11990.475	-39.58	13.86	-13.0	26.58	357.00	Vertical	Horizontal	Pass
17975.849	-43.50	13.45	-13.0	30.50	-3.00	Vertical	Horizontal	Pass

93 DC\_26A\_n78A (3450-3550)


93.1 DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.876	-41.83	4.25	-13.0	28.83	83.00	Horizontal	Horizontal	N/A
866.237	-54.68	4.28	-13.0	41.68	244.00	Horizontal	Horizontal	N/A
2616.100	-42.67	-1.17	-13.0	29.67	110.00	Horizontal	Horizontal	Pass
3353.500	-30.81	11.41	-13.0	17.81	44.00	Horizontal	Horizontal	N/A
3451.500	-32.17	13.38	-13.0	19.17	44.00	Horizontal	Horizontal	N/A
13384.988	-39.95	16.87	-13.0	26.95	-3.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
810.171	-54.86	4.25	-13.0	41.86	10.00	Vertical	Horizontal	N/A
868.468	-51.88	4.34	-13.0	38.88	67.00	Vertical	Horizontal	N/A
2177.900	-55.09	-2.19	-13.0	42.09	240.00	Vertical	Horizontal	Pass
5014.000	-40.27	15.83	-13.0	27.27	0.00	Vertical	Horizontal	Pass
11968.388	-40.44	13.94	-13.0	27.44	340.00	Vertical	Horizontal	Pass
20029.051	-43.11	12.95	-13.0	30.11	275.00	Vertical	Horizontal	Pass


93.2 DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.809	-46.44	4.83	-13.0	33.44	287.00	Horizontal	Horizontal	N/A
888.062	-54.31	4.65	-13.0	41.31	292.00	Horizontal	Horizontal	N/A
2616.100	-43.03	-1.17	-13.0	30.03	118.00	Horizontal	Horizontal	Pass
3353.750	-35.25	11.40	-13.0	22.25	101.00	Horizontal	Horizontal	N/A
3451.750	-32.25	13.38	-13.0	19.25	101.00	Horizontal	Horizontal	N/A
13357.688	-39.18	16.61	-13.0	26.18	200.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_26A\_n78A (3450-3550) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.857	-58.37	4.83	-13.0	45.37	0.00	Vertical	Horizontal	N/A
886.753	-50.81	4.48	-13.0	37.81	50.00	Vertical	Horizontal	N/A
2144.000	-54.80	-2.02	-13.0	41.80	180.00	Vertical	Horizontal	Pass
3431.750	-43.63	13.36	-13.0	30.63	261.00	Vertical	Horizontal	N/A
13399.162	-39.57	17.00	-13.0	26.57	61.00	Vertical	Horizontal	Pass
20385.901	-42.70	12.97	-13.0	29.70	-1.00	Vertical	Horizontal	Pass



94 DC\_26A\_n78A (3550-3700)


94.1 DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
85.145	-57.77	-19.57	-40.0	17.77	109.00	Horizontal	Horizontal	Pass
866.674	-50.08	-0.99	-40.0	10.08	239.00	Horizontal	Horizontal	N/A
3551.000	-45.50	12.95	-40.0	5.50	256.00	Horizontal	Horizontal	N/A
3649.000	-40.59	11.04	-40.0	0.59	300.00	Horizontal	Horizontal	N/A
7245.750	-45.95	23.64	-40.0	5.95	361.00	Horizontal	Horizontal	Pass
11956.987	-53.33	14.04	-40.0	13.33	195.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
41.446	-47.96	-18.75	-40.0	7.96	334.00	Vertical	Horizontal	Pass
866.334	-55.19	-0.91	-40.0	15.19	348.00	Vertical	Horizontal	N/A
3649.000	-47.52	11.04	-40.0	7.52	289.00	Vertical	Horizontal	N/A
7122.500	-45.75	21.93	-40.0	5.75	355.00	Vertical	Horizontal	Pass
12679.463	-53.80	14.56	-40.0	13.80	105.00	Vertical	Horizontal	Pass
17937.000	-56.18	13.78	-40.0	16.18	292.00	Vertical	Horizontal	Pass


94.2 DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.298	-50.81	-23.31	-40.0	10.81	167.00	Horizontal	Horizontal	Pass
885.637	-51.17	-0.70	-40.0	11.17	101.00	Horizontal	Horizontal	N/A
3650.000	-38.82	10.92	-40.0	-1.18	77.00	Horizontal	Horizontal	N/A
3699.000	-35.56	11.02	-40.0	-4.44	301.00	Horizontal	Horizontal	N/A
7059.750	-46.50	21.74	-40.0	6.50	361.00	Horizontal	Horizontal	Pass
11994.750	-53.12	14.01	-40.0	13.12	360.00	Horizontal	Horizontal	Pass

RSE-V&H DC\_26A\_n78A (3550-3700) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.45	-19.55	-40.0	3.45	274.00	Vertical	Horizontal	Pass
885.637	-49.55	-0.70	-40.0	9.55	97.00	Vertical	Horizontal	N/A
3699.000	-49.28	11.02	-40.0	9.28	175.00	Vertical	Horizontal	N/A
7250.000	-45.11	23.70	-40.0	5.11	343.00	Vertical	Horizontal	Pass
11968.625	-53.67	14.03	-40.0	13.67	50.00	Vertical	Horizontal	Pass
17799.449	-56.26	13.17	-40.0	16.26	200.00	Vertical	Horizontal	Pass

95 DC\_26A\_n78A (3700-3800)


95.1 DC\_26A\_n78A (3700-3800) BW15(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC\_26A\_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.876	-43.77	4.25	-13.0	30.77	81.00	Horizontal	Horizontal	N/A
866.625	-54.16	4.26	-13.0	41.16	242.00	Horizontal	Horizontal	N/A
2445.400	-51.49	-1.40	-13.0	38.49	128.00	Horizontal	Horizontal	Pass
3701.250	-40.43	12.56	-13.0	27.43	290.00	Horizontal	Horizontal	N/A
13798.950	-39.47	16.94	-13.0	26.47	54.00	Horizontal	Horizontal	Pass
19751.850	-42.90	12.94	-13.0	29.90	275.00	Horizontal	Horizontal	Pass


RSE-V&H DC\_26A\_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
809.831	-49.23	4.25	-13.0	36.23	360.00	Vertical	Horizontal	N/A
870.166	-50.56	4.33	-13.0	37.56	0.00	Vertical	Horizontal	N/A
3785.500	-42.48	13.32	-13.0	29.48	304.00	Vertical	Horizontal	N/A
7166.250	-31.79	22.60	-13.0	18.79	304.00	Vertical	Horizontal	Pass
13396.275	-39.45	16.97	-13.0	26.45	60.00	Vertical	Horizontal	Pass
20011.950	-42.87	12.95	-13.0	29.87	-1.00	Vertical	Horizontal	Pass

95.2 DC\_26A\_n78A (3700-3800) BW15(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC\_26A\_n78A (3700-3800) BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.906	-44.60	4.83	-13.0	31.60	290.00	Horizontal	Horizontal	N/A
886.753	-52.43	4.48	-13.0	39.43	137.00	Horizontal	Horizontal	N/A
2505.300	-45.20	-0.89	-13.0	32.20	42.00	Horizontal	Horizontal	Pass
3701.250	-39.69	12.56	-13.0	26.69	38.00	Horizontal	Horizontal	N/A
11997.125	-39.69	13.83	-13.0	26.69	203.00	Horizontal	Horizontal	Pass
19368.901	-42.96	12.92	-13.0	29.96	-1.00	Horizontal	Horizontal	Pass