


RSE-V&H DC_26A_n78A (3700-3800) BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.906	-57.93	4.83	-13.0	44.93	354.00	Vertical	Horizontal	N/A
879.817	-49.22	4.11	-13.0	36.22	170.00	Vertical	Horizontal	N/A
2505.500	-54.27	-0.90	-13.0	41.27	97.00	Vertical	Horizontal	Pass
5810.750	-36.76	17.55	-13.0	23.76	168.00	Vertical	Horizontal	Pass
12477.112	-38.80	14.51	-13.0	25.80	232.00	Vertical	Horizontal	Pass
19959.300	-43.09	12.95	-13.0	30.09	-1.00	Vertical	Horizontal	Pass

96 DC_2A_n78A (3450-3550)


96.1 DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.752	-59.40	-19.27	-13.0	46.40	277.00	Horizontal	Horizontal	Pass
1836.400	-35.36	0.45	-13.0	22.36	40.00	Horizontal	Horizontal	N/A
1947.600	-19.92	1.41	-13.0	6.92	248.00	Horizontal	Horizontal	N/A
7962.000	-30.31	25.40	-13.0	17.31	232.00	Horizontal	Horizontal	Pass
3464.750	-42.36	13.34	-13.0	29.36	30.00	Horizontal	Horizontal	Pass
13401.525	-39.35	16.98	-13.0	26.35	212.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-51.62	-19.83	-13.0	38.62	115.00	Vertical	Horizontal	Pass
1842.300	-45.39	1.09	-13.0	32.39	65.00	Vertical	Horizontal	N/A
1938.400	-35.28	1.06	-13.0	22.28	85.00	Vertical	Horizontal	N/A
7965.500	-30.17	25.22	-13.0	17.17	323.00	Vertical	Horizontal	Pass
12713.425	-39.70	14.77	-13.0	26.70	74.00	Vertical	Horizontal	Pass
17933.588	-42.93	13.70	-13.0	29.93	360.00	Vertical	Horizontal	Pass


96.2 DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1837.900	-31.25	0.84	-13.0	18.25	237.00	Horizontal	Horizontal	N/A
1981.200	-34.84	0.79	-13.0	21.84	256.00	Horizontal	Horizontal	N/A
3353.500	-27.76	11.41	-13.0	14.76	51.00	Horizontal	Horizontal	N/A
3451.500	-31.60	13.38	-13.0	18.60	74.00	Horizontal	Horizontal	N/A
7249.500	-30.89	23.74	-13.0	17.89	74.00	Horizontal	Horizontal	Pass
13358.474	-39.14	16.62	-13.0	26.14	138.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.928	-55.94	-22.49	-13.0	42.94	363.00	Vertical	Horizontal	Pass
1376.300	-54.75	-1.70	-13.0	41.75	269.00	Vertical	Horizontal	Pass
1838.100	-43.70	0.82	-13.0	30.70	64.00	Vertical	Horizontal	N/A
4962.750	-38.82	16.56	-13.0	25.82	107.00	Vertical	Horizontal	Pass
12720.312	-38.70	14.76	-13.0	25.70	360.00	Vertical	Horizontal	Pass
17961.150	-42.61	13.81	-13.0	29.61	285.00	Vertical	Horizontal	Pass

97 DC_2A_n78A (3550-3700)


97.1 DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1316.000	-54.67	-1.06	-40.0	14.67	301.00	Horizontal	Horizontal	Pass
1998.100	-48.73	1.48	-40.0	8.73	230.00	Horizontal	Horizontal	Pass
2888.600	-44.68	10.46	-40.0	4.68	331.00	Horizontal	Horizontal	Pass
3649.000	-29.65	11.04	-40.0	-10.35	48.00	Horizontal	Horizontal	N/A
7260.500	-45.45	24.12	-40.0	5.45	361.00	Horizontal	Horizontal	Pass
12658.088	-53.63	14.24	-40.0	13.63	78.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.700	-43.98	-19.56	-40.0	3.98	331.00	Vertical	Horizontal	Pass
1310.000	-54.14	-1.03	-40.0	14.14	363.00	Vertical	Horizontal	Pass
2236.200	-49.30	3.35	-40.0	9.30	278.00	Vertical	Horizontal	Pass
2886.200	-44.39	10.13	-40.0	4.39	91.00	Vertical	Horizontal	Pass
3649.000	-54.04	11.04	-40.0	14.04	60.00	Vertical	Horizontal	N/A
13383.937	-53.34	16.86	-40.0	13.34	198.00	Vertical	Horizontal	Pass


97.2 DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.924	-54.98	-19.83	-40.0	14.98	360.00	Horizontal	Horizontal	Pass
1988.100	-44.20	2.51	-40.0	4.20	270.00	Horizontal	Horizontal	N/A
2044.000	-45.08	1.76	-40.0	5.08	129.00	Horizontal	Horizontal	Pass
3650.000	-39.89	10.92	-40.0	-0.11	95.00	Horizontal	Horizontal	N/A
3699.000	-30.26	11.02	-40.0	-9.74	35.00	Horizontal	Horizontal	N/A
13336.688	-52.37	16.02	-40.0	12.37	339.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.19	-19.55	-40.0	3.19	98.00	Vertical	Horizontal	Pass
1349.000	-53.55	-1.79	-40.0	13.55	133.00	Vertical	Horizontal	Pass
1932.400	-50.36	1.91	-40.0	10.36	242.00	Vertical	Horizontal	N/A
2884.700	-45.08	9.84	-40.0	5.08	-1.00	Vertical	Horizontal	Pass
3699.000	-51.35	11.02	-40.0	11.35	0.00	Vertical	Horizontal	N/A
13345.087	-53.11	16.35	-40.0	13.11	35.00	Vertical	Horizontal	Pass

98 DC_2A_n78A (3700-3800)


98.1 DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1839.000	-16.29	0.89	-13.0	3.29	222.00	Horizontal	Horizontal	N/A
1940.600	-37.71	1.01	-13.0	24.71	68.00	Horizontal	Horizontal	N/A
3701.750	-39.62	12.56	-13.0	26.62	40.00	Horizontal	Horizontal	N/A
7247.000	-31.64	23.82	-13.0	18.64	264.00	Horizontal	Horizontal	Pass
12905.138	-40.12	15.40	-13.0	27.12	288.00	Horizontal	Horizontal	Pass
17796.563	-42.72	12.99	-13.0	29.72	18.00	Horizontal	Horizontal	Pass


RSE-V&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1834.700	-33.64	-0.08	-13.0	20.64	65.00	Vertical	Horizontal	N/A
1940.700	-49.21	1.02	-13.0	36.21	110.00	Vertical	Horizontal	N/A
3832.500	-42.69	13.68	-13.0	29.69	129.00	Vertical	Horizontal	N/A
7245.250	-31.12	23.83	-13.0	18.12	295.00	Vertical	Horizontal	Pass
13379.474	-39.72	16.82	-13.0	26.72	17.00	Vertical	Horizontal	Pass
19737.901	-42.82	12.94	-13.0	29.82	361.00	Vertical	Horizontal	Pass


98.2 DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1829.200	-33.43	-0.26	-13.0	20.43	226.00	Horizontal	Horizontal	N/A
1980.700	-37.12	0.88	-13.0	24.12	251.00	Horizontal	Horizontal	N/A
3736.750	-43.14	12.99	-13.0	30.14	52.00	Horizontal	Horizontal	N/A
7588.000	-31.48	23.53	-13.0	18.48	240.00	Horizontal	Horizontal	Pass
13372.387	-38.29	16.75	-13.0	25.29	116.00	Horizontal	Horizontal	Pass
18236.250	-42.87	12.86	-13.0	29.87	155.00	Horizontal	Horizontal	Pass

RSE-V&H DC_2A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1828.500	-46.55	-0.28	-13.0	33.55	65.00	Vertical	Horizontal	N/A
2883.200	-44.79	9.19	-13.0	31.79	59.00	Vertical	Horizontal	Pass
3736.750	-43.29	12.99	-13.0	30.29	151.00	Vertical	Horizontal	N/A
7240.500	-32.31	23.38	-13.0	19.31	18.00	Vertical	Horizontal	Pass
13398.901	-39.32	17.00	-13.0	26.32	358.00	Vertical	Horizontal	Pass
19309.949	-43.41	12.92	-13.0	30.41	361.00	Vertical	Horizontal	Pass

99 DC_7A_n78A (3450-3550)


99.1 DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2491.200	-29.16	8.09	-25.0	4.16	361.00	Horizontal	Horizontal	N/A
2582.600	-35.27	8.37	-25.0	10.27	199.00	Horizontal	Horizontal	N/A
3354.000	-28.84	11.38	-25.0	3.84	51.00	Horizontal	Horizontal	N/A
3451.250	-28.83	13.38	-25.0	3.83	51.00	Horizontal	Horizontal	N/A
7201.250	-32.18	23.14	-25.0	7.18	150.00	Horizontal	Horizontal	Pass
13379.474	-38.50	16.82	-25.0	13.50	355.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1726.200	-51.04	0.40	-25.0	26.04	231.00	Vertical	Horizontal	Pass
2486.500	-30.80	8.08	-25.0	5.80	269.00	Vertical	Horizontal	N/A
3507.500	-43.20	13.19	-25.0	18.20	172.00	Vertical	Horizontal	N/A
4670.250	-41.07	13.74	-25.0	16.07	282.00	Vertical	Horizontal	Pass
13362.413	-39.32	16.66	-25.0	14.32	190.00	Vertical	Horizontal	Pass
20072.249	-42.67	12.96	-25.0	17.67	145.00	Vertical	Horizontal	Pass


99.2 DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2484.000	-29.58	7.39	-25.0	4.58	210.00	Horizontal	Horizontal	N/A
2580.800	-28.06	8.38	-25.0	3.06	216.00	Horizontal	Horizontal	N/A
3353.750	-35.48	11.40	-25.0	10.48	297.00	Horizontal	Horizontal	N/A
3451.000	-32.98	13.39	-25.0	7.98	109.00	Horizontal	Horizontal	N/A
5898.500	-36.02	17.65	-25.0	11.02	174.00	Horizontal	Horizontal	Pass
13425.675	-38.51	16.45	-25.0	13.51	165.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1303.900	-52.44	0.34	-25.0	27.44	90.00	Vertical	Horizontal	Pass
2044.500	-48.47	3.13	-25.0	23.47	353.00	Vertical	Horizontal	Pass
2497.900	-44.37	8.12	-25.0	19.37	90.00	Vertical	Horizontal	N/A
2581.700	-42.34	8.38	-25.0	17.34	116.00	Vertical	Horizontal	N/A
5002.750	-39.69	15.91	-25.0	14.69	312.00	Vertical	Horizontal	Pass
11999.974	-39.73	13.82	-25.0	14.73	200.00	Vertical	Horizontal	Pass

100 DC_7A_n78A (3550-3700)


100.1 DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.700	-55.25	-19.56	-40.0	15.25	360.00	Horizontal	Horizontal	Pass
1212.800	-53.22	-0.27	-40.0	13.22	-1.00	Horizontal	Horizontal	Pass
2130.800	-47.92	4.60	-40.0	7.92	253.00	Horizontal	Horizontal	Pass
3551.000	-42.41	12.95	-40.0	2.41	84.00	Horizontal	Horizontal	N/A
3649.000	-31.79	11.04	-40.0	-8.21	96.00	Horizontal	Horizontal	N/A
13369.500	-53.68	16.72	-40.0	13.68	89.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.554	-43.45	-19.61	-40.0	3.45	248.00	Vertical	Horizontal	Pass
1350.500	-52.78	-0.13	-40.0	12.78	-1.00	Vertical	Horizontal	Pass
2422.900	-46.69	6.48	-40.0	6.69	327.00	Vertical	Horizontal	Pass
6240.000	-50.17	18.28	-40.0	10.17	315.00	Vertical	Horizontal	Pass
11939.412	-53.63	13.95	-40.0	13.63	360.00	Vertical	Horizontal	Pass
17791.052	-56.50	12.65	-40.0	16.50	88.00	Vertical	Horizontal	Pass


100.2 DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1298.000	-52.43	0.62	-40.0	12.43	257.00	Horizontal	Horizontal	Pass
2206.500	-48.60	4.83	-40.0	8.60	3.00	Horizontal	Horizontal	Pass
2964.000	-43.17	10.88	-40.0	3.17	22.00	Horizontal	Horizontal	Pass
3503.000	-41.56	10.89	-40.0	1.56	0.00	Horizontal	Horizontal	N/A
7216.250	-45.98	22.47	-40.0	5.98	44.00	Horizontal	Horizontal	Pass
13393.125	-52.97	16.95	-40.0	12.97	216.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.972	-43.43	-19.81	-40.0	3.43	266.00	Vertical	Horizontal	Pass
1313.300	-52.86	0.36	-40.0	12.86	67.00	Vertical	Horizontal	Pass
2488.700	-45.45	5.91	-40.0	5.45	99.00	Vertical	Horizontal	Pass
3503.000	-49.62	10.89	-40.0	9.62	0.00	Vertical	Horizontal	N/A
7244.250	-44.94	23.66	-40.0	4.94	251.00	Vertical	Horizontal	Pass
13386.037	-53.25	16.88	-40.0	13.25	183.00	Vertical	Horizontal	Pass

101 DC_7A_n78A (3700-3800)


101.1 DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2487.600	-18.93	8.08	-25.0	-6.07	47.00	Horizontal	Horizontal	N/A
2584.700	-37.54	8.36	-25.0	12.54	218.00	Horizontal	Horizontal	N/A
3701.500	-39.70	12.56	-25.0	14.70	96.00	Horizontal	Horizontal	N/A
7229.500	-32.18	22.74	-25.0	7.18	96.00	Horizontal	Horizontal	Pass
13364.250	-39.44	16.67	-25.0	14.44	200.00	Horizontal	Horizontal	Pass
17910.225	-43.69	13.14	-25.0	18.69	247.00	Horizontal	Horizontal	Pass


RSE-V&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1287.700	-52.36	-0.12	-25.0	27.36	247.00	Vertical	Horizontal	Pass
2224.100	-47.50	4.97	-25.0	22.50	300.00	Vertical	Horizontal	Pass
2490.100	-34.50	8.09	-25.0	9.50	92.00	Vertical	Horizontal	N/A
3762.000	-42.76	13.21	-25.0	17.76	0.00	Vertical	Horizontal	N/A
6727.250	-33.86	21.60	-25.0	8.86	295.00	Vertical	Horizontal	Pass
13352.700	-39.21	16.57	-25.0	14.21	31.00	Vertical	Horizontal	Pass


101.2 DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2484.200	-29.30	7.40	-25.0	4.30	228.00	Horizontal	Horizontal	N/A
2580.400	-29.55	8.38	-25.0	4.55	22.00	Horizontal	Horizontal	N/A
3702.000	-42.36	12.56	-25.0	17.36	49.00	Horizontal	Horizontal	N/A
7209.750	-32.27	22.67	-25.0	7.27	127.00	Horizontal	Horizontal	Pass
13402.050	-39.49	16.96	-25.0	14.49	360.00	Horizontal	Horizontal	Pass
20340.900	-42.87	12.97	-25.0	17.87	63.00	Horizontal	Horizontal	Pass

RSE-V&H DC_7A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1447.500	-52.18	0.02	-25.0	27.18	194.00	Vertical	Horizontal	Pass
2496.700	-45.02	8.11	-25.0	20.02	27.00	Vertical	Horizontal	N/A
3840.000	-42.92	13.74	-25.0	17.92	78.00	Vertical	Horizontal	N/A
7163.750	-31.92	22.56	-25.0	6.92	231.00	Vertical	Horizontal	Pass
11952.474	-40.20	14.00	-25.0	15.20	42.00	Vertical	Horizontal	Pass
20081.250	-43.13	12.96	-25.0	18.13	-1.00	Vertical	Horizontal	Pass

102 DC_41A_n78A (3450-3550)


102.1 DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2490.000	-19.49	8.09	-25.0	-5.51	236.00	Horizontal	Horizontal	N/A
2588.500	-37.93	8.41	-25.0	12.93	56.00	Horizontal	Horizontal	N/A
3451.750	-30.19	13.38	-25.0	5.19	37.00	Horizontal	Horizontal	N/A
3656.500	-39.68	10.87	-25.0	14.68	49.00	Horizontal	Horizontal	N/A
12539.099	-40.03	14.09	-25.0	15.03	152.00	Horizontal	Horizontal	Pass
17801.288	-42.76	13.16	-25.0	17.76	337.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1255.300	-52.81	-0.63	-25.0	27.81	317.00	Vertical	Horizontal	Pass
2487.800	-28.21	8.08	-25.0	3.21	290.00	Vertical	Horizontal	N/A
3451.500	-41.06	13.38	-25.0	16.06	7.00	Vertical	Horizontal	N/A
5963.500	-36.23	19.18	-25.0	11.23	241.00	Vertical	Horizontal	Pass
13382.362	-39.82	16.84	-25.0	14.82	19.00	Vertical	Horizontal	Pass
20385.450	-42.62	12.97	-25.0	17.62	-1.00	Vertical	Horizontal	Pass


102.2 DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2699.300	-33.83	9.48	-25.0	8.83	243.00	Horizontal	Horizontal	N/A
3353.750	-31.18	11.40	-25.0	6.18	46.00	Horizontal	Horizontal	N/A
3451.500	-30.89	13.38	-25.0	5.89	35.00	Horizontal	Horizontal	N/A
5810.750	-36.95	17.65	-25.0	11.95	281.00	Horizontal	Horizontal	Pass
11975.276	-40.08	13.91	-25.0	15.08	149.00	Horizontal	Horizontal	Pass
17946.450	-42.50	14.00	-25.0	17.50	314.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1278.200	-52.53	-0.29	-25.0	27.53	223.00	Vertical	Horizontal	Pass
2698.000	-41.15	9.47	-25.0	16.15	282.00	Vertical	Horizontal	N/A
4967.250	-39.03	16.63	-25.0	14.03	162.00	Vertical	Horizontal	Pass
7277.500	-31.80	23.24	-25.0	6.80	115.00	Vertical	Horizontal	Pass
12492.313	-39.13	14.65	-25.0	14.13	147.00	Vertical	Horizontal	Pass
17945.401	-42.59	13.98	-25.0	17.59	150.00	Vertical	Horizontal	Pass

103 DC_41A_n78A (3550-3700)


103.1 DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1193.100	-53.35	-0.13	-40.0	13.35	132.00	Horizontal	Horizontal	Pass
1997.600	-50.10	2.45	-40.0	10.10	126.00	Horizontal	Horizontal	Pass
2491.400	-44.05	8.95	-40.0	4.05	158.00	Horizontal	Horizontal	Pass
3551.000	-41.13	12.95	-40.0	1.13	93.00	Horizontal	Horizontal	N/A
3649.000	-37.82	11.04	-40.0	-2.18	240.00	Horizontal	Horizontal	N/A
13383.937	-53.39	16.86	-40.0	13.39	359.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.215	-44.02	-19.71	-40.0	4.02	278.00	Vertical	Horizontal	Pass
1302.700	-52.38	0.56	-40.0	12.38	212.00	Vertical	Horizontal	Pass
2536.400	-43.21	9.34	-40.0	3.21	232.00	Vertical	Horizontal	N/A
3490.000	-54.27	13.27	-40.0	14.27	183.00	Vertical	Horizontal	Pass
7592.750	-45.32	22.82	-40.0	5.32	263.00	Vertical	Horizontal	Pass
13388.401	-53.17	16.90	-40.0	13.17	360.00	Vertical	Horizontal	Pass


103.2 DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1191.400	-52.88	-0.08	-40.0	12.88	-1.00	Horizontal	Horizontal	Pass
2194.400	-47.39	4.42	-40.0	7.39	80.00	Horizontal	Horizontal	Pass
2670.800	-44.34	8.97	-40.0	4.34	94.00	Horizontal	Horizontal	N/A
5836.750	-50.13	17.60	-40.0	10.13	180.00	Horizontal	Horizontal	Pass
10045.350	-54.64	14.00	-40.0	14.64	199.00	Horizontal	Horizontal	Pass
13364.250	-53.21	16.67	-40.0	13.21	283.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.748	-43.56	-19.55	-40.0	3.56	187.00	Vertical	Horizontal	Pass
1189.700	-54.03	-0.28	-40.0	14.03	240.00	Vertical	Horizontal	Pass
1757.600	-51.62	0.07	-40.0	11.62	117.00	Vertical	Horizontal	Pass
3490.000	-54.89	13.27	-40.0	14.89	193.00	Vertical	Horizontal	Pass
7229.000	-45.55	23.06	-40.0	5.55	27.00	Vertical	Horizontal	Pass
13387.350	-52.28	16.89	-40.0	12.28	-3.00	Vertical	Horizontal	Pass

104 DC_41A_n78A (3700-3800)


104.1 DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1707.000	-51.55	0.86	-25.0	26.55	361.00	Horizontal	Horizontal	Pass
2481.800	-26.05	7.92	-25.0	1.05	304.00	Horizontal	Horizontal	N/A
2607.200	-40.22	7.58	-25.0	15.22	189.00	Horizontal	Horizontal	N/A
3701.250	-40.97	12.56	-25.0	15.97	42.00	Horizontal	Horizontal	N/A
12520.575	-39.46	14.39	-25.0	14.46	203.00	Horizontal	Horizontal	Pass
17941.725	-42.64	13.89	-25.0	17.64	50.00	Horizontal	Horizontal	Pass


RSE-V&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1288.300	-52.93	-0.15	-25.0	27.93	315.00	Vertical	Horizontal	Pass
2488.000	-31.53	8.08	-25.0	6.53	128.00	Vertical	Horizontal	N/A
3817.500	-42.79	13.55	-25.0	17.79	356.00	Vertical	Horizontal	N/A
5899.000	-35.71	17.77	-25.0	10.71	124.00	Vertical	Horizontal	Pass
12464.287	-39.23	14.40	-25.0	14.23	301.00	Vertical	Horizontal	Pass
17809.162	-41.58	12.95	-25.0	16.58	357.00	Vertical	Horizontal	Pass


104.2 DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2162.000	-47.87	4.69	-25.0	22.87	361.00	Horizontal	Horizontal	Pass
2702.800	-30.91	9.25	-25.0	5.91	263.00	Horizontal	Horizontal	N/A
3701.500	-41.57	12.56	-25.0	16.57	55.00	Horizontal	Horizontal	N/A
7967.000	-30.96	25.02	-25.0	5.96	356.00	Horizontal	Horizontal	Pass
13346.662	-39.68	16.41	-25.0	14.68	220.00	Horizontal	Horizontal	Pass
17976.900	-42.31	13.42	-25.0	17.31	70.00	Horizontal	Horizontal	Pass

RSE-V&H DC_41A_n78A (3700-3800) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1303.400	-52.51	0.64	-25.0	27.51	85.00	Vertical	Horizontal	Pass
2671.700	-40.91	9.40	-25.0	15.91	85.00	Vertical	Horizontal	N/A
3759.000	-42.87	13.19	-25.0	17.87	1.00	Vertical	Horizontal	N/A
4987.000	-39.84	15.65	-25.0	14.84	67.00	Vertical	Horizontal	Pass
13360.312	-39.40	16.64	-25.0	14.40	355.00	Vertical	Horizontal	Pass
20114.551	-42.76	12.96	-25.0	17.76	320.00	Vertical	Horizontal	Pass

105 DC_42A_n78A (3450-3550)


105.1 DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.756	-59.20	-19.31	-13.0	46.20	248.00	Horizontal	Horizontal	Pass
1308.800	-52.40	0.15	-13.0	39.40	1.00	Horizontal	Horizontal	Pass
3353.750	-37.67	11.40	-13.0	24.67	275.00	Horizontal	Horizontal	Pass
3451.750	-27.14	13.38	-13.0	14.14	206.00	Horizontal	Horizontal	N/A
7250.000	-31.77	23.70	-13.0	18.77	11.00	Horizontal	Horizontal	Pass
13793.438	-39.70	16.57	-13.0	26.70	329.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.541	-55.35	-22.99	-13.0	42.35	69.00	Vertical	Horizontal	Pass
1216.400	-52.88	-0.77	-13.0	39.88	154.00	Vertical	Horizontal	Pass
2967.800	-41.48	13.59	-13.0	28.48	102.00	Vertical	Horizontal	Pass
7505.250	-31.64	22.39	-13.0	18.64	205.00	Vertical	Horizontal	Pass
13408.349	-39.81	16.83	-13.0	26.81	336.00	Vertical	Horizontal	Pass
19759.950	-42.71	12.94	-13.0	29.71	143.00	Vertical	Horizontal	Pass


105.2 DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
162.551	-60.82	-18.96	-13.0	47.82	255.00	Horizontal	Horizontal	Pass
2808.400	-43.48	10.51	-13.0	30.48	206.00	Horizontal	Horizontal	Pass
3353.500	-37.99	11.41	-13.0	24.99	279.00	Horizontal	Horizontal	Pass
3451.500	-31.96	13.38	-13.0	18.96	27.00	Horizontal	Horizontal	N/A
7960.000	-30.75	25.59	-13.0	17.75	184.00	Horizontal	Horizontal	Pass
13365.826	-39.51	16.69	-13.0	26.51	284.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n78A (3450-3550) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.589	-54.83	-22.93	-13.0	41.83	118.00	Vertical	Horizontal	Pass
1297.900	-52.42	0.19	-13.0	39.42	-1.00	Vertical	Horizontal	Pass
2946.600	-41.43	11.96	-13.0	28.43	129.00	Vertical	Horizontal	Pass
7962.250	-30.71	25.43	-13.0	17.71	65.00	Vertical	Horizontal	Pass
13386.563	-39.73	16.88	-13.0	26.73	230.00	Vertical	Horizontal	Pass
19754.551	-42.63	12.94	-13.0	29.63	363.00	Vertical	Horizontal	Pass

106 DC_42A_n78A (3550-3700)


106.1 DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.633	-54.73	-20.01	-40.0	14.73	311.00	Horizontal	Horizontal	Pass
1216.000	-58.67	-5.72	-40.0	18.67	348.00	Horizontal	Horizontal	Pass
3551.000	-46.96	12.95	-40.0	6.96	270.00	Horizontal	Horizontal	N/A
3649.000	-43.19	11.04	-40.0	3.19	4.00	Horizontal	Horizontal	N/A
7199.250	-46.08	22.97	-40.0	6.08	112.00	Horizontal	Horizontal	Pass
13379.213	-53.77	16.81	-40.0	13.77	209.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.506	-44.35	-19.62	-40.0	4.35	330.00	Vertical	Horizontal	Pass
1297.500	-57.79	-4.59	-40.0	17.79	124.00	Vertical	Horizontal	Pass
2159.900	-54.46	-1.89	-40.0	14.46	63.00	Vertical	Horizontal	Pass
3551.000	-54.31	12.95	-40.0	14.31	228.00	Vertical	Horizontal	N/A
7245.250	-45.55	23.67	-40.0	5.55	7.00	Vertical	Horizontal	Pass
13392.862	-53.24	16.94	-40.0	13.24	69.00	Vertical	Horizontal	Pass


106.2 DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.651	-55.15	-19.58	-40.0	15.15	360.00	Horizontal	Horizontal	Pass
84.660	-59.13	-19.73	-40.0	19.13	112.00	Horizontal	Horizontal	Pass
1561.300	-56.94	-5.43	-40.0	16.94	-1.00	Horizontal	Horizontal	Pass
3503.250	-41.82	10.91	-40.0	1.82	261.00	Horizontal	Horizontal	N/A
7247.000	-45.80	23.82	-40.0	5.80	352.00	Horizontal	Horizontal	Pass
12688.012	-54.22	14.69	-40.0	14.22	129.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n78A (3550-3700) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.409	-44.01	-19.65	-40.0	4.01	293.00	Vertical	Horizontal	Pass
1268.300	-57.97	-5.48	-40.0	17.97	248.00	Vertical	Horizontal	Pass
2200.100	-54.41	-1.88	-40.0	14.41	86.00	Vertical	Horizontal	Pass
3737.500	-57.41	13.00	-40.0	17.41	24.00	Vertical	Horizontal	Pass
7249.000	-46.25	23.95	-40.0	6.25	144.00	Vertical	Horizontal	Pass
13394.700	-52.65	16.96	-40.0	12.65	360.00	Vertical	Horizontal	Pass

107 DC_42A_n78A (3700-3800)


107.1 DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, Low Chanel

RSE-H&H DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.927	-60.00	-18.63	-13.0	47.00	270.00	Horizontal	Horizontal	Pass
1478.800	-51.77	-0.13	-13.0	38.77	147.00	Horizontal	Horizontal	Pass
2967.000	-41.25	13.47	-13.0	28.25	44.00	Horizontal	Horizontal	Pass
7969.250	-31.20	25.07	-13.0	18.20	108.00	Horizontal	Horizontal	Pass
11955.325	-39.86	13.99	-13.0	26.86	15.00	Horizontal	Horizontal	Pass
17791.838	-43.33	12.69	-13.0	30.33	3.00	Horizontal	Horizontal	Pass


RSE-V&H DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.074	-54.08	-22.38	-13.0	41.08	338.00	Vertical	Horizontal	Pass
1299.800	-52.56	0.07	-13.0	39.56	1.00	Vertical	Horizontal	Pass
2964.200	-41.68	13.05	-13.0	28.68	66.00	Vertical	Horizontal	Pass
7249.750	-31.91	23.86	-13.0	18.91	89.00	Vertical	Horizontal	Pass
11951.762	-39.55	14.00	-13.0	26.55	235.00	Vertical	Horizontal	Pass
19725.750	-43.15	12.94	-13.0	30.15	-1.00	Vertical	Horizontal	Pass


107.2 DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR), QPSK, High Chanel

RSE-H&H DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
160.853	-60.40	-19.30	-13.0	47.40	267.00	Horizontal	Horizontal	Pass
1269.600	-51.79	-0.46	-13.0	38.79	141.00	Horizontal	Horizontal	Pass
2987.600	-41.07	12.80	-13.0	28.07	360.00	Horizontal	Horizontal	Pass
7259.000	-31.18	23.81	-13.0	18.18	21.00	Horizontal	Horizontal	Pass
13399.950	-39.49	17.01	-13.0	26.49	144.00	Horizontal	Horizontal	Pass
20096.999	-42.87	12.96	-13.0	29.87	178.00	Horizontal	Horizontal	Pass

RSE-V&H DC_42A_n78A (3700-3800) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.219	-55.20	-22.38	-13.0	42.20	247.00	Vertical	Horizontal	Pass
1427.500	-52.59	0.12	-13.0	39.59	7.00	Vertical	Horizontal	Pass
2953.400	-41.31	12.69	-13.0	28.31	327.00	Vertical	Horizontal	Pass
7969.500	-30.44	25.04	-13.0	17.44	352.00	Vertical	Horizontal	Pass
12498.250	-39.70	14.70	-13.0	26.70	110.00	Vertical	Horizontal	Pass
19737.448	-42.97	12.94	-13.0	29.97	-1.00	Vertical	Horizontal	Pass

-- BLANK BELOW --