


EXHIBIT A. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	943.794	-58.34	-27	Pass	9700
1000	5150	1	Peak	5141.998	-44.88	-27	Pass	4150
5150	5350	1	Peak	5179	8.04	24	Pass	601
5350	10300	1	Peak	6907.315	-32.72	-27	Pass	4950
10300	10700	1	Peak	10334	-47.34	-27	Pass	601
10700	25000	1	Peak	24770.984	-36.75	-27	Pass	14300



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	932.893	-58.99	-27	Pass	9700
1000	5150	1	Peak	2713.413	-45.82	-27	Pass	4150
5150	5350	1	Peak	5219	8.1	24	Pass	601
5350	10300	1	Peak	6960.325	-32.63	-27	Pass	4950
10300	10700	1	Peak	10431.333	-47.79	-27	Pass	601
10700	25000	1	Peak	24698.979	-37.32	-27	Pass	14300



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	748.474	-58.96	-27	Pass	9700
1000	5150	1	Peak	2604.387	-45.31	-27	Pass	4150
5150	5350	1	Peak	5241	8.39	24	Pass	601
5350	10300	1	Peak	6987.331	-34.03	-27	Pass	4950
10300	10700	1	Peak	10567.333	-47.72	-27	Pass	601
10700	25000	1	Peak	24735.982	-37.36	-27	Pass	14300



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	3	Peak	818.933	-49.25	-27	Pass	601
1000	5150	1	Peak	5149	-41.85	-27	Pass	4150
5150	5350	1	Peak	5175.667	7.43	24	Pass	601
5350	10300	1	Peak	6906.314	-32.28	-27	Pass	4950
10300	10700	1	Peak	10602	-47.73	-27	Pass	601
10700	25000	1	Peak	24802.986	-36.79	-27	Pass	14300



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	791.479	-58.73	-27	Pass	9700
1000	5150	1	Peak	3187.527	-45.07	-27	Pass	4150
5150	5350	1	Peak	5223.333	7.51	24	Pass	601
5350	10300	1	Peak	6960.325	-32.68	-27	Pass	4950
10300	10700	1	Peak	10340.667	-47.99	-27	Pass	601
10700	25000	1	Peak	24816.987	-37.26	-27	Pass	14300



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	464.845	-59	-27	Pass	9700
1000	5150	1	Peak	2667.402	-45.16	-27	Pass	4150
5150	5350	1	Peak	5243.333	7.77	24	Pass	601
5350	10300	1	Peak	6986.331	-33.06	-27	Pass	4950
10300	10700	1	Peak	10336	-47.45	-27	Pass	601
10700	25000	1	Peak	24718.98	-36.98	-27	Pass	14300



7. 802.11n_40M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	958.696	-59.16	-27	Pass	9700
1000	5150	1	Peak	5149	-32.88	-27	Pass	4150
5150	5350	1	Peak	5194.667	4.58	24	Pass	601
5350	10300	1	Peak	6920.317	-32.71	-27	Pass	4950
10300	10700	1	Peak	10616.667	-47.29	-27	Pass	601
10700	25000	1	Peak	24755.983	-36.14	-27	Pass	14300



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	849.584	-58.66	-27	Pass	9700
1000	5150	1	Peak	2699.409	-45.99	-27	Pass	4150
5150	5350	1	Peak	5234.667	4.98	24	Pass	601
5350	10300	1	Peak	6973.328	-33.55	-27	Pass	4950
10300	10700	1	Peak	10372.667	-47.48	-27	Pass	601
10700	25000	1	Peak	24772.984	-36.83	-27	Pass	14300



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	289.027	-58.95	-27	Pass	9700
1000	5150	1	Peak	5146.999	-39.65	-27	Pass	4150
5150	5350	1	Peak	5181.333	7.28	24	Pass	601
5350	10300	1	Peak	6907.315	-31.87	-27	Pass	4950
10300	10700	1	Peak	10388.667	-47.52	-27	Pass	601
10700	25000	1	Peak	24769.984	-37.27	-27	Pass	14300



10. 802.11ac_20M_Band1_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	820.982	-58.04	-27	Pass	9700
1000	5150	1	Peak	3070.499	-46.04	-27	Pass	4150
5150	5350	1	Peak	5221.333	7.58	24	Pass	601
5350	10300	1	Peak	6960.325	-33.1	-27	Pass	4950
10300	10700	1	Peak	10600	-47.89	-27	Pass	601
10700	25000	1	Peak	24747.982	-36.78	-27	Pass	14300



11. 802.11ac_20M_Band1_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	742.873	-59.34	-27	Pass	9700
1000	5150	1	Peak	2719.414	-44.25	-27	Pass	4150
5150	5350	1	Peak	5248	7.52	24	Pass	601
5350	10300	1	Peak	6987.331	-33.44	-27	Pass	4950
10300	10700	1	Peak	10656.667	-47.68	-27	Pass	601
10700	25000	1	Peak	24765.984	-37.18	-27	Pass	14300



12. 802.11ac_40M_Band1_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	861.886	-59.1	-27	Pass	9700
1000	5150	1	Peak	5150	-35.81	-27	Pass	4150
5150	5350	1	Peak	5192	4.23	24	Pass	601
5350	10300	1	Peak	6920.317	-32.51	-27	Pass	4950
10300	10700	1	Peak	10606.667	-47.61	-27	Pass	601
10700	25000	1	Peak	24783.985	-36.6	-27	Pass	14300



13. 802.11ac_40M_Band1_H

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	812.781	-59.09	-27	Pass	9700
1000	5150	1	Peak	2689.407	-46.06	-27	Pass	4150
5150	5350	1	Peak	5240	4.42	24	Pass	601
5350	10300	1	Peak	6973.328	-33.4	-27	Pass	4950
10300	10700	1	Peak	10302.667	-47.38	-27	Pass	601
10700	25000	1	Peak	24758.983	-37.57	-27	Pass	14300



14. 802.11ac_80M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	865.086	-58.41	-27	Pass	9700
1000	5150	1	Peak	5149	-38.87	-27	Pass	4150
5150	5350	1	Peak	5246.333	-0.01	24	Pass	601
5350	10300	1	Peak	6946.322	-32.2	-27	Pass	4950
10300	10700	1	Peak	10594	-47.79	-27	Pass	601
10700	25000	1	Peak	24651.976	-36.66	-27	Pass	14300



15. 802.11a_20M_Band2_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	931.393	-59.53	-27	Pass	9700
1000	5150	1	Peak	3167.522	-46.58	-27	Pass	4150
5150	5350	1	Peak	5256	6.1	24	Pass	601
5350	10300	1	Peak	7013.336	-36.15	-27	Pass	4950
10300	10700	1	Peak	10310	-47.67	-27	Pass	601
10700	25000	1	Peak	24773.984	-36.92	-27	Pass	14300



16. 802.11a_20M_Band2_M

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	3	Peak	860.967	-49.91	-27	Pass	601
1000	5150	1	Peak	2565.377	-46.07	-27	Pass	4150
5150	5350	1	Peak	5295.667	7.09	24	Pass	601
5350	10300	1	Peak	7066.347	-37.13	-27	Pass	4950
10300	10700	1	Peak	10376	-47.56	-27	Pass	601
10700	25000	1	Peak	24707.98	-37.63	-27	Pass	14300



17. 802.11a_20M_Band2_H

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	948.795	-59.14	-27	Pass	9700
1000	5150	1	Peak	3163.521	-46	-27	Pass	4150
5150	5350	1	Peak	5312.667	7.51	24	Pass	601
5350	10300	1	Peak	5351	-29.75	-27	Pass	4950
10300	10700	1	Peak	10340.667	-47.71	-27	Pass	601
10700	25000	1	Peak	24714.98	-37.34	-27	Pass	14300



18. 802.11n_20M_Band2_L

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.587	-59.67	-27	Pass	9700
1000	5150	1	Peak	2671.403	-45.72	-27	Pass	4150
5150	5350	1	Peak	5265.667	5.83	24	Pass	601
5350	10300	1	Peak	7013.336	-35.66	-27	Pass	4950
10300	10700	1	Peak	10549.333	-48.37	-27	Pass	601
10700	25000	1	Peak	24796.986	-36.67	-27	Pass	14300



19 802.11n_20M_Band2_M

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	855.485	-59.09	-27	Pass	9700
1000	5150	1	Peak	3155.519	-46.39	-27	Pass	4150
5150	5350	1	Peak	5303	7.16	24	Pass	601
5350	10300	1	Peak	7066.347	-37.15	-27	Pass	4950
10300	10700	1	Peak	10602.667	-48.01	-27	Pass	601
10700	25000	1	Peak	24770.984	-37.81	-27	Pass	14300



20. 802.11n_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	547.753	-59.86	-27	Pass	9700
1000	5150	1	Peak	3297.554	-46.34	-27	Pass	4150
5150	5350	1	Peak	5323	7.57	24	Pass	601
5350	10300	1	Peak	5350	-28.91	-27	Pass	4950
10300	10700	1	Peak	10614	-47.98	-27	Pass	601
10700	25000	1	Peak	24721.981	-37.67	-27	Pass	14300



21. 802.11n_40M_Band2_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	848.184	-58.3	-27	Pass	9700
1000	5150	1	Peak	3162.521	-46.52	-27	Pass	4150
5150	5350	1	Peak	5272	0.84	24	Pass	601
5350	10300	1	Peak	7026.339	-35.4	-27	Pass	4950
10300	10700	1	Peak	10512	-48.31	-27	Pass	601
10700	25000	1	Peak	24767.984	-36.82	-27	Pass	14300



22. 802.11n_40M_Band2_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	978.798	-58.86	-27	Pass	9700
1000	5150	1	Peak	2610.388	-46.37	-27	Pass	4150
5150	5350	1	Peak	5312	1.84	24	Pass	601
5350	10300	1	Peak	5350	-35.36	-27	Pass	4950
10300	10700	1	Peak	10334.667	-48.36	-27	Pass	601
10700	25000	1	Peak	24729.981	-37.16	-27	Pass	14300



23. 802.11ac_20M_Band2_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	797.079	-59.25	-27	Pass	9700
1000	5150	1	Peak	2709.412	-46.83	-27	Pass	4150
5150	5350	1	Peak	5264.333	5.45	24	Pass	601
5350	10300	1	Peak	7013.336	-35.09	-27	Pass	4950
10300	10700	1	Peak	10302	-48.29	-27	Pass	601
10700	25000	1	Peak	24743.982	-37.44	-27	Pass	14300



24. 802.11ac_20M_Band2_M

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	877.987	-58.55	-27	Pass	9700
1000	5150	1	Peak	3190.528	-46.68	-27	Pass	4150
5150	5350	1	Peak	5303.333	5.84	24	Pass	601
5350	10300	1	Peak	7066.347	-36.44	-27	Pass	4950
10300	10700	1	Peak	10622.667	-47.91	-27	Pass	601
10700	25000	1	Peak	24704.979	-37.55	-27	Pass	14300



25. 802.11ac_20M_Band2_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	736.173	-59.44	-27	Pass	9700
1000	5150	1	Peak	2695.409	-46.37	-27	Pass	4150
5150	5350	1	Peak	5323.333	6.05	24	Pass	601
5350	10300	1	Peak	7093.352	-36.52	-27	Pass	4950
10300	10700	1	Peak	10332.667	-48.24	-27	Pass	601
10700	25000	1	Peak	24734.981	-36.44	-27	Pass	14300



26. 802.11ac_40M_Band2_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	880.388	-59.27	-27	Pass	9700
1000	5150	1	Peak	2787.431	-46.63	-27	Pass	4150
5150	5350	1	Peak	5275	0.51	24	Pass	601
5350	10300	1	Peak	7026.339	-34.91	-27	Pass	4950
10300	10700	1	Peak	10492.667	-48.26	-27	Pass	601
10700	25000	1	Peak	24758.983	-36.96	-27	Pass	14300



27. 802.11ac_40M_Band2_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	438.742	-59.35	-27	Pass	9700
1000	5150	1	Peak	2682.405	-46.34	-27	Pass	4150
5150	5350	1	Peak	5315	0.91	24	Pass	601
5350	10300	1	Peak	7080.35	-36.24	-27	Pass	4950
10300	10700	1	Peak	10341.333	-48.22	-27	Pass	601
10700	25000	1	Peak	24748.982	-37.15	-27	Pass	14300



28. 802.11ac_80M_Band2_M

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	431.841	-59.41	-27	Pass	9700
1000	5150	1	Peak	2597.385	-46.81	-27	Pass	4150
5150	5350	1	Peak	5286.667	-2.7	24	Pass	601
5350	10300	1	Peak	7053.344	-35.81	-27	Pass	4950
10300	10700	1	Peak	10325.333	-47.74	-27	Pass	601
10700	25000	1	Peak	24705.979	-37.04	-27	Pass	14300



29. 802.11a_20M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	733.373	-58.09	-27	Pass	9700
1000	5470	1	Peak	5470	-44.34	-27	Pass	4470
5470	5725	1	Peak	5497.2	6.43	24	Pass	601
5725	10940	1	Peak	7333.308	-37.89	-27	Pass	5215
10940	11450	1	Peak	11388.8	-47.38	-27	Pass	601
11450	25000	1	Peak	24800.985	-37.37	-27	Pass	13550



30. 802.11a_20M_Band3_M

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	531.952	-59.01	-27	Pass	9700
1000	5470	1	Peak	2610.36	-46.38	-27	Pass	4470
5470	5725	1	Peak	5577.95	5.3	24	Pass	601
5725	10940	1	Peak	7440.329	-39.31	-27	Pass	5215
10940	11450	1	Peak	11416	-47.36	-27	Pass	601
11450	25000	1	Peak	24705.978	-36.95	-27	Pass	13550



31. 802.11a_20M_Band3_H

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	776.777	-59.27	-27	Pass	9700
1000	5470	1	Peak	2691.378	-46.31	-27	Pass	4470
5470	5725	1	Peak	5697.8	5.24	24	Pass	601
5725	10940	1	Peak	7599.359	-42.88	-27	Pass	5215
10940	11450	1	Peak	11442.35	-46.82	-27	Pass	601
11450	25000	1	Peak	24782.984	-36.9	-27	Pass	13550



32. 802.11n_20M_Band3_L

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	875.187	-58.97	-27	Pass	9700
1000	5470	1	Peak	5469	-43.64	-27	Pass	4470
5470	5725	1	Peak	5504.425	5.75	24	Pass	601
5725	10940	1	Peak	7333.308	-37.6	-27	Pass	5215
10940	11450	1	Peak	11417.7	-47.58	-27	Pass	601
11450	25000	1	Peak	24741.981	-36.7	-27	Pass	13550



33. 802.11n_20M_Band3_M

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.988	-59.02	-27	Pass	9700
1000	5470	1	Peak	5029.902	-46.37	-27	Pass	4470
5470	5725	1	Peak	5584.325	5.07	24	Pass	601
5725	10940	1	Peak	7440.329	-38.53	-27	Pass	5215
10940	11450	1	Peak	11417.7	-47.52	-27	Pass	601
11450	25000	1	Peak	24703.978	-36.82	-27	Pass	13550



34. 802.11n_20M_Band3_H

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	260.824	-59.33	-27	Pass	9700
1000	5470	1	Peak	2668.373	-46.07	-27	Pass	4470
5470	5725	1	Peak	5704.175	4.9	24	Pass	601
5725	10940	1	Peak	7599.359	-42.55	-27	Pass	5215
10940	11450	1	Peak	11390.5	-47.16	-27	Pass	601
11450	25000	1	Peak	24765.983	-36.89	-27	Pass	13550



35. 802.11n_40M_Band3_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	926.792	-58.57	-27	Pass	9700
1000	5470	1	Peak	5470	-39.23	-27	Pass	4470
5470	5725	1	Peak	5512.075	2.12	24	Pass	601
5725	10940	1	Peak	7346.311	-37.33	-27	Pass	5215
10940	11450	1	Peak	11450	-47.22	-27	Pass	601
11450	25000	1	Peak	24757.982	-37	-27	Pass	13550



36. 802.11n_40M_Band3_M

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	798.079	-58.53	-27	Pass	9700
1000	5470	1	Peak	3152.482	-46.45	-27	Pass	4470
5470	5725	1	Peak	5592.4	1.58	24	Pass	601
5725	10940	1	Peak	7453.331	-38.36	-27	Pass	5215
10940	11450	1	Peak	11362.45	-47.45	-27	Pass	601
11450	25000	1	Peak	24745.981	-37.22	-27	Pass	13550



37. 802.11n_40M_Band3_H

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	906.69	-59.05	-27	Pass	9700
1000	5470	1	Peak	3053.459	-46.24	-27	Pass	4470
5470	5725	1	Peak	5671.875	1.41	24	Pass	601
5725	10940	1	Peak	7560.352	-41.58	-27	Pass	5215
10940	11450	1	Peak	11382	-47.49	-27	Pass	601
11450	25000	1	Peak	24756.982	-37.13	-27	Pass	13550



38. 802.11ac_20M_Band3_L

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	881.188	-59.51	-27	Pass	9700
1000	5470	1	Peak	5469	-43.98	-27	Pass	4470
5470	5725	1	Peak	5496.35	5.32	24	Pass	601
5725	10940	1	Peak	7333.308	-37.61	-27	Pass	5215
10940	11450	1	Peak	11433	-46.98	-27	Pass	601
11450	25000	1	Peak	24671.976	-36.63	-27	Pass	13550



39. 802.11ac_20M_Band3_M

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	853.385	-59.24	-27	Pass	9700
1000	5470	1	Peak	2693.379	-46.62	-27	Pass	4470
5470	5725	1	Peak	5584.75	4.44	24	Pass	601
5725	10940	1	Peak	7440.329	-38.9	-27	Pass	5215
10940	11450	1	Peak	11427.9	-47.48	-27	Pass	601
11450	25000	1	Peak	24693.977	-36.75	-27	Pass	13550



40. 802.11ac_20M_Band3_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	978.098	-59.39	-27	Pass	9700
1000	5470	1	Peak	2643.368	-46.68	-27	Pass	4470
5470	5725	1	Peak	5692.275	4.26	24	Pass	601
5725	10940	1	Peak	7600.36	-42.43	-27	Pass	5215
10940	11450	1	Peak	11444.9	-47.63	-27	Pass	601
11450	25000	1	Peak	24703.978	-36.86	-27	Pass	13550



41. 802.11ac_40M_Band3_L

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	840.684	-59.31	-27	Pass	9700
1000	5470	1	Peak	5470	-39.8	-27	Pass	4470
5470	5725	1	Peak	5515.05	2.18	24	Pass	601
5725	10940	1	Peak	7346.311	-37.08	-27	Pass	5215
10940	11450	1	Peak	11387.95	-47.21	-27	Pass	601
11450	25000	1	Peak	24817.987	-36.87	-27	Pass	13550



42. 802.11ac_40M_Band3_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	393.938	-59.25	-27	Pass	9700
1000	5470	1	Peak	3054.46	-45.54	-27	Pass	4470
5470	5725	1	Peak	5594.95	1.89	24	Pass	601
5725	10940	1	Peak	7453.331	-38.71	-27	Pass	5215
10940	11450	1	Peak	11426.2	-47.7	-27	Pass	601
11450	25000	1	Peak	24757.982	-37.32	-27	Pass	13550



43. 802.11ac_40M_Band3_H

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	816.981	-59.38	-27	Pass	9700
1000	5470	1	Peak	3037.456	-46.59	-27	Pass	4470
5470	5725	1	Peak	5674.85	1.48	24	Pass	601
5725	10940	1	Peak	7560.352	-41.25	-27	Pass	5215
10940	11450	1	Peak	11091.3	-47.05	-27	Pass	601
11450	25000	1	Peak	24755.982	-36.38	-27	Pass	13550



44. 802.11ac_80M_Band3_L

44.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	799.079	-59.52	-27	Pass	9700
1000	5470	1	Peak	5470	-38.12	-27	Pass	4470
5470	5725	1	Peak	5526.525	-1.46	24	Pass	601
5725	10940	1	Peak	7373.316	-37.37	-27	Pass	5215
10940	11450	1	Peak	11442.35	-47.29	-27	Pass	601
11450	25000	1	Peak	24735.981	-36.84	-27	Pass	13550



45. 802.11ac_80M_Band3_H

45.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	859.185	-59.55	-27	Pass	9700
1000	5470	1	Peak	2701.381	-46.49	-27	Pass	4470
5470	5725	1	Peak	5606.425	-1.86	24	Pass	601
5725	10940	1	Peak	7480.337	-39.07	-27	Pass	5215
10940	11450	1	Peak	11389.65	-47.76	-27	Pass	601
11450	25000	1	Peak	24745.981	-36.9	-27	Pass	13550



46. 802.11a_20M_Band4_L

46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.596	-59.8	-27	Pass	9700
1000	5650	1	Peak	2696.365	-47.25	-27	Pass	4650
5650	5700	1	Peak	5650.417	-49.08	-26.69	Pass	601
5700	5720	1	Peak	5720	-33.15	15.6	Pass	601
5720	5725	1	Peak	5721.908	-19.69	19.95	Pass	601
5725	5850	1	Peak	5750.625	12.46	30	Pass	601
5850	5855	1	Peak	5854.767	-48.83	16.13	Pass	601
5855	5875	1	Peak	5874.867	-49.33	10.04	Pass	601
5875	5925	1	Peak	5924.833	-49.35	-26.88	Pass	601
5925	25000	1	Peak	24721.985	-38.54	-27	Pass	19075



47. 802.11a_20M_Band4_M

47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	386.837	-60.37	-27	Pass	9700
1000	5650	1	Peak	3168.466	-47.18	-27	Pass	4650
5650	5700	1	Peak	5650.167	-48.44	-26.88	Pass	601
5700	5720	1	Peak	5701.033	-47.88	10.29	Pass	601
5720	5725	1	Peak	5720.317	-46.68	16.32	Pass	601
5725	5850	1	Peak	5790.833	12.94	30	Pass	601
5850	5855	1	Peak	5854.717	-47.83	16.25	Pass	601
5855	5875	1	Peak	5874.067	-48.27	10.26	Pass	601
5875	5925	1	Peak	5924	-49.38	-26.26	Pass	601
5925	25000	1	Peak	24779.988	-38.17	-27	Pass	19075



48. 802.11a_20M_Band4_H

48.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	908.991	-60.17	-27	Pass	9700
1000	5650	1	Peak	2615.347	-47.3	-27	Pass	4650
5650	5700	1	Peak	5650.167	-50.05	-26.88	Pass	601
5700	5720	1	Peak	5700.5	-49.06	10.14	Pass	601
5720	5725	1	Peak	5720.083	-48.47	15.79	Pass	601
5725	5850	1	Peak	5830.833	13.34	30	Pass	601
5850	5855	1	Peak	5854.067	-28.3	17.73	Pass	601
5855	5875	1	Peak	5855.667	-32.74	15.41	Pass	601
5875	5925	1	Peak	5924.917	-49.02	-26.94	Pass	601
5925	25000	1	Peak	24782.989	-38.19	-27	Pass	19075



49. 802.11n_20M_Band4_L

49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	453.344	-60.12	-27	Pass	9700
1000	5650	1	Peak	4997.86	-47.15	-27	Pass	4650
5650	5700	1	Peak	5650.5	-49.29	-26.63	Pass	601
5700	5720	1	Peak	5720	-29.61	15.6	Pass	601
5720	5725	1	Peak	5722.475	-21.14	21.24	Pass	601
5725	5850	1	Peak	5748.542	11.5	30	Pass	601
5850	5855	1	Peak	5854.75	-48.19	16.17	Pass	601
5855	5875	1	Peak	5872.433	-48.73	10.72	Pass	601
5875	5925	1	Peak	5924.5	-49.49	-26.63	Pass	601
5925	25000	1	Peak	24668.983	-37.9	-27	Pass	19075



50. 802.11n_20M_Band4_M

50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	822.282	-59.89	-27	Pass	9700
1000	5650	1	Peak	5363.938	-47.3	-27	Pass	4650
5650	5700	1	Peak	5650.583	-49.48	-26.57	Pass	601
5700	5720	1	Peak	5703.2	-48.02	10.9	Pass	601
5720	5725	1	Peak	5720.017	-46.42	15.64	Pass	601
5725	5850	1	Peak	5788.542	11.97	30	Pass	601
5850	5855	1	Peak	5854.842	-46.85	15.96	Pass	601
5855	5875	1	Peak	5874.367	-48.68	10.18	Pass	601
5875	5925	1	Peak	5924.5	-48.72	-26.63	Pass	601
5925	25000	1	Peak	24808.99	-38.5	-27	Pass	19075



51. 802.11n_20M_Band4_H

51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	838.583	-60.07	-27	Pass	9700
1000	5650	1	Peak	5496.967	-47.43	-27	Pass	4650
5650	5700	1	Peak	5650.833	-49.48	-26.38	Pass	601
5700	5720	1	Peak	5700.767	-49.07	10.21	Pass	601
5720	5725	1	Peak	5720.042	-48.57	15.7	Pass	601
5725	5850	1	Peak	5828.542	12.03	30	Pass	601
5850	5855	1	Peak	5851.808	-18.5	22.88	Pass	601
5855	5875	1	Peak	5858.467	-29.06	14.63	Pass	601
5875	5925	1	Peak	5925	-49.12	-27	Pass	601
5925	25000	1	Peak	24732.986	-38.44	-27	Pass	19075



52. 802.11n_40M_Band4_L

52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	731.672	-59.52	-27	Pass	9700
1000	5650	1	Peak	2720.37	-47.37	-27	Pass	4650
5650	5700	1	Peak	5650.25	-47.9	-26.82	Pass	601
5700	5720	1	Peak	5717.867	-31.45	15	Pass	601
5720	5725	1	Peak	5721.475	-20.91	18.96	Pass	601
5725	5850	1	Peak	5757.708	6.57	30	Pass	601
5850	5855	1	Peak	5854.958	-48.33	15.7	Pass	601
5855	5875	1	Peak	5874.7	-48.78	10.08	Pass	601
5875	5925	1	Peak	5924.5	-49.33	-26.63	Pass	601
5925	25000	1	Peak	24791.989	-37.86	-27	Pass	19075



53. 802.11n_40M_Band4_H

53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.492	-60.17	-27	Pass	9700
1000	5650	1	Peak	2670.359	-46.58	-27	Pass	4650
5650	5700	1	Peak	5650.083	-48.25	-26.94	Pass	601
5700	5720	1	Peak	5700.767	-47.63	10.21	Pass	601
5720	5725	1	Peak	5720.575	-43.88	16.91	Pass	601
5725	5850	1	Peak	5790	7.36	30	Pass	601
5850	5855	1	Peak	5854.942	-37.34	15.73	Pass	601
5855	5875	1	Peak	5855.533	-36.69	15.45	Pass	601
5875	5925	1	Peak	5924.417	-48.83	-26.57	Pass	601
5925	25000	1	Peak	24817.99	-38.48	-27	Pass	19075



54. 802.11ac_20M_Band4_L

54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	785.178	-59.99	-27	Pass	9700
1000	5650	1	Peak	2529.329	-46.68	-27	Pass	4650
5650	5700	1	Peak	5651.083	-49.19	-26.2	Pass	601
5700	5720	1	Peak	5719.933	-27.04	15.58	Pass	601
5720	5725	1	Peak	5720.475	-25.27	16.68	Pass	601
5725	5850	1	Peak	5748.542	11.39	30	Pass	601
5850	5855	1	Peak	5854.933	-49.17	15.75	Pass	601
5855	5875	1	Peak	5874.9	-48.82	10.03	Pass	601
5875	5925	1	Peak	5923.917	-47.24	-26.2	Pass	601
5925	25000	1	Peak	24882.994	-38.16	-27	Pass	19075



55. 802.11ac_20M_Band4_M

55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	454.344	-60.19	-27	Pass	9700
1000	5650	1	Peak	3210.475	-46.01	-27	Pass	4650
5650	5700	1	Peak	5650.583	-49.1	-26.57	Pass	601
5700	5720	1	Peak	5701.333	-48.12	10.37	Pass	601
5720	5725	1	Peak	5720.033	-47.07	15.68	Pass	601
5725	5850	1	Peak	5781.875	11.94	30	Pass	601
5850	5855	1	Peak	5854.958	-48.34	15.7	Pass	601
5855	5875	1	Peak	5874.067	-48.25	10.26	Pass	601
5875	5925	1	Peak	5925	-49.45	-27	Pass	601
5925	25000	1	Peak	24758.987	-38.21	-27	Pass	19075



56. 802.11ac_20M_Band4_H

56.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	760.075	-60.82	-27	Pass	9700
1000	5650	1	Peak	2708.367	-47.05	-27	Pass	4650
5650	5700	1	Peak	5650.167	-49.16	-26.88	Pass	601
5700	5720	1	Peak	5700.033	-47.62	10.01	Pass	601
5720	5725	1	Peak	5720.058	-49.02	15.73	Pass	601
5725	5850	1	Peak	5828.333	12.24	30	Pass	601
5850	5855	1	Peak	5854.858	-31.89	15.92	Pass	601
5855	5875	1	Peak	5868.133	-34.44	11.92	Pass	601
5875	5925	1	Peak	5924.167	-48.81	-26.38	Pass	601
5925	25000	1	Peak	24686.984	-38.32	-27	Pass	19075



57. 802.11ac_40M_Band4_L

57.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	842.784	-59.91	-27	Pass	9700
1000	5650	1	Peak	2578.339	-46.94	-27	Pass	4650
5650	5700	1	Peak	5650.083	-49.21	-26.94	Pass	601
5700	5720	1	Peak	5717.6	-31.73	14.93	Pass	601
5720	5725	1	Peak	5721.783	-22.6	19.67	Pass	601
5725	5850	1	Peak	5752.5	7.67	30	Pass	601
5850	5855	1	Peak	5854.7	-48.22	16.28	Pass	601
5855	5875	1	Peak	5874.3	-49.02	10.2	Pass	601
5875	5925	1	Peak	5925	-49.01	-27	Pass	601
5925	25000	1	Peak	24714.985	-38.33	-27	Pass	19075



58. 802.11ac_40M_Band4_H

58.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	876.387	-60.21	-27	Pass	9700
1000	5650	1	Peak	3055.442	-47.71	-27	Pass	4650
5650	5700	1	Peak	5650.5	-48.7	-26.63	Pass	601
5700	5720	1	Peak	5700.367	-48.41	10.1	Pass	601
5720	5725	1	Peak	5721.042	-41.45	17.98	Pass	601
5725	5850	1	Peak	5790	7.41	30	Pass	601
5850	5855	1	Peak	5854.775	-37.13	16.11	Pass	601
5855	5875	1	Peak	5855.7	-36.69	15.4	Pass	601
5875	5925	1	Peak	5924.583	-48.23	-26.69	Pass	601
5925	25000	1	Peak	24813.99	-37.86	-27	Pass	19075



59. 802.11ac_80M_Band4_M

59.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	928.193	-59.42	-27	Pass	9700
1000	5650	1	Peak	5315.928	-47.07	-27	Pass	4650
5650	5700	1	Peak	5650.417	-49.12	-26.69	Pass	601
5700	5720	1	Peak	5718.367	-31.01	15.14	Pass	601
5720	5725	1	Peak	5720.083	-30.04	15.79	Pass	601
5725	5850	1	Peak	5756.25	1.94	30	Pass	601
5850	5855	1	Peak	5854.008	-35.87	17.86	Pass	601
5855	5875	1	Peak	5861.933	-36.73	13.66	Pass	601
5875	5925	1	Peak	5924.083	-48.28	-26.32	Pass	601
5925	25000	1	Peak	24711.985	-37.12	-27	Pass	19075



Note: all emissions have compensated the antenna gain value of 4.66dBi.(e.i.r.p.).

END