	Issue Department: Bedding Division	Date:	2023-06-19
DEWERT OKIN	System Instruction	Author:	
Instruction of RF426A		Edition:	1.0
		Page 1 of 3	

Instruction of RF426A



Figure 1 button ofremote

Item

1.1 HEAD UP 1

Press and hold HEAD UP button, head actuator moves out, stop when released.

	Issue Department: Bedding Division	Date:	2023-06-19
DEWERT OKIN	System Instruction	Author:	
Instruction of RF426A		Edition:	1.0
		Page 2 of 3	

1.2 HEAD DOWN 2

Press and hold HEAD DOWN button, head actuator moves in, stop when released.

1.3 FOOT UP 3

Press and hold FOOT UP button, foot actuator moves out, stop when released.

1.4 FOOT DOWN 4

Press and hold FOOT DOWN button, foot actuator moves in, stop when released.

1.5 ZG 5

Click the ZG button, the bed moves to zeroG position, press and hold zeroG button for 5s, until backlight flashes, the control set the current position as zeroG position

1.6 FLAT 6

Click the FLAT button, the bed goes flat.

FCC:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful

	Issue Department: Bedding Division	Date:	2023-06-19
DEWERT OKIN	System Instruction	Author:	
Instruction of RF426A		Edition:	1.0
		Page 3 of 3	

interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC RSS warning

This device complies with Industry Canada licence-exempt RSS standard (s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licenceexempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radioexempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.