	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 1 of 6	

Instruction of RF426B-18





Figure 1 button of remote

	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 2 of 6	

Item

1.1 Child Lock 18

Double click the Child Lock button for to lock or unlock the remote.

1.2 Bed lamp 6

Click the bed lamp button to open or shut the light under the bed.

1.3 Antisnore 15

Click the Antisnore button, the bed moves to Antisnore position, press and hold Antisnore button for 5s, until backlight flashes, the control set the current position as Antisnore position

1.4 TV 12


Click the TV button, the bed moves to TV position, press and hold TV button for 5s, until backlight flashes, the control set the current position as TV position.

1.5 LUMBAR UP 4

Press and hold LUMBAR UP button, Lumbar actuator moves out, stop when released.

1.6 LUMBAR DOWN 5

Press and hold LUMBAR DOWN button, Lumbar actuator moves in, stop when released.

	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 3 of 6	

1.7 Music 14

Click the music button, the bed moves to music position, press and hold music button for 5s until backlight flashes, the control set the current position as music position

1.8 Read 16

Click the read button, the bed moves to read position, press and hold read button for 5s until backlight flashes, the control set the current position as read position

1.9 HEAD UP 7

Press and hold HEAD UP button, head actuator moves out, stop when released.

1.10 HEAD DOWN 8

Press and hold HEAD DOWN button, head actuator moves in, stop when released.

1.11 FOOT UP 9


Press and hold FOOT UP button, foot actuator moves out, stop when released.

1.12 FOOT DOWN 10

Press and hold FOOT DOWN button, foot actuator moves in, stop when released.

1.13 ZG 11

Click the ZG button, the bed moves to zeroG position, press and hold zeroG button for 5s,

	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 4 of 6	

until backlight flashes, the control set the current position as zeroG position

1.14 HEAD MESSAGE 1

Click the HEAD MESSAGE button, head message motor switches message intensity, message intensity switches among 0-1-2-3;

1.15 MESSAGE TIME 3

Click the MESSAGE MODEL button to change the message time.

1.16 FOOT MESSAGE 2


Click the FOOT MESSAGE button, foot message motor switches message intensity, message intensity switches among 0-1-2-3

1.17 FLAT 17

Click the FLAT button, the bed goes flat.

1.18 Light 13

Click the light button to shut or open the light in front of the remote.

	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 5 of 6	

FCC:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


IC RSS warning

This device complies with Industry Canada licence-exempt RSS standard (s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence.

	Issue Department: Bedding Division	Date:	2023-06-19
	System Instruction	Author:	
Instruction of RF426B		Edition:	1.0
		Page 6 of 6	

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.