

Report No.: LGT23E011HA01 Page 97 of 170



System Performance Check Data (1800MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-05-14

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1800
Channels	Middle
Signal	CW
Frequency (MHz)	1800.000
Relative permittivity	40.63
Conductivity (S/m)	1.45
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




Maximum location: X=5.00, Y=2.00; SAR Peak: 5.79 W/kg

SAR 10g (W/Kg)	2.079
SAR 1g (W/Kg)	3.914

Report No.: LGT23E011HA01 Page 98 of 170





Report No.: LGT23E011HA01 Page 99 of 170



System Performance Check Data (1900MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-05-15

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1900
Channels	Middle
Signal	CW
Frequency (MHz)	1900.000
Relative permittivity	40.64
Conductivity (S/m)	1.39
Probe	SN 04/22 EPGO364
ConvF	2.25
Crest factor:	1:1




Maximum location: X=2.00, Y=2.00; SAR Peak: 6.23 W/kg

SAR 10g (W/Kg)	2.043
SAR 1g (W/Kg)	3.914

Report No.: LGT23E011HA01 Page 100 of 170





Report No.: LGT23E011HA01 Page 101 of 170



System Performance Check Data (1900MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-05-16

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW1900
Channels	Middle
Signal	CW
Frequency (MHz)	1900.000
Relative permittivity	41.04
Conductivity (S/m)	1.43
Probe	SN 04/22 EPGO364
ConvF	2.25
Crest factor:	1:1




Maximum location: X=5.00, Y=1.00; SAR Peak: 6.89 W/kg

SAR 10g (W/Kg)	2.051
SAR 1g (W/Kg)	4.068

Report No.: LGT23E011HA01 Page 102 of 170





Report No.: LGT23E011HA01 Page 103 of 170



System Performance Check Data (2450MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-06-03

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2450
Channels	Middle
Signal	CW
Frequency (MHz)	2450.000
Relative permittivity	40.44
Conductivity (S/m)	1.83
Probe	SN 04/22 EPGO364
ConvF	2.33
Crest factor:	1:1




Maximum location: X=2.00, Y=3.00; SAR Peak: 9.08 W/kg

SAR 10g (W/Kg)	2.326
SAR 1g (W/Kg)	5.413

Report No.: LGT23E011HA01 Page 104 of 170





Report No.: LGT23E011HA01 Page 105 of 170



System Performance Check Data (2600MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-06-04

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2600
Channels	Middle
Signal	CW
Frequency (MHz)	2600.000
Relative permittivity	39.29
Conductivity (S/m)	1.91
Probe	SN 04/22 EPGO364
ConvF	2.36
Crest factor:	1:1




Maximum location: X=2.00, Y=3.00; SAR Peak: 9.20 W/kg

SAR 10g (W/Kg)	2.415
SAR 1g (W/Kg)	5.655

Report No.: LGT23E011HA01 Page 106 of 170





Report No.: LGT23E011HA01 Page 107 of 170



System Performance Check Data (2600MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-06-08

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2600
Channels	Middle
Signal	CW
Frequency (MHz)	2600.000
Relative permittivity	39.57
Conductivity (S/m)	2.02
Probe	SN 04/22 EPGO364
ConvF	2.36
Crest factor:	1:1




Maximum location: X=3.00, Y=3.00; SAR Peak: 9.58 W/kg

SAR 10g (W/Kg)	2.392
SAR 1g (W/Kg)	5.686

Report No.: LGT23E011HA01 Page 108 of 170





Report No.: LGT23E011HA01 Page 109 of 170



System Performance Check Data (5200MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-05-13

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5200
Channels	Middle
Signal	CW
Frequency (MHz)	5200.000
Relative permittivity	36.85
Conductivity (S/m)	4.60
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




Maximum location: X=7.00, Y=6.00; SAR Peak: 21.88 W/kg

SAR 10g (W/Kg)	2.167
SAR 1g (W/Kg)	7.790

Report No.: LGT23E011HA01 Page 110 of 170





Report No.: LGT23E011HA01 Page 111 of 170



System Performance Check Data (5400MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-05-15

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5400
Channels	Middle
Signal	CW
Frequency (MHz)	5400.000
Relative permittivity	36.89
Conductivity (S/m)	4.80
Probe	SN 04/22 EPGO364
ConvF	1.85
Crest factor:	1:1




Maximum location: X=6.00, Y=5.00; SAR Peak: 25.72 W/kg

SAR 10g (W/Kg)	2.215
SAR 1g (W/Kg)	7.981

Report No.: LGT23E011HA01 Page 112 of 170





Report No.: LGT23E011HA01 Page 113 of 170



System Performance Check Data (5600MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-06-04

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5600
Channels	Middle
Signal	CW
Frequency (MHz)	5600.000
Relative permittivity	35.96
Conductivity (S/m)	5.04
Probe	SN 04/22 EPGO364
ConvF	1.86
Crest factor:	1:1




Maximum location: X=5.00, Y=6.00; SAR Peak: 27.92 W/kg

SAR 10g (W/Kg)	2.237
SAR 1g (W/Kg)	7.838

Report No.: LGT23E011HA01 Page 114 of 170





Report No.: LGT23E011HA01 Page 115 of 170



System Performance Check Data (5800MHz)


Type: Phone measurement (Complete)
Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2023-06-09

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5800
Channels	Middle
Signal	CW
Frequency (MHz)	5800.000
Relative permittivity	35.68
Conductivity (S/m)	5.21
Probe	SN 04/22 EPGO364
ConvF	1.73
Crest factor:	1:1




Maximum location: X=2.00, Y=5.00; SAR Peak: 27.22 W/kg

SAR 10g (W/Kg)	2.099
SAR 1g (W/Kg)	7.489

Report No.: LGT23E011HA01 Page 116 of 170






Report No.: LGT23E011HA01 Page 117 of 170



Appendix B. SAR Test Plots Plot 1:

= '=	
Test Date	2023-05-13
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	GSM850
Signal	TDMA (GSM)
Frequency	848.8
SAR 10g (W/Kg)	0.274
SAR 1g (W/Kg)	0.412

Maximum location: X=-47.00, Y=-25.00; SAR Peak: 0.62 W/kg




Page 118 of 170 Report No.: LGT23E011HA01



Plot 2:

Test Date	2023-05-13
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	GPRS850
Signal	TDMA (GPRS)
Frequency	848.8
SAR 10g (W/Kg)	0.541
SAR 1g (W/Kg)	0.816

Maximum location: X=1.00, Y=10.00; SAR Peak: 1.19 W/kg



Report No.: LGT23E011HA01 Page 119 of 170



Plot 3:

Test Date	2023-05-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	GSM1900
Signal	TDMA (GSM)
Frequency	1850.2
SAR 10g (W/Kg)	0.317
SAR 1g (W/Kg)	0.533


Maximum location: X=-42.00, Y=-18.00; SAR Peak: 0.83 W/kg **SURFACE SAR VOLUME SAR** 0.493 0.422 0.352 0.282 0.212 0.141 0.071 0.001 0.334 0.267 0.134 0.067 0.001 3D screen shot **Hot spot position** VV/kg 0.563 0.493 VV/kg 0.533 0.467 0.400 0.422 0.352 0.400 0.334 0.267 0.201 0.134 0.067 0.282 0.212 0.141 0.4 ó 0.3 W 0.2 0.1-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)



Plot 4:

Test Date	2023-05-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	GPRS1900
Signal	TDMA (GPRS)
Frequency	1850.2
SAR 10g (W/Kg)	0.342
SAR 1g (W/Kg)	0.646

Maximum location: X=-1.00, Y=-7.00; SAR Peak: 1.14 W/kg



Report No.: LGT23E011HA01 Page 121 of 170



Plot 5:

Test Date	2023-05-16
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1880
SAR 10g (W/Kg)	0.468
SAR 1g (W/Kg)	0.898

Maximum location: X=-54.00, Y=-42.00; SAR Peak: 1.44 W/kg **SURFACE SAR VOLUME SAR** 0.878 0.752 0.627 0.502 0.377 0.251 0.126 0.001 0.603 0.482 0.362 0.241 0.121 0.001 3D screen shot **Hot spot position** W/kg 1.003 0.878 Wikg 0.964 0.843 0.723 0.603 0.482 0.362 0.241 0.121 0.001 0.752 0.627 0.502 0.377 0.251 1.0 SAR (#/kg) 0.8 0.4 0.2-12.5 17.5 22.5 27.5 32.5 0.02.55.07.5 40.0

Report No.: LGT23E011HA01 Page 122 of 170


Z (mm)



Plot 6:

Test Date	2023-05-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1880
SAR 10g (W/Kg)	0.337
SAR 1g (W/Kg)	0.584

Maximum location: X=-1.00, Y=49.00; SAR Peak: 0.97 W/kg



Report No.: LGT23E011HA01 Page 123 of 170



Plot 7:

Test Date	2023-05-14
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1740
SAR 10g (W/Kg)	0.311
SAR 1g (W/Kg)	0.565

Maximum location: X=-63.00, Y=-20.00; SAR Peak: 0.89 W/kg **SURFACE SAR VOLUME SAR** VWkg 0.537 0.470 0.403 0.597 0.523 0.448 0.373 0.299 0.224 0.150 0.075 0.336 0.269 0.202 0.135 0.067 3D screen shot **Hot spot position** 0.537 0.470 0.403 VV/kg 0.597 0.523 0.448 0.373 0.336 0.269 0.202 0.299 0.224 0.150 0.135 0.067 0.000 0.6 SAR (₩/kg) 0.4 0.4 0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 40.0


Report No.: LGT23E011HA01 Page 124 of 170


 $z\ (_{mm})$



Plot 8:

Test Date	2023-05-14
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1740
SAR 10g (W/Kg)	0.288
SAR 1g (W/Kg)	0.554






Report No.: LGT23E011HA01 Page 125 of 170



Plot 9:

Test Date	2023-05-12
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 5 (850)
Signal	WCDMA
Frequency	826.4
SAR 10g (W/Kg)	0.395
SAR 1g (W/Kg)	0.586

Maximum location: X=-51.00, Y=-28.00; SAR Peak: 0.81 W/kg




Report No.: LGT23E011HA01 Page 126 of 170



Plot 10:

Test Date	2023-05-12
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Band 5 (850)
Signal	WCDMA
Frequency	826.4
SAR 10g (W/Kg)	0.387
SAR 1g (W/Kg)	0.600

Maximum location: X=2.00, Y=23.00; SAR Peak: 0.88 W/kg



Report No.: LGT23E011HA01 Page 127 of 170



Plot 11:

Test Date	2023-05-13
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	BC0 (US Cellular)
Signal	CDMA (CDMA2000)
Frequency	836.52
SAR 10g (W/Kg)	0.030
SAR 1g (W/Kg)	0.058

Maximum location: X=-41.00, Y=-17.00; SAR Peak: 0.18 W/kg **SURFACE SAR VOLUME SAR** VWkg 0.057 0.050 0.043 0.064 0.056 0.048 0.040 0.032 0.024 0.016 0.008 0.036 0.029 0.015 0.008 **Hot spot position** 3D screen shot 0.057 0.050 0.043 0.048 0.040 0.036 0.032 0.029 0.022 0.024 0.016 0.015 0.008 0.12 0.10 SAR (W/kg) 0.04 0.01- 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)


Report No.: LGT23E011HA01 Page 128 of 170



Plot 12:

Test Date	2023-05-13
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	BC0 (US Cellular)
Signal	CDMA (CDMA2000)
Frequency	836.52
SAR 10g (W/Kg)	0.035
SAR 1g (W/Kg)	0.077

Maximum location: X=0.00, Y=16.00; SAR Peak: 0.18 W/kg



Report No.: LGT23E011HA01 Page 129 of 170



Plot 13:

Test Date	2023-05-14
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	BC1 (North American PCS)
Signal	CDMA (CDMA2000)
Frequency	1851.25
SAR 10g (W/Kg)	0.015
SAR 1g (W/Kg)	0.035

Maximum location: X=-24.00, Y=1.00; SAR Peak: 0.12 W/kg **SURFACE SAR VOLUME SAR** 0:047 0.039 0.032 0.024 0.016 0.008 0.029 0.024 0.012 0.006 0.000 3D screen shot **Hot spot position** VV/kg 0.047 0.041 0.035 0.047 0.039 0.035 0.029 0.024 0.018 0.012 0.006 0.032 0.07 0.06 ³⁰ 0.05 -⇒ 0.04 -**%** 0.03 0.02 0.01 0.00-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)


Report No.: LGT23E011HA01 Page 130 of 170



Plot 14:

Test Date	2023-05-14
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	BC1 (North American PCS)
Signal	CDMA (CDMA2000)
Frequency	1851.25
SAR 10g (W/Kg)	0.013
SAR 1g (W/Kg)	0.030

Maximum location: X=9.00, Y=48.00; SAR Peak: 0.10 W/kg



Report No.: LGT23E011HA01 Page 131 of 170



Plot 15:

Test Date	2023-05-16
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.437
SAR 1g (W/Kg)	0.852

Maximum location: X=-50.00, Y=-41.00; SAR Peak: 1.43 W/kg **SURFACE SAR VOLUME SAR** 0.913 0.799 0.685 0.671 0.457 0.343 0.229 0.115 0.001 0.567 0.454 0.227 0.114 0.001 **Hot spot position** 3D screen shot 0.913 0.799 VV/kg 0.908 0.794 0.681 0.685 0.571 0.681 0.567 0.454 0.341 0.227 0.114 0.001 0.457 0.343 0.229 SAR (#/kg) 0.1-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)


Report No.: LGT23E011HA01 Page 132 of 170



Plot 16:

Test Date	2023-05-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.370
SAR 1g (W/Kg)	0.644

Maximum location: X=2.00, Y=39.00; SAR Peak: 1.02 W/kg



Report No.: LGT23E011HA01 Page 133 of 170



Plot 17:

Test Date	2023-05-14
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.564
SAR 1g (W/Kg)	1.081

Maximum location: X=-48.00, Y=-40.00; SAR Peak: 1.73 W/kg **SURFACE SAR VOLUME SAR** 1.029 0.883 0.737 0.591 0.445 0.299 0.153 0.007 0.712 0.570 0.428 0.285 0.143 0.001 3D screen shot **Hot spot position** W/kg 1.175 1.028 0.881 0.735 W/kg 1.139 0.997 0.855 0.712 0.570 0.428 0.285 0.143 0.001 0.588 0.441 0.294 2.0.1 (%/kg) 1.0.1 (%/kg) 1.0.6.1 (%/kg) 0.1-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 40.0 $Z \ (mm)$


Report No.: LGT23E011HA01 Page 134 of 170



Plot 18:

Test Date	2023-05-14
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.395
SAR 1g (W/Kg)	0.735

Maximum location: X=0.00, Y=8.00; SAR Peak: 1.17 W/kg




Report No.: LGT23E011HA01 Page 135 of 170



Plot 19:

Test Date	2023-05-12
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.317
SAR 1g (W/Kg)	0.502

Maximum location: X=-48.00, Y=-24.00; SAR Peak: 0.79 W/kg




Report No.: LGT23E011HA01 Page 136 of 170



Plot 20:

Test Date	2023-05-12
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.418
SAR 1g (W/Kg)	0.641

Maximum location: X=8.00, Y=-8.00; SAR Peak: 0.94 W/kg



Report No.: LGT23E011HA01 Page 137 of 170



Plot 21:

Test Date	2023-06-04
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.114
SAR 1g (W/Kg)	0.252


Maximum location: X=-49.00, Y=-31.00; SAR Peak: 0.48 W/kg **SURFACE SAR VOLUME SAR** 0.269 0.235 0.202 0.168 0.135 0.101 0.067 0.034 0.000 0.171 0.137 0.103 0.069 0.035 0.001 3D screen shot **Hot spot position** 0.273 0.239 0.273 0.239 0.205 0.170 0.205 0.171 0.137 0.103 0.069 0.035 0.136 0.102 0.068 0.25 O. 10: 0.10 0.01- 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)


Report No.: LGT23E011HA01 Page 138 of 170



Plot 22:

Test Date	2023-06-04
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2560
SAR 10g (W/Kg)	0.317
SAR 1g (W/Kg)	0.724





Report No.: LGT23E011HA01 Page 139 of 170



Plot 23:

Test Date	2023-05-11
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.114
SAR 1g (W/Kg)	0.252

Maximum location: X=-49.00, Y=-31.00; SAR Peak: 0.48 W/kg **SURFACE SAR VOLUME SAR** 0.269 0.235 0.202 0.168 0.135 0.101 0.067 0.034 0.000 0.171 0.137 0.103 0.069 0.035 0.001 **Hot spot position** 3D screen shot 0.273 0.239 0.273 0.239 0.205 0.170 0.205 0.171 0.137 0.103 0.069 0.035 0.136 0.102 0.068 0.25 O. 10: 0.10 0.01- 12.5 17.5 22.5 27.5 32.5 40.0 Z (mm)


Report No.: LGT23E011HA01 Page 140 of 170



Plot 24:

Test Date	2023-05-11
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.220
SAR 1g (W/Kg)	0.379

Maximum location: X=0.00, Y=-9.00; SAR Peak: 0.58 W/kg



Report No.: LGT23E011HA01 Page 141 of 170



Plot 25:


Test Date	2023-05-11
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.261
SAR 1g (W/Kg)	0.405

Maximum location: X=-49.00, Y=-26.00; SAR Peak: 0.59 W/kg

SURFACE SAR

VOLUME SAR

Volume



Report No.: LGT23E011HA01 Page 142 of 170




Page 143 of 170

Plot 26:

Test Date	2023-05-11
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.296
SAR 1g (W/Kg)	0.462

Maximum location: X=2.00, Y=18.00; SAR Peak: 0.69 W/kg




Report No.: LGT23E011HA01



Plot 27:

Test Date	2023-05-11
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.158
SAR 1g (W/Kg)	0.256

Maximum location: X=-47.00, Y=-16.00; SAR Peak: 0.41 W/kg




Report No.: LGT23E011HA01 Page 144 of 170



Plot 28:

Test Date	2023-05-11
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.200
SAR 1g (W/Kg)	0.316

Maximum location: X=8.00, Y=16.00; SAR Peak: 0.49 W/kg



Report No.: LGT23E011HA01 Page 145 of 170



Plot 29:

Test Date	2023-05-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1882.5
SAR 10g (W/Kg)	0.457
SAR 1g (W/Kg)	0.891

Maximum location: X=-55.00, Y=-37.00; SAR Peak: 1.42 W/kg **SURFACE SAR VOLUME SAR** 0.748 0.624 0.499 0.374 0.250 0.125 0.000 0.359 0.240 3D screen shot **Hot spot position** VWkg 0.997 0.873 0.748 VV/kg 0.957 0.838 0.718 0.624 0.599 0.479 0.359 0.240 0.120 0.499 0.374 0.250 SAR (W/Ag) 0.6 0.0-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 $z\ (_{mm})$


Report No.: LGT23E011HA01 Page 146 of 170



Plot 30:

Test Date	2023-05-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1882.5
SAR 10g (W/Kg)	0.335
SAR 1g (W/Kg)	0.627

Maximum location: X=-8.00, Y=2.00; SAR Peak: 1.06 W/kg




Report No.: LGT23E011HA01 Page 147 of 170



Plot 31:

Test Date	2023-05-12
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	821.5
SAR 10g (W/Kg)	0.277
SAR 1g (W/Kg)	0.435

Maximum location: X=-49.00, Y=-24.00; SAR Peak: 0.69 W/kg




Report No.: LGT23E011HA01 Page 148 of 170



Plot 32:

Test Date	2023-05-12
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 26
Signal	LTE FDD
Frequency	821.5
SAR 10g (W/Kg)	0.469
SAR 1g (W/Kg)	0.735

Maximum location: X=-14.00, Y=12.00; SAR Peak: 1.08 W/kg




Report No.: LGT23E011HA01 Page 149 of 170



Plot 33:

Test Date	2023-06-08
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.046
SAR 1g (W/Kg)	0.110

Maximum location: X=-72.00, Y=-48.00; SAR Peak: 0.24 W/kg




Report No.: LGT23E011HA01 Page 150 of 170



Plot 34:

Test Date	2023-06-08
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.232
SAR 1g (W/Kg)	0.533

Maximum location: X=8.00, Y=-42.00; SAR Peak: 1.02 W/kg



Report No.: LGT23E011HA01 Page 151 of 170



Plot 35:

Test Date	2023-06-03
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 40
Signal	LTE TDD
Frequency	2350
SAR 10g (W/Kg)	0.098
SAR 1g (W/Kg)	0.226

Maximum location: X=-49.00, Y=-31.00 ; SAR Peak: 0.44 W/kg

SURFACE SAR

VOLUME SAR


VOLUME SAR

3D screen shot

Hot spot position

Value 10.001

Value 10.0




Report No.: LGT23E011HA01



Plot 36:

Test Date	2023-06-03
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 40
Signal	LTE TDD
Frequency	2350
SAR 10g (W/Kg)	0.089
SAR 1g (W/Kg)	0.198

Maximum location: X=15.00, Y=-41.00; SAR Peak: 0.40 W/kg




Report No.: LGT23E011HA01 Page 153 of 170



Plot 37:

Test Date	2023-06-08
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.055
SAR 1g (W/Kg)	0.119

Maximum location: X=-48.00, Y=-32.00; SAR Peak: 0.27 W/kg **SURFACE SAR VOLUME SAR** 0.074 0.059 0.045 0.030 0.015 0.096 0.077 0.058 0.020 0.001 **Hot spot position** 3D screen shot 0.153 0.134 0.115 0.096 0.077 0.058 0.039 0.020 0.001 0.096 0.077 0.077 0.058 0.039



0.020


Report No.: LGT23E011HA01 Page 154 of 170



Plot 38:

Test Date	2023-06-08
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.227
SAR 1g (W/Kg)	0.513

Maximum location: X=8.00, Y=-46.00; SAR Peak: 0.95 W/kg



Report No.: LGT23E011HA01 Page 155 of 170



Plot 39:

Test Date	2023-05-14
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.439
SAR 1g (W/Kg)	0.879

Maximum location: X=-55.00, Y=-38.00; SAR Peak: 1.53 W/kg **SURFACE SAR VOLUME SAR** 0.588 0.471 0.353 0.236 0.118 0.000 0.436 0.327 0.218 0.110 0.001 **Hot spot position** 3D screen shot VWkg 0.941 0.823 W/kg 0.871 0.763 0.654 0.545 0.436 0.327 0.218 0.110 0.001 0.588 0.471 0.471 0.353 0.236 0.118 % 1.0-≥ 0.8-W 0.6-0.02.55.07.5 12.5 17.5 22.5 27.5 32.5 Z (mm)


Report No.: LGT23E011HA01 Page 156 of 170



Plot 40:

Test Date	2023-05-14
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.292
SAR 1g (W/Kg)	0.569

Maximum location: X=1.00, Y=6.00; SAR Peak: 1.01 W/kg




Report No.: LGT23E011HA01 Page 157 of 170



Plot 41:

Test Date	2023-06-03
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2442
SAR 10g (W/Kg)	0.060
SAR 1g (W/Kg)	0.135

Maximum location: X=-31.00, Y=-10.00; SAR Peak: 0.32 W/kg




Report No.: LGT23E011HA01 Page 158 of 170



Plot 42:

Test Date	2023-06-03
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2442
SAR 10g (W/Kg)	0.030
SAR 1g (W/Kg)	0.076

Maximum location: X=10.00, Y=43.00; SAR Peak: 0.23 W/kg




Report No.: LGT23E011HA01 Page 159 of 170



Plot 43:

Test Date	2023-06-03
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Signal	GFSK
Frequency	2441
SAR 10g (W/Kg)	0.041
SAR 1g (W/Kg)	0.098

Maximum location: X=-40.00, Y=-8.00; SAR Peak: 0.27 W/kg




Report No.: LGT23E011HA01 Page 160 of 170



Plot 44:

Test Date	2023-06-03
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Front Side
Band	Bluetooth
Signal	GFSK
Frequency	2441
SAR 10g (W/Kg)	0.022
SAR 1g (W/Kg)	0.064

Maximum location: X=1.00, Y=-31.00; SAR Peak: 0.21 W/kg




Report No.: LGT23E011HA01 Page 161 of 170



Plot 45:

Test Date	2023-05-13
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5180
SAR 10g (W/Kg)	0.060
SAR 1g (W/Kg)	0.113

Maximum location: X=-15.00, Y=5.00; SAR Peak: 0.62 W/kg



Report No.: LGT23E011HA01 Page 162 of 170