



Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.4888MHz	-77.69	-13.00	-64.69	PK	Hor
2*	50.8550MHz	-77.45	-13.00	-64.45	PK	Hor
3*	150.7650MHz	-76.88	-13.00	-63.88	PK	Hor
4*	330.5788MHz	-76.06	-13.00	-63.06	PK	Hor
5*	688.3875MHz	-65.56	-13.00	-52.56	PK	Hor
6*	968.7175MHz	-60.23	-13.00	-47.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.8538MHz	-78.25	-13.00	-65.25	PK	Ver
2*	127.6063MHz	-78.13	-13.00	-65.13	PK	Ver
3*	153.5538MHz	-76.84	-13.00	-63.84	PK	Ver
4*	454.2538MHz	-73.70	-13.00	-60.70	PK	Ver
5*	737.0088MHz	-64.89	-13.00	-51.89	PK	Ver
6*	942.2850MHz	-61.18	-13.00	-48.18	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.8813MHz	-77.41	-13.00	-64.41	PK	Hor
2*	126.3938MHz	-78.11	-13.00	-65.11	PK	Hor
3*	153.6750MHz	-76.40	-13.00	-63.40	PK	Hor
4*	495.7213MHz	-72.83	-13.00	-59.83	PK	Hor
5*	684.5075MHz	-64.61	-13.00	-51.61	PK	Hor
6*	983.9950MHz	-61.14	-13.00	-48.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.3375MHz	-78.38	-13.00	-65.38	PK	Ver
2*	153.5538MHz	-77.11	-13.00	-64.11	PK	Ver
3*	320.0300MHz	-76.55	-13.00	-63.55	PK	Ver
4*	452.3138MHz	-72.79	-13.00	-59.79	PK	Ver
5*	841.2838MHz	-63.87	-13.00	-50.87	PK	Ver
6*	957.1988MHz	-60.55	-13.00	-47.55	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588MHz	-77.52	-13.00	-64.52	PK	Hor
2*	50.2488MHz	-78.22	-13.00	-65.22	PK	Hor
3*	158.4038MHz	-76.74	-13.00	-63.74	PK	Hor
4*	426.6088MHz	-73.45	-13.00	-60.45	PK	Hor
5*	672.6250MHz	-65.13	-13.00	-52.13	PK	Hor
6*	960.7150MHz	-59.93	-13.00	-46.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-77.90	-13.00	-64.90	PK	Ver
2*	58.9788MHz	-78.86	-13.00	-65.86	PK	Ver
3*	164.8300MHz	-77.10	-13.00	-64.10	PK	Ver
4*	322.3338MHz	-76.74	-13.00	-63.74	PK	Ver
5*	423.2138MHz	-73.17	-13.00	-60.17	PK	Ver
6*	979.1450MHz	-61.17	-13.00	-48.17	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.1900MHz	-77.84	-13.00	-64.84	PK	Hor
2*	150.2800MHz	-77.30	-13.00	-64.30	PK	Hor
3*	299.4175MHz	-76.79	-13.00	-63.79	PK	Hor
4*	500.3288MHz	-71.76	-13.00	-58.76	PK	Hor
5*	777.9913MHz	-63.37	-13.00	-50.37	PK	Hor
6*	993.4525MHz	-60.40	-13.00	-47.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.6988MHz	-77.59	-13.00	-64.59	PK	Ver
2*	56.1900MHz	-77.56	-13.00	-64.56	PK	Ver
3*	150.2800MHz	-75.82	-13.00	-62.82	PK	Ver
4*	350.9488MHz	-76.49	-13.00	-63.49	PK	Ver
5*	622.1850MHz	-66.47	-13.00	-53.47	PK	Ver
6*	978.4175MHz	-60.88	-13.00	-47.88	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.7625MHz	-78.02	-13.00	-65.02	PK	Hor
2*	170.2863MHz	-77.24	-13.00	-64.24	PK	Hor
3*	291.0513MHz	-76.71	-13.00	-63.71	PK	Hor
4*	448.7975MHz	-73.28	-13.00	-60.28	PK	Hor
5*	757.8638MHz	-63.66	-13.00	-50.66	PK	Hor
6*	978.5388MHz	-60.98	-13.00	-47.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.5800MHz	-77.70	-13.00	-64.70	PK	Ver
2*	64.0713MHz	-79.04	-13.00	-66.04	PK	Ver
3*	151.1288MHz	-77.06	-13.00	-64.06	PK	Ver
4*	352.7675MHz	-75.68	-13.00	-62.68	PK	Ver
5*	767.5638MHz	-64.77	-13.00	-51.77	PK	Ver
6*	999.1513MHz	-60.41	-13.00	-47.41	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.1250MHz	-77.64	-13.00	-64.64	PK	Hor
2*	127.2425MHz	-78.28	-13.00	-65.28	PK	Hor
3*	172.2263MHz	-76.65	-13.00	-63.65	PK	Hor
4*	333.7313MHz	-75.12	-13.00	-62.12	PK	Hor
5*	615.7588MHz	-67.55	-13.00	-54.55	PK	Hor
6*	999.6363MHz	-59.71	-13.00	-46.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.3963MHz	-78.79	-13.00	-65.79	PK	Ver
2*	44.4288MHz	-78.28	-13.00	-65.28	PK	Ver
3*	62.3738MHz	-79.32	-13.00	-66.32	PK	Ver
4*	150.8863MHz	-75.99	-13.00	-62.99	PK	Ver
5*	462.1350MHz	-73.28	-13.00	-60.28	PK	Ver
6*	991.6338MHz	-61.06	-13.00	-48.06	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.6700MHz	-77.44	-13.00	-64.44	PK	Hor
2*	59.4638MHz	-77.71	-13.00	-64.71	PK	Hor
3*	159.1313MHz	-76.29	-13.00	-63.29	PK	Hor
4*	372.8950MHz	-74.50	-13.00	-61.50	PK	Hor
5*	653.9525MHz	-65.86	-13.00	-52.86	PK	Hor
6*	981.8125MHz	-60.85	-13.00	-47.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.2450MHz	-77.47	-13.00	-64.47	PK	Ver
2*	61.7675MHz	-77.69	-13.00	-64.69	PK	Ver
3*	150.2800MHz	-77.17	-13.00	-64.17	PK	Ver
4*	389.9913MHz	-74.41	-13.00	-61.41	PK	Ver
5*	683.4163MHz	-65.03	-13.00	-52.03	PK	Ver
6*	966.1713MHz	-61.13	-13.00	-48.13	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.8550MHz	-77.16	-13.00	-64.16	PK	Hor
2*	169.0738MHz	-76.80	-13.00	-63.80	PK	Hor
3*	305.8438MHz	-76.37	-13.00	-63.37	PK	Hor
4*	446.1300MHz	-73.20	-13.00	-60.20	PK	Hor
5*	657.1050MHz	-63.30	-13.00	-50.30	PK	Hor
6*	954.6525MHz	-59.50	-13.00	-46.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.6688MHz	-78.57	-13.00	-65.57	PK	Ver
2*	59.3425MHz	-77.29	-13.00	-64.29	PK	Ver
3*	128.2125MHz	-78.66	-13.00	-65.66	PK	Ver
4*	163.4963MHz	-76.15	-13.00	-63.15	PK	Ver
5*	527.3675MHz	-71.40	-13.00	-58.40	PK	Ver
6*	943.1338MHz	-61.25	-13.00	-48.25	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.0050MHz	-77.77	-13.00	-64.77	PK	Hor
2*	149.0675MHz	-76.50	-13.00	-63.50	PK	Hor
3*	353.2525MHz	-75.53	-13.00	-62.53	PK	Hor
4*	507.4825MHz	-71.70	-13.00	-58.70	PK	Hor
5*	741.1313MHz	-64.63	-13.00	-51.63	PK	Hor
6*	986.7838MHz	-60.65	-13.00	-47.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.5800MHz	-78.01	-13.00	-65.01	PK	Ver
2*	64.4350MHz	-78.95	-13.00	-65.95	PK	Ver
3*	167.8613MHz	-76.77	-13.00	-63.77	PK	Ver
4*	396.2963MHz	-74.76	-13.00	-61.76	PK	Ver
5*	661.1063MHz	-65.73	-13.00	-52.73	PK	Ver
6*	976.7200MHz	-61.07	-13.00	-48.07	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.5800MHz	-76.21	-13.00	-63.21	PK	Hor
2*	65.1625MHz	-78.71	-13.00	-65.71	PK	Hor
3*	144.9450MHz	-77.08	-13.00	-64.08	PK	Hor
4*	392.2950MHz	-72.50	-13.00	-59.50	PK	Hor
5*	670.8063MHz	-65.69	-13.00	-52.69	PK	Hor
6*	991.9975MHz	-59.99	-13.00	-46.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.3063MHz	-77.48	-13.00	-64.48	PK	Ver
2*	53.4013MHz	-78.25	-13.00	-65.25	PK	Ver
3*	69.0425MHz	-78.48	-13.00	-65.48	PK	Ver
4*	412.7863MHz	-73.90	-13.00	-60.90	PK	Ver
5*	555.1338MHz	-70.17	-13.00	-57.17	PK	Ver
6*	980.4788MHz	-60.27	-13.00	-47.27	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.4313MHz	-78.16	-13.00	-65.16	PK	Hor
2*	146.6425MHz	-76.86	-13.00	-63.86	PK	Hor
3*	262.6788MHz	-76.96	-13.00	-63.96	PK	Hor
4*	496.3275MHz	-71.48	-13.00	-58.48	PK	Hor
5*	693.4800MHz	-64.76	-13.00	-51.76	PK	Hor
6*	975.9925MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588MHz	-77.92	-13.00	-64.92	PK	Ver
2*	141.9138MHz	-78.33	-13.00	-65.33	PK	Ver
3*	163.4963MHz	-77.48	-13.00	-64.48	PK	Ver
4*	442.1288MHz	-73.99	-13.00	-60.99	PK	Ver
5*	834.7363MHz	-63.04	-13.00	-50.04	PK	Ver
6*	993.2100MHz	-60.52	-13.00	-47.52	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.1588MHz	-77.14	-13.00	-64.14	PK	Hor
2*	131.9713MHz	-78.44	-13.00	-65.44	PK	Hor
3*	165.0725MHz	-76.85	-13.00	-63.85	PK	Hor
4*	482.8688MHz	-72.50	-13.00	-59.50	PK	Hor
5*	682.8100MHz	-64.91	-13.00	-51.91	PK	Hor
6*	998.5450MHz	-60.44	-13.00	-47.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-77.09	-13.00	-64.09	PK	Ver
2*	65.2838MHz	-79.44	-13.00	-66.44	PK	Ver
3*	150.4013MHz	-76.92	-13.00	-63.92	PK	Ver
4*	361.3763MHz	-76.01	-13.00	-63.01	PK	Ver
5*	754.7113MHz	-65.44	-13.00	-52.44	PK	Ver
6*	974.6588MHz	-60.93	-13.00	-47.93	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-77.02	-13.00	-64.02	PK	Hor
2*	138.7613MHz	-78.31	-13.00	-65.31	PK	Hor
3*	163.7388MHz	-76.38	-13.00	-63.38	PK	Hor
4*	489.5375MHz	-71.95	-13.00	-58.95	PK	Hor
5*	806.9700MHz	-63.25	-13.00	-50.25	PK	Hor
6*	970.5363MHz	-60.56	-13.00	-47.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.5513MHz	-77.90	-13.00	-64.90	PK	Ver
2*	70.4975MHz	-80.66	-13.00	-67.66	PK	Ver
3*	149.4313MHz	-77.47	-13.00	-64.47	PK	Ver
4*	310.9363MHz	-75.01	-13.00	-62.01	PK	Ver
5*	632.9763MHz	-66.71	-13.00	-53.71	PK	Ver
6*	998.5450MHz	-60.54	-13.00	-47.54	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.9438MHz	-77.77	-13.00	-64.77	PK	Hor
2*	67.4663MHz	-78.31	-13.00	-65.31	PK	Hor
3*	149.4313MHz	-77.53	-13.00	-64.53	PK	Hor
4*	406.3600MHz	-74.38	-13.00	-61.38	PK	Hor
5*	587.9925MHz	-69.68	-13.00	-56.68	PK	Hor
6*	971.6275MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363MHz	-77.74	-13.00	-64.74	PK	Ver
2*	52.0675MHz	-78.65	-13.00	-65.65	PK	Ver
3*	159.8588MHz	-77.01	-13.00	-64.01	PK	Ver
4*	467.5913MHz	-73.64	-13.00	-60.64	PK	Ver
5*	680.5063MHz	-66.04	-13.00	-53.04	PK	Ver
6*	954.4100MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 38 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.0625MHz	-78.67	-13.00	-65.67	PK	Hor
2*	51.3400MHz	-77.97	-13.00	-64.97	PK	Hor
3*	157.6763MHz	-75.91	-13.00	-62.91	PK	Hor
4*	484.8088MHz	-72.63	-13.00	-59.63	PK	Hor
5*	733.2500MHz	-64.95	-13.00	-51.95	PK	Hor
6*	982.5400MHz	-60.36	-13.00	-47.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.6375MHz	-78.76	-13.00	-65.76	PK	Ver
2*	57.4025MHz	-77.39	-13.00	-64.39	PK	Ver
3*	155.9788MHz	-76.70	-13.00	-63.70	PK	Ver
4*	304.1463MHz	-77.53	-13.00	-64.53	PK	Ver
5*	647.7688MHz	-66.67	-13.00	-53.67	PK	Ver
6*	959.1388MHz	-61.26	-13.00	-48.26	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	67.8300MHz	-77.48	-13.00	-64.48	PK	Hor
2*	112.9350MHz	-80.65	-13.00	-67.65	PK	Hor
3*	174.7725MHz	-76.81	-13.00	-63.81	PK	Hor
4*	328.6388MHz	-75.13	-13.00	-62.13	PK	Hor
5*	694.8138MHz	-65.29	-13.00	-52.29	PK	Hor
6*	948.4688MHz	-60.52	-13.00	-47.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	34.7288MHz	-77.43	-13.00	-64.43	PK	Ver
2*	51.2188MHz	-77.30	-13.00	-64.30	PK	Ver
3*	157.0700MHz	-74.98	-13.00	-61.98	PK	Ver
4*	462.7413MHz	-71.35	-13.00	-58.35	PK	Ver
5*	710.9400MHz	-64.46	-13.00	-51.46	PK	Ver
6*	979.8725MHz	-59.72	-13.00	-46.72	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.7638MHz	-77.86	-13.00	-64.86	PK	Hor
2*	67.7088MHz	-78.88	-13.00	-65.88	PK	Hor
3*	151.1288MHz	-76.78	-13.00	-63.78	PK	Hor
4*	401.1463MHz	-73.47	-13.00	-60.47	PK	Hor
5*	632.6125MHz	-66.59	-13.00	-53.59	PK	Hor
6*	943.4975MHz	-60.98	-13.00	-47.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.6388MHz	-78.42	-13.00	-65.42	PK	Ver
2*	58.9788MHz	-78.78	-13.00	-65.78	PK	Ver
3*	118.8763MHz	-79.60	-13.00	-66.60	PK	Ver
4*	150.1588MHz	-77.36	-13.00	-64.36	PK	Ver
5*	439.2188MHz	-74.08	-13.00	-61.08	PK	Ver
6*	969.2025MHz	-60.73	-13.00	-47.73	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.0363MHz	-77.83	-13.00	-64.83	PK	Hor
2*	154.1600MHz	-77.17	-13.00	-64.17	PK	Hor
3*	279.6538MHz	-76.83	-13.00	-63.83	PK	Hor
4*	484.2025MHz	-72.10	-13.00	-59.10	PK	Hor
5*	647.4050MHz	-65.08	-13.00	-52.08	PK	Hor
6*	982.9038MHz	-60.92	-13.00	-47.92	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.6138MHz	-77.16	-13.00	-64.16	PK	Ver
2*	165.9213MHz	-76.39	-13.00	-63.39	PK	Ver
3*	293.1125MHz	-75.53	-13.00	-62.53	PK	Ver
4*	464.6813MHz	-73.04	-13.00	-60.04	PK	Ver
5*	664.7438MHz	-65.77	-13.00	-52.77	PK	Ver
6*	959.7450MHz	-60.49	-13.00	-47.49	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.0675MHz	-77.17	-13.00	-64.17	PK	Hor
2*	159.8588MHz	-77.48	-13.00	-64.48	PK	Hor
3*	292.8700MHz	-77.16	-13.00	-64.16	PK	Hor
4*	526.5188MHz	-71.04	-13.00	-58.04	PK	Hor
5*	746.1025MHz	-63.85	-13.00	-50.85	PK	Hor
6*	979.1450MHz	-60.01	-13.00	-47.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.1900MHz	-78.01	-13.00	-65.01	PK	Ver
2*	151.0075MHz	-77.01	-13.00	-64.01	PK	Ver
3*	287.5350MHz	-77.29	-13.00	-64.29	PK	Ver
4*	508.6950MHz	-72.32	-13.00	-59.32	PK	Ver
5*	664.3800MHz	-65.00	-13.00	-52.00	PK	Ver
6*	941.6788MHz	-60.10	-13.00	-47.10	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.7038MHz	-78.77	-13.00	-65.77	PK	Hor
2*	140.7013MHz	-77.05	-13.00	-64.05	PK	Hor
3*	166.5275MHz	-77.24	-13.00	-64.24	PK	Hor
4*	380.4125MHz	-74.07	-13.00	-61.07	PK	Hor
5*	708.7575MHz	-64.19	-13.00	-51.19	PK	Hor
6*	994.7863MHz	-60.03	-13.00	-47.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925MHz	-77.37	-13.00	-64.37	PK	Ver
2*	66.1325MHz	-78.16	-13.00	-65.16	PK	Ver
3*	166.7700MHz	-76.56	-13.00	-63.56	PK	Ver
4*	274.5613MHz	-78.51	-13.00	-65.51	PK	Ver
5*	314.3313MHz	-76.64	-13.00	-63.64	PK	Ver
6*	971.7488MHz	-60.76	-13.00	-47.76	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-77.63	-13.00	-64.63	PK	Hor
2*	156.4638MHz	-76.98	-13.00	-63.98	PK	Hor
3*	276.5013MHz	-77.76	-13.00	-64.76	PK	Hor
4*	473.7750MHz	-73.70	-13.00	-60.70	PK	Hor
5*	656.7413MHz	-63.79	-13.00	-50.79	PK	Hor
6*	993.6950MHz	-61.22	-13.00	-48.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-76.88	-13.00	-63.88	PK	Ver
2*	63.8288MHz	-78.01	-13.00	-65.01	PK	Ver
3*	164.1025MHz	-76.45	-13.00	-63.45	PK	Ver
4*	397.8725MHz	-74.71	-13.00	-61.71	PK	Ver
5*	698.6938MHz	-65.48	-13.00	-52.48	PK	Ver
6*	978.4175MHz	-61.27	-13.00	-48.27	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.8250MHz	-77.70	-13.00	-64.70	PK	Hor
2*	67.2238MHz	-79.19	-13.00	-66.19	PK	Hor
3*	156.3425MHz	-77.01	-13.00	-64.01	PK	Hor
4*	306.9350MHz	-77.05	-13.00	-64.05	PK	Hor
5*	565.6825MHz	-70.13	-13.00	-57.13	PK	Hor
6*	925.6738MHz	-60.35	-13.00	-47.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.5200MHz	-77.86	-13.00	-64.86	PK	Ver
2*	131.2438MHz	-78.70	-13.00	-65.70	PK	Ver
3*	149.7950MHz	-76.53	-13.00	-63.53	PK	Ver
4*	357.3750MHz	-76.39	-13.00	-63.39	PK	Ver
5*	608.2413MHz	-67.77	-13.00	-54.77	PK	Ver
6*	997.8175MHz	-61.17	-13.00	-48.17	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.8838MHz	-78.07	-13.00	-65.07	PK	Hor
2*	62.9800MHz	-79.38	-13.00	-66.38	PK	Hor
3*	157.9188MHz	-76.24	-13.00	-63.24	PK	Hor
4*	425.3963MHz	-74.08	-13.00	-61.08	PK	Hor
5*	741.6163MHz	-64.17	-13.00	-51.17	PK	Hor
6*	998.0600MHz	-61.17	-13.00	-48.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.5500MHz	-77.79	-13.00	-64.79	PK	Ver
2*	59.3425MHz	-79.35	-13.00	-66.35	PK	Ver
3*	161.6775MHz	-76.60	-13.00	-63.60	PK	Ver
4*	403.5713MHz	-72.76	-13.00	-59.76	PK	Ver
5*	703.4225MHz	-64.71	-13.00	-51.71	PK	Ver
6*	972.9613MHz	-60.07	-13.00	-47.07	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.1°C
M/N: Jelly Star	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-05-17
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875MHz	-77.86	-13.00	-64.86	PK	Hor
2*	138.3975MHz	-77.24	-13.00	-64.24	PK	Hor
3*	149.5525MHz	-76.94	-13.00	-63.94	PK	Hor
4*	280.3813MHz	-76.73	-13.00	-63.73	PK	Hor
5*	655.8925MHz	-66.64	-13.00	-53.64	PK	Hor
6*	977.4475MHz	-60.50	-13.00	-47.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-77.79	-13.00	-64.79	PK	Ver
2*	128.8188MHz	-78.64	-13.00	-65.64	PK	Ver
3*	150.5225MHz	-75.86	-13.00	-62.86	PK	Ver
4*	391.6888MHz	-74.90	-13.00	-61.90	PK	Ver
5*	612.6063MHz	-65.92	-13.00	-52.92	PK	Ver
6*	989.4513MHz	-60.35	-13.00	-47.35	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4314GHz	-56.30	-13.00	-43.30	PK	Hor
2*	1.8202GHz	-54.60	-13.00	-41.60	PK	Hor
3*	4.4892GHz	-49.33	-13.00	-36.33	PK	Hor
4*	7.0775GHz	-46.15	-13.00	-33.15	PK	Hor
5*	8.7732GHz	-43.43	-13.00	-30.43	PK	Hor
6*	17.9787GHz	-39.50	-13.00	-26.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3825GHz	-55.86	-13.00	-42.86	PK	Ver
2*	3.3779GHz	-50.23	-13.00	-37.23	PK	Ver
3*	4.3724GHz	-47.95	-13.00	-34.95	PK	Ver
4*	7.6002GHz	-45.42	-13.00	-32.42	PK	Ver
5*	8.9730GHz	-43.07	-13.00	-30.07	PK	Ver
6*	17.8874GHz	-37.99	-13.00	-24.99	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0221GHz	-54.19	-13.00	-41.19	PK	Hor
2*	2.8891GHz	-50.25	-13.00	-37.25	PK	Hor
3*	4.8866GHz	-48.62	-13.00	-35.62	PK	Hor
4*	7.5875GHz	-44.10	-13.00	-31.10	PK	Hor
5*	8.7881GHz	-43.43	-13.00	-30.43	PK	Hor
6*	17.8385GHz	-38.82	-13.00	-25.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7267GHz	-56.00	-13.00	-43.00	PK	Ver
2*	2.6894GHz	-51.68	-13.00	-38.68	PK	Ver
3*	3.0974GHz	-49.94	-13.00	-36.94	PK	Ver
4*	6.6015GHz	-47.08	-13.00	-34.08	PK	Ver
5*	8.9326GHz	-43.07	-13.00	-30.07	PK	Ver
6*	17.9214GHz	-39.62	-13.00	-26.62	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4654GHz	-55.64	-13.00	-42.64	PK	Hor
2*	1.9541GHz	-54.14	-13.00	-41.14	PK	Hor
3*	3.1399GHz	-49.64	-13.00	-36.64	PK	Hor
4*	7.1880GHz	-46.20	-13.00	-33.20	PK	Hor
5*	9.5276GHz	-42.90	-13.00	-29.90	PK	Hor
6*	17.9617GHz	-39.18	-13.00	-26.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8861GHz	-54.45	-13.00	-41.45	PK	Ver
2*	3.0910GHz	-50.18	-13.00	-37.18	PK	Ver
3*	4.7889GHz	-48.21	-13.00	-35.21	PK	Ver
4*	8.0826GHz	-44.43	-13.00	-31.43	PK	Ver
5*	8.9942GHz	-41.52	-13.00	-28.52	PK	Ver
6*	17.6621GHz	-39.49	-13.00	-26.49	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.2100GHz	-53.97	-13.00	-40.97	PK	Hor
2*	2.7780GHz	-50.65	-13.00	-37.65	PK	Hor
3*	2.9040GHz	-49.66	-13.00	-36.66	PK	Hor
4*	7.1320GHz	-46.16	-13.00	-33.16	PK	Hor
5*	8.9220GHz	-42.52	-13.00	-29.52	PK	Hor
6*	16.7920GHz	-41.49	-13.00	-28.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4360GHz	-55.05	-13.00	-42.05	PK	Ver
2*	3.3020GHz	-50.35	-13.00	-37.35	PK	Ver
3*	4.8300GHz	-47.12	-13.00	-34.12	PK	Ver
4*	8.1720GHz	-44.00	-13.00	-31.00	PK	Ver
5*	10.9180GHz	-42.65	-13.00	-29.65	PK	Ver
6*	16.3880GHz	-41.05	-13.00	-28.05	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1040GHz	-53.89	-13.00	-40.89	PK	Hor
2*	3.2280GHz	-50.18	-13.00	-37.18	PK	Hor
3*	5.6560GHz	-48.28	-13.00	-35.28	PK	Hor
4*	8.4100GHz	-44.13	-13.00	-31.13	PK	Hor
5*	10.8080GHz	-43.19	-13.00	-30.19	PK	Hor
6*	14.4080GHz	-41.75	-13.00	-28.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3500GHz	-56.00	-13.00	-43.00	PK	Ver
2*	2.0060GHz	-53.14	-13.00	-40.14	PK	Ver
3*	4.7240GHz	-47.76	-13.00	-34.76	PK	Ver
4*	7.5880GHz	-45.45	-13.00	-32.45	PK	Ver
5*	9.4100GHz	-41.78	-13.00	-28.78	PK	Ver
6*	16.4700GHz	-41.08	-13.00	-28.08	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3340GHz	-55.40	-13.00	-42.40	PK	Hor
2*	2.0900GHz	-53.76	-13.00	-40.76	PK	Hor
3*	3.0940GHz	-50.27	-13.00	-37.27	PK	Hor
4*	4.7020GHz	-47.37	-13.00	-34.37	PK	Hor
5*	8.8640GHz	-43.27	-13.00	-30.27	PK	Hor
6*	14.8380GHz	-40.57	-13.00	-27.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8080GHz	-54.34	-13.00	-41.34	PK	Ver
2*	3.0960GHz	-49.32	-13.00	-36.32	PK	Ver
3*	4.8360GHz	-47.76	-13.00	-34.76	PK	Ver
4*	7.5680GHz	-44.03	-13.00	-31.03	PK	Ver
5*	8.9300GHz	-43.15	-13.00	-30.15	PK	Ver
6*	16.4600GHz	-41.24	-13.00	-28.24	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8030GHz	-54.66	-13.00	-41.66	PK	Hor
2*	2.4920GHz	-51.03	-13.00	-38.03	PK	Hor
3*	3.0170GHz	-49.47	-13.00	-36.47	PK	Hor
4*	5.2700GHz	-48.81	-13.00	-35.81	PK	Hor
5*	7.5370GHz	-44.83	-13.00	-31.83	PK	Hor
6*	8.9910GHz	-42.83	-13.00	-29.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1790GHz	-56.18	-13.00	-43.18	PK	Ver
2*	1.7760GHz	-55.36	-13.00	-42.36	PK	Ver
3*	2.3610GHz	-52.38	-13.00	-39.38	PK	Ver
4*	3.3510GHz	-49.73	-13.00	-36.73	PK	Ver
5*	4.8360GHz	-48.03	-13.00	-35.03	PK	Ver
6*	8.9230GHz	-41.82	-13.00	-28.82	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2350GHz	-56.07	-13.00	-43.07	PK	Hor
2*	1.7790GHz	-54.71	-13.00	-41.71	PK	Hor
3*	2.6950GHz	-50.13	-13.00	-37.13	PK	Hor
4*	3.3100GHz	-48.41	-13.00	-35.41	PK	Hor
5*	6.1920GHz	-46.72	-13.00	-33.72	PK	Hor
6*	8.8690GHz	-42.14	-13.00	-29.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2990GHz	-57.09	-13.00	-44.09	PK	Ver
2*	1.4130GHz	-55.78	-13.00	-42.78	PK	Ver
3*	2.1480GHz	-53.27	-13.00	-40.27	PK	Ver
4*	3.0300GHz	-49.72	-13.00	-36.72	PK	Ver
5*	6.7180GHz	-46.53	-13.00	-33.53	PK	Ver
6*	8.8860GHz	-43.49	-13.00	-30.49	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2480GHz	-55.03	-13.00	-42.03	PK	Hor
2*	2.1500GHz	-53.01	-13.00	-40.01	PK	Hor
3*	2.8260GHz	-49.93	-13.00	-36.93	PK	Hor
4*	4.5520GHz	-48.14	-13.00	-35.14	PK	Hor
5*	7.5870GHz	-43.53	-13.00	-30.53	PK	Hor
6*	8.9420GHz	-41.56	-13.00	-28.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4180GHz	-56.31	-13.00	-43.31	PK	Ver
2*	2.2880GHz	-52.68	-13.00	-39.68	PK	Ver
3*	2.9270GHz	-50.05	-13.00	-37.05	PK	Ver
4*	4.6110GHz	-48.78	-13.00	-35.78	PK	Ver
5*	7.4780GHz	-44.85	-13.00	-31.85	PK	Ver
6*	8.8780GHz	-42.90	-13.00	-29.90	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5036GHz	-55.15	-13.00	-42.15	PK	Hor
2*	2.6979GHz	-50.11	-13.00	-37.11	PK	Hor
3*	4.7187GHz	-48.83	-13.00	-35.83	PK	Hor
4*	7.5917GHz	-44.81	-13.00	-31.81	PK	Hor
5*	9.4256GHz	-42.82	-13.00	-29.82	PK	Hor
6*	17.7237GHz	-39.60	-13.00	-26.60	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4675GHz	-56.53	-13.00	-43.53	PK	Ver
2*	3.1356GHz	-49.72	-13.00	-36.72	PK	Ver
3*	7.1434GHz	-45.15	-13.00	-32.15	PK	Ver
4*	10.9131GHz	-42.91	-13.00	-29.91	PK	Ver
5*	14.4257GHz	-40.95	-13.00	-27.95	PK	Ver
6*	17.9107GHz	-38.88	-13.00	-25.88	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4122GHz	-56.92	-13.00	-43.92	PK	Hor
2*	2.2091GHz	-52.59	-13.00	-39.59	PK	Hor
3*	2.9167GHz	-49.46	-13.00	-36.46	PK	Hor
4*	5.2649GHz	-48.49	-13.00	-35.49	PK	Hor
5*	8.5969GHz	-43.20	-13.00	-30.20	PK	Hor
6*	17.9511GHz	-38.42	-13.00	-25.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8819GHz	-55.05	-13.00	-42.05	PK	Ver
2*	2.5725GHz	-51.82	-13.00	-38.82	PK	Ver
3*	4.3214GHz	-49.15	-13.00	-36.15	PK	Ver
4*	7.5896GHz	-44.30	-13.00	-31.30	PK	Ver
5*	8.9836GHz	-43.00	-13.00	-30.00	PK	Ver
6*	17.9214GHz	-39.38	-13.00	-26.38	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7947GHz	-55.15	-13.00	-42.15	PK	Hor
2*	2.3026GHz	-52.93	-13.00	-39.93	PK	Hor
3*	4.7527GHz	-48.59	-13.00	-35.59	PK	Hor
4*	6.6610GHz	-47.27	-13.00	-34.27	PK	Hor
5*	8.5629GHz	-43.65	-13.00	-30.65	PK	Hor
6*	17.6664GHz	-39.37	-13.00	-26.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8394GHz	-54.69	-13.00	-41.69	PK	Ver
2*	3.0209GHz	-49.10	-13.00	-36.10	PK	Ver
3*	4.8675GHz	-48.39	-13.00	-35.39	PK	Ver
4*	8.1230GHz	-43.75	-13.00	-30.75	PK	Ver
5*	14.2855GHz	-41.31	-13.00	-28.31	PK	Ver
6*	17.9554GHz	-38.68	-13.00	-25.68	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2932GHz	-55.66	-13.00	-42.66	PK	Hor
2*	2.1362GHz	-52.05	-13.00	-39.05	PK	Hor
3*	2.6207GHz	-51.10	-13.00	-38.10	PK	Hor
4*	2.8577GHz	-49.78	-13.00	-36.78	PK	Hor
5*	4.4755GHz	-49.06	-13.00	-36.06	PK	Hor
6*	6.1802GHz	-46.67	-13.00	-33.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1522GHz	-57.35	-13.00	-44.35	PK	Ver
2*	1.4042GHz	-54.56	-13.00	-41.56	PK	Ver
3*	2.2735GHz	-51.85	-13.00	-38.85	PK	Ver
4*	3.1420GHz	-49.87	-13.00	-36.87	PK	Ver
5*	4.8002GHz	-47.29	-13.00	-34.29	PK	Ver
6*	6.1532GHz	-47.28	-13.00	-34.28	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5145GHz	-55.47	-13.00	-42.47	PK	Hor
2*	1.8460GHz	-54.29	-13.00	-41.29	PK	Hor
3*	2.4925GHz	-49.82	-13.00	-36.82	PK	Hor
4*	4.4725GHz	-49.24	-13.00	-36.24	PK	Hor
5*	4.8685GHz	-47.73	-13.00	-34.73	PK	Hor
6*	6.6707GHz	-46.62	-13.00	-33.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4252GHz	-55.26	-13.00	-42.26	PK	Ver
2*	1.8377GHz	-54.89	-13.00	-41.89	PK	Ver
3*	1.9712GHz	-53.37	-13.00	-40.37	PK	Ver
4*	2.7775GHz	-49.43	-13.00	-36.43	PK	Ver
5*	4.5617GHz	-48.29	-13.00	-35.29	PK	Ver
6*	6.6467GHz	-46.18	-13.00	-33.18	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.0127GHz	-57.13	-13.00	-44.13	PK	Hor
2*	1.9172GHz	-53.91	-13.00	-40.91	PK	Hor
3*	2.9545GHz	-50.29	-13.00	-37.29	PK	Hor
4*	3.5192GHz	-50.17	-13.00	-37.17	PK	Hor
5*	5.7730GHz	-47.51	-13.00	-34.51	PK	Hor
6*	6.1247GHz	-46.17	-13.00	-33.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5145GHz	-56.34	-13.00	-43.34	PK	Ver
2*	2.0807GHz	-53.65	-13.00	-40.65	PK	Ver
3*	2.9012GHz	-50.18	-13.00	-37.18	PK	Ver
4*	3.0055GHz	-49.11	-13.00	-36.11	PK	Ver
5*	5.6942GHz	-47.79	-13.00	-34.79	PK	Ver
6*	6.6662GHz	-46.38	-13.00	-33.38	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6870GHz	-54.96	-13.00	-41.96	PK	Hor
2*	2.2727GHz	-53.06	-13.00	-40.06	PK	Hor
3*	2.8375GHz	-49.57	-13.00	-36.57	PK	Hor
4*	4.2947GHz	-49.12	-13.00	-36.12	PK	Hor
5*	4.7777GHz	-47.89	-13.00	-34.89	PK	Hor
6*	6.2177GHz	-45.49	-13.00	-32.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2212GHz	-56.25	-13.00	-43.25	PK	Ver
2*	1.5002GHz	-56.04	-13.00	-43.04	PK	Ver
3*	1.8745GHz	-55.22	-13.00	-42.22	PK	Ver
4*	2.6477GHz	-51.24	-13.00	-38.24	PK	Ver
5*	3.2755GHz	-49.41	-13.00	-36.41	PK	Ver
6*	6.6377GHz	-46.47	-13.00	-33.47	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4230GHz	-54.96	-13.00	-41.96	PK	Hor
2*	1.9060GHz	-52.83	-13.00	-39.83	PK	Hor
3*	2.4902GHz	-52.09	-13.00	-39.09	PK	Hor
4*	3.1157GHz	-49.79	-13.00	-36.79	PK	Hor
5*	4.8340GHz	-47.62	-13.00	-34.62	PK	Hor
6*	6.2237GHz	-46.75	-13.00	-33.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3517GHz	-56.48	-13.00	-43.48	PK	Ver
2*	1.4687GHz	-55.98	-13.00	-42.98	PK	Ver
3*	2.0177GHz	-54.05	-13.00	-41.05	PK	Ver
4*	2.9590GHz	-49.42	-13.00	-36.42	PK	Ver
5*	4.8265GHz	-47.63	-13.00	-34.63	PK	Ver
6*	6.2162GHz	-47.17	-13.00	-34.17	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3600GHz	-56.21	-13.00	-43.21	PK	Hor
2*	2.3327GHz	-52.83	-13.00	-39.83	PK	Hor
3*	3.1742GHz	-50.21	-13.00	-37.21	PK	Hor
4*	4.3855GHz	-49.32	-13.00	-36.32	PK	Hor
5*	4.8437GHz	-47.96	-13.00	-34.96	PK	Hor
6*	6.6497GHz	-46.08	-13.00	-33.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3202GHz	-56.34	-13.00	-43.34	PK	Ver
2*	1.4905GHz	-55.30	-13.00	-42.30	PK	Ver
3*	2.3065GHz	-52.03	-13.00	-39.03	PK	Ver
4*	3.1412GHz	-50.22	-13.00	-37.22	PK	Ver
5*	4.8272GHz	-48.32	-13.00	-35.32	PK	Ver
6*	6.5920GHz	-46.95	-13.00	-33.95	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2212GHz	-57.39	-13.00	-44.39	PK	Hor
2*	1.9292GHz	-54.67	-13.00	-41.67	PK	Hor
3*	2.7070GHz	-50.71	-13.00	-37.71	PK	Hor
4*	2.9725GHz	-49.15	-13.00	-36.15	PK	Hor
5*	5.7460GHz	-48.10	-13.00	-35.10	PK	Hor
6*	6.5980GHz	-46.62	-13.00	-33.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4395GHz	-56.07	-13.00	-43.07	PK	Ver
2*	2.4452GHz	-52.15	-13.00	-39.15	PK	Ver
3*	3.0587GHz	-49.31	-13.00	-36.31	PK	Ver
4*	4.3697GHz	-48.52	-13.00	-35.52	PK	Ver
5*	5.8000GHz	-47.42	-13.00	-34.42	PK	Ver
6*	6.7330GHz	-46.56	-13.00	-33.56	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2685GHz	-56.14	-13.00	-43.14	PK	Hor
2*	1.4380GHz	-55.99	-13.00	-42.99	PK	Hor
3*	2.3035GHz	-51.90	-13.00	-38.90	PK	Hor
4*	3.2200GHz	-49.25	-13.00	-36.25	PK	Hor
5*	4.7275GHz	-48.08	-13.00	-35.08	PK	Hor
6*	6.7030GHz	-46.05	-13.00	-33.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8760GHz	-53.48	-13.00	-40.48	PK	Ver
2*	2.6455GHz	-49.96	-13.00	-36.96	PK	Ver
3*	3.0422GHz	-49.75	-13.00	-36.75	PK	Ver
4*	4.3382GHz	-49.57	-13.00	-36.57	PK	Ver
5*	6.1285GHz	-47.30	-13.00	-34.30	PK	Ver
6*	6.6707GHz	-46.26	-13.00	-33.26	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5100GHz	-55.94	-13.00	-42.94	PK	Hor
2*	2.4535GHz	-51.71	-13.00	-38.71	PK	Hor
3*	3.1742GHz	-49.60	-13.00	-36.60	PK	Hor
4*	4.4492GHz	-49.57	-13.00	-36.57	PK	Hor
5*	6.1307GHz	-47.24	-13.00	-34.24	PK	Hor
6*	6.6685GHz	-46.19	-13.00	-33.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2010GHz	-56.63	-13.00	-43.63	PK	Ver
2*	1.6937GHz	-54.38	-13.00	-41.38	PK	Ver
3*	2.5427GHz	-51.21	-13.00	-38.21	PK	Ver
4*	3.7000GHz	-50.08	-13.00	-37.08	PK	Ver
5*	4.8865GHz	-47.54	-13.00	-34.54	PK	Ver
6*	6.6647GHz	-46.87	-13.00	-33.87	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 25 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1156GHz	-53.63	-13.00	-40.63	PK	Hor
2*	2.3855GHz	-52.13	-13.00	-39.13	PK	Hor
3*	3.2270GHz	-48.54	-13.00	-35.54	PK	Hor
4*	5.7961GHz	-48.19	-13.00	-35.19	PK	Hor
5*	8.9857GHz	-43.42	-13.00	-30.42	PK	Hor
6*	17.5516GHz	-39.75	-13.00	-26.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4420GHz	-56.79	-13.00	-43.79	PK	Ver
2*	2.1900GHz	-51.65	-13.00	-38.65	PK	Ver
3*	2.7722GHz	-50.76	-13.00	-37.76	PK	Ver
4*	5.7132GHz	-48.58	-13.00	-35.58	PK	Ver
5*	8.9092GHz	-43.37	-13.00	-30.37	PK	Ver
6*	17.9192GHz	-39.53	-13.00	-26.53	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2975GHz	-56.99	-13.00	-43.99	PK	Hor
2*	1.4292GHz	-56.76	-13.00	-43.76	PK	Hor
3*	4.7867GHz	-48.27	-13.00	-35.27	PK	Hor
4*	7.5981GHz	-44.65	-13.00	-31.65	PK	Hor
5*	8.5799GHz	-43.08	-13.00	-30.08	PK	Hor
6*	17.9979GHz	-39.12	-13.00	-26.12	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4335GHz	-55.68	-13.00	-42.68	PK	Ver
2*	2.7807GHz	-50.49	-13.00	-37.49	PK	Ver
3*	5.7217GHz	-46.46	-13.00	-33.46	PK	Ver
4*	8.8731GHz	-42.75	-13.00	-29.75	PK	Ver
5*	14.7700GHz	-41.95	-13.00	-28.95	PK	Ver
6*	17.9044GHz	-40.08	-13.00	-27.08	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 25 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.4896GHz	-52.66	-13.00	-39.66	PK	Hor
2*	3.2419GHz	-50.29	-13.00	-37.29	PK	Hor
3*	4.8611GHz	-48.19	-13.00	-35.19	PK	Hor
4*	8.6054GHz	-43.52	-13.00	-30.52	PK	Hor
5*	8.9900GHz	-43.12	-13.00	-30.12	PK	Hor
6*	17.6579GHz	-39.28	-13.00	-26.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.1602GHz	-53.57	-13.00	-40.57	PK	Ver
2*	2.5109GHz	-51.00	-13.00	-38.00	PK	Ver
3*	3.1016GHz	-50.63	-13.00	-37.63	PK	Ver
4*	4.8420GHz	-47.18	-13.00	-34.18	PK	Ver
5*	9.4277GHz	-43.11	-13.00	-30.11	PK	Ver
6*	14.2897GHz	-42.61	-13.00	-29.61	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 26 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3840GHz	-56.09	-13.00	-43.09	PK	Hor
2*	3.0950GHz	-50.01	-13.00	-37.01	PK	Hor
3*	4.2800GHz	-49.82	-13.00	-36.82	PK	Hor
4*	4.8090GHz	-48.16	-13.00	-35.16	PK	Hor
5*	7.4790GHz	-45.05	-13.00	-32.05	PK	Hor
6*	8.9460GHz	-43.13	-13.00	-30.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3970GHz	-55.54	-13.00	-42.54	PK	Ver
2*	1.8650GHz	-54.41	-13.00	-41.41	PK	Ver
3*	2.3970GHz	-51.50	-13.00	-38.50	PK	Ver
4*	3.0150GHz	-49.73	-13.00	-36.73	PK	Ver
5*	4.7900GHz	-48.57	-13.00	-35.57	PK	Ver
6*	8.9510GHz	-43.11	-13.00	-30.11	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7940GHz	-54.98	-13.00	-41.98	PK	Hor
2*	2.4910GHz	-51.76	-13.00	-38.76	PK	Hor
3*	2.7510GHz	-50.29	-13.00	-37.29	PK	Hor
4*	5.3870GHz	-47.85	-13.00	-34.85	PK	Hor
5*	7.5930GHz	-43.56	-13.00	-30.56	PK	Hor
6*	8.9860GHz	-42.34	-13.00	-29.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3560GHz	-56.61	-13.00	-43.61	PK	Ver
2*	1.9450GHz	-53.40	-13.00	-40.40	PK	Ver
3*	2.9430GHz	-50.21	-13.00	-37.21	PK	Ver
4*	4.1740GHz	-50.16	-13.00	-37.16	PK	Ver
5*	6.5870GHz	-46.35	-13.00	-33.35	PK	Ver
6*	8.8710GHz	-43.35	-13.00	-30.35	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 26 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1400GHz	-58.17	-13.00	-45.17	PK	Hor
2*	1.8060GHz	-54.73	-13.00	-41.73	PK	Hor
3*	3.0150GHz	-49.79	-13.00	-36.79	PK	Hor
4*	4.8490GHz	-48.04	-13.00	-35.04	PK	Hor
5*	7.4810GHz	-45.42	-13.00	-32.42	PK	Hor
6*	8.9200GHz	-42.79	-13.00	-29.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1250GHz	-58.38	-13.00	-45.38	PK	Ver
2*	1.8960GHz	-53.51	-13.00	-40.51	PK	Ver
3*	2.6850GHz	-51.39	-13.00	-38.39	PK	Ver
4*	3.1700GHz	-49.22	-13.00	-36.22	PK	Ver
5*	4.8490GHz	-48.48	-13.00	-35.48	PK	Ver
6*	8.9050GHz	-43.09	-13.00	-30.09	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 38 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0901GHz	-52.07	-13.00	-39.07	PK	Hor
2*	3.0187GHz	-48.46	-13.00	-35.46	PK	Hor
3*	4.7952GHz	-46.94	-13.00	-33.94	PK	Hor
4*	8.6861GHz	-42.46	-13.00	-29.46	PK	Hor
5*	10.9259GHz	-41.59	-13.00	-28.59	PK	Hor
6*	17.7237GHz	-38.30	-13.00	-25.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3825GHz	-55.39	-13.00	-42.39	PK	Ver
2*	2.4620GHz	-52.01	-13.00	-39.01	PK	Ver
3*	4.8462GHz	-48.52	-13.00	-35.52	PK	Ver
4*	8.6160GHz	-43.78	-13.00	-30.78	PK	Ver
5*	13.9816GHz	-41.96	-13.00	-28.96	PK	Ver
6*	17.8576GHz	-39.64	-13.00	-26.64	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.2240GHz	-53.59	-13.00	-40.59	PK	Hor
2*	3.1335GHz	-50.05	-13.00	-37.05	PK	Hor
3*	4.8611GHz	-48.15	-13.00	-35.15	PK	Hor
4*	7.5386GHz	-44.20	-13.00	-31.20	PK	Hor
5*	8.9262GHz	-43.55	-13.00	-30.55	PK	Hor
6*	17.7174GHz	-39.28	-13.00	-26.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3336GHz	-56.60	-13.00	-43.60	PK	Ver
2*	2.0965GHz	-53.88	-13.00	-40.88	PK	Ver
3*	2.8360GHz	-50.43	-13.00	-37.43	PK	Ver
4*	4.7867GHz	-48.18	-13.00	-35.18	PK	Ver
5*	9.4851GHz	-44.02	-13.00	-31.02	PK	Ver
6*	16.4466GHz	-41.42	-13.00	-28.42	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 38 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2975GHz	-55.48	-13.00	-42.48	PK	Hor
2*	2.2049GHz	-53.74	-13.00	-40.74	PK	Hor
3*	2.7361GHz	-50.27	-13.00	-37.27	PK	Hor
4*	6.1319GHz	-48.25	-13.00	-35.25	PK	Hor
5*	10.9705GHz	-43.82	-13.00	-30.82	PK	Hor
6*	17.9001GHz	-38.00	-13.00	-25.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1827GHz	-56.46	-13.00	-43.46	PK	Ver
2*	2.3069GHz	-52.10	-13.00	-39.10	PK	Ver
3*	3.2886GHz	-49.72	-13.00	-36.72	PK	Ver
4*	6.1276GHz	-46.22	-13.00	-33.22	PK	Ver
5*	8.7541GHz	-43.11	-13.00	-30.11	PK	Ver
6*	17.4241GHz	-39.37	-13.00	-26.37	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6672GHz	-55.74	-13.00	-42.74	PK	Hor
2*	3.1675GHz	-50.45	-13.00	-37.45	PK	Hor
3*	4.8165GHz	-48.25	-13.00	-35.25	PK	Hor
4*	7.5492GHz	-44.29	-13.00	-31.29	PK	Hor
5*	10.8451GHz	-43.16	-13.00	-30.16	PK	Hor
6*	17.0140GHz	-39.25	-13.00	-26.25	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2359GHz	-57.17	-13.00	-44.17	PK	Ver
2*	2.1092GHz	-52.98	-13.00	-39.98	PK	Ver
3*	3.3524GHz	-49.59	-13.00	-36.59	PK	Ver
4*	6.6589GHz	-45.50	-13.00	-32.50	PK	Ver
5*	10.8579GHz	-41.93	-13.00	-28.93	PK	Ver
6*	17.9214GHz	-38.81	-13.00	-25.81	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3867GHz	-56.83	-13.00	-43.83	PK	Hor
2*	2.3472GHz	-53.12	-13.00	-40.12	PK	Hor
3*	6.7099GHz	-46.90	-13.00	-33.90	PK	Hor
4*	8.9900GHz	-43.47	-13.00	-30.47	PK	Hor
5*	14.2876GHz	-41.51	-13.00	-28.51	PK	Hor
6*	17.8470GHz	-39.52	-13.00	-26.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2040GHz	-57.50	-13.00	-44.50	PK	Ver
2*	2.5789GHz	-51.79	-13.00	-38.79	PK	Ver
3*	2.9741GHz	-49.80	-13.00	-36.80	PK	Ver
4*	6.6504GHz	-47.12	-13.00	-34.12	PK	Ver
5*	9.4129GHz	-43.25	-13.00	-30.25	PK	Ver
6*	17.9022GHz	-38.60	-13.00	-25.60	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4016GHz	-55.17	-13.00	-42.17	PK	Hor
2*	2.8211GHz	-51.21	-13.00	-38.21	PK	Hor
3*	4.8441GHz	-49.33	-13.00	-36.33	PK	Hor
4*	7.5322GHz	-44.43	-13.00	-31.43	PK	Hor
5*	8.8774GHz	-42.64	-13.00	-29.64	PK	Hor
6*	17.9022GHz	-39.65	-13.00	-26.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5865GHz	-56.23	-13.00	-43.23	PK	Ver
2*	1.8457GHz	-54.37	-13.00	-41.37	PK	Ver
3*	2.8594GHz	-50.54	-13.00	-37.54	PK	Ver
4*	6.2190GHz	-45.69	-13.00	-32.69	PK	Ver
5*	8.9326GHz	-42.86	-13.00	-29.86	PK	Ver
6*	17.9724GHz	-39.46	-13.00	-26.46	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3039GHz	-56.90	-13.00	-43.90	PK	Hor
2*	2.6256GHz	-52.80	-13.00	-39.80	PK	Hor
3*	4.3426GHz	-50.21	-13.00	-37.21	PK	Hor
4*	7.0605GHz	-46.41	-13.00	-33.41	PK	Hor
5*	8.7520GHz	-43.15	-13.00	-30.15	PK	Hor
6*	17.6557GHz	-39.52	-13.00	-26.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8202GHz	-55.67	-13.00	-42.67	PK	Ver
2*	2.9465GHz	-50.41	-13.00	-37.41	PK	Ver
3*	6.2232GHz	-47.28	-13.00	-34.28	PK	Ver
4*	7.5854GHz	-43.21	-13.00	-30.21	PK	Ver
5*	14.3046GHz	-40.35	-13.00	-27.35	PK	Ver
6*	17.8109GHz	-39.51	-13.00	-26.51	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4144GHz	-56.01	-13.00	-43.01	PK	Hor
2*	2.7765GHz	-50.88	-13.00	-37.88	PK	Hor
3*	6.6036GHz	-47.32	-13.00	-34.32	PK	Hor
4*	7.5684GHz	-43.90	-13.00	-30.90	PK	Hor
5*	8.8922GHz	-43.50	-13.00	-30.50	PK	Hor
6*	17.9277GHz	-38.98	-13.00	-25.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2082GHz	-58.16	-13.00	-45.16	PK	Ver
2*	2.6660GHz	-50.24	-13.00	-37.24	PK	Ver
3*	3.2185GHz	-49.93	-13.00	-36.93	PK	Ver
4*	5.6622GHz	-47.63	-13.00	-34.63	PK	Ver
5*	14.3981GHz	-39.92	-13.00	-26.92	PK	Ver
6*	17.9617GHz	-39.17	-13.00	-26.17	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7012GHz	-55.04	-13.00	-42.04	PK	Hor
2*	3.0570GHz	-50.39	-13.00	-37.39	PK	Hor
3*	4.7910GHz	-48.65	-13.00	-35.65	PK	Hor
4*	7.6597GHz	-44.84	-13.00	-31.84	PK	Hor
5*	10.7835GHz	-42.53	-13.00	-29.53	PK	Hor
6*	17.7174GHz	-38.82	-13.00	-25.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.4514GHz	-52.59	-13.00	-39.59	PK	Ver
2*	2.9635GHz	-50.21	-13.00	-37.21	PK	Ver
3*	4.6316GHz	-48.53	-13.00	-35.53	PK	Ver
4*	9.4596GHz	-42.68	-13.00	-29.68	PK	Ver
5*	14.4215GHz	-40.30	-13.00	-27.30	PK	Ver
6*	17.8321GHz	-39.45	-13.00	-26.45	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5200GHz	-55.17	-13.00	-42.17	PK	Hor
2*	2.9800GHz	-50.18	-13.00	-37.18	PK	Hor
3*	4.8060GHz	-48.37	-13.00	-35.37	PK	Hor
4*	6.6460GHz	-46.09	-13.00	-33.09	PK	Hor
5*	10.9240GHz	-43.16	-13.00	-30.16	PK	Hor
6*	14.4020GHz	-39.49	-13.00	-26.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9760GHz	-53.26	-13.00	-40.26	PK	Ver
2*	2.7660GHz	-50.75	-13.00	-37.75	PK	Ver
3*	4.8140GHz	-48.65	-13.00	-35.65	PK	Ver
4*	7.2400GHz	-45.70	-13.00	-32.70	PK	Ver
5*	13.9220GHz	-42.26	-13.00	-29.26	PK	Ver
6*	16.3760GHz	-40.42	-13.00	-27.42	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9980GHz	-54.24	-13.00	-41.24	PK	Hor
2*	3.1160GHz	-50.07	-13.00	-37.07	PK	Hor
3*	4.8880GHz	-48.29	-13.00	-35.29	PK	Hor
4*	7.5480GHz	-44.63	-13.00	-31.63	PK	Hor
5*	14.7520GHz	-41.40	-13.00	-28.40	PK	Hor
6*	16.8820GHz	-40.49	-13.00	-27.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4140GHz	-55.58	-13.00	-42.58	PK	Ver
2*	2.2100GHz	-53.03	-13.00	-40.03	PK	Ver
3*	2.8380GHz	-51.25	-13.00	-38.25	PK	Ver
4*	4.7720GHz	-49.16	-13.00	-36.16	PK	Ver
5*	9.4680GHz	-43.68	-13.00	-30.68	PK	Ver
6*	14.2540GHz	-40.73	-13.00	-27.73	PK	Ver

Project: LGT23E011	Test Engineer: Dylan.shi
EUT: Jelly Star Smart phone	Temperature: 27.9°C
M/N: Jelly Star	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-06-15
Test Mode: LTE Band 66 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5680GHz	-56.92	-13.00	-43.92	PK	Hor
2*	2.6140GHz	-51.54	-13.00	-38.54	PK	Hor
3*	4.7940GHz	-48.49	-13.00	-35.49	PK	Hor
4*	7.5420GHz	-45.22	-13.00	-32.22	PK	Hor
5*	8.9320GHz	-42.41	-13.00	-29.41	PK	Hor
6*	16.3720GHz	-40.70	-13.00	-27.70	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3920GHz	-56.08	-13.00	-43.08	PK	Ver
2*	2.7180GHz	-51.03	-13.00	-38.03	PK	Ver
3*	3.2520GHz	-50.39	-13.00	-37.39	PK	Ver
4*	5.3400GHz	-48.59	-13.00	-35.59	PK	Ver
5*	8.8680GHz	-43.65	-13.00	-30.65	PK	Ver
6*	16.4740GHz	-40.00	-13.00	-27.00	PK	Ver

※※※※END OF THE REPORT※※※※