



System Performance Check Data (2600MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement:2023-02-24

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW2600
Channels	Middle
Signal	CW
Frequency (MHz)	2600.000
Relative permittivity	39.53
Conductivity (S/m)	2.02
Probe	SN 04/22 EPGO364
ConvF	2.36
Crest factor:	1:1




Maximum location: X=3.00, Y=3.00 ; SAR Peak: 9.58 W/kg

SAR 10g (W/Kg)	2.296
SAR 1g (W/Kg)	5.303



Z Axis Scan





System Performance Check Data (5200MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement:2023-02-25

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5200
Channels	Middle
Signal	CW
Frequency (MHz)	5200.000
Relative permittivity	36.45
Conductivity (S/m)	4.62
Probe	SN 04/22 EPGO364
ConvF	1.95
Crest factor:	1:1




Maximum location: X=6.00, Y=5.00 ; SAR Peak: 23.96 W/kg

SAR 10g (W/Kg)	2.167
SAR 1g (W/Kg)	8.334



Z Axis Scan





System Performance Check Data (5300MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement:2023-02-25

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5300
Channels	Middle
Signal	CW
Frequency (MHz)	5300.000
Relative permittivity	36.19
Conductivity (S/m)	4.75
Probe	SN 04/22 EPGO364
ConvF	1.85
Crest factor:	1:1




Maximum location: X=6.00, Y=5.00 ; SAR Peak: 24.31 W/kg

SAR 10g (W/Kg)	2.201
SAR 1g (W/Kg)	8.604



Z Axis Scan





System Performance Check Data (5600MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement:2022-11-02

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5600
Channels	Middle
Signal	CW
Frequency (MHz)	5600.000
Relative permittivity	36.36
Conductivity (S/m)	5.05
Probe	SN 04/22 EPGO364
ConvF	1.86
Crest factor:	1:1




Maximum location: X=-1.00, Y=3.00 ; SAR Peak: 25.26 W/kg

SAR 10g (W/Kg)	2.187
SAR 1g (W/Kg)	8.470



Z Axis Scan





System Performance Check Data (5800MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement:2023-03-05

Experimental conditions.

Phantom	Validation plane
Device Position	Dipole
Band	CW5800
Channels	Middle
Signal	CW
Frequency (MHz)	5800.000
Relative permittivity	36
Conductivity (S/m)	5.2
Probe	SN 04/22 EPGO364
ConvF	1.73
Crest factor:	1:1




Maximum location: X=7.00, Y=5.00 ; SAR Peak: 21.50 W/kg

SAR 10g (W/Kg)	2.041
SAR 1g (W/Kg)	7.652



Z Axis Scan






Appendix B. SAR Test Plots

Plot 1:

Test Date	2023-03-10
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	GSM850
Signal	TDMA (GSM)
Frequency	824.2
SAR 10g (W/Kg)	0.045
SAR 1g (W/Kg)	0.075

Maximum location: X=-56.00, Y=-17.00 ; SAR Peak: 0.14 W/kg






Plot 2:

Test Date	2023-02-20
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	GPRS850
Signal	TDMA (GPRS)
Frequency	824.2
SAR 10g (W/Kg)	0.083
SAR 1g (W/Kg)	0.169


Maximum location: X=-2.00, Y=1.00 ; SAR Peak: 0.31 W/kg



Plot 3:

Test Date	2023-03-10
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	GSM1900
Signal	TDMA (GSM)
Frequency	1909.8
SAR 10g (W/Kg)	0.015
SAR 1g (W/Kg)	0.026

Maximum location: X=-39.00, Y=-9.00 ; SAR Peak: 0.07 W/kg






Plot 4:

Test Date	2023-03-10
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	GPRS1900
Signal	TDMA (GPRS)
Frequency	1850.2
SAR 10g (W/Kg)	0.280
SAR 1g (W/Kg)	0.555


Maximum location: X=0.00, Y=-47.00 ; SAR Peak: 0.94 W/kg



Plot 5:

Test Date	2023-03-09
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1880
SAR 10g (W/Kg)	0.013
SAR 1g (W/Kg)	0.025

Maximum location: X=-65.00, Y=-64.00 ; SAR Peak: 0.07 W/kg






Plot 6:

Test Date	2023-03-09
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1880
SAR 10g (W/Kg)	0.178
SAR 1g (W/Kg)	0.388

Maximum location: X=5.00, Y=5.00 ; SAR Peak: 0.72 W/kg






Plot 7:

Test Date	2023-03-08
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1712.6
SAR 10g (W/Kg)	0.018
SAR 1g (W/Kg)	0.033

Maximum location: X=-40.00, Y=-32.00 ; SAR Peak: 0.09 W/kg






Plot 8:

Test Date	2023-03-08
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1712.6
SAR 10g (W/Kg)	0.262
SAR 1g (W/Kg)	0.534

Maximum location: X=5.00, Y=5.00 ; SAR Peak: 0.92 W/kg






Plot 9:

Test Date	2023-02-21
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.012
SAR 1g (W/Kg)	0.024

Maximum location: X=-73.00, Y=-58.00 ; SAR Peak: 0.06 W/kg






Plot 10:

Test Date	2023-02-21
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	Band 5 (850)
Signal	WCDMA
Frequency	846.6
SAR 10g (W/Kg)	0.046
SAR 1g (W/Kg)	0.098

Maximum location: X=1.00, Y=8.00 ; SAR Peak: 0.19 W/kg






Plot 11:

Test Date	2023-02-20
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	BC0 (US Cellular)
Signal	CDMA (CDMA2000)
Frequency	836.52
SAR 10g (W/Kg)	0.013
SAR 1g (W/Kg)	0.028

Maximum location: X=-15.00, Y=-5.00 ; SAR Peak: 0.08 W/kg






Plot 12:

Test Date	2023-02-20
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	BC0 (US Cellular)
Signal	CDMA (CDMA2000)
Frequency	836.52
SAR 10g (W/Kg)	0.011
SAR 1g (W/Kg)	0.033


Maximum location: X=1.00, Y=16.00 ; SAR Peak: 0.11 W/kg



Plot 13:

Test Date	2023-03-09
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	BC1 (North American PCS)
Signal	CDMA (CDMA2000)
Frequency	1851.25
SAR 10g (W/Kg)	0.018
SAR 1g (W/Kg)	0.026

Maximum location: X=-56.00, Y=-55.00 ; SAR Peak: 0.11 W/kg






Plot 14:

Test Date	2023-03-09
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	BC1 (North American PCS)
Signal	CDMA (CDMA2000)
Frequency	1851.25
SAR 10g (W/Kg)	0.078
SAR 1g (W/Kg)	0.215

Maximum location: X=7.00, Y=-10.00 ; SAR Peak: 0.65 W/kg






Plot 15:

Test Date	2023-03-10
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1990
SAR 10g (W/Kg)	0.014
SAR 1g (W/Kg)	0.032

Maximum location: X=-32.00, Y=-49.00 ; SAR Peak: 0.13 W/kg






Plot 16:

Test Date	2023-03-10
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1990
SAR 10g (W/Kg)	0.207
SAR 1g (W/Kg)	0.431


Maximum location: X=6.00, Y=3.00 ; SAR Peak: 0.73 W/kg



Plot 17:

Test Date	2023-03-08
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.028
SAR 1g (W/Kg)	0.053

Maximum location: X=-63.00, Y=-56.00 ; SAR Peak: 0.11 W/kg






Plot 18:

Test Date	2023-03-08
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.266
SAR 1g (W/Kg)	0.531


Maximum location: X=5.00, Y=3.00 ; SAR Peak: 0.95 W/kg



Plot 19:

Test Date	2023-02-21
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.050
SAR 1g (W/Kg)	0.082

Maximum location: X=-40.00, Y=-17.00 ; SAR Peak: 0.18 W/kg






Plot 20:

Test Date	2023-02-21
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.048


Maximum location: X=1.00, Y=-1.00 ; SAR Peak: 0.24 W/kg



Plot 21:

Test Date	2023-02-24
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.024
SAR 1g (W/Kg)	0.050

Maximum location: X=-56.00, Y=-63.00 ; SAR Peak: 0.13 W/kg






Plot 22:

Test Date	2023-02-24
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.248
SAR 1g (W/Kg)	0.586


Maximum location: X=1.00, Y=0.00 ; SAR Peak: 1.20 W/kg



Plot 23:

Test Date	2023-02-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.034
SAR 1g (W/Kg)	0.052

Maximum location: X=-48.00, Y=-32.00 ; SAR Peak: 0.17 W/kg






Plot 24:

Test Date	2023-02-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 12
Signal	LTE FDD
Frequency	707.5
SAR 10g (W/Kg)	0.047
SAR 1g (W/Kg)	0.118

Maximum location: X=1.00, Y=-1.00 ; SAR Peak: 0.30 W/kg






Plot 25:

Test Date	2023-02-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.030
SAR 1g (W/Kg)	0.068

Maximum location: X=-56.00, Y=-61.00 ; SAR Peak: 0.17 W/kg






Plot 26:

Test Date	2023-02-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.031
SAR 1g (W/Kg)	0.073

Maximum location: X=0.00, Y=16.00 ; SAR Peak: 0.17 W/kg






Plot 27:

Test Date	2023-02-15
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.016
SAR 1g (W/Kg)	0.035

Maximum location: X=-80.00, Y=-48.00 ; SAR Peak: 0.08 W/kg






Plot 28:

Test Date	2023-02-15
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.062
SAR 1g (W/Kg)	0.108


Maximum location: X=0.00, Y=-49.00 ; SAR Peak: 0.20 W/kg



Plot 29:

Test Date	2023-03-09
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.020
SAR 1g (W/Kg)	0.061

Maximum location: X=-42.00, Y=-39.00 ; SAR Peak: 0.18 W/kg






Plot 30:

Test Date	2023-03-09
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1860
SAR 10g (W/Kg)	0.321
SAR 1g (W/Kg)	0.664

Maximum location: X=5.00, Y=3.00 ; SAR Peak: 1.16 W/kg






Plot 31:

Test Date	2023-02-21
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	841.5
SAR 10g (W/Kg)	0.030
SAR 1g (W/Kg)	0.051

Maximum location: X=-56.00, Y=-48.00 ; SAR Peak: 0.11 W/kg






Plot 32:

Test Date	2023-02-21
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 26
Signal	LTE FDD
Frequency	841.5
SAR 10g (W/Kg)	0.055
SAR 1g (W/Kg)	0.130

Maximum location: X=6.00, Y=-9.00 ; SAR Peak: 0.32 W/kg






Plot 33:

Test Date	2023-02-24
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.017
SAR 1g (W/Kg)	0.039

Maximum location: X=-17.00, Y=-32.00 ; SAR Peak: 0.13 W/kg






Plot 34:

Test Date	2023-02-24
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Front side
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.047
SAR 1g (W/Kg)	0.100

Maximum location: X=-8.00, Y=-41.00 ; SAR Peak: 0.21 W/kg






Plot 35:

Test Date	2023-02-22
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 40
Signal	LTE TDD
Frequency	2310
SAR 10g (W/Kg)	0.020
SAR 1g (W/Kg)	0.042


Maximum location: X=-80.00, Y=-57.00 ; SAR Peak: 0.15 W/kg



Plot 36:

Test Date	2023-02-22
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 40
Signal	LTE TDD
Frequency	2310
SAR 10g (W/Kg)	0.088
SAR 1g (W/Kg)	0.204

Maximum location: X=0.00, Y=-16.00 ; SAR Peak: 0.41 W/kg






Plot 37:

Test Date	2023-02-24
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.042
SAR 1g (W/Kg)	0.104

Maximum location: X=-56.00, Y=-62.00 ; SAR Peak: 0.28 W/kg






Plot 38:

Test Date	2023-02-24
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2680
SAR 10g (W/Kg)	0.074
SAR 1g (W/Kg)	0.211


Maximum location: X=16.00, Y=-16.00 ; SAR Peak: 0.57 W/kg



Plot 39:

Test Date	2023-03-08
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.015
SAR 1g (W/Kg)	0.034

Maximum location: X=-55.00, Y=-56.00 ; SAR Peak: 0.09 W/kg






Plot 40:

Test Date	2023-03-08
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.231
SAR 1g (W/Kg)	0.465

Maximum location: X=5.00, Y=3.00 ; SAR Peak: 0.79 W/kg






Plot 41:

Test Date	2023-03-02
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2412
SAR 10g (W/Kg)	0.047
SAR 1g (W/Kg)	0.128

Maximum location: X=-18.00, Y=6.00 ; SAR Peak: 0.29 W/kg






Plot 42:

Test Date	2023-03-02
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Front Side
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2412
SAR 10g (W/Kg)	0.011
SAR 1g (W/Kg)	0.026

Maximum location: X=26.00, Y=-7.00 ; SAR Peak: 0.07 W/kg






Plot 43:

Test Date	2023-03-02
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Tilt
Band	Bluetooth
Signal	GFSK
Frequency	2441
SAR 10g (W/Kg)	0.049
SAR 1g (W/Kg)	0.131

Maximum location: X=-6.00, Y=-1.00 ; SAR Peak: 0.32 W/kg






Plot 44:

Test Date	2023-03-02
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Front Side
Band	Bluetooth
Signal	GFSK
Frequency	2441
SAR 10g (W/Kg)	0.017
SAR 1g (W/Kg)	0.051

Maximum location: X=-15.00, Y=65.00 ; SAR Peak: 0.17 W/kg






Plot 45:

Test Date	2023-02-25
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5180
SAR 10g (W/Kg)	0.185
SAR 1g (W/Kg)	0.538

Maximum location: X=-3.00, Y=-8.00 ; SAR Peak: 1.82 W/kg






Plot 46:

Test Date	2023-02-25
Area Scan	surf_sam_plan.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Front Side
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5180
SAR 10g (W/Kg)	0.093
SAR 1g (W/Kg)	0.182

Maximum location: X=-17.00, Y=39.00 ; SAR Peak: 0.96 W/kg






Plot 47:

Test Date	2023-02-25
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm,Complete
Phantom	Left head
Device Position	Tilt
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5260
SAR 10g (W/Kg)	0.186
SAR 1g (W/Kg)	0.574

Maximum location: X=-10.00, Y=-1.00 ; SAR Peak: 2.41 W/kg






Plot 48:

Test Date	2023-02-25
Area Scan	surf_sam_plan.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	IEEE 802.11n U-NII
Signal	IEEE 802.11
Frequency	5260
SAR 10g (W/Kg)	0.079
SAR 1g (W/Kg)	0.164

Maximum location: X=2.00, Y=-7.00 ; SAR Peak: 1.01 W/kg






Plot 49:

Test Date	2023-03-05
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5500
SAR 10g (W/Kg)	0.194
SAR 1g (W/Kg)	0.630

Maximum location: X=-1.00, Y=-1.00 ; SAR Peak: 2.44 W/kg






Plot 50:

Test Date	2023-03-05
Area Scan	surf_sam_plan.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5500
SAR 10g (W/Kg)	0.114
SAR 1g (W/Kg)	0.257

Maximum location: X=8.00, Y=-22.00 ; SAR Peak: 1.29 W/kg






Plot 51:

Test Date	2023-03-05
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5785
SAR 10g (W/Kg)	0.149
SAR 1g (W/Kg)	0.520

Maximum location: X=0.00, Y=-8.00 ; SAR Peak: 1.96 W/kg






Plot 52:

Test Date	2023-03-05
Area Scan	surf_sam_plan.txt
ZoomScan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Front Side
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5785
SAR 10g (W/Kg)	0.081
SAR 1g (W/Kg)	0.164

Maximum location: X=16.00, Y=47.00 ; SAR Peak: 0.81 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※END OF THE REPORT※※※※