




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233



BAND EDGE

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1850.00	-23.51	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-23.27	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-22.35	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-20.96	-13	PASS
WCDMA Band5	4132	826.4	824.00	-25.18	-13	PASS
WCDMA Band5	4233	846.6	849.00	-22.17	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312



WCDMA Band4 Channel=1513



WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




OUT-OF-BAND EMISSIONS

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	16505.25	-22.47	-13	PASS
WCDMA Band2	9400	1880	19970.05	-22.30	-13	PASS
WCDMA Band2	9538	1907.6	16496.26	-22.79	-13	PASS
WCDMA Band4	1312	1712.4	19978.03	-22.74	-13	PASS
WCDMA Band4	1450	1740	19974.04	-23.36	-13	PASS
WCDMA Band4	1513	1752.6	19303.05	-22.63	-13	PASS
WCDMA Band5	4132	826.4	3030.72	-29.17	-13	PASS
WCDMA Band5	4182	836.4	3348.51	-30.68	-13	PASS
WCDMA Band5	4233	846.6	3177.28	-28.83	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.646MHz	-72.13	-13.00	-59.13	PK	Hor
2*	155.130MHz	-71.14	-13.00	-58.14	PK	Hor
3*	675.656MHz	-58.73	-13.00	-45.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.435MHz	-71.52	-13.00	-58.52	PK	Ver
2*	148.704MHz	-70.77	-13.00	-57.77	PK	Ver
3*	649.588MHz	-59.32	-13.00	-46.32	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	67.588MHz	-72.72	-13.00	-59.72	PK	Hor
2*	170.286MHz	-70.83	-13.00	-57.83	PK	Hor
3*	662.440MHz	-57.93	-13.00	-44.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.191MHz	-70.96	-13.00	-57.96	PK	Ver
2*	403.693MHz	-67.21	-13.00	-54.21	PK	Ver
3*	701.846MHz	-58.93	-13.00	-45.93	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.061MHz	-71.81	-13.00	-58.81	PK	Hor
2*	150.886MHz	-71.12	-13.00	-58.12	PK	Hor
3*	721.731MHz	-57.21	-13.00	-44.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.825MHz	-71.29	-13.00	-58.29	PK	Ver
2*	403.935MHz	-69.18	-13.00	-56.18	PK	Ver
3*	794.239MHz	-57.60	-13.00	-44.60	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.189MHz	-71.98	-13.00	-58.98	PK	Hor
2*	157.676MHz	-71.06	-13.00	-58.06	PK	Hor
3*	649.466MHz	-59.86	-13.00	-46.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.164MHz	-70.96	-13.00	-57.96	PK	Ver
2*	277.835MHz	-69.89	-13.00	-56.89	PK	Ver
3*	783.811MHz	-55.98	-13.00	-42.98	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.888MHz	-72.02	-13.00	-59.02	PK	Hor
2*	149.795MHz	-70.14	-13.00	-57.14	PK	Hor
3*	710.213MHz	-58.30	-13.00	-45.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.766MHz	-70.71	-13.00	-57.71	PK	Ver
2*	163.375MHz	-70.51	-13.00	-57.51	PK	Ver
3*	708.879MHz	-58.04	-13.00	-45.04	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.888MHz	-71.66	-13.00	-58.66	PK	Hor
2*	169.074MHz	-71.28	-13.00	-58.28	PK	Hor
3*	687.054MHz	-59.68	-13.00	-46.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.040MHz	-71.89	-13.00	-58.89	PK	Ver
2*	156.100MHz	-70.15	-13.00	-57.15	PK	Ver
3*	719.791MHz	-58.01	-13.00	-45.01	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.249MHz	-71.45	-13.00	-58.45	PK	Hor
2*	176.713MHz	-70.06	-13.00	-57.06	PK	Hor
3*	648.981MHz	-59.45	-13.00	-46.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.125MHz	-70.93	-13.00	-57.93	PK	Ver
2*	155.979MHz	-71.22	-13.00	-58.22	PK	Ver
3*	676.626MHz	-58.73	-13.00	-45.73	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.403MHz	-72.24	-13.00	-59.24	PK	Hor
2*	161.071MHz	-69.30	-13.00	-56.30	PK	Hor
3*	660.258MHz	-59.43	-13.00	-46.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.738MHz	-71.23	-13.00	-58.23	PK	Ver
2*	411.574MHz	-67.84	-13.00	-54.84	PK	Ver
3*	657.469MHz	-58.86	-13.00	-45.86	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	65.163MHz	-72.55	-13.00	-59.55	PK	Hor
2*	153.069MHz	-71.34	-13.00	-58.34	PK	Hor
3*	708.879MHz	-58.44	-13.00	-45.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.826MHz	-70.80	-13.00	-57.80	PK	Ver
2*	458.498MHz	-66.54	-13.00	-53.54	PK	Ver
3*	650.800MHz	-59.37	-13.00	-46.37	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.316GHz	-49.99	-13.00	-36.99	PK	Hor
2*	4.787GHz	-48.09	-13.00	-35.09	PK	Hor
3*	9.001GHz	-41.70	-13.00	-28.70	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.762GHz	-50.06	-13.00	-37.06	PK	Ver
2*	6.172GHz	-47.46	-13.00	-34.46	PK	Ver
3*	11.342GHz	-41.88	-13.00	-28.88	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.010GHz	-48.99	-13.00	-35.99	PK	Hor
2*	5.705GHz	-48.11	-13.00	-35.11	PK	Hor
3*	8.990GHz	-43.06	-13.00	-30.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.974GHz	-50.03	-13.00	-37.03	PK	Ver
2*	5.180GHz	-47.78	-13.00	-34.78	PK	Ver
3*	8.967GHz	-42.17	-13.00	-29.17	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.783GHz	-49.56	-13.00	-36.56	PK	Hor
2*	4.532GHz	-47.86	-13.00	-34.86	PK	Hor
3*	8.994GHz	-42.77	-13.00	-29.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.051GHz	-50.61	-13.00	-37.61	PK	Ver
2*	4.887GHz	-48.04	-13.00	-35.04	PK	Ver
3*	11.396GHz	-41.29	-13.00	-28.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.944GHz	-48.62	-13.00	-35.62	PK	Hor
2*	4.830GHz	-47.93	-13.00	-34.93	PK	Hor
3*	9.000GHz	-42.07	-13.00	-29.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.854GHz	-49.09	-13.00	-36.09	PK	Ver
2*	4.322GHz	-48.00	-13.00	-35.00	PK	Ver
3*	8.874GHz	-42.85	-13.00	-29.85	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.194GHz	-50.05	-13.00	-37.05	PK	Hor
2*	4.898GHz	-47.71	-13.00	-34.71	PK	Hor
3*	8.930GHz	-42.44	-13.00	-29.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.100GHz	-50.38	-13.00	-37.38	PK	Ver
2*	5.306GHz	-47.84	-13.00	-34.84	PK	Ver
3*	8.942GHz	-42.70	-13.00	-29.70	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.022GHz	-50.15	-13.00	-37.15	PK	Hor
2*	4.366GHz	-46.98	-13.00	-33.98	PK	Hor
3*	8.920GHz	-43.01	-13.00	-30.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.054GHz	-49.52	-13.00	-36.52	PK	Ver
2*	4.848GHz	-48.05	-13.00	-35.05	PK	Ver
3*	8.604GHz	-42.29	-13.00	-29.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.945GHz	-51.58	-13.00	-38.58	PK	Hor
2*	2.828GHz	-50.08	-13.00	-37.08	PK	Hor
3*	4.822GHz	-47.64	-13.00	-34.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.907GHz	-49.42	-13.00	-36.42	PK	Ver
2*	4.854GHz	-47.39	-13.00	-34.39	PK	Ver
3*	7.584GHz	-43.74	-13.00	-30.74	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.134GHz	-49.97	-13.00	-36.97	PK	Hor
2*	4.835GHz	-47.92	-13.00	-34.92	PK	Hor
3*	7.545GHz	-43.37	-13.00	-30.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.089GHz	-49.48	-13.00	-36.48	PK	Ver
2*	4.750GHz	-47.98	-13.00	-34.98	PK	Ver
3*	7.489GHz	-43.29	-13.00	-30.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: WCDMA Band 5 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.132GHz	-49.42	-13.00	-36.42	PK	Hor
2*	4.786GHz	-47.32	-13.00	-34.32	PK	Hor
3*	7.608GHz	-43.94	-13.00	-30.94	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.129GHz	-49.18	-13.00	-36.18	PK	Ver
2*	4.359GHz	-48.45	-13.00	-35.45	PK	Ver
3*	5.854GHz	-47.77	-13.00	-34.77	PK	Ver

CDMA
CONDUCTED OUTPUT POWER

CDMA BC0							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit (W)	ERP Limit (dBm)	Conclusion
CDMA BC0	824.7	21.04	-2.1	16.79	7	38.45	PASS
	836.52	22.18	-2.1	17.93	7	38.45	PASS
	848.31	20.15	-2.1	15.9	7	38.45	PASS
EVDO BC0	824.7	20.75	-2.1	16.5	7	38.45	PASS
	836.52	20.08	-2.1	15.83	7	38.45	PASS
	848.31	19.92	-2.1	15.67	7	38.45	PASS

CDMA BC1							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Conclusion
CDMA BC1	1851.25	20.04	-2.8	15.09	2	33.01	PASS
	1880	19.93	-2.8	14.98	2	33.01	PASS
	1908.75	19.44	-2.8	14.49	2	33.01	PASS
EVDO BC1	1851.25	21.03	-2.8	16.08	2	33.01	PASS
	1880	20.18	-2.8	15.23	2	33.01	PASS
	1908.75	19.77	-2.8	14.82	2	33.01	PASS

FREQUENCY STABILITY

CDMA BC0					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	15.55	0.019	2.5ppm	PASS
40		13.24	0.016		
30		24.38	0.029		
20		23.92	0.029		
10		34.85	0.042		
0		29.17	0.035		
-10		13.30	0.016		
-20		16.95	0.020		
-30		25.19	0.030		
20		Maximum Voltage	26.90		
20	BEP	34.14	0.041		

CDMA BC1					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	17.99	0.010	Within Authorized Band	PASS
40		14.72	0.008		
30		22.73	0.012		
20		16.06	0.009		
10		15.89	0.008		
0		18.04	0.010		
-10		16.80	0.009		
-20		12.26	0.007		
-30		16.71	0.009		
20		Maximum Voltage	18.12		
20	BEP	32.33	0.017		

EVDO BC0					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	30.32	0.036	2.5ppm	PASS
40		32.51	0.039		
30		30.96	0.037		
20		19.21	0.023		
10		22.09	0.026		
0		33.12	0.040		
-10		25.17	0.030		
-20		30.28	0.036		
-30		25.40	0.030		
20		Maximum Voltage	17.18		
20	BEP	26.74	0.032		


EVDO BC1					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	34.25	0.018	Within Authorized Band	PASS
40		34.51	0.018		
30		33.58	0.018		
20		13.46	0.007		
10		26.04	0.014		
0		31.96	0.017		
-10		24.65	0.013		
-20		25.61	0.014		
-30		33.09	0.018		
20		Maximum Voltage	19.79		
20	BEP	34.53	0.018		

PEAK-TO-AVERAGE RATIO


Band	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
CDMA BC0	824.7	10.98	13	PASS
CDMA BC0	836.52	10.32	13	PASS
CDMA BC0	848.31	9.47	13	PASS
EVDO BC0	824.7	10.68	13	PASS
EVDO BC0	836.52	11.03	13	PASS
EVDO BC0	848.31	9.45	13	PASS

Band	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
CDMA BC1	1851.25	10.47	13	PASS
CDMA BC1	1880	10.04	13	PASS
CDMA BC1	1908.75	9.57	13	PASS
EVDO BC1	1851.25	10.13	13	PASS
EVDO BC1	1880	9.56	13	PASS
EVDO BC1	1908.75	9.31	13	PASS


CDMA BC0 824.7MHz




CDMA BC0 836.5MHz




CDMA BC0 848.3MHz



EVDO BC0 824.7MHz



EVDO BC0 836.5MHz



EVDO BC0 824.7MHz

