




CDMA BC1 1851.25MHz




CDMA BC1 1880MHz




CDMA BC1 1908.75MHz




EVDO BC1 1851.25MHz



EVDO BC1 1880MHz




EVDO BC1 1908.75MHz




OCCUPIED BANDWIDTH (99% OCCUPIED BANDWIDTH/26DB BANDWIDTH)

CDMA Bandwidth [MHz]						
Mode	Lowest		Middle		Highest	
	99% BW	26dB BW	99% BW	26dB BW	99% BW	26dB BW
BC0	1.2735	1.42	1.2681	1.42	1.2723	1.409
BC0-EVDO	1.2726	1.421	1.2701	1.407	1.2691	1.408
BC1	1.278	1.417	1.278	1.417	1.2721	1.419
BC1-EVDO	1.2755	1.423	1.2726	1.436	1.27	1.411


BC0_CDMA_Lower




BC0_CDMA_Middle




BC0_CDMA_Higher




BC0_EVDO_Lower




BC0_EVDO_Middle




BC0_EVDO_Higher




BC1_CDMA_Lower




BC1_CDMA_Middle




BC1_CDMA_Higher




BC1_EVDO_Lower



BC1_EVDO_Middle





BC1_EVDO_Higher





BAND EDGE



CDMA_BC0_Low_Band edge





CDMA_BC0_High_Band edge





EVDO_BC0_Low_Band edge





EVDO_BC0_High_Band edge





CDMA_BC1_Low_Band edge





CDMA_BC1_High_Band edge



EVDO_BC1_Low_Band edge




EVDO_BC1_High_Band edge




SPURIOUS EMISSIONS AT ANTENNA TERMINALS


CDMA BC0_Low




CDMA BC0_Middle




CDMA BC0_Higher




CDMA BC1_Low




CDMA BC1_Middle




CDMA BC1_Higher




EVDO BC0_Low




EVDO BC0_Middle




EVDO BC0_Higher




EVDO BC1_Low



EVDO BC1_Middle




EVDO BC1_High




FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC0 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.129MHz	-77.97	-13.00	-64.97	PK	Hor
2*	150.159MHz	-76.87	-13.00	-63.87	PK	Hor
3*	936.950MHz	-59.96	-13.00	-46.96	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.554MHz	-77.72	-13.00	-64.72	PK	Ver
2*	159.131MHz	-75.72	-13.00	-62.72	PK	Ver
3*	997.696MHz	-60.44	-13.00	-47.44	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC0 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.490MHz	-77.85	-13.00	-64.85	PK	Hor
2*	171.984MHz	-77.07	-13.00	-64.07	PK	Hor
3*	887.359MHz	-61.33	-13.00	-48.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.310MHz	-77.41	-13.00	-64.41	PK	Ver
2*	153.796MHz	-77.33	-13.00	-64.33	PK	Ver
3*	978.903MHz	-59.38	-13.00	-46.38	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC0 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.433MHz	-76.63	-13.00	-63.63	PK	Hor
2*	155.615MHz	-75.22	-13.00	-62.22	PK	Hor
3*	983.995MHz	-59.11	-13.00	-46.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.158MHz	-77.78	-13.00	-64.78	PK	Ver
2*	158.889MHz	-76.28	-13.00	-63.28	PK	Ver
3*	978.903MHz	-60.20	-13.00	-47.20	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC1 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.245MHz	-77.11	-13.00	-64.11	PK	Hor
2*	160.465MHz	-76.63	-13.00	-63.63	PK	Hor
3*	878.144MHz	-61.51	-13.00	-48.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.915MHz	-77.03	-13.00	-64.03	PK	Ver
2*	154.645MHz	-76.66	-13.00	-63.66	PK	Ver
3*	985.450MHz	-60.15	-13.00	-47.15	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC1 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.340MHz	-77.67	-13.00	-64.67	PK	Hor
2*	154.281MHz	-76.33	-13.00	-63.33	PK	Hor
3*	917.429MHz	-60.93	-13.00	-47.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.858MHz	-77.05	-13.00	-64.05	PK	Ver
2*	153.796MHz	-76.15	-13.00	-63.15	PK	Ver
3*	992.119MHz	-59.64	-13.00	-46.64	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: CDMA BC1 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.826MHz	-78.17	-13.00	-65.17	PK	Hor
2*	149.674MHz	-76.97	-13.00	-63.97	PK	Hor
3*	996.726MHz	-59.02	-13.00	-46.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.033MHz	-77.38	-13.00	-64.38	PK	Ver
2*	139.489MHz	-76.96	-13.00	-63.96	PK	Ver
3*	995.514MHz	-60.42	-13.00	-47.42	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC0 Highest	
Note:	




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	2.657GHz	54.63	-10.15	44.48	74.00	-29.52	PK	Hor
2*	4.338GHz	53.23	-6.44	46.79	74.00	-27.21	PK	Hor
3*	8.082GHz	55.58	-3.77	51.81	74.00	-22.19	PK	Hor
4*	2.657GHz	44.65	-10.15	34.50	54.00	-19.50	AV	Hor
5*	4.338GHz	41.64	-6.44	35.20	54.00	-18.80	AV	Hor
6*	8.082GHz	45.77	-3.77	42.00	54.00	-12.00	AV	Hor




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	2.728GHz	53.96	-9.78	44.18	74.00	-29.82	PK	Ver
2*	4.729GHz	53.01	-5.93	47.08	74.00	-26.92	PK	Ver
3*	8.925GHz	54.38	-1.38	53.00	74.00	-21.00	PK	Ver
4*	2.728GHz	43.78	-9.78	34.00	54.00	-20.00	AV	Ver
5*	4.729GHz	42.43	-5.93	36.50	54.00	-17.50	AV	Ver
6*	8.925GHz	44.48	-1.38	43.10	54.00	-10.90	AV	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC0 Lowest	
Note:	




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	3.148GHz	53.72	-8.39	45.33	74.00	-28.67	PK	Hor
2*	5.355GHz	54.55	-7.28	47.27	74.00	-26.73	PK	Hor
3*	8.508GHz	56.14	-2.56	53.58	74.00	-20.42	PK	Hor
4*	3.148GHz	43.29	-8.39	34.90	54.00	-19.10	AV	Hor
5*	5.355GHz	43.88	-7.28	36.60	54.00	-17.40	AV	Hor
6*	8.508GHz	45.26	-2.56	42.70	54.00	-11.30	AV	Hor




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	2.924GHz	54.70	-8.74	45.96	74.00	-28.04	PK	Ver
2*	4.888GHz	53.44	-6.05	47.39	74.00	-26.61	PK	Ver
3*	8.940GHz	55.19	-1.34	53.85	74.00	-20.15	PK	Ver
4*	2.924GHz	42.94	-8.74	34.20	54.00	-19.80	AV	Ver
5*	4.888GHz	43.25	-6.05	37.20	54.00	-16.80	AV	Ver
6*	8.940GHz	45.24	-1.34	43.90	54.00	-10.10	AV	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC0 Middle	
Note:	




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	2.337GHz	56.63	-12.69	43.94	74.00	-30.06	PK	Hor
2*	4.731GHz	53.31	-5.93	47.38	74.00	-26.62	PK	Hor
3*	7.595GHz	56.68	-4.24	52.44	74.00	-21.56	PK	Hor
4*	2.337GHz	45.59	-12.69	32.90	54.00	-21.10	AV	Hor
5*	4.731GHz	42.53	-5.93	36.60	54.00	-17.40	AV	Hor
6*	7.595GHz	45.74	-4.24	41.50	54.00	-12.50	AV	Hor




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	2.853GHz	54.14	-9.12	45.02	74.00	-28.98	PK	Ver
2*	4.792GHz	53.46	-5.98	47.48	74.00	-26.52	PK	Ver
3*	8.936GHz	55.03	-1.35	53.68	74.00	-20.32	PK	Ver
4*	2.853GHz	44.12	-9.12	35.00	54.00	-19.00	AV	Ver
5*	4.792GHz	43.38	-5.98	37.40	54.00	-16.60	AV	Ver
6*	8.936GHz	45.15	-1.35	43.80	54.00	-10.20	AV	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC1 Highest	
Note:	



No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	4.447GHz	51.94	-5.98	45.96	74.00	-28.04	PK	Hor
2*	8.971GHz	54.86	-1.25	53.61	74.00	-20.39	PK	Hor
3*	17.913GHz	48.03	8.46	56.49	74.00	-17.51	PK	Hor
4*	4.447GHz	41.98	-5.98	36.00	54.00	-18.00	AV	Hor
5*	8.971GHz	43.95	-1.25	42.70	54.00	-11.30	AV	Hor
6*	17.913GHz	38.94	8.46	47.40	54.00	-6.60	AV	Hor



No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	4.655GHz	52.78	-5.87	46.91	74.00	-27.09	PK	Ver
2*	8.962GHz	54.03	-1.28	52.75	74.00	-21.25	PK	Ver
3*	17.904GHz	49.38	8.45	57.83	74.00	-16.17	PK	Ver
4*	4.655GHz	42.77	-5.87	36.90	54.00	-17.10	AV	Ver
5*	8.962GHz	44.38	-1.28	43.10	54.00	-10.90	AV	Ver
6*	17.904GHz	38.55	8.45	47.00	54.00	-7.00	AV	Ver