



Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC1 Lowest	
Note:	




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	4.307GHz	53.04	-6.57	46.47	74.00	-27.53	PK	Hor
2*	8.877GHz	54.45	-1.52	52.93	74.00	-21.07	PK	Hor
3*	16.374GHz	50.35	6.84	57.19	74.00	-16.81	PK	Hor
4*	4.307GHz	42.87	-6.57	36.30	54.00	-17.70	AV	Hor
5*	8.877GHz	44.72	-1.52	43.20	54.00	-10.80	AV	Hor
6*	16.374GHz	38.06	6.84	44.90	54.00	-9.10	AV	Hor




No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	3.163GHz	53.74	-8.39	45.35	74.00	-28.65	PK	Ver
2*	11.415GHz	53.71	1.87	55.58	74.00	-18.42	PK	Ver
3*	17.898GHz	48.84	8.45	57.29	74.00	-16.71	PK	Ver
4*	3.163GHz	42.79	-8.39	34.40	54.00	-19.60	AV	Ver
5*	11.415GHz	41.83	1.87	43.70	54.00	-10.30	AV	Ver
6*	17.898GHz	38.95	8.45	47.40	54.00	-6.60	AV	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 27.3°C
M/N: Luna	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-03-09
Test Mode: CDMA BC1 Middle	
Note:	



No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	4.759GHz	54.14	-5.95	48.19	74.00	-25.81	PK	Hor
2*	8.933GHz	54.37	-1.36	53.01	74.00	-20.99	PK	Hor
3*	17.737GHz	48.12	8.34	56.46	74.00	-17.54	PK	Hor
4*	4.759GHz	42.65	-5.95	36.70	54.00	-17.30	AV	Hor
5*	8.933GHz	44.56	-1.36	43.20	54.00	-10.80	AV	Hor
6*	17.737GHz	38.16	8.34	46.50	54.00	-7.50	AV	Hor



No.	Frequency	Reading dBuV	Factor dB/m	Level dBuV/m	Limit dBuV/m	Margin dB	Detector	Polar
1*	4.368GHz	52.47	-6.31	46.16	74.00	-27.84	PK	Ver
2*	8.935GHz	54.10	-1.35	52.75	74.00	-21.25	PK	Ver
3*	18.000GHz	48.27	8.52	56.79	74.00	-17.21	PK	Ver
4*	4.368GHz	42.91	-6.31	36.60	54.00	-17.40	AV	Ver
5*	8.935GHz	44.45	-1.35	43.10	54.00	-10.90	AV	Ver
6*	18.000GHz	38.08	8.52	46.60	54.00	-7.40	AV	Ver

APPENDIX II- PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※END OF THE REPORT※※※※