



RADIATED SPURIOUS EMISSION

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.373MHz	-71.27	-13.00	-58.27	PK	Hor
2*	388.051MHz	-68.81	-13.00	-55.81	PK	Hor
3*	650.800MHz	-59.44	-13.00	-46.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.461MHz	-71.21	-13.00	-58.21	PK	Ver
2*	150.159MHz	-70.77	-13.00	-57.77	PK	Ver
3*	985.450MHz	-54.55	-13.00	-41.55	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.796MHz	-69.59	-13.00	-56.59	PK	Hor
2*	520.335MHz	-64.07	-13.00	-51.07	PK	Hor
3*	999.515MHz	-53.41	-13.00	-40.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.556MHz	-72.27	-13.00	-59.27	PK	Ver
2*	169.801MHz	-70.46	-13.00	-57.46	PK	Ver
3*	640.615MHz	-59.22	-13.00	-46.22	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.648MHz	-71.01	-13.00	-58.01	PK	Hor
2*	354.829MHz	-68.28	-13.00	-55.28	PK	Hor
3*	621.215MHz	-59.62	-13.00	-46.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.249MHz	-71.97	-13.00	-58.97	PK	Ver
2*	154.888MHz	-70.09	-13.00	-57.09	PK	Ver
3*	621.700MHz	-60.70	-13.00	-47.70	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	172.954MHz	-71.05	-13.00	-58.05	PK	Hor
2*	357.254MHz	-70.52	-13.00	-57.52	PK	Hor
3*	975.265MHz	-54.47	-13.00	-41.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	144.339MHz	-70.40	-13.00	-57.40	PK	Ver
2*	380.170MHz	-68.73	-13.00	-55.73	PK	Ver
3*	969.081MHz	-54.55	-13.00	-41.55	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	146.279MHz	-70.69	-13.00	-57.69	PK	Hor
2*	540.341MHz	-64.84	-13.00	-51.84	PK	Hor
3*	956.350MHz	-54.77	-13.00	-41.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.795MHz	-69.85	-13.00	-56.85	PK	Ver
2*	662.925MHz	-58.94	-13.00	-45.94	PK	Ver
3*	982.783MHz	-54.51	-13.00	-41.51	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.796MHz	-70.27	-13.00	-57.27	PK	Hor
2*	650.679MHz	-59.86	-13.00	-46.86	PK	Hor
3*	957.805MHz	-55.02	-13.00	-42.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.920MHz	-70.53	-13.00	-57.53	PK	Ver
2*	634.916MHz	-60.22	-13.00	-47.22	PK	Ver
3*	995.999MHz	-54.02	-13.00	-41.02	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.464MHz	-70.37	-13.00	-57.37	PK	Hor
2*	454.011MHz	-66.25	-13.00	-53.25	PK	Hor
3*	993.210MHz	-55.13	-13.00	-42.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	143.126MHz	-71.19	-13.00	-58.19	PK	Ver
2*	257.829MHz	-71.06	-13.00	-58.06	PK	Ver
3*	717.124MHz	-58.90	-13.00	-45.90	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.583MHz	-70.76	-13.00	-57.76	PK	Hor
2*	333.731MHz	-69.67	-13.00	-56.67	PK	Hor
3*	994.180MHz	-54.70	-13.00	-41.70	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.250MHz	-70.01	-13.00	-57.01	PK	Ver
2*	650.921MHz	-60.97	-13.00	-47.97	PK	Ver
3*	976.599MHz	-55.43	-13.00	-42.43	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.071MHz	-70.45	-13.00	-57.45	PK	Hor
2*	436.551MHz	-64.76	-13.00	-51.76	PK	Hor
3*	945.801MHz	-54.25	-13.00	-41.25	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.584MHz	-70.14	-13.00	-57.14	PK	Ver
2*	437.521MHz	-67.05	-13.00	-54.05	PK	Ver
3*	695.541MHz	-58.01	-13.00	-45.01	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.401MHz	-70.45	-13.00	-57.45	PK	Hor
2*	289.718MHz	-70.47	-13.00	-57.47	PK	Hor
3*	986.056MHz	-54.26	-13.00	-41.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.404MHz	-69.98	-13.00	-56.98	PK	Ver
2*	328.033MHz	-70.03	-13.00	-57.03	PK	Ver
3*	781.144MHz	-57.41	-13.00	-44.41	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.098MHz	-70.30	-13.00	-57.30	PK	Hor
2*	318.575MHz	-70.07	-13.00	-57.07	PK	Hor
3*	982.661MHz	-55.13	-13.00	-42.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.128MHz	-71.01	-13.00	-58.01	PK	Ver
2*	647.890MHz	-60.33	-13.00	-47.33	PK	Ver
3*	974.901MHz	-55.15	-13.00	-42.15	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.100MHz	-71.14	-13.00	-58.14	PK	Hor
2*	267.529MHz	-70.36	-13.00	-57.36	PK	Hor
3*	959.624MHz	-55.47	-13.00	-42.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.376MHz	-71.43	-13.00	-58.43	PK	Ver
2*	298.690MHz	-70.62	-13.00	-57.62	PK	Ver
3*	649.951MHz	-58.88	-13.00	-45.88	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 12 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.918MHz	-71.33	-13.00	-58.33	PK	Hor
2*	368.651MHz	-69.92	-13.00	-56.92	PK	Hor
3*	948.833MHz	-54.74	-13.00	-41.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.493MHz	-71.74	-13.00	-58.74	PK	Ver
2*	163.254MHz	-70.78	-13.00	-57.78	PK	Ver
3*	715.548MHz	-58.38	-13.00	-45.38	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.103MHz	-70.93	-13.00	-57.93	PK	Hor
2*	359.921MHz	-68.81	-13.00	-55.81	PK	Hor
3*	937.678MHz	-54.59	-13.00	-41.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.284MHz	-69.72	-13.00	-56.72	PK	Ver
2*	269.469MHz	-69.75	-13.00	-56.75	PK	Ver
3*	723.914MHz	-58.24	-13.00	-45.24	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	145.673MHz	-70.84	-13.00	-57.84	PK	Hor
2*	340.036MHz	-70.44	-13.00	-57.44	PK	Hor
3*	998.545MHz	-53.28	-13.00	-40.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	67.588MHz	-72.24	-13.00	-59.24	PK	Ver
2*	164.709MHz	-69.53	-13.00	-56.53	PK	Ver
3*	616.365MHz	-60.59	-13.00	-47.59	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	169.680MHz	-71.07	-13.00	-58.07	PK	Hor
2*	388.536MHz	-67.94	-13.00	-54.94	PK	Hor
3*	990.785MHz	-53.79	-13.00	-40.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.644MHz	-70.30	-13.00	-57.30	PK	Ver
2*	339.309MHz	-69.32	-13.00	-56.32	PK	Ver
3*	807.819MHz	-57.02	-13.00	-44.02	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.283MHz	-70.82	-13.00	-57.82	PK	Hor
2*	484.324MHz	-65.33	-13.00	-52.33	PK	Hor
3*	993.089MHz	-53.99	-13.00	-40.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.944MHz	-70.41	-13.00	-57.41	PK	Ver
2*	155.858MHz	-71.47	-13.00	-58.47	PK	Ver
3*	620.488MHz	-59.61	-13.00	-46.61	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 13 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.675MHz	-70.33	-13.00	-57.33	PK	Hor
2*	375.684MHz	-69.18	-13.00	-56.18	PK	Hor
3*	981.449MHz	-54.18	-13.00	-41.18	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.861MHz	-71.57	-13.00	-58.57	PK	Ver
2*	296.265MHz	-69.46	-13.00	-56.46	PK	Ver
3*	696.148MHz	-59.08	-13.00	-46.08	PK	Ver