



Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.038MHz	-69.51	-13.00	-56.51	PK	Hor
2*	308.269MHz	-70.97	-13.00	-57.97	PK	Hor
3*	958.169MHz	-54.86	-13.00	-41.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.886MHz	-70.37	-13.00	-57.37	PK	Ver
2*	291.294MHz	-70.35	-13.00	-57.35	PK	Ver
3*	924.098MHz	-55.40	-13.00	-42.40	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.855MHz	-70.89	-13.00	-57.89	PK	Hor
2*	377.503MHz	-69.19	-13.00	-56.19	PK	Hor
3*	944.710MHz	-55.33	-13.00	-42.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.401MHz	-70.82	-13.00	-57.82	PK	Ver
2*	314.089MHz	-68.82	-13.00	-55.82	PK	Ver
3*	716.639MHz	-57.53	-13.00	-44.53	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	169.923MHz	-70.40	-13.00	-57.40	PK	Hor
2*	438.491MHz	-66.86	-13.00	-53.86	PK	Hor
3*	975.265MHz	-53.23	-13.00	-40.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.796MHz	-69.79	-13.00	-56.79	PK	Ver
2*	417.879MHz	-67.24	-13.00	-54.24	PK	Ver
3*	994.423MHz	-54.46	-13.00	-41.46	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 25 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.254MHz	-70.62	-13.00	-57.62	PK	Hor
2*	449.040MHz	-67.83	-13.00	-54.83	PK	Hor
3*	983.995MHz	-54.27	-13.00	-41.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.674MHz	-71.55	-13.00	-58.55	PK	Ver
2*	152.948MHz	-70.23	-13.00	-57.23	PK	Ver
3*	977.326MHz	-54.21	-13.00	-41.21	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 25 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.828MHz	-70.74	-13.00	-57.74	PK	Hor
2*	601.451MHz	-62.36	-13.00	-49.36	PK	Hor
3*	971.749MHz	-54.52	-13.00	-41.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	145.309MHz	-71.33	-13.00	-58.33	PK	Ver
2*	471.714MHz	-66.23	-13.00	-53.23	PK	Ver
3*	995.514MHz	-54.29	-13.00	-41.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.466MHz	-70.83	-13.00	-57.83	PK	Hor
2*	532.703MHz	-65.29	-13.00	-52.29	PK	Hor
3*	975.023MHz	-55.28	-13.00	-42.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.978MHz	-70.66	-13.00	-57.66	PK	Ver
2*	399.570MHz	-67.70	-13.00	-54.70	PK	Ver
3*	978.054MHz	-54.56	-13.00	-41.56	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 26 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	152.220MHz	-69.81	-13.00	-56.81	PK	Hor
2*	392.901MHz	-68.29	-13.00	-55.29	PK	Hor
3*	992.483MHz	-53.75	-13.00	-40.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	172.833MHz	-69.87	-13.00	-56.87	PK	Ver
2*	651.406MHz	-59.39	-13.00	-46.39	PK	Ver
3*	998.060MHz	-55.13	-13.00	-42.13	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 26 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.498MHz	-69.93	-13.00	-56.93	PK	Hor
2*	563.379MHz	-63.06	-13.00	-50.06	PK	Hor
3*	987.390MHz	-54.01	-13.00	-41.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	144.581MHz	-71.22	-13.00	-58.22	PK	Ver
2*	677.233MHz	-59.40	-13.00	-46.40	PK	Ver
3*	988.966MHz	-54.66	-13.00	-41.66	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.769MHz	-71.37	-13.00	-58.37	PK	Hor
2*	495.600MHz	-66.79	-13.00	-53.79	PK	Hor
3*	995.029MHz	-54.60	-13.00	-41.60	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.918MHz	-70.19	-13.00	-57.19	PK	Ver
2*	297.599MHz	-69.90	-13.00	-56.90	PK	Ver
3*	671.413MHz	-58.64	-13.00	-45.64	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 38 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.645MHz	-70.96	-13.00	-57.96	PK	Hor
2*	434.126MHz	-67.31	-13.00	-54.31	PK	Hor
3*	971.264MHz	-53.97	-13.00	-40.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	157.434MHz	-70.69	-13.00	-57.69	PK	Ver
2*	380.898MHz	-68.07	-13.00	-55.07	PK	Ver
3*	770.595MHz	-57.80	-13.00	-44.80	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 38 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.496MHz	-69.87	-13.00	-56.87	PK	Hor
2*	638.554MHz	-60.91	-13.00	-47.91	PK	Hor
3*	949.318MHz	-54.35	-13.00	-41.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.769MHz	-70.51	-13.00	-57.51	PK	Ver
2*	507.119MHz	-66.16	-13.00	-53.16	PK	Ver
3*	668.503MHz	-58.91	-13.00	-45.91	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	160.465MHz	-69.65	-13.00	-56.65	PK	Hor
2*	355.314MHz	-68.90	-13.00	-55.90	PK	Hor
3*	989.209MHz	-54.26	-13.00	-41.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	137.428MHz	-70.26	-13.00	-57.26	PK	Ver
2*	385.990MHz	-69.31	-13.00	-56.31	PK	Ver
3*	967.020MHz	-54.71	-13.00	-41.71	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	148.098MHz	-71.17	-13.00	-58.17	PK	Hor
2*	344.159MHz	-69.57	-13.00	-56.57	PK	Hor
3*	990.179MHz	-54.61	-13.00	-41.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	145.673MHz	-71.42	-13.00	-58.42	PK	Ver
2*	521.426MHz	-63.95	-13.00	-50.95	PK	Ver
3*	949.196MHz	-55.46	-13.00	-42.46	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.281MHz	-70.37	-13.00	-57.37	PK	Hor
2*	383.686MHz	-67.95	-13.00	-54.95	PK	Hor
3*	982.904MHz	-53.42	-13.00	-40.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.616MHz	-71.04	-13.00	-58.04	PK	Ver
2*	354.586MHz	-68.81	-13.00	-55.81	PK	Ver
3*	830.008MHz	-57.55	-13.00	-44.55	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.160MHz	-70.61	-13.00	-57.61	PK	Hor
2*	531.126MHz	-64.65	-13.00	-51.65	PK	Hor
3*	962.170MHz	-54.88	-13.00	-41.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.250MHz	-70.59	-13.00	-57.59	PK	Ver
2*	459.346MHz	-66.92	-13.00	-53.92	PK	Ver
3*	980.600MHz	-55.09	-13.00	-42.09	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	149.431MHz	-70.14	-13.00	-57.14	PK	Hor
2*	333.246MHz	-69.85	-13.00	-56.85	PK	Hor
3*	978.539MHz	-54.45	-13.00	-41.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.861MHz	-70.87	-13.00	-57.87	PK	Ver
2*	362.225MHz	-69.63	-13.00	-56.63	PK	Ver
3*	876.204MHz	-55.04	-13.00	-42.04	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	171.378MHz	-71.34	-13.00	-58.34	PK	Hor
2*	433.035MHz	-67.66	-13.00	-54.66	PK	Hor
3*	977.326MHz	-54.88	-13.00	-41.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.464MHz	-70.55	-13.00	-57.55	PK	Ver
2*	410.604MHz	-68.58	-13.00	-55.58	PK	Ver
3*	978.903MHz	-54.85	-13.00	-41.85	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 41 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.285MHz	-70.94	-13.00	-57.94	PK	Hor
2*	357.133MHz	-69.49	-13.00	-56.49	PK	Hor
3*	988.966MHz	-54.52	-13.00	-41.52	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.523MHz	-70.49	-13.00	-57.49	PK	Ver
2*	635.280MHz	-59.69	-13.00	-46.69	PK	Ver
3*	995.756MHz	-54.85	-13.00	-41.85	PK	Ver