



Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 66 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	163.011MHz	-71.13	-13.00	-58.13	PK	Hor
2*	394.114MHz	-68.41	-13.00	-55.41	PK	Hor
3*	984.238MHz	-53.36	-13.00	-40.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	176.470MHz	-69.91	-13.00	-56.91	PK	Ver
2*	581.566MHz	-62.45	-13.00	-49.45	PK	Ver
3*	996.363MHz	-53.25	-13.00	-40.25	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 66 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	150.523MHz	-70.76	-13.00	-57.76	PK	Hor
2*	420.061MHz	-66.43	-13.00	-53.43	PK	Hor
3*	985.693MHz	-53.84	-13.00	-40.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.373MHz	-70.53	-13.00	-57.53	PK	Ver
2*	343.553MHz	-69.77	-13.00	-56.77	PK	Ver
3*	915.368MHz	-55.29	-13.00	-42.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.8°C
M/N: Luna	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-02-23
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.980MHz	-70.88	-13.00	-57.88	PK	Hor
2*	480.201MHz	-67.31	-13.00	-54.31	PK	Hor
3*	937.314MHz	-54.71	-13.00	-41.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	158.646MHz	-70.81	-13.00	-57.81	PK	Ver
2*	370.955MHz	-70.18	-13.00	-57.18	PK	Ver
3*	814.973MHz	-56.56	-13.00	-43.56	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.906GHz	-49.51	-13.00	-36.51	PK	Hor
2*	6.714GHz	-47.07	-13.00	-34.07	PK	Hor
3*	8.926GHz	-41.51	-13.00	-28.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.910GHz	-48.66	-13.00	-35.66	PK	Ver
2*	4.853GHz	-47.99	-13.00	-34.99	PK	Ver
3*	9.018GHz	-42.10	-13.00	-29.10	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.263GHz	-49.02	-13.00	-36.02	PK	Hor
2*	4.846GHz	-48.12	-13.00	-35.12	PK	Hor
3*	8.979GHz	-42.53	-13.00	-29.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.681GHz	-50.04	-13.00	-37.04	PK	Ver
2*	4.844GHz	-47.59	-13.00	-34.59	PK	Ver
3*	8.979GHz	-42.06	-13.00	-29.06	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.091GHz	-48.90	-13.00	-35.90	PK	Hor
2*	7.602GHz	-43.92	-13.00	-30.92	PK	Hor
3*	11.389GHz	-42.20	-13.00	-29.20	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.182GHz	-49.82	-13.00	-36.82	PK	Ver
2*	5.718GHz	-46.46	-13.00	-33.46	PK	Ver
3*	9.001GHz	-42.48	-13.00	-29.48	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.934GHz	-50.14	-13.00	-37.14	PK	Hor
2*	4.690GHz	-48.10	-13.00	-35.10	PK	Hor
3*	9.008GHz	-41.98	-13.00	-28.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.180GHz	-49.03	-13.00	-36.03	PK	Ver
2*	4.870GHz	-48.12	-13.00	-35.12	PK	Ver
3*	8.924GHz	-42.57	-13.00	-29.57	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.856GHz	-50.27	-13.00	-37.27	PK	Hor
2*	4.854GHz	-47.70	-13.00	-34.70	PK	Hor
3*	8.936GHz	-42.57	-13.00	-29.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.724GHz	-49.76	-13.00	-36.76	PK	Ver
2*	4.886GHz	-47.07	-13.00	-34.07	PK	Ver
3*	8.448GHz	-42.85	-13.00	-29.85	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.240GHz	-49.52	-13.00	-36.52	PK	Hor
2*	5.310GHz	-48.39	-13.00	-35.39	PK	Hor
3*	9.000GHz	-42.73	-13.00	-29.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.176GHz	-49.67	-13.00	-36.67	PK	Ver
2*	6.136GHz	-47.05	-13.00	-34.05	PK	Ver
3*	9.014GHz	-41.96	-13.00	-28.96	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.214GHz	-49.57	-13.00	-36.57	PK	Hor
2*	4.847GHz	-47.60	-13.00	-34.60	PK	Hor
3*	8.067GHz	-42.67	-13.00	-29.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.954GHz	-49.01	-13.00	-36.01	PK	Ver
2*	4.836GHz	-47.43	-13.00	-34.43	PK	Ver
3*	7.541GHz	-42.94	-13.00	-29.94	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.085GHz	-52.90	-13.00	-39.90	PK	Hor
2*	2.905GHz	-48.81	-13.00	-35.81	PK	Hor
3*	6.202GHz	-46.16	-13.00	-33.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.070GHz	-50.01	-13.00	-37.01	PK	Ver
2*	4.329GHz	-46.37	-13.00	-33.37	PK	Ver
3*	7.486GHz	-44.07	-13.00	-31.07	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.903GHz	-49.28	-13.00	-36.28	PK	Hor
2*	4.782GHz	-47.37	-13.00	-34.37	PK	Hor
3*	7.136GHz	-45.15	-13.00	-32.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.900GHz	-49.45	-13.00	-36.45	PK	Ver
2*	4.718GHz	-48.36	-13.00	-35.36	PK	Ver
3*	7.127GHz	-44.83	-13.00	-31.83	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.136GHz	-49.36	-13.00	-36.36	PK	Hor
2*	6.682GHz	-45.15	-13.00	-32.15	PK	Hor
3*	11.393GHz	-41.99	-13.00	-28.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.015GHz	-49.89	-13.00	-36.89	PK	Ver
2*	8.937GHz	-42.44	-13.00	-29.44	PK	Ver
3*	11.281GHz	-42.21	-13.00	-29.21	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.849GHz	-50.04	-13.00	-37.04	PK	Hor
2*	4.802GHz	-48.52	-13.00	-35.52	PK	Hor
3*	8.988GHz	-42.05	-13.00	-29.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.721GHz	-49.53	-13.00	-36.53	PK	Ver
2*	3.799GHz	-48.59	-13.00	-35.59	PK	Ver
3*	9.013GHz	-42.73	-13.00	-29.73	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.284GHz	-49.77	-13.00	-36.77	PK	Hor
2*	4.880GHz	-47.69	-13.00	-34.69	PK	Hor
3*	9.024GHz	-41.85	-13.00	-28.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.174GHz	-49.79	-13.00	-36.79	PK	Ver
2*	4.829GHz	-47.98	-13.00	-34.98	PK	Ver
3*	7.592GHz	-41.96	-13.00	-28.96	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 12 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.004GHz	-53.09	-13.00	-40.09	PK	Hor
2*	3.050GHz	-48.93	-13.00	-35.93	PK	Hor
3*	4.306GHz	-48.16	-13.00	-35.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.312GHz	-51.99	-13.00	-38.99	PK	Ver
2*	3.137GHz	-49.27	-13.00	-36.27	PK	Ver
3*	4.893GHz	-47.42	-13.00	-34.42	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.047GHz	-52.66	-13.00	-39.66	PK	Hor
2*	2.925GHz	-49.45	-13.00	-36.45	PK	Hor
3*	4.799GHz	-48.24	-13.00	-35.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.355GHz	-50.80	-13.00	-37.80	PK	Ver
2*	3.138GHz	-49.82	-13.00	-36.82	PK	Ver
3*	4.840GHz	-46.50	-13.00	-33.50	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 12 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.496GHz	-50.41	-13.00	-37.41	PK	Hor
2*	3.125GHz	-49.91	-13.00	-36.91	PK	Hor
3*	4.782GHz	-47.60	-13.00	-34.60	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.088GHz	-53.23	-13.00	-40.23	PK	Ver
2*	3.098GHz	-49.31	-13.00	-36.31	PK	Ver
3*	4.307GHz	-48.41	-13.00	-35.41	PK	Ver