



Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.407GHz	-54.48	-13.00	-41.48	PK	Hor
2*	2.950GHz	-48.98	-13.00	-35.98	PK	Hor
3*	4.848GHz	-47.36	-13.00	-34.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.469GHz	-54.89	-13.00	-41.89	PK	Ver
2*	3.177GHz	-49.30	-13.00	-36.30	PK	Ver
3*	4.286GHz	-48.32	-13.00	-35.32	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.375GHz	-50.65	-13.00	-37.65	PK	Hor
2*	3.249GHz	-49.63	-13.00	-36.63	PK	Hor
3*	4.841GHz	-47.06	-13.00	-34.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.037GHz	-52.46	-13.00	-39.46	PK	Ver
2*	3.057GHz	-48.60	-13.00	-35.60	PK	Ver
3*	5.006GHz	-47.27	-13.00	-34.27	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.991GHz	-53.59	-13.00	-40.59	PK	Hor
2*	3.137GHz	-49.24	-13.00	-36.24	PK	Hor
3*	4.802GHz	-46.87	-13.00	-33.87	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.859GHz	-54.39	-13.00	-41.39	PK	Ver
2*	2.828GHz	-49.58	-13.00	-36.58	PK	Ver
3*	4.841GHz	-47.35	-13.00	-34.35	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.299GHz	-55.66	-13.00	-42.66	PK	Hor
2*	3.102GHz	-48.89	-13.00	-35.89	PK	Hor
3*	4.278GHz	-49.01	-13.00	-36.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.299GHz	-54.35	-13.00	-41.35	PK	Ver
2*	2.893GHz	-50.28	-13.00	-37.28	PK	Ver
3*	4.423GHz	-48.05	-13.00	-35.05	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.536GHz	-54.77	-13.00	-41.77	PK	Hor
2*	3.059GHz	-48.43	-13.00	-35.43	PK	Hor
3*	4.864GHz	-46.93	-13.00	-33.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.169GHz	-51.27	-13.00	-38.27	PK	Ver
2*	3.133GHz	-48.09	-13.00	-35.09	PK	Ver
3*	4.779GHz	-47.51	-13.00	-34.51	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.906GHz	-53.67	-13.00	-40.67	PK	Hor
2*	3.017GHz	-49.59	-13.00	-36.59	PK	Hor
3*	4.851GHz	-47.45	-13.00	-34.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.448GHz	-50.74	-13.00	-37.74	PK	Ver
2*	3.228GHz	-50.35	-13.00	-37.35	PK	Ver
3*	4.884GHz	-47.97	-13.00	-34.97	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 25 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.723GHz	-49.46	-13.00	-36.46	PK	Hor
2*	4.768GHz	-48.36	-13.00	-35.36	PK	Hor
3*	8.992GHz	-42.31	-13.00	-29.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.233GHz	-50.05	-13.00	-37.05	PK	Ver
2*	4.859GHz	-48.46	-13.00	-35.46	PK	Ver
3*	9.009GHz	-42.76	-13.00	-29.76	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 25 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.106GHz	-50.01	-13.00	-37.01	PK	Hor
2*	4.791GHz	-47.98	-13.00	-34.98	PK	Hor
3*	8.971GHz	-42.71	-13.00	-29.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.762GHz	-50.65	-13.00	-37.65	PK	Ver
2*	4.808GHz	-48.37	-13.00	-35.37	PK	Ver
3*	11.166GHz	-42.05	-13.00	-29.05	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 25 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.228GHz	-53.36	-13.00	-40.36	PK	Hor
2*	4.742GHz	-47.72	-13.00	-34.72	PK	Hor
3*	8.933GHz	-42.38	-13.00	-29.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.136GHz	-50.03	-13.00	-37.03	PK	Ver
2*	9.003GHz	-42.95	-13.00	-29.95	PK	Ver
3*	11.155GHz	-42.87	-13.00	-29.87	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 26 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.802GHz	-49.39	-13.00	-36.39	PK	Hor
2*	4.789GHz	-47.75	-13.00	-34.75	PK	Hor
3*	7.590GHz	-44.33	-13.00	-31.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.043GHz	-53.17	-13.00	-40.17	PK	Ver
2*	3.191GHz	-49.43	-13.00	-36.43	PK	Ver
3*	7.643GHz	-43.68	-13.00	-30.68	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 26 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.993GHz	-53.22	-13.00	-40.22	PK	Hor
2*	3.060GHz	-49.55	-13.00	-36.55	PK	Hor
3*	5.721GHz	-46.77	-13.00	-33.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.085GHz	-51.99	-13.00	-38.99	PK	Ver
2*	3.340GHz	-49.40	-13.00	-36.40	PK	Ver
3*	6.183GHz	-45.70	-13.00	-32.70	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 26 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.872GHz	-49.61	-13.00	-36.61	PK	Hor
2*	4.315GHz	-48.22	-13.00	-35.22	PK	Hor
3*	8.072GHz	-43.07	-13.00	-30.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.006GHz	-54.05	-13.00	-41.05	PK	Ver
2*	3.144GHz	-49.03	-13.00	-36.03	PK	Ver
3*	4.472GHz	-48.29	-13.00	-35.29	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 38 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.728GHz	-49.53	-13.00	-36.53	PK	Hor
2*	4.706GHz	-46.40	-13.00	-33.40	PK	Hor
3*	9.005GHz	-41.97	-13.00	-28.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.774GHz	-49.93	-13.00	-36.93	PK	Ver
2*	4.723GHz	-47.85	-13.00	-34.85	PK	Ver
3*	8.999GHz	-42.40	-13.00	-29.40	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 38 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.262GHz	-52.14	-13.00	-39.14	PK	Hor
2*	4.834GHz	-48.01	-13.00	-35.01	PK	Hor
3*	8.999GHz	-42.69	-13.00	-29.69	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.949GHz	-50.44	-13.00	-37.44	PK	Ver
2*	4.844GHz	-47.76	-13.00	-34.76	PK	Ver
3*	9.011GHz	-41.80	-13.00	-28.80	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 38 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.500GHz	-51.12	-13.00	-38.12	PK	Hor
2*	4.797GHz	-48.23	-13.00	-35.23	PK	Hor
3*	8.922GHz	-41.75	-13.00	-28.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.427GHz	-55.21	-13.00	-42.21	PK	Ver
2*	4.846GHz	-47.67	-13.00	-34.67	PK	Ver
3*	11.153GHz	-41.43	-13.00	-28.43	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.437GHz	-49.63	-13.00	-36.63	PK	Hor
2*	4.691GHz	-47.17	-13.00	-34.17	PK	Hor
3*	8.933GHz	-42.23	-13.00	-29.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.951GHz	-49.66	-13.00	-36.66	PK	Ver
2*	4.783GHz	-47.83	-13.00	-34.83	PK	Ver
3*	11.215GHz	-42.32	-13.00	-29.32	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.874GHz	-49.72	-13.00	-36.72	PK	Hor
2*	6.721GHz	-44.77	-13.00	-31.77	PK	Hor
3*	11.289GHz	-42.52	-13.00	-29.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.866GHz	-49.31	-13.00	-36.31	PK	Ver
2*	4.432GHz	-47.52	-13.00	-34.52	PK	Ver
3*	8.918GHz	-42.25	-13.00	-29.25	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6°C
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 40 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.456GHz	-50.04	-13.00	-37.04	PK	Hor
2*	4.368GHz	-48.01	-13.00	-35.01	PK	Hor
3*	8.996GHz	-41.64	-13.00	-28.64	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.178GHz	-49.08	-13.00	-36.08	PK	Ver
2*	4.834GHz	-48.19	-13.00	-35.19	PK	Ver
3*	8.982GHz	-42.19	-13.00	-29.19	PK	Ver