




Plot 23:

Test Date	2022-10-26
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	705.700
SAR 10g (W/Kg)	0.028
SAR 1g (W/Kg)	0.054

Maximum location: X=-62.00, Y=-40.00 ; SAR Peak: 0.13 W/kg






Plot 24:

Test Date	2022-10-26
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 12
Signal	LTE FDD
Frequency	705.700
SAR 10g (W/Kg)	0.066
SAR 1g (W/Kg)	0.126

Maximum location: X=11.00, Y=-24.00 ; SAR Peak: 0.23 W/kg






Plot 25:

Test Date	2022-10-26
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	LTE band 13
Signal	LTE FDD
Frequency	780.200
SAR 10g (W/Kg)	0.048
SAR 1g (W/Kg)	0.098

Maximum location: X=-32.00, Y=-25.00 ; SAR Peak: 0.27 W/kg






Plot 26:

Test Date	2022-10-26
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 13
Signal	LTE FDD
Frequency	780.2000
SAR 10g (W/Kg)	0.064
SAR 1g (W/Kg)	0.138

Maximum location: X=-6.00, Y=-41.00 ; SAR Peak: 0.29 W/kg






Plot 27:

Test Date	2022-10-26
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Tilt
Band	LTE band 17
Signal	LTE FDD
Frequency	708.200
SAR 10g (W/Kg)	0.048
SAR 1g (W/Kg)	0.086

Maximum location: X=-34.00, Y=-7.00 ; SAR Peak: 0.18 W/kg






Plot 28:

Test Date	2022-10-26
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 17
Signal	LTE FDD
Frequency	708.200
SAR 10g (W/Kg)	0.078
SAR 1g (W/Kg)	0.147

Maximum location: X=-7.00, Y=39.00 ; SAR Peak: 0.28 W/kg






Plot 29:

Test Date	2022-10-24
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1876.200
SAR 10g (W/Kg)	0.018
SAR 1g (W/Kg)	0.065

Maximum location: X=-19.00, Y=-23.00 ; SAR Peak: 0.13 W/kg






Plot 30:

Test Date	2022-10-24
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 25
Signal	LTE FDD
Frequency	1876.200
SAR 10g (W/Kg)	0.282
SAR 1g (W/Kg)	0.567

Maximum location: X=-8.00, Y=7.00 ; SAR Peak: 1.04 W/kg






Plot 31:

Test Date	2022-10-27
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	827.400
SAR 10g (W/Kg)	0.040
SAR 1g (W/Kg)	0.067

Maximum location: X=-49.00, Y=-20.00 ; SAR Peak: 0.13 W/kg






Plot 32:

Test Date	2022-10-27
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 26
Signal	LTE FDD
Frequency	827.400
SAR 10g (W/Kg)	0.078
SAR 1g (W/Kg)	0.148

Maximum location: X=-14.00, Y=26.00 ; SAR Peak: 0.32 W/kg






Plot 33:

Test Date	2022-11-01
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2588.700
SAR 10g (W/Kg)	0.043
SAR 1g (W/Kg)	0.088

Maximum location: X=-61.00, Y=-56.00 ; SAR Peak: 0.23 W/kg






Plot 34:

Test Date	2022-11-01
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 38
Signal	LTE TDD
Frequency	2588.700
SAR 10g (W/Kg)	0.108
SAR 1g (W/Kg)	0.230

Maximum location: X=5.00, Y=10.00 ; SAR Peak: 0.55 W/kg






Plot 35:

Test Date	2022-10-29
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 40
Signal	LTE TDD
Frequency	2343.700
SAR 10g (W/Kg)	0.071
SAR 1g (W/Kg)	0.140

Maximum location: X=-52.00, Y=-25.00 ; SAR Peak: 0.27 W/kg






Plot 36:

Test Date	2022-10-29
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 40
Signal	LTE TDD
Frequency	2303.700
SAR 10g (W/Kg)	0.198
SAR 1g (W/Kg)	0.403

Maximum location: X=-22.00, Y=-56.00 ; SAR Peak: 0.75 W/kg






Plot 37:

Test Date	2022-11-01
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2586.700
SAR 10g (W/Kg)	0.113
SAR 1g (W/Kg)	0.190

Maximum location: X=-52.00, Y=-29.00 ; SAR Peak: 0.40 W/kg






Plot 38:

Test Date	2022-11-01
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 41
Signal	LTE TDD
Frequency	2586.700
SAR 10g (W/Kg)	0.099
SAR 1g (W/Kg)	0.230

Maximum location: X=-18.00, Y=-55.00 ; SAR Peak: 0.50 W/kg






Plot 39:

Test Date	2022-10-20
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1713.700
SAR 10g (W/Kg)	0.085
SAR 1g (W/Kg)	0.118

Maximum location: X=-43.00, Y=-39.00 ; SAR Peak: 0.25 W/kg






Plot 40:

Test Date	2022-10-20
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	LTE band 66
Signal	LTE FDD
Frequency	1763.700
SAR 10g (W/Kg)	0.386
SAR 1g (W/Kg)	0.722

Maximum location: X=7.00, Y=18.00 ; SAR Peak: 1.11 W/kg






Plot 41:

Test Date	202210-31
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right
Device Position	Tilt
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2412.000
SAR 10g (W/Kg)	0.043
SAR 1g (W/Kg)	0.088

Maximum location: X=-16.00, Y=-24.00 ; SAR Peak: 0.21 W/kg






Plot 42:

Test Date	2022-10-31
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	IEEE 802.11b ISM
Signal	IEEE 802.11
Frequency	2412.000
SAR 10g (W/Kg)	0.040
SAR 1g (W/Kg)	0.080

Maximum location: X=-9.00, Y=11.00 ; SAR Peak: 0.22 W/kg






Plot 43:

Test Date	2022-11-02
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5240.000
SAR 10g (W/Kg)	0.056
SAR 1g (W/Kg)	0.095

Maximum location: X=-61.00, Y=-56.00 ; SAR Peak: 0.29 W/kg






Plot 44:

Test Date	2022-11-02
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5240.000
SAR 10g (W/Kg)	0.063
SAR 1g (W/Kg)	0.100

Maximum location: X=23.00, Y=44.00 ; SAR Peak: 0.28 W/kg






Plot 45:

Test Date	2022-10-31
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5320.000
SAR 10g (W/Kg)	0.068
SAR 1g (W/Kg)	0.134

Maximum location: X=-33.00, Y=-28.00 ; SAR Peak: 0.79 W/kg






Plot 46:

Test Date	2022-10-31
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	IEEE 802.11a U-NII
Signal	IEEE 802.11
Frequency	5320.000
SAR 10g (W/Kg)	0.094
SAR 1g (W/Kg)	0.100

Maximum location: X=15.00, Y=60.00 ; SAR Peak: 0.57 W/kg






Plot 47:

Test Date	2022-11-02
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	IEEE 802.11n U-NII
Signal	IEEE 802.11
Frequency	5510.000
SAR 10g (W/Kg)	0.063
SAR 1g (W/Kg)	0.087

Maximum location: X=-51.00, Y=-41.00 ; SAR Peak: 0.16 W/kg






Plot 48:

Test Date	2022-11-02
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	IEEE 802.11n U-NII
Signal	IEEE 802.11
Frequency	5510.000
SAR 10g (W/Kg)	0.068
SAR 1g (W/Kg)	0.091

Maximum location: X=19.00, Y=24.00 ; SAR Peak: 0.32 W/kg






Plot 49:

Test Date	2022-11-02
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	IEEE 802.11n U-NII
Signal	IEEE 802.11
Frequency	5825.000
SAR 10g (W/Kg)	0.102
SAR 1g (W/Kg)	0.132

Maximum location: X=-63.00, Y=-57.00 ; SAR Peak: 0.25 W/kg






Plot 50:

Test Date	2022-11-02
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	IEEE 802.11n U-NII
Signal	IEEE 802.11
Frequency	5825.000
SAR 10g (W/Kg)	0.048
SAR 1g (W/Kg)	0.089

Maximum location: X=7.00, Y=57.00 ; SAR Peak: 0.39 W/kg






Plot 51:

Test Date	2022-10-31
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Bluetooth
Signal	Bluetooth
Frequency	2402.000
SAR 10g (W/Kg)	0.057
SAR 1g (W/Kg)	0.134

Maximum location: X=-30.00, Y=-40.00 ; SAR Peak: 0.39 W/kg






Plot 52:

Test Date	2022-10-31
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Body
Band	Bluetooth
Signal	Bluetooth
Frequency	2402.000
SAR 10g (W/Kg)	0.054
SAR 1g (W/Kg)	0.087

Maximum location: X=-11.00, Y=-7.00 ; SAR Peak: 0.18 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※END OF THE REPORT※※※※