




Plot 46:

Test Date	2022-12-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 38
Signal	LTE TDD
Frequency	2580
SAR 10g (W/Kg)	0.116
SAR 1g (W/Kg)	0.229

Maximum location: X=-26.00, Y=-42.00 ; SAR Peak: 0.48 W/kg






Plot 47:

Test Date	2022-12-13
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right Cheek
Device Position	Cheek
Band	LTE band 40
Signal	LTE TDD
Frequency	2315
SAR 10g (W/Kg)	0.092
SAR 1g (W/Kg)	0.151

Maximum location: X=-45.00, Y=-22.00 ; SAR Peak: 0.28 W/kg






Plot 48:

Test Date	2022-12-13
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 40
Signal	LTE TDD
Frequency	2315
SAR 10g (W/Kg)	0.121
SAR 1g (W/Kg)	0.208

Maximum location: X=6.00, Y=-25.00 ; SAR Peak: 0.40 W/kg






Plot 49:

Test Date	2022-12-16
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.106
SAR 1g (W/Kg)	0.199

Maximum location: X=-27.00, Y=-9.00 ; SAR Peak: 0.33 W/kg






Plot 50:

Test Date	2022-12-16
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2506
SAR 10g (W/Kg)	0.096
SAR 1g (W/Kg)	0.193


Maximum location: X=28.00, Y=46.00 ; SAR Peak: 0.39 W/kg



Plot 51:

Test Date	2022-12-06
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.129
SAR 1g (W/Kg)	0.178

Maximum location: X=-33.00, Y=-24.00 ; SAR Peak: 0.31 W/kg






Plot 52:

Test Date	2022-12-06
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1770
SAR 10g (W/Kg)	0.196
SAR 1g (W/Kg)	0.329


Maximum location: X=26.00, Y=23.00 ; SAR Peak: 0.54 W/kg



Plot 53:

Test Date	2022-12-09
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N2
Signal	NR FDD
Frequency	1940
SAR 10g (W/Kg)	0.322
SAR 1g (W/Kg)	0.691

Maximum location: X=-39.00, Y=0.00 ; SAR Peak: 1.28 W/kg






Plot 54:

Test Date	2022-12-09
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N2
Signal	NR FDD
Frequency	1940
SAR 10g (W/Kg)	0.114
SAR 1g (W/Kg)	0.256

Maximum location: X=-6.00, Y=9.00 ; SAR Peak: 0.56 W/kg






Plot 55:

Test Date	2022-12-05
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N5
Signal	NR FDD
Frequency	879
SAR 10g (W/Kg)	0.055
SAR 1g (W/Kg)	0.094

Maximum location: X=-48.00, Y=-39.00 ; SAR Peak: 0.19 W/kg






Plot 56:

Test Date	2022-12-05
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N5
Signal	NR FDD
Frequency	879
SAR 10g (W/Kg)	0.083
SAR 1g (W/Kg)	0.153

Maximum location: X=0.00, Y=7.00 ; SAR Peak: 0.32 W/kg






Plot 57:

Test Date	2022-12-19
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N7
Signal	NR FDD
Frequency	2655
SAR 10g (W/Kg)	0.023
SAR 1g (W/Kg)	0.022

Maximum location: X=-16.00, Y=-24.00 ; SAR Peak: 0.13 W/kg






Plot 58:

Test Date	2022-12-19
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N7
Signal	NR FDD
Frequency	2655
SAR 10g (W/Kg)	0.019
SAR 1g (W/Kg)	0.033

Maximum location: X=-9.00, Y=-50.00 ; SAR Peak: 0.11 W/kg






Plot 59:

Test Date	2022-12-09
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N25
Signal	NR FDD
Frequency	1937.5
SAR 10g (W/Kg)	0.331
SAR 1g (W/Kg)	0.681

Maximum location: X=-16.00, Y=1.00 ; SAR Peak: 1.23 W/kg






Plot 60:

Test Date	2022-12-09
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N25
Signal	NR FDD
Frequency	1937.5
SAR 10g (W/Kg)	0.282
SAR 1g (W/Kg)	0.489

Maximum location: X=-16.00, Y=5.00 ; SAR Peak: 0.84 W/kg






Plot 61:

Test Date	2022-12-19
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N38
Signal	NR TDD
Frequency	2610
SAR 10g (W/Kg)	0.018
SAR 1g (W/Kg)	0.046

Maximum location: X=-48.00, Y=-56.00 ; SAR Peak: 0.15 W/kg






Plot 62:

Test Date	2022-12-19
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N38
Signal	NR TDD
Frequency	2610
SAR 10g (W/Kg)	0.022
SAR 1g (W/Kg)	0.044


Maximum location: X=16.00, Y=9.00 ; SAR Peak: 0.17 W/kg



Plot 63:

Test Date	2022-12-19
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left Cheek
Device Position	Cheek
Band	NR N41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.018
SAR 1g (W/Kg)	0.040

Maximum location: X=-32.00, Y=-17.00 ; SAR Peak: 0.15 W/kg






Plot 64:

Test Date	2022-12-19
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N41
Signal	NR TDD
Frequency	2640
SAR 10g (W/Kg)	0.019
SAR 1g (W/Kg)	0.028

Maximum location: X=8.00, Y=63.00 ; SAR Peak: 0.11 W/kg






Plot 65:

Test Date	2022-12-12
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	NR N66
Signal	NR TDD
Frequency	1720
SAR 10g (W/Kg)	0.182
SAR 1g (W/Kg)	0.379

Maximum location: X=-16.00, Y=8.00 ; SAR Peak: 0.66 W/kg






Plot 66:

Test Date	2022-12-12
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N66
Signal	NR TDD
Frequency	1720
SAR 10g (W/Kg)	0.061
SAR 1g (W/Kg)	0.125

Maximum location: X=-9.00, Y=-1.00 ; SAR Peak: 0.38 W/kg






Plot 67:

Test Date	2022-12-22
Area Scan	sam_direct_droit2_surf8mm.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left Cheek
Device Position	Cheek
Band	NR N77
Signal	NR TDD
Frequency	4149.99
SAR 10g (W/Kg)	0.188
SAR 1g (W/Kg)	0.521

Maximum location: X=-2.00, Y=8.00 ; SAR Peak: 1.36 W/kg






Plot 68:

Test Date	2022-12-22
Area Scan	surf_sam_plan.txt
ZoomScan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	NR N77
Signal	NR TDD
Frequency	4149.99
SAR 10g (W/Kg)	0.106
SAR 1g (W/Kg)	0.210

Maximum location: X=18.00, Y=-10.00 ; SAR Peak: 0.50 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※END OF THE REPORT※※※※