













































































































































































































































































































































































2.1051.3 Out of band emissions

TestResult

Band	Bandwidth	SCS	Channel	TestID	TestConfig	Value	UpLimit	Result
n41	10MHz	30kHz	500202	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:Power	21.92	33.0	NONE
n41	10MHz	30kHz	500202	1	SA(2491.01MHz-2495MHz_1MHz)@2492.039MHz	-21.44	-10.00	PASS
n41	10MHz	30kHz	500202	1	SA(2486.01MHz-2491.01MHz_1MHz)@2490.494MHz	-22.78	-13.00	PASS
n41	10MHz	30kHz	500202	1	SA(30MHz-2031MHz_1MHz)@1883.500MHz	-55.56	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(2029MHz-2486.01MHz_1MHz)@2485.054MHz	-35.93	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(2691MHz-2801MHz_1MHz)@2698.585MHz	-53.22	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(2799MHz-4800MHz_1MHz)@3589.500MHz	-49.29	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(4798MHz-4901MHz_1MHz)@4895.808MHz	-50.98	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(4899MHz-6900MHz_1MHz)@6240.500MHz	-45.65	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(6898MHz-8900MHz_1MHz)@8135.500MHz	-65.07	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(8898MHz-10900MHz_1MHz)@10891.500MHz	-74.44	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(10898MHz-12900MHz_1MHz)@10946.500MHz	-73.94	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(12898MHz-14900MHz_1MHz)@13733.500MHz	-73.16	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(14898MHz-16900MHz_1MHz)@15274.500MHz	-73.18	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(16898MHz-18900MHz_1MHz)@17772.500MHz	-72.67	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(18898MHz-20900MHz_1MHz)@20283.500MHz	-72.98	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(20898MHz-22900MHz_1MHz)@21201.500MHz	-70.76	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(22898MHz-24900MHz_1MHz)@23362.500MHz	-72.33	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(24898MHz-26900MHz_1MHz)@26598.500MHz	-71.60	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(26898MHz-26900MHz_1MHz)@26898.988MHz	-75.86	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(30MHz-2031MHz_1MHz)@1893.500MHz	-55.58	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-24.70	-25.00	PASS
n41	10MHz	30kHz	500202	1	SA(2490.5MHz-2495MHz_1MHz)@2491.686MHz	-21.32	-13.00	PASS
n41	10MHz	30kHz	500202	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	19.38	33.0	NONE
n41	10MHz	30kHz	500202	2	SA(2491.01MHz-2495MHz_1MHz)@2494.497MHz	-29.06	-10.00	PASS
n41	10MHz	30kHz	500202	2	SA(2486.01MHz-2491.01MHz_1MHz)@2490.506MHz	-37.58	-13.00	PASS
n41	10MHz	30kHz	500202	2	SA(30MHz-2031MHz_1MHz)@1867.500MHz	-59.75	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(2029MHz-2486.01MHz_1MHz)@2485.510MHz	-49.26	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(2691MHz-2801MHz_1MHz)@2707.850MHz	-57.26	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(2799MHz-4800MHz_1MHz)@3578.500MHz	-53.36	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(4798MHz-4901MHz_1MHz)@4895.094MHz	-55.12	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(4899MHz-6900MHz_1MHz)@6184.500MHz	-49.66	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(6898MHz-8900MHz_1MHz)@8094.500MHz	-65.09	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(8898MHz-10900MHz_1MHz)@10895.500MHz	-74.37	-25.00	PASS

n41	10MHz	30kHz	500202	2	SA(10898MHz-12900MHz_1MHz)@10966.500MHz	-73.98	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(12898MHz-14900MHz_1MHz)@13747.500MHz	-73.10	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(14898MHz-16900MHz_1MHz)@15264.500MHz	-73.18	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(16898MHz-18900MHz_1MHz)@17764.500MHz	-72.61	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(18898MHz-20900MHz_1MHz)@20302.500MHz	-72.84	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.71	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(22898MHz-24900MHz_1MHz)@23415.500MHz	-72.24	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(24898MHz-26900MHz_1MHz)@26591.500MHz	-71.54	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.82	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(30MHz-2031MHz_1MHz)@1892.500MHz	-59.67	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-38.86	-25.00	PASS
n41	10MHz	30kHz	500202	2	SA(2490.5MHz-2495MHz_1MHz)@2494.497MHz	-29.11	-13.00	PASS
n41	10MHz	30kHz	500202	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	18.86	33.0	NONE
n41	10MHz	30kHz	500202	3	SA(2491.01MHz-2495MHz_1MHz)@2494.288MHz	-39.19	-10.00	PASS
n41	10MHz	30kHz	500202	3	SA(2486.01MHz-2491.01MHz_1MHz)@2490.402MHz	-41.70	-13.00	PASS
n41	10MHz	30kHz	500202	3	SA(30MHz-2031MHz_1MHz)@1891.500MHz	-59.77	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(2029MHz-2486.01MHz_1MHz)@2485.510MHz	-50.88	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(2691MHz-2801MHz_1MHz)@2715.807MHz	-57.24	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(2799MHz-4800MHz_1MHz)@3584.500MHz	-53.34	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(4798MHz-4901MHz_1MHz)@4893.360MHz	-55.15	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(4899MHz-6900MHz_1MHz)@5010.500MHz	-46.01	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(6898MHz-8900MHz_1MHz)@7515.500MHz	-64.37	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(8898MHz-10900MHz_1MHz)@10890.500MHz	-74.35	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(10898MHz-12900MHz_1MHz)@10981.500MHz	-74.03	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(12898MHz-14900MHz_1MHz)@13752.500MHz	-72.98	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(14898MHz-16900MHz_1MHz)@15299.500MHz	-72.90	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(16898MHz-18900MHz_1MHz)@17767.500MHz	-72.47	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(18898MHz-20900MHz_1MHz)@20305.500MHz	-72.88	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(20898MHz-22900MHz_1MHz)@21161.500MHz	-70.63	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(22898MHz-24900MHz_1MHz)@23404.500MHz	-72.24	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(24898MHz-26900MHz_1MHz)@26599.500MHz	-71.55	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(26898MHz-26900MHz_1MHz)@26898.828MHz	-75.72	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(30MHz-2031MHz_1MHz)@1880.500MHz	-59.78	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-43.16	-25.00	PASS
n41	10MHz	30kHz	500202	3	SA(2490.5MHz-2495MHz_1MHz)@2494.392MHz	-40.46	-13.00	PASS
n41	10MHz	30kHz	500202	4	DFT-s-OFDM QPSK^Outer_Full:Power	21.67	33.0	NONE
n41	10MHz	30kHz	500202	4	SA(2491.01MHz-2495MHz_1MHz)@2494.479MHz	-19.32	-10.00	PASS
n41	10MHz	30kHz	500202	4	SA(2486.01MHz-2491.01MHz_1MHz)@2490.506MHz	-24.02	-13.00	PASS
n41	10MHz	30kHz	500202	4	SA(30MHz-2031MHz_1MHz)@1873.500MHz	-57.79	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(2029MHz-2486.01MHz_1MHz)@2485.510MHz	-35.77	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(2691MHz-2801MHz_1MHz)@2709.376MHz	-55.46	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(2799MHz-4800MHz_1MHz)@3593.500MHz	-51.59	-25.00	PASS

n41	10MHz	30kHz	500202	4	SA(4798MHz-4901MHz_1MHz)@4891.218MHz	-53.23	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(4899MHz-6900MHz_1MHz)@6158.500MHz	-47.62	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(6898MHz-8900MHz_1MHz)@8129.500MHz	-65.03	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(8898MHz-10900MHz_1MHz)@10896.500MHz	-74.28	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(10898MHz-12900MHz_1MHz)@10989.500MHz	-73.99	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(12898MHz-14900MHz_1MHz)@13723.500MHz	-73.02	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(14898MHz-16900MHz_1MHz)@15282.500MHz	-73.07	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(16898MHz-18900MHz_1MHz)@17772.500MHz	-72.42	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(18898MHz-20900MHz_1MHz)@20309.500MHz	-72.84	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(20898MHz-22900MHz_1MHz)@21152.500MHz	-70.73	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(22898MHz-24900MHz_1MHz)@23252.500MHz	-72.18	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(24898MHz-26900MHz_1MHz)@26596.500MHz	-71.62	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.72	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(30MHz-2031MHz_1MHz)@1908.500MHz	-57.92	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-25.20	-25.00	PASS
n41	10MHz	30kHz	500202	4	SA(2490.5MHz-2495MHz_1MHz)@2494.364MHz	-19.24	-13.00	PASS
n41	10MHz	30kHz	500202	5	DFT-s-OFDM QPSK^Edge_1RB_Left:Power	19.48	33.0	NONE
n41	10MHz	30kHz	500202	5	SA(2491.01MHz-2495MHz_1MHz)@2494.467MHz	-29.25	-10.00	PASS
n41	10MHz	30kHz	500202	5	SA(2486.01MHz-2491.01MHz_1MHz)@2490.466MHz	-37.48	-13.00	PASS
n41	10MHz	30kHz	500202	5	SA(30MHz-2031MHz_1MHz)@1880.500MHz	-59.80	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(2029MHz-2486.01MHz_1MHz)@2485.054MHz	-49.24	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(2691MHz-2801MHz_1MHz)@2703.381MHz	-57.29	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(2799MHz-4800MHz_1MHz)@3585.500MHz	-53.36	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(4798MHz-4901MHz_1MHz)@4891.728MHz	-55.15	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(4899MHz-6900MHz_1MHz)@6172.500MHz	-49.56	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(6898MHz-8900MHz_1MHz)@8089.500MHz	-64.99	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(8898MHz-10900MHz_1MHz)@10889.500MHz	-74.33	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(10898MHz-12900MHz_1MHz)@10974.500MHz	-74.03	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(12898MHz-14900MHz_1MHz)@13750.500MHz	-73.01	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(14898MHz-16900MHz_1MHz)@15263.500MHz	-72.93	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(16898MHz-18900MHz_1MHz)@17770.500MHz	-72.46	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(18898MHz-20900MHz_1MHz)@20318.500MHz	-72.80	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(20898MHz-22900MHz_1MHz)@22019.500MHz	-70.62	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(22898MHz-24900MHz_1MHz)@23414.500MHz	-72.13	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(24898MHz-26900MHz_1MHz)@26584.500MHz	-71.56	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(26898MHz-26900MHz_1MHz)@26898.858MHz	-75.66	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(30MHz-2031MHz_1MHz)@1900.500MHz	-59.76	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-39.79	-25.00	PASS
n41	10MHz	30kHz	500202	5	SA(2490.5MHz-2495MHz_1MHz)@2494.462MHz	-30.23	-13.00	PASS
n41	10MHz	30kHz	500202	6	DFT-s-OFDM QPSK^Edge_1RB_Right:Power	18.96	33.0	NONE
n41	10MHz	30kHz	500202	6	SA(2491.01MHz-2495MHz_1MHz)@2494.437MHz	-40.73	-10.00	PASS
n41	10MHz	30kHz	500202	6	SA(2486.01MHz-2491.01MHz_1MHz)@2490.426MHz	-43.40	-13.00	PASS

n41	10MHz	30kHz	500202	6	SA(30MHz-2031MHz_1MHz)@1889.500MHz	-59.78	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(2029MHz-2486.01MHz_1MHz)@2485.510MHz	-51.34	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(2691MHz-2801MHz_1MHz)@2701.419MHz	-57.29	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(2799MHz-4800MHz_1MHz)@3592.500MHz	-53.43	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(4798MHz-4901MHz_1MHz)@4893.564MHz	-55.06	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(4899MHz-6900MHz_1MHz)@5010.500MHz	-46.26	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(6898MHz-8900MHz_1MHz)@7515.500MHz	-64.34	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(8898MHz-10900MHz_1MHz)@10897.500MHz	-74.22	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(10898MHz-12900MHz_1MHz)@10985.500MHz	-73.98	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(12898MHz-14900MHz_1MHz)@13738.500MHz	-72.91	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(14898MHz-16900MHz_1MHz)@15283.500MHz	-72.96	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(16898MHz-18900MHz_1MHz)@17762.500MHz	-72.42	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(18898MHz-20900MHz_1MHz)@20294.500MHz	-72.83	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(20898MHz-22900MHz_1MHz)@21140.500MHz	-70.64	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(22898MHz-24900MHz_1MHz)@23416.500MHz	-72.06	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(24898MHz-26900MHz_1MHz)@26597.500MHz	-71.45	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.62	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(30MHz-2031MHz_1MHz)@1876.500MHz	-59.72	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-42.77	-25.00	PASS
n41	10MHz	30kHz	500202	6	SA(2490.5MHz-2495MHz_1MHz)@2494.427MHz	-40.07	-13.00	PASS
n41	10MHz	30kHz	518598	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:Power	22.41	33.0	NONE
n41	10MHz	30kHz	518598	1	SA(30MHz-2031MHz_1MHz)@1884.500MHz	-55.53	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(2029MHz-2495MHz_1MHz)@2403.360MHz	-54.23	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(2691MHz-2801MHz_1MHz)@2704.362MHz	-53.29	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(2799MHz-4800MHz_1MHz)@3592.500MHz	-49.32	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(4798MHz-4901MHz_1MHz)@4899.684MHz	-50.86	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(4899MHz-6900MHz_1MHz)@6203.500MHz	-45.38	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(6898MHz-8900MHz_1MHz)@7786.500MHz	-64.92	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(8898MHz-10900MHz_1MHz)@10896.500MHz	-74.18	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(10898MHz-12900MHz_1MHz)@10963.500MHz	-74.07	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(12898MHz-14900MHz_1MHz)@13743.500MHz	-72.88	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(14898MHz-16900MHz_1MHz)@15276.500MHz	-72.97	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(16898MHz-18900MHz_1MHz)@17764.500MHz	-72.51	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(18898MHz-20900MHz_1MHz)@20297.500MHz	-72.80	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(20898MHz-22900MHz_1MHz)@21153.500MHz	-70.64	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(22898MHz-24900MHz_1MHz)@23412.500MHz	-72.23	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(24898MHz-26900MHz_1MHz)@26582.500MHz	-71.66	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.78	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(30MHz-2031MHz_1MHz)@1892.500MHz	-55.48	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(2029MHz-2490.5MHz_1MHz)@2441.648MHz	-54.20	-25.00	PASS
n41	10MHz	30kHz	518598	1	SA(2490.5MHz-2495MHz_1MHz)@2491.592MHz	-54.50	-13.00	PASS
n41	10MHz	30kHz	518598	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	19.71	33.0	NONE

n41	10MHz	30kHz	518598	2	SA(30MHz-2031MHz_1MHz)@1888.500MHz	-59.75	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(2029MHz-2495MHz_1MHz)@2405.685MHz	-58.43	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(2691MHz-2801MHz_1MHz)@2700.002MHz	-57.23	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(2799MHz-4800MHz_1MHz)@3592.500MHz	-53.34	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(4798MHz-4901MHz_1MHz)@4891.218MHz	-55.15	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(4899MHz-6900MHz_1MHz)@6168.500MHz	-49.47	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(6898MHz-8900MHz_1MHz)@8094.500MHz	-64.97	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(8898MHz-10900MHz_1MHz)@10889.500MHz	-74.24	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(10898MHz-12900MHz_1MHz)@10981.500MHz	-74.02	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(12898MHz-14900MHz_1MHz)@13758.500MHz	-73.03	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(14898MHz-16900MHz_1MHz)@15290.500MHz	-72.90	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(16898MHz-18900MHz_1MHz)@17766.500MHz	-72.46	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(18898MHz-20900MHz_1MHz)@20248.500MHz	-72.81	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(20898MHz-22900MHz_1MHz)@21153.500MHz	-70.69	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(22898MHz-24900MHz_1MHz)@23415.500MHz	-72.17	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(24898MHz-26900MHz_1MHz)@26598.500MHz	-71.61	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.76	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(30MHz-2031MHz_1MHz)@1891.500MHz	-59.78	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(2029MHz-2490.5MHz_1MHz)@2400.663MHz	-58.48	-25.00	PASS
n41	10MHz	30kHz	518598	2	SA(2490.5MHz-2495MHz_1MHz)@2493.401MHz	-58.40	-13.00	PASS
n41	10MHz	30kHz	518598	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	19.21	33.0	NONE
n41	10MHz	30kHz	518598	3	SA(30MHz-2031MHz_1MHz)@1873.500MHz	-59.76	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(2029MHz-2495MHz_1MHz)@2407.545MHz	-58.47	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(2691MHz-2801MHz_1MHz)@2700.983MHz	-57.20	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(2799MHz-4800MHz_1MHz)@3588.500MHz	-53.39	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(4798MHz-4901MHz_1MHz)@4892.340MHz	-55.19	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(4899MHz-6900MHz_1MHz)@6179.500MHz	-49.59	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(6898MHz-8900MHz_1MHz)@8080.500MHz	-64.97	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(8898MHz-10900MHz_1MHz)@10895.500MHz	-74.31	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(10898MHz-12900MHz_1MHz)@10966.500MHz	-74.04	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(12898MHz-14900MHz_1MHz)@13740.500MHz	-72.98	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(14898MHz-16900MHz_1MHz)@15276.500MHz	-72.90	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(16898MHz-18900MHz_1MHz)@17771.500MHz	-72.49	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(18898MHz-20900MHz_1MHz)@20305.500MHz	-72.77	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(20898MHz-22900MHz_1MHz)@21150.500MHz	-70.67	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(22898MHz-24900MHz_1MHz)@23400.500MHz	-72.20	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(24898MHz-26900MHz_1MHz)@26584.500MHz	-71.59	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.67	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(30MHz-2031MHz_1MHz)@1871.500MHz	-59.71	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(2029MHz-2490.5MHz_1MHz)@2434.740MHz	-58.50	-25.00	PASS
n41	10MHz	30kHz	518598	3	SA(2490.5MHz-2495MHz_1MHz)@2491.018MHz	-58.16	-13.00	PASS
n41	10MHz	30kHz	518598	4	DFT-s-OFDM QPSK^Outer_Full:Power	22.00	33.0	NONE

n41	10MHz	30kHz	518598	4	SA(30MHz-2031MHz_1MHz)@1888.500MHz	-57.84	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(2029MHz-2495MHz_1MHz)@2406.615MHz	-56.35	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(2691MHz-2801MHz_1MHz)@2698.040MHz	-55.42	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(2799MHz-4800MHz_1MHz)@3566.500MHz	-51.46	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(4798MHz-4901MHz_1MHz)@4888.464MHz	-53.14	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(4899MHz-6900MHz_1MHz)@6188.500MHz	-47.57	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(6898MHz-8900MHz_1MHz)@8081.500MHz	-64.97	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(8898MHz-10900MHz_1MHz)@10891.500MHz	-74.32	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(10898MHz-12900MHz_1MHz)@10945.500MHz	-74.06	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(12898MHz-14900MHz_1MHz)@13749.500MHz	-72.98	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(14898MHz-16900MHz_1MHz)@15261.500MHz	-73.07	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(16898MHz-18900MHz_1MHz)@17765.500MHz	-72.48	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(18898MHz-20900MHz_1MHz)@20310.500MHz	-72.87	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(20898MHz-22900MHz_1MHz)@21143.500MHz	-70.68	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(22898MHz-24900MHz_1MHz)@23421.500MHz	-72.16	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(24898MHz-26900MHz_1MHz)@26594.500MHz	-71.57	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(26898MHz-26900MHz_1MHz)@26899.394MHz	-75.80	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(30MHz-2031MHz_1MHz)@1870.500MHz	-57.76	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(2029MHz-2490.5MHz_1MHz)@2398.361MHz	-56.28	-25.00	PASS
n41	10MHz	30kHz	518598	4	SA(2490.5MHz-2495MHz_1MHz)@2493.065MHz	-56.71	-13.00	PASS
n41	10MHz	30kHz	518598	5	DFT-s-OFDM QPSK^Edge_1RB_Left:Power	19.90	33.0	NONE
n41	10MHz	30kHz	518598	5	SA(30MHz-2031MHz_1MHz)@1891.500MHz	-59.62	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(2029MHz-2495MHz_1MHz)@2401.500MHz	-58.48	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(2691MHz-2801MHz_1MHz)@2706.324MHz	-57.18	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(2799MHz-4800MHz_1MHz)@3581.500MHz	-53.30	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(4798MHz-4901MHz_1MHz)@4898.154MHz	-55.16	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(4899MHz-6900MHz_1MHz)@6166.500MHz	-49.61	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(6898MHz-8900MHz_1MHz)@8114.500MHz	-64.96	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(8898MHz-10900MHz_1MHz)@10896.500MHz	-74.39	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(10898MHz-12900MHz_1MHz)@10968.500MHz	-74.03	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(12898MHz-14900MHz_1MHz)@13756.500MHz	-72.97	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(14898MHz-16900MHz_1MHz)@15287.500MHz	-73.03	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(16898MHz-18900MHz_1MHz)@17764.500MHz	-72.47	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(18898MHz-20900MHz_1MHz)@20246.500MHz	-72.83	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(20898MHz-22900MHz_1MHz)@21191.500MHz	-70.65	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(22898MHz-24900MHz_1MHz)@23478.500MHz	-72.22	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(24898MHz-26900MHz_1MHz)@26589.500MHz	-71.47	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.70	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(30MHz-2031MHz_1MHz)@1892.500MHz	-59.76	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(2029MHz-2490.5MHz_1MHz)@2431.517MHz	-58.40	-25.00	PASS
n41	10MHz	30kHz	518598	5	SA(2490.5MHz-2495MHz_1MHz)@2493.716MHz	-58.35	-13.00	PASS
n41	10MHz	30kHz	518598	6	DFT-s-OFDM QPSK^Edge_1RB_Right:Power	19.18	33.0	NONE

n41	10MHz	30kHz	518598	6	SA(30MHz-2031MHz_1MHz)@1877.500MHz	-59.84	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(2029MHz-2495MHz_1MHz)@2407.545MHz	-58.41	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(2691MHz-2801MHz_1MHz)@2718.205MHz	-57.22	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(2799MHz-4800MHz_1MHz)@3599.500MHz	-53.24	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(4798MHz-4901MHz_1MHz)@4895.094MHz	-55.08	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(4899MHz-6900MHz_1MHz)@6175.500MHz	-49.62	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(6898MHz-8900MHz_1MHz)@7791.500MHz	-64.78	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(8898MHz-10900MHz_1MHz)@10897.500MHz	-74.29	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(10898MHz-12900MHz_1MHz)@10975.500MHz	-74.00	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(12898MHz-14900MHz_1MHz)@13724.500MHz	-72.93	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(14898MHz-16900MHz_1MHz)@15269.500MHz	-73.09	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(16898MHz-18900MHz_1MHz)@17749.500MHz	-72.46	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(18898MHz-20900MHz_1MHz)@20306.500MHz	-72.78	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(20898MHz-22900MHz_1MHz)@21146.500MHz	-70.65	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(22898MHz-24900MHz_1MHz)@23416.500MHz	-72.22	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(24898MHz-26900MHz_1MHz)@26595.500MHz	-71.63	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.77	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(30MHz-2031MHz_1MHz)@1889.500MHz	-59.75	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(2029MHz-2490.5MHz_1MHz)@2417.241MHz	-58.45	-25.00	PASS
n41	10MHz	30kHz	518598	6	SA(2490.5MHz-2495MHz_1MHz)@2492.908MHz	-58.46	-13.00	PASS
n41	10MHz	30kHz	537000	1	SA(26898MHz-26900MHz_1MHz)@26899.220MHz	-75.07	-13.00	PASS
n41	60MHz	30kHz	505200	1	DFT-s-OFDM Pi/2 BPSK^Outer_Full:Power	22.33	33.0	NONE
n41	60MHz	30kHz	505200	1	SA(2491MHz-2495MHz_1MHz)@2494.494MHz	-24.86	-10.00	PASS
n41	60MHz	30kHz	505200	1	SA(2436MHz-2491MHz_1MHz)@2490.392MHz	-28.99	-13.00	PASS
n41	60MHz	30kHz	505200	1	SA(30MHz-2031MHz_1MHz)@1890.500MHz	-55.57	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(2029MHz-2436MHz_1MHz)@2397.336MHz	-54.20	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(2691MHz-2801MHz_1MHz)@2691.500MHz	-52.53	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(2799MHz-4800MHz_1MHz)@3581.500MHz	-49.25	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(4798MHz-4901MHz_1MHz)@4899.684MHz	-50.93	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(4899MHz-6900MHz_1MHz)@6123.500MHz	-45.47	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(6898MHz-8900MHz_1MHz)@8125.500MHz	-65.09	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(8898MHz-10900MHz_1MHz)@10892.500MHz	-74.47	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(10898MHz-12900MHz_1MHz)@10947.500MHz	-74.05	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(12898MHz-14900MHz_1MHz)@13742.500MHz	-73.01	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(14898MHz-16900MHz_1MHz)@15282.500MHz	-73.16	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(16898MHz-18900MHz_1MHz)@17764.500MHz	-72.59	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(18898MHz-20900MHz_1MHz)@20320.500MHz	-72.86	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(20898MHz-22900MHz_1MHz)@21155.500MHz	-70.77	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(22898MHz-24900MHz_1MHz)@23433.500MHz	-72.26	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(24898MHz-26900MHz_1MHz)@26591.500MHz	-71.69	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(26898MHz-26900MHz_1MHz)@26898.758MHz	-75.81	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(30MHz-2031MHz_1MHz)@1884.500MHz	-55.61	-25.00	PASS



n41	60MHz	30kHz	505200	1	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-29.29	-25.00	PASS
n41	60MHz	30kHz	505200	1	SA(2490.5MHz-2495MHz_1MHz)@2494.388MHz	-24.76	-13.00	PASS
n41	60MHz	30kHz	505200	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	19.62	33.0	NONE
n41	60MHz	30kHz	505200	2	SA(2491MHz-2495MHz_1MHz)@2494.437MHz	-32.23	-10.00	PASS
n41	60MHz	30kHz	505200	2	SA(2436MHz-2491MHz_1MHz)@2490.446MHz	-42.82	-13.00	PASS
n41	60MHz	30kHz	505200	2	SA(30MHz-2031MHz_1MHz)@1880.500MHz	-59.80	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(2029MHz-2436MHz_1MHz)@2423.726MHz	-58.38	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(2691MHz-2801MHz_1MHz)@2716.243MHz	-57.28	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(2799MHz-4800MHz_1MHz)@3579.500MHz	-53.39	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(4798MHz-4901MHz_1MHz)@4893.768MHz	-55.06	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(4899MHz-6900MHz_1MHz)@6159.500MHz	-49.62	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(6898MHz-8900MHz_1MHz)@8074.500MHz	-65.10	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(8898MHz-10900MHz_1MHz)@10898.500MHz	-74.33	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(10898MHz-12900MHz_1MHz)@10976.500MHz	-74.05	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(12898MHz-14900MHz_1MHz)@13741.500MHz	-72.99	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(14898MHz-16900MHz_1MHz)@15275.500MHz	-73.16	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(16898MHz-18900MHz_1MHz)@17756.500MHz	-72.42	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(18898MHz-20900MHz_1MHz)@20315.500MHz	-72.92	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.68	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(22898MHz-24900MHz_1MHz)@23466.500MHz	-72.27	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(24898MHz-26900MHz_1MHz)@26596.500MHz	-71.69	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.91	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(30MHz-2031MHz_1MHz)@1889.500MHz	-59.56	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-44.32	-25.00	PASS
n41	60MHz	30kHz	505200	2	SA(2490.5MHz-2495MHz_1MHz)@2494.462MHz	-32.17	-13.00	PASS
n41	60MHz	30kHz	505200	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	19.61	33.0	NONE
n41	60MHz	30kHz	505200	3	SA(2491MHz-2495MHz_1MHz)@2494.428MHz	-47.11	-10.00	PASS
n41	60MHz	30kHz	505200	3	SA(2436MHz-2491MHz_1MHz)@2490.500MHz	-48.95	-13.00	PASS
n41	60MHz	30kHz	505200	3	SA(30MHz-2031MHz_1MHz)@1880.500MHz	-59.75	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(2029MHz-2436MHz_1MHz)@2403.426MHz	-58.43	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(2691MHz-2801MHz_1MHz)@2718.205MHz	-57.20	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(2799MHz-4800MHz_1MHz)@3588.500MHz	-53.34	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(4798MHz-4901MHz_1MHz)@4899.174MHz	-55.12	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(4899MHz-6900MHz_1MHz)@6132.500MHz	-49.64	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(6898MHz-8900MHz_1MHz)@8078.500MHz	-65.10	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(8898MHz-10900MHz_1MHz)@10879.500MHz	-74.50	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(10898MHz-12900MHz_1MHz)@10962.500MHz	-74.11	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(12898MHz-14900MHz_1MHz)@13744.500MHz	-73.02	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(14898MHz-16900MHz_1MHz)@15291.500MHz	-73.14	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(16898MHz-18900MHz_1MHz)@17773.500MHz	-72.54	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(18898MHz-20900MHz_1MHz)@20302.500MHz	-72.87	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(20898MHz-22900MHz_1MHz)@21157.500MHz	-70.68	-25.00	PASS



n41	60MHz	30kHz	505200	3	SA(22898MHz-24900MHz_1MHz)@23413.500MHz	-72.20	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(24898MHz-26900MHz_1MHz)@26596.500MHz	-71.70	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.79	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(30MHz-2031MHz_1MHz)@1902.500MHz	-59.70	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-49.37	-25.00	PASS
n41	60MHz	30kHz	505200	3	SA(2490.5MHz-2495MHz_1MHz)@2493.842MHz	-47.25	-13.00	PASS
n41	60MHz	30kHz	505200	4	DFT-s-OFDM QPSK^Outer_Full:Power	21.85	33.0	NONE
n41	60MHz	30kHz	505200	4	SA(2491MHz-2495MHz_1MHz)@2494.254MHz	-25.28	-10.00	PASS
n41	60MHz	30kHz	505200	4	SA(2436MHz-2491MHz_1MHz)@2489.150MHz	-27.87	-13.00	PASS
n41	60MHz	30kHz	505200	4	SA(30MHz-2031MHz_1MHz)@47.500MHz	-55.25	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(2029MHz-2436MHz_1MHz)@2410.734MHz	-56.26	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(2691MHz-2801MHz_1MHz)@2691.500MHz	-53.92	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(2799MHz-4800MHz_1MHz)@3886.500MHz	-51.58	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(4798MHz-4901MHz_1MHz)@4899.684MHz	-53.09	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(4899MHz-6900MHz_1MHz)@6180.500MHz	-47.68	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(6898MHz-8900MHz_1MHz)@8115.500MHz	-65.02	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(8898MHz-10900MHz_1MHz)@10892.500MHz	-74.26	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(10898MHz-12900MHz_1MHz)@10985.500MHz	-74.02	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(12898MHz-14900MHz_1MHz)@13750.500MHz	-73.06	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(14898MHz-16900MHz_1MHz)@15284.500MHz	-73.14	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(16898MHz-18900MHz_1MHz)@17774.500MHz	-72.58	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(18898MHz-20900MHz_1MHz)@20278.500MHz	-72.87	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.69	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(22898MHz-24900MHz_1MHz)@23423.500MHz	-72.30	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(24898MHz-26900MHz_1MHz)@26590.500MHz	-71.71	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(26898MHz-26900MHz_1MHz)@26898.538MHz	-75.74	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(30MHz-2031MHz_1MHz)@47.500MHz	-55.42	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-27.92	-25.00	PASS
n41	60MHz	30kHz	505200	4	SA(2490.5MHz-2495MHz_1MHz)@2494.381MHz	-25.35	-13.00	PASS
n41	60MHz	30kHz	505200	5	DFT-s-OFDM QPSK^Edge_1RB_Left:Power	19.66	33.0	NONE
n41	60MHz	30kHz	505200	5	SA(2491MHz-2495MHz_1MHz)@2494.437MHz	-31.50	-10.00	PASS
n41	60MHz	30kHz	505200	5	SA(2436MHz-2491MHz_1MHz)@2490.446MHz	-42.26	-13.00	PASS
n41	60MHz	30kHz	505200	5	SA(30MHz-2031MHz_1MHz)@1905.500MHz	-59.82	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(2029MHz-2436MHz_1MHz)@2420.072MHz	-58.44	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(2691MHz-2801MHz_1MHz)@2700.220MHz	-57.24	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(2799MHz-4800MHz_1MHz)@3582.500MHz	-53.35	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(4798MHz-4901MHz_1MHz)@4897.032MHz	-55.07	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(4899MHz-6900MHz_1MHz)@6177.500MHz	-49.63	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(6898MHz-8900MHz_1MHz)@8077.500MHz	-65.09	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(8898MHz-10900MHz_1MHz)@10891.500MHz	-74.43	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(10898MHz-12900MHz_1MHz)@10931.500MHz	-73.89	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(12898MHz-14900MHz_1MHz)@13748.500MHz	-73.00	-25.00	PASS

n41	60MHz	30kHz	505200	5	SA(14898MHz-16900MHz_1MHz)@15269.500MHz	-73.03	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(16898MHz-18900MHz_1MHz)@17751.500MHz	-72.47	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(18898MHz-20900MHz_1MHz)@20272.500MHz	-72.89	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(20898MHz-22900MHz_1MHz)@21157.500MHz	-70.71	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(22898MHz-24900MHz_1MHz)@23401.500MHz	-72.30	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(24898MHz-26900MHz_1MHz)@26597.500MHz	-71.63	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(26898MHz-26900MHz_1MHz)@26898.574MHz	-75.84	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(30MHz-2031MHz_1MHz)@1881.500MHz	-59.78	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-43.31	-25.00	PASS
n41	60MHz	30kHz	505200	5	SA(2490.5MHz-2495MHz_1MHz)@2494.497MHz	-31.64	-13.00	PASS
n41	60MHz	30kHz	505200	6	DFT-s-OFDM QPSK^Edge_1RB_Right:Power	19.66	33.0	NONE
n41	60MHz	30kHz	505200	6	SA(2491MHz-2495MHz_1MHz)@2494.497MHz	-46.07	-10.00	PASS
n41	60MHz	30kHz	505200	6	SA(2436MHz-2491MHz_1MHz)@2490.446MHz	-48.06	-13.00	PASS
n41	60MHz	30kHz	505200	6	SA(30MHz-2031MHz_1MHz)@1893.500MHz	-59.75	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(2029MHz-2436MHz_1MHz)@2416.418MHz	-58.40	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(2691MHz-2801MHz_1MHz)@2715.807MHz	-57.23	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(2799MHz-4800MHz_1MHz)@3578.500MHz	-53.18	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(4798MHz-4901MHz_1MHz)@4892.238MHz	-55.16	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(4899MHz-6900MHz_1MHz)@6133.500MHz	-49.66	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(6898MHz-8900MHz_1MHz)@8078.500MHz	-65.08	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(8898MHz-10900MHz_1MHz)@10895.500MHz	-74.39	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(10898MHz-12900MHz_1MHz)@10947.500MHz	-74.10	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(12898MHz-14900MHz_1MHz)@13748.500MHz	-73.07	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(14898MHz-16900MHz_1MHz)@15287.500MHz	-73.09	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(16898MHz-18900MHz_1MHz)@17755.500MHz	-72.57	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(18898MHz-20900MHz_1MHz)@20272.500MHz	-72.88	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(20898MHz-22900MHz_1MHz)@21183.500MHz	-70.58	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(22898MHz-24900MHz_1MHz)@23429.500MHz	-72.21	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(24898MHz-26900MHz_1MHz)@26597.500MHz	-71.51	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(26898MHz-26900MHz_1MHz)@26899.290MHz	-75.83	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(30MHz-2031MHz_1MHz)@1907.500MHz	-59.74	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-48.59	-25.00	PASS
n41	60MHz	30kHz	505200	6	SA(2490.5MHz-2495MHz_1MHz)@2494.346MHz	-46.18	-13.00	PASS
n41	60MHz	30kHz	518598	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:Power	22.40	33.0	NONE
n41	60MHz	30kHz	518598	1	SA(30MHz-2031MHz_1MHz)@1873.500MHz	-55.65	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(2029MHz-2495MHz_1MHz)@2486.130MHz	-42.84	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(2691MHz-2801MHz_1MHz)@2698.040MHz	-42.93	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(2799MHz-4800MHz_1MHz)@3578.500MHz	-49.19	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(4798MHz-4901MHz_1MHz)@4899.684MHz	-50.96	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(4899MHz-6900MHz_1MHz)@6179.500MHz	-45.51	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(6898MHz-8900MHz_1MHz)@8124.500MHz	-65.13	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(8898MHz-10900MHz_1MHz)@10899.500MHz	-74.40	-25.00	PASS

n41	60MHz	30kHz	518598	1	SA(10898MHz-12900MHz_1MHz)@10972.500MHz	-74.07	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(12898MHz-14900MHz_1MHz)@13740.500MHz	-73.00	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(14898MHz-16900MHz_1MHz)@15292.500MHz	-73.09	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(16898MHz-18900MHz_1MHz)@17762.500MHz	-72.58	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(18898MHz-20900MHz_1MHz)@20304.500MHz	-72.88	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.72	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(22898MHz-24900MHz_1MHz)@23408.500MHz	-72.09	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(24898MHz-26900MHz_1MHz)@26585.500MHz	-71.72	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(26898MHz-26900MHz_1MHz)@26898.764MHz	-75.74	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(30MHz-2031MHz_1MHz)@1890.500MHz	-55.51	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(2029MHz-2490.5MHz_1MHz)@2486.777MHz	-43.04	-25.00	PASS
n41	60MHz	30kHz	518598	1	SA(2490.5MHz-2495MHz_1MHz)@2491.032MHz	-43.25	-13.00	PASS
n41	60MHz	30kHz	518598	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	19.09	33.0	NONE
n41	60MHz	30kHz	518598	2	SA(30MHz-2031MHz_1MHz)@1883.500MHz	-59.77	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(2029MHz-2495MHz_1MHz)@2494.500MHz	-58.13	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(2691MHz-2801MHz_1MHz)@2691.718MHz	-57.27	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(2799MHz-4800MHz_1MHz)@3586.500MHz	-53.33	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(4798MHz-4901MHz_1MHz)@4888.464MHz	-55.16	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(4899MHz-6900MHz_1MHz)@6166.500MHz	-49.71	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(6898MHz-8900MHz_1MHz)@7691.500MHz	-64.97	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(8898MHz-10900MHz_1MHz)@10895.500MHz	-74.34	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(10898MHz-12900MHz_1MHz)@10978.500MHz	-74.07	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(12898MHz-14900MHz_1MHz)@13758.500MHz	-73.02	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(14898MHz-16900MHz_1MHz)@15290.500MHz	-73.05	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(16898MHz-18900MHz_1MHz)@17768.500MHz	-72.42	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(18898MHz-20900MHz_1MHz)@20246.500MHz	-72.91	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(20898MHz-22900MHz_1MHz)@21157.500MHz	-70.64	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(22898MHz-24900MHz_1MHz)@23430.500MHz	-72.24	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(24898MHz-26900MHz_1MHz)@26590.500MHz	-71.49	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.85	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(30MHz-2031MHz_1MHz)@1894.500MHz	-59.75	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-58.38	-25.00	PASS
n41	60MHz	30kHz	518598	2	SA(2490.5MHz-2495MHz_1MHz)@2494.287MHz	-57.85	-13.00	PASS
n41	60MHz	30kHz	518598	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	19.32	33.0	NONE
n41	60MHz	30kHz	518598	3	SA(30MHz-2031MHz_1MHz)@1907.500MHz	-59.76	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(2029MHz-2495MHz_1MHz)@2492.175MHz	-58.16	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(2691MHz-2801MHz_1MHz)@2702.509MHz	-57.05	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(2799MHz-4800MHz_1MHz)@3579.500MHz	-53.23	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(4798MHz-4901MHz_1MHz)@4888.260MHz	-55.04	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(4899MHz-6900MHz_1MHz)@6188.500MHz	-49.58	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(6898MHz-8900MHz_1MHz)@8115.500MHz	-65.05	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(8898MHz-10900MHz_1MHz)@10894.500MHz	-74.19	-25.00	PASS

n41	60MHz	30kHz	518598	3	SA(10898MHz-12900MHz_1MHz)@10974.500MHz	-73.97	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(12898MHz-14900MHz_1MHz)@13722.500MHz	-73.00	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(14898MHz-16900MHz_1MHz)@15297.500MHz	-73.07	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(16898MHz-18900MHz_1MHz)@17769.500MHz	-72.53	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(18898MHz-20900MHz_1MHz)@20274.500MHz	-72.80	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(20898MHz-22900MHz_1MHz)@21155.500MHz	-70.70	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(22898MHz-24900MHz_1MHz)@23247.500MHz	-72.23	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(24898MHz-26900MHz_1MHz)@26596.500MHz	-71.53	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.80	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(30MHz-2031MHz_1MHz)@1907.500MHz	-59.77	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-58.47	-25.00	PASS
n41	60MHz	30kHz	518598	3	SA(2490.5MHz-2495MHz_1MHz)@2494.413MHz	-57.73	-13.00	PASS
n41	60MHz	30kHz	518598	4	DFT-s-OFDM QPSK^Outer_Full:Power	22.07	33.0	NONE
n41	60MHz	30kHz	518598	4	SA(30MHz-2031MHz_1MHz)@47.500MHz	-56.55	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(2029MHz-2495MHz_1MHz)@2494.500MHz	-41.98	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(2691MHz-2801MHz_1MHz)@2693.353MHz	-42.59	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(2799MHz-4800MHz_1MHz)@3898.500MHz	-51.49	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(4798MHz-4901MHz_1MHz)@4899.174MHz	-53.07	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(4899MHz-6900MHz_1MHz)@6224.500MHz	-47.57	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(6898MHz-8900MHz_1MHz)@8102.500MHz	-65.02	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(8898MHz-10900MHz_1MHz)@10887.500MHz	-74.43	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(10898MHz-12900MHz_1MHz)@10950.500MHz	-74.06	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(12898MHz-14900MHz_1MHz)@13745.500MHz	-72.87	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(14898MHz-16900MHz_1MHz)@15278.500MHz	-73.08	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(16898MHz-18900MHz_1MHz)@17768.500MHz	-72.42	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(18898MHz-20900MHz_1MHz)@20281.500MHz	-72.85	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(20898MHz-22900MHz_1MHz)@21156.500MHz	-70.67	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(22898MHz-24900MHz_1MHz)@23423.500MHz	-72.20	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(24898MHz-26900MHz_1MHz)@26582.500MHz	-71.55	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.79	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(30MHz-2031MHz_1MHz)@46.500MHz	-57.02	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-42.70	-25.00	PASS
n41	60MHz	30kHz	518598	4	SA(2490.5MHz-2495MHz_1MHz)@2493.870MHz	-41.88	-13.00	PASS
n41	60MHz	30kHz	518598	5	DFT-s-OFDM QPSK^Edge_1RB_Left:Power	19.10	33.0	NONE
n41	60MHz	30kHz	518598	5	SA(30MHz-2031MHz_1MHz)@1886.500MHz	-59.70	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(2029MHz-2495MHz_1MHz)@2493.570MHz	-58.05	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(2691MHz-2801MHz_1MHz)@2718.314MHz	-57.09	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(2799MHz-4800MHz_1MHz)@3595.500MHz	-53.31	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(4798MHz-4901MHz_1MHz)@4899.480MHz	-55.16	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(4899MHz-6900MHz_1MHz)@6153.500MHz	-49.53	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(6898MHz-8900MHz_1MHz)@7691.500MHz	-64.70	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(8898MHz-10900MHz_1MHz)@10899.500MHz	-74.17	-25.00	PASS

n41	60MHz	30kHz	518598	5	SA(10898MHz-12900MHz_1MHz)@10965.500MHz	-73.95	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(12898MHz-14900MHz_1MHz)@13751.500MHz	-72.77	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(14898MHz-16900MHz_1MHz)@15254.500MHz	-72.97	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(16898MHz-18900MHz_1MHz)@17767.500MHz	-72.49	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(18898MHz-20900MHz_1MHz)@20228.500MHz	-72.78	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(20898MHz-22900MHz_1MHz)@21152.500MHz	-70.57	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(22898MHz-24900MHz_1MHz)@23399.500MHz	-72.11	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(24898MHz-26900MHz_1MHz)@26593.500MHz	-71.58	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(26898MHz-26900MHz_1MHz)@26899.036MHz	-75.67	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(30MHz-2031MHz_1MHz)@1892.500MHz	-59.74	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(2029MHz-2490.5MHz_1MHz)@2405.729MHz	-58.41	-25.00	PASS
n41	60MHz	30kHz	518598	5	SA(2490.5MHz-2495MHz_1MHz)@2494.476MHz	-57.71	-13.00	PASS
n41	60MHz	30kHz	518598	6	DFT-s-OFDM QPSK^Edge_1RB_Right:Power	19.41	33.0	NONE
n41	60MHz	30kHz	518598	6	SA(30MHz-2031MHz_1MHz)@1894.500MHz	-59.90	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(2029MHz-2495MHz_1MHz)@2494.035MHz	-57.88	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(2691MHz-2801MHz_1MHz)@2693.680MHz	-57.12	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(2799MHz-4800MHz_1MHz)@3586.500MHz	-53.35	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(4798MHz-4901MHz_1MHz)@4895.910MHz	-55.12	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(4899MHz-6900MHz_1MHz)@6147.500MHz	-49.49	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(6898MHz-8900MHz_1MHz)@8134.500MHz	-64.92	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(8898MHz-10900MHz_1MHz)@10897.500MHz	-74.39	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(10898MHz-12900MHz_1MHz)@10961.500MHz	-73.98	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(12898MHz-14900MHz_1MHz)@13753.500MHz	-72.94	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(14898MHz-16900MHz_1MHz)@15275.500MHz	-72.93	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(16898MHz-18900MHz_1MHz)@17770.500MHz	-72.41	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(18898MHz-20900MHz_1MHz)@20259.500MHz	-72.78	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(20898MHz-22900MHz_1MHz)@21139.500MHz	-70.65	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(22898MHz-24900MHz_1MHz)@23411.500MHz	-72.18	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(24898MHz-26900MHz_1MHz)@26597.500MHz	-71.43	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.68	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(30MHz-2031MHz_1MHz)@1909.500MHz	-59.76	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(2029MHz-2490.5MHz_1MHz)@2489.079MHz	-58.32	-25.00	PASS
n41	60MHz	30kHz	518598	6	SA(2490.5MHz-2495MHz_1MHz)@2493.828MHz	-57.48	-13.00	PASS
n41	60MHz	30kHz	531996	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:Power	22.28	33.0	NONE
n41	60MHz	30kHz	531996	1	SA(2691MHz-2694.98MHz_1MHz)@2691.586MHz	-21.63	-10.00	PASS
n41	60MHz	30kHz	531996	1	SA(2694.98MHz-2749.98MHz_1MHz)@2719.942MHz	-25.51	-13.00	PASS
n41	60MHz	30kHz	531996	1	SA(30MHz-2031MHz_1MHz)@1899.500MHz	-57.85	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(2029MHz-2495MHz_1MHz)@2485.200MHz	-56.21	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(2749.98MHz-2801MHz_1MHz)@2751.280MHz	-48.82	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(2799MHz-4800MHz_1MHz)@3892.500MHz	-51.56	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(4798MHz-4901MHz_1MHz)@4895.910MHz	-53.15	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(4899MHz-6900MHz_1MHz)@6125.500MHz	-47.55	-25.00	PASS



n41	60MHz	30kHz	531996	1	SA(6898MHz-8900MHz_1MHz)@8081.500MHz	-64.92	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(8898MHz-10900MHz_1MHz)@10893.500MHz	-74.15	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(10898MHz-12900MHz_1MHz)@10970.500MHz	-73.92	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(12898MHz-14900MHz_1MHz)@13726.500MHz	-72.83	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(14898MHz-16900MHz_1MHz)@15263.500MHz	-72.86	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(16898MHz-18900MHz_1MHz)@17762.500MHz	-72.34	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(18898MHz-20900MHz_1MHz)@20316.500MHz	-72.70	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(20898MHz-22900MHz_1MHz)@21147.500MHz	-70.48	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(22898MHz-24900MHz_1MHz)@23431.500MHz	-72.06	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(24898MHz-26900MHz_1MHz)@26591.500MHz	-71.45	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.56	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(30MHz-2031MHz_1MHz)@1902.500MHz	-57.80	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(2029MHz-2490.5MHz_1MHz)@2486.316MHz	-56.20	-25.00	PASS
n41	60MHz	30kHz	531996	1	SA(2490.5MHz-2495MHz_1MHz)@2492.502MHz	-55.96	-13.00	PASS
n41	60MHz	30kHz	531996	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	19.40	33.0	NONE
n41	60MHz	30kHz	531996	2	SA(2691MHz-2694.98MHz_1MHz)@2691.560MHz	-50.15	-10.00	PASS
n41	60MHz	30kHz	531996	2	SA(2694.98MHz-2749.98MHz_1MHz)@2695.480MHz	-52.50	-13.00	PASS
n41	60MHz	30kHz	531996	2	SA(30MHz-2031MHz_1MHz)@1901.500MHz	-59.82	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(2029MHz-2495MHz_1MHz)@2412.195MHz	-58.40	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(2749.98MHz-2801MHz_1MHz)@2750.880MHz	-57.45	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(2799MHz-4800MHz_1MHz)@3577.500MHz	-53.47	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(4798MHz-4901MHz_1MHz)@4891.626MHz	-55.04	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(4899MHz-6900MHz_1MHz)@6209.500MHz	-49.48	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(6898MHz-8900MHz_1MHz)@8122.500MHz	-64.76	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(8898MHz-10900MHz_1MHz)@10898.500MHz	-74.27	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(10898MHz-12900MHz_1MHz)@10987.500MHz	-73.89	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(12898MHz-14900MHz_1MHz)@13747.500MHz	-72.93	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(14898MHz-16900MHz_1MHz)@15261.500MHz	-72.82	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(16898MHz-18900MHz_1MHz)@17744.500MHz	-72.35	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(18898MHz-20900MHz_1MHz)@20288.500MHz	-72.52	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(20898MHz-22900MHz_1MHz)@21141.500MHz	-70.43	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(22898MHz-24900MHz_1MHz)@23407.500MHz	-72.12	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(24898MHz-26900MHz_1MHz)@26591.500MHz	-71.51	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.70	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(30MHz-2031MHz_1MHz)@1902.500MHz	-59.70	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(2029MHz-2490.5MHz_1MHz)@2412.636MHz	-58.38	-25.00	PASS
n41	60MHz	30kHz	531996	2	SA(2490.5MHz-2495MHz_1MHz)@2492.498MHz	-58.41	-13.00	PASS
n41	60MHz	30kHz	531996	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	19.69	33.0	NONE
n41	60MHz	30kHz	531996	3	SA(2691MHz-2694.98MHz_1MHz)@2691.557MHz	-31.75	-10.00	PASS
n41	60MHz	30kHz	531996	3	SA(2694.98MHz-2749.98MHz_1MHz)@2695.966MHz	-43.20	-13.00	PASS
n41	60MHz	30kHz	531996	3	SA(30MHz-2031MHz_1MHz)@1865.500MHz	-59.78	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(2029MHz-2495MHz_1MHz)@2424.750MHz	-58.42	-25.00	PASS

n41	60MHz	30kHz	531996	3	SA(2749.98MHz-2801MHz_1MHz)@2750.580MHz	-57.25	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(2799MHz-4800MHz_1MHz)@3577.500MHz	-53.45	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(4798MHz-4901MHz_1MHz)@4892.544MHz	-55.09	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(4899MHz-6900MHz_1MHz)@6173.500MHz	-49.45	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(6898MHz-8900MHz_1MHz)@8072.500MHz	-64.86	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(8898MHz-10900MHz_1MHz)@10891.500MHz	-74.38	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(10898MHz-12900MHz_1MHz)@10935.500MHz	-74.00	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(12898MHz-14900MHz_1MHz)@13757.500MHz	-72.82	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(14898MHz-16900MHz_1MHz)@15261.500MHz	-72.94	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(16898MHz-18900MHz_1MHz)@17759.500MHz	-72.44	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(18898MHz-20900MHz_1MHz)@20311.500MHz	-72.77	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.49	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(22898MHz-24900MHz_1MHz)@23418.500MHz	-72.05	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(24898MHz-26900MHz_1MHz)@26588.500MHz	-71.46	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.67	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(30MHz-2031MHz_1MHz)@1895.500MHz	-59.71	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(2029MHz-2490.5MHz_1MHz)@2448.095MHz	-58.49	-25.00	PASS
n41	60MHz	30kHz	531996	3	SA(2490.5MHz-2495MHz_1MHz)@2492.110MHz	-58.30	-13.00	PASS
n41	60MHz	30kHz	531996	4	DFT-s-OFDM QPSK^Outer_Full:Power	21.77	33.0	NONE
n41	60MHz	30kHz	531996	4	SA(2691MHz-2694.98MHz_1MHz)@2691.586MHz	-22.64	-10.00	PASS
n41	60MHz	30kHz	531996	4	SA(2694.98MHz-2749.98MHz_1MHz)@2695.480MHz	-24.54	-13.00	PASS
n41	60MHz	30kHz	531996	4	SA(30MHz-2031MHz_1MHz)@1890.500MHz	-57.94	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(2029MHz-2495MHz_1MHz)@2494.035MHz	-55.12	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(2749.98MHz-2801MHz_1MHz)@2750.580MHz	-46.76	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(2799MHz-4800MHz_1MHz)@3572.500MHz	-51.41	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(4798MHz-4901MHz_1MHz)@4898.154MHz	-53.07	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(4899MHz-6900MHz_1MHz)@6173.500MHz	-47.48	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(6898MHz-8900MHz_1MHz)@8093.500MHz	-64.90	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(8898MHz-10900MHz_1MHz)@10892.500MHz	-74.32	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(10898MHz-12900MHz_1MHz)@10969.500MHz	-73.96	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(12898MHz-14900MHz_1MHz)@13737.500MHz	-72.94	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(14898MHz-16900MHz_1MHz)@15278.500MHz	-72.92	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(16898MHz-18900MHz_1MHz)@17761.500MHz	-72.42	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(18898MHz-20900MHz_1MHz)@20281.500MHz	-72.73	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(20898MHz-22900MHz_1MHz)@21158.500MHz	-70.59	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(22898MHz-24900MHz_1MHz)@23466.500MHz	-72.10	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(24898MHz-26900MHz_1MHz)@26589.500MHz	-71.57	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(26898MHz-26900MHz_1MHz)@26899.402MHz	-75.78	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(30MHz-2031MHz_1MHz)@1883.500MHz	-57.83	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-55.45	-25.00	PASS
n41	60MHz	30kHz	531996	4	SA(2490.5MHz-2495MHz_1MHz)@2492.117MHz	-54.91	-13.00	PASS
n41	60MHz	30kHz	531996	5	DFT-s-OFDM QPSK^Edge_1RB_Left:Power	19.42	33.0	NONE



n41	60MHz	30kHz	531996	5	SA(2691MHz-2694.98MHz_1MHz)@2691.533MHz	-49.47	-10.00	PASS
n41	60MHz	30kHz	531996	5	SA(2694.98MHz-2749.98MHz_1MHz)@2695.534MHz	-51.51	-13.00	PASS
n41	60MHz	30kHz	531996	5	SA(30MHz-2031MHz_1MHz)@1888.500MHz	-59.68	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(2029MHz-2495MHz_1MHz)@2447.070MHz	-58.40	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(2749.98MHz-2801MHz_1MHz)@2750.680MHz	-57.50	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(2799MHz-4800MHz_1MHz)@3582.500MHz	-53.32	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(4798MHz-4901MHz_1MHz)@4894.890MHz	-55.12	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(4899MHz-6900MHz_1MHz)@6140.500MHz	-49.59	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(6898MHz-8900MHz_1MHz)@8075.500MHz	-64.95	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(8898MHz-10900MHz_1MHz)@10897.500MHz	-74.27	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(10898MHz-12900MHz_1MHz)@10964.500MHz	-73.90	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(12898MHz-14900MHz_1MHz)@13717.500MHz	-72.95	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(14898MHz-16900MHz_1MHz)@15282.500MHz	-72.97	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(16898MHz-18900MHz_1MHz)@17768.500MHz	-72.39	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(18898MHz-20900MHz_1MHz)@20292.500MHz	-72.84	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(20898MHz-22900MHz_1MHz)@21184.500MHz	-70.67	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(22898MHz-24900MHz_1MHz)@23431.500MHz	-72.16	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(24898MHz-26900MHz_1MHz)@26593.500MHz	-71.52	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(26898MHz-26900MHz_1MHz)@26899.348MHz	-75.76	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(30MHz-2031MHz_1MHz)@1887.500MHz	-59.69	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(2029MHz-2490.5MHz_1MHz)@2414.939MHz	-58.48	-25.00	PASS
n41	60MHz	30kHz	531996	5	SA(2490.5MHz-2495MHz_1MHz)@2491.896MHz	-58.39	-13.00	PASS
n41	60MHz	30kHz	531996	6	DFT-s-OFDM QPSK^Edge_1RB_Right:Power	19.73	33.0	NONE
n41	60MHz	30kHz	531996	6	SA(2691MHz-2694.98MHz_1MHz)@2691.527MHz	-31.75	-10.00	PASS
n41	60MHz	30kHz	531996	6	SA(2694.98MHz-2749.98MHz_1MHz)@2695.966MHz	-42.96	-13.00	PASS
n41	60MHz	30kHz	531996	6	SA(30MHz-2031MHz_1MHz)@1880.500MHz	-59.75	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(2029MHz-2495MHz_1MHz)@2413.125MHz	-58.52	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(2749.98MHz-2801MHz_1MHz)@2751.080MHz	-57.10	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(2799MHz-4800MHz_1MHz)@3589.500MHz	-53.32	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(4798MHz-4901MHz_1MHz)@4896.012MHz	-55.06	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(4899MHz-6900MHz_1MHz)@6185.500MHz	-49.57	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(6898MHz-8900MHz_1MHz)@8094.500MHz	-64.90	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(8898MHz-10900MHz_1MHz)@10899.500MHz	-74.18	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(10898MHz-12900MHz_1MHz)@10983.500MHz	-73.96	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(12898MHz-14900MHz_1MHz)@13752.500MHz	-72.84	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(14898MHz-16900MHz_1MHz)@15282.500MHz	-72.94	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(16898MHz-18900MHz_1MHz)@17765.500MHz	-72.55	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(18898MHz-20900MHz_1MHz)@20278.500MHz	-72.88	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(20898MHz-22900MHz_1MHz)@21165.500MHz	-70.68	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(22898MHz-24900MHz_1MHz)@23420.500MHz	-72.14	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(24898MHz-26900MHz_1MHz)@26599.500MHz	-71.59	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(26898MHz-26900MHz_1MHz)@26899.500MHz	-75.64	-25.00	PASS



n41	60MHz	30kHz	531996	6	SA(30MHz-2031MHz_1MHz)@1886.500MHz	-59.68	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(2029MHz-2490.5MHz_1MHz)@2408.492MHz	-58.48	-25.00	PASS
n41	60MHz	30kHz	531996	6	SA(2490.5MHz-2495MHz_1MHz)@2491.039MHz	-58.29	-13.00	PASS
n41	100MHz	30kHz	509202	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:Power	19.72	33.0	NONE
n41	100MHz	30kHz	509202	1	SA(2491.01MHz-2495MHz_1MHz)@2491.528MHz	-35.95	-10.00	PASS
n41	100MHz	30kHz	509202	1	SA(2396.01MHz-2491.01MHz_1MHz)@2490.322MHz	-36.02	-13.00	PASS
n41	100MHz	30kHz	509202	1	SA(2691MHz-2696.01MHz_1MHz)@2691.504MHz	-47.22	-13.00	PASS
n41	100MHz	30kHz	509202	1	SA(30MHz-2031MHz_1MHz)@69.500MHz	-55.65	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(2029MHz-2396.01MHz_1MHz)@2362.203MHz	-58.28	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(2696.01MHz-2801MHz_1MHz)@2697.862MHz	-47.45	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(2799MHz-4800MHz_1MHz)@3575.500MHz	-53.30	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(4798MHz-4901MHz_1MHz)@4891.728MHz	-55.05	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(4899MHz-6900MHz_1MHz)@6173.500MHz	-49.61	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(6898MHz-8900MHz_1MHz)@8075.500MHz	-65.13	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(8898MHz-10900MHz_1MHz)@10896.500MHz	-74.29	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(10898MHz-12900MHz_1MHz)@10945.500MHz	-74.11	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(12898MHz-14900MHz_1MHz)@13736.500MHz	-73.07	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(14898MHz-16900MHz_1MHz)@15274.500MHz	-73.06	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(16898MHz-18900MHz_1MHz)@17767.500MHz	-72.43	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(18898MHz-20900MHz_1MHz)@20285.500MHz	-72.91	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(20898MHz-22900MHz_1MHz)@21152.500MHz	-70.67	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(22898MHz-24900MHz_1MHz)@23436.500MHz	-72.23	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(24898MHz-26900MHz_1MHz)@26597.500MHz	-71.65	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(26898MHz-26900MHz_1MHz)@26898.610MHz	-75.78	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(30MHz-2031MHz_1MHz)@69.500MHz	-55.73	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(2029MHz-2490.5MHz_1MHz)@2489.540MHz	-36.30	-25.00	PASS
n41	100MHz	30kHz	509202	1	SA(2490.5MHz-2495MHz_1MHz)@2491.259MHz	-35.68	-13.00	PASS
n41	100MHz	30kHz	509202	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:Power	16.22	33.0	NONE
n41	100MHz	30kHz	509202	2	SA(2491.01MHz-2495MHz_1MHz)@2494.464MHz	-37.63	-10.00	PASS
n41	100MHz	30kHz	509202	2	SA(2396.01MHz-2491.01MHz_1MHz)@2490.416MHz	-47.81	-13.00	PASS
n41	100MHz	30kHz	509202	2	SA(2691MHz-2696.01MHz_1MHz)@2692.755MHz	-58.17	-13.00	PASS
n41	100MHz	30kHz	509202	2	SA(30MHz-2031MHz_1MHz)@1881.500MHz	-61.72	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(2029MHz-2396.01MHz_1MHz)@2384.164MHz	-60.40	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(2696.01MHz-2801MHz_1MHz)@2702.333MHz	-59.23	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(2799MHz-4800MHz_1MHz)@3588.500MHz	-55.36	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(4798MHz-4901MHz_1MHz)@4896.522MHz	-57.09	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(4899MHz-6900MHz_1MHz)@6179.500MHz	-51.49	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(6898MHz-8900MHz_1MHz)@8145.500MHz	-65.01	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(8898MHz-10900MHz_1MHz)@10895.500MHz	-74.30	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(10898MHz-12900MHz_1MHz)@10948.500MHz	-74.06	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(12898MHz-14900MHz_1MHz)@13730.500MHz	-73.00	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(14898MHz-16900MHz_1MHz)@15267.500MHz	-73.01	-25.00	PASS



n41	100MHz	30kHz	509202	2	SA(16898MHz-18900MHz_1MHz)@17760.500MHz	-72.40	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(18898MHz-20900MHz_1MHz)@20314.500MHz	-72.83	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(20898MHz-22900MHz_1MHz)@21145.500MHz	-70.68	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(22898MHz-24900MHz_1MHz)@23447.500MHz	-72.18	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(24898MHz-26900MHz_1MHz)@26587.500MHz	-71.59	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(26898MHz-26900MHz_1MHz)@26899.056MHz	-75.80	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(30MHz-2031MHz_1MHz)@1882.500MHz	-61.58	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(2029MHz-2490.5MHz_1MHz)@2490.000MHz	-48.81	-25.00	PASS
n41	100MHz	30kHz	509202	2	SA(2490.5MHz-2495MHz_1MHz)@2494.493MHz	-37.61	-13.00	PASS
n41	100MHz	30kHz	509202	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:Power	15.84	33.0	NONE
n41	100MHz	30kHz	509202	3	SA(2491.01MHz-2495MHz_1MHz)@2493.651MHz	-51.43	-10.00	PASS
n41	100MHz	30kHz	509202	3	SA(2396.01MHz-2491.01MHz_1MHz)@2485.528MHz	-47.84	-13.00	PASS
n41	100MHz	30kHz	509202	3	SA(2691MHz-2696.01MHz_1MHz)@2692.703MHz	-58.96	-13.00	PASS
n41	100MHz	30kHz	509202	3	SA(30MHz-2031MHz_1MHz)@1872.500MHz	-63.59	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(2029MHz-2396.01MHz_1MHz)@2393.680MHz	-62.50	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(2696.01MHz-2801MHz_1MHz)@2709.821MHz	-61.22	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(2799MHz-4800MHz_1MHz)@3579.500MHz	-57.30	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(4798MHz-4901MHz_1MHz)@4896.930MHz	-59.00	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(4899MHz-6900MHz_1MHz)@6175.500MHz	-53.53	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(6898MHz-8900MHz_1MHz)@8079.500MHz	-64.95	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(8898MHz-10900MHz_1MHz)@10894.500MHz	-74.34	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(10898MHz-12900MHz_1MHz)@10976.500MHz	-74.02	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(12898MHz-14900MHz_1MHz)@13745.500MHz	-72.85	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(14898MHz-16900MHz_1MHz)@15272.500MHz	-73.01	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(16898MHz-18900MHz_1MHz)@17763.500MHz	-72.45	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(18898MHz-20900MHz_1MHz)@20309.500MHz	-72.79	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(20898MHz-22900MHz_1MHz)@21157.500MHz	-70.62	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(22898MHz-24900MHz_1MHz)@23407.500MHz	-72.11	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(24898MHz-26900MHz_1MHz)@26595.500MHz	-71.61	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(26898MHz-26900MHz_1MHz)@26898.500MHz	-75.75	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(30MHz-2031MHz_1MHz)@1884.500MHz	-63.61	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(2029MHz-2490.5MHz_1MHz)@2485.856MHz	-48.15	-25.00	PASS
n41	100MHz	30kHz	509202	3	SA(2490.5MHz-2495MHz_1MHz)@2494.329MHz	-51.35	-13.00	PASS
n41	100MHz	30kHz	509202	4	DFT-s-OFDM QPSK^Outer_Full:Power	19.27	33.0	NONE
n41	100MHz	30kHz	509202	4	SA(2491.01MHz-2495MHz_1MHz)@2492.814MHz	-36.51	-10.00	PASS
n41	100MHz	30kHz	509202	4	SA(2396.01MHz-2491.01MHz_1MHz)@2490.322MHz	-36.41	-13.00	PASS
n41	100MHz	30kHz	509202	4	SA(2691MHz-2696.01MHz_1MHz)@2691.516MHz	-44.77	-13.00	PASS
n41	100MHz	30kHz	509202	4	SA(30MHz-2031MHz_1MHz)@69.500MHz	-56.25	-25.00	PASS
n41	100MHz	30kHz	509202	4	SA(2029MHz-2396.01MHz_1MHz)@2364.765MHz	-58.23	-25.00	PASS
n41	100MHz	30kHz	509202	4	SA(2696.01MHz-2801MHz_1MHz)@2697.654MHz	-46.23	-25.00	PASS
n41	100MHz	30kHz	509202	4	SA(2799MHz-4800MHz_1MHz)@3581.500MHz	-53.19	-25.00	PASS
n41	100MHz	30kHz	509202	4	SA(4798MHz-4901MHz_1MHz)@4893.972MHz	-55.01	-25.00	PASS