



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3716.27	-34.93	12.60	12.93	-35.26	-13.00	-22.26	H
5574.20	-35.44	13.10	17.11	-39.45	-13.00	-26.45	H
7618.54	-32.66	11.50	22.20	-43.36	-13.00	-30.36	H
3716.27	-34.57	12.60	12.93	-34.90	-13.00	-21.90	V
5574.20	-34.79	13.10	17.11	-38.80	-13.00	-25.80	V
7618.54	-32.66	11.50	22.20	-43.36	-13.00	-30.36	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.19	-33.93	12.60	12.93	-34.26	-13.00	-21.26	H
5640.30	-35.49	13.10	17.11	-39.50	-13.00	-26.50	H
7520.27	-32.34	11.50	22.20	-43.04	-13.00	-30.04	H
3760.19	-35.54	12.60	12.93	-35.87	-13.00	-22.87	V
5640.30	-33.80	13.10	17.11	-37.81	-13.00	-24.81	V
7520.27	-32.38	11.50	22.20	-43.08	-13.00	-30.08	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3803.62	-34.13	12.60	12.93	-34.46	-13.00	-21.46	H
5705.28	-34.28	13.10	17.11	-38.29	-13.00	-25.29	H
7607.29	-32.41	11.50	22.20	-43.11	-13.00	-30.11	H
3803.62	-34.53	12.60	12.93	-34.86	-13.00	-21.86	V
5705.28	-35.09	13.10	17.11	-39.10	-13.00	-26.10	V
7607.29	-31.85	11.50	22.20	-42.55	-13.00	-29.55	V



LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3721.11	-34.14	12.60	12.93	-34.47	-13.00	-21.47	H
5581.29	-35.36	13.10	17.11	-39.37	-13.00	-26.37	H
7442.05	-32.63	11.50	22.20	-43.33	-13.00	-30.33	H
3721.11	-34.79	12.60	12.93	-35.12	-13.00	-22.12	V
5581.29	-34.56	13.10	17.11	-38.57	-13.00	-25.57	V
7442.05	-32.63	11.50	22.20	-43.33	-13.00	-30.33	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.25	-34.82	12.60	12.93	-35.15	-13.00	-22.15	H
5639.98	-35.05	13.10	17.11	-39.06	-13.00	-26.06	H
7519.96	-32.88	11.50	22.20	-43.58	-13.00	-30.58	H
3760.25	-34.96	12.60	12.93	-35.29	-13.00	-22.29	V
5639.98	-34.63	13.10	17.11	-38.64	-13.00	-25.64	V
7519.96	-32.10	11.50	22.20	-42.80	-13.00	-29.80	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3798.38	-34.26	12.60	12.93	-34.59	-13.00	-21.59	H
5697.24	-34.97	13.10	17.11	-38.98	-13.00	-25.98	H
7596.77	-33.17	11.50	22.20	-43.87	-13.00	-30.87	H
3798.38	-35.88	12.60	12.93	-36.21	-13.00	-23.21	V
5697.24	-34.72	13.10	17.11	-38.73	-13.00	-25.73	V
7596.77	-32.76	11.50	22.20	-43.46	-13.00	-30.46	V



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.26	-34.27	12.90	12.56	-33.93	-13.00	-20.93	H
5131.69	-34.35	13.10	12.46	-33.71	-13.00	-20.71	H
6842.40	-33.19	12.33	21.13	-41.99	-13.00	-28.99	H
3421.26	-35.01	12.90	12.76	-34.87	-13.00	-21.87	V
5131.69	-34.49	13.10	16.32	-37.71	-13.00	-24.71	V
6842.40	-31.78	12.33	21.13	-40.58	-13.00	-27.58	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.86	-34.13	12.80	12.56	-33.89	-13.00	-20.89	H
5196.88	-34.38	13.10	12.46	-33.74	-13.00	-20.74	H
6929.81	-32.71	12.33	21.13	-41.51	-13.00	-28.51	H
3464.86	-35.94	12.80	12.76	-35.90	-13.00	-22.90	V
5196.88	-34.28	13.10	16.32	-37.50	-13.00	-24.50	V
6929.81	-32.35	12.33	21.13	-41.15	-13.00	-28.15	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.14	-33.81	12.61	12.56	-33.76	-13.00	-20.76	H
5262.82	-34.15	13.12	12.46	-33.49	-13.00	-20.49	H
7015.98	-33.24	12.32	21.13	-42.05	-13.00	-29.05	H
3508.14	-35.48	12.61	12.76	-35.63	-13.00	-22.63	V
5262.82	-33.92	13.12	16.32	-37.12	-13.00	-24.12	V
7015.98	-31.93	12.32	21.13	-40.74	-13.00	-27.74	V



LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.16	-34.03	12.90	12.56	-33.69	-13.00	-20.69	H
5136.15	-34.15	13.10	12.46	-33.51	-13.00	-20.51	H
6848.83	-32.51	12.33	21.13	-41.31	-13.00	-28.31	H
3424.16	-34.54	12.90	12.76	-34.40	-13.00	-21.40	V
5136.15	-34.31	13.10	16.32	-37.53	-13.00	-24.53	V
6848.83	-32.82	12.33	21.13	-41.62	-13.00	-28.62	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.92	-34.73	12.80	12.56	-34.49	-13.00	-21.49	H
5197.09	-35.16	13.10	12.46	-34.52	-13.00	-21.52	H
6929.96	-32.93	12.33	21.13	-41.73	-13.00	-28.73	H
3464.92	-35.35	12.80	12.76	-35.31	-13.00	-22.31	V
5197.09	-34.07	13.10	16.32	-37.29	-13.00	-24.29	V
6929.96	-32.52	12.33	21.13	-41.32	-13.00	-28.32	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.48	-34.15	12.61	12.56	-34.10	-13.00	-21.10	H
5262.07	-34.96	13.12	12.46	-34.30	-13.00	-21.30	H
7012.87	-33.42	12.32	21.13	-42.23	-13.00	-29.23	H
3506.48	-35.53	12.61	12.76	-35.68	-13.00	-22.68	V
5262.07	-33.75	13.12	16.32	-36.95	-13.00	-23.95	V
7012.87	-32.26	12.32	21.13	-41.07	-13.00	-28.07	V



LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.34	-34.72	12.90	12.56	-34.38	-13.00	-21.38	H
5137.09	-35.00	13.10	12.46	-34.36	-13.00	-21.36	H
6850.17	-33.05	12.33	21.13	-41.85	-13.00	-28.85	H
3425.34	-35.36	12.90	12.76	-35.22	-13.00	-22.22	V
5137.09	-34.93	13.10	16.32	-38.15	-13.00	-25.15	V
6850.17	-33.10	12.33	21.13	-41.90	-13.00	-28.90	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.83	-34.47	12.80	12.56	-34.23	-13.00	-21.23	H
5197.10	-35.19	13.10	12.46	-34.55	-13.00	-21.55	H
6930.28	-32.26	12.33	21.13	-41.06	-13.00	-28.06	H
3464.83	-35.09	12.80	12.76	-35.05	-13.00	-22.05	V
5197.10	-34.19	13.10	16.32	-37.41	-13.00	-24.41	V
6930.28	-32.07	12.33	21.13	-40.87	-13.00	-27.87	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.70	-34.32	12.61	12.56	-34.27	-13.00	-21.27	H
5257.20	-34.34	13.12	12.46	-33.68	-13.00	-20.68	H
7010.12	-33.31	12.32	21.13	-42.12	-13.00	-29.12	H
3505.70	-35.62	12.61	12.76	-35.77	-13.00	-22.77	V
5257.20	-33.75	13.12	16.32	-36.95	-13.00	-23.95	V
7010.12	-32.95	12.32	21.13	-41.76	-13.00	-28.76	V



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.29	-34.67	12.90	12.56	-34.33	-13.00	-21.33	H
5145.26	-34.58	13.10	12.46	-33.94	-13.00	-20.94	H
6860.84	-32.96	12.33	21.13	-41.76	-13.00	-28.76	H
3430.29	-35.48	12.90	12.76	-35.34	-13.00	-22.34	V
5145.26	-33.85	13.10	16.32	-37.07	-13.00	-24.07	V
6860.84	-31.86	12.33	21.13	-40.66	-13.00	-27.66	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.25	-33.45	12.80	12.56	-33.21	-13.00	-20.21	H
5196.88	-35.29	13.10	12.46	-34.65	-13.00	-21.65	H
6930.20	-32.62	12.33	21.13	-41.42	-13.00	-28.42	H
3465.25	-35.32	12.80	12.76	-35.28	-13.00	-22.28	V
5196.88	-34.07	13.10	16.32	-37.29	-13.00	-24.29	V
6930.20	-33.17	12.33	21.13	-41.97	-13.00	-28.97	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.62	-33.51	12.61	12.56	-33.46	-13.00	-20.46	H
5250.31	-34.05	13.12	12.46	-33.39	-13.00	-20.39	H
7000.10	-32.80	12.32	21.13	-41.61	-13.00	-28.61	H
3500.62	-35.84	12.61	12.76	-35.99	-13.00	-22.99	V
5250.31	-34.07	13.12	16.32	-37.27	-13.00	-24.27	V
7000.10	-32.96	12.32	21.13	-41.77	-13.00	-28.77	V



LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.10	-34.71	12.90	12.56	-34.37	-13.00	-21.37	H
5152.39	-34.19	13.10	12.46	-33.55	-13.00	-20.55	H
6870.50	-33.32	12.33	21.13	-42.12	-13.00	-29.12	H
3435.10	-35.72	12.90	12.76	-35.58	-13.00	-22.58	V
5152.39	-34.85	13.10	16.32	-38.07	-13.00	-25.07	V
6870.50	-32.49	12.33	21.13	-41.29	-13.00	-28.29	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.20	-34.61	12.80	12.56	-34.37	-13.00	-21.37	H
5197.16	-34.52	13.10	12.46	-33.88	-13.00	-20.88	H
6930.29	-32.94	12.33	21.13	-41.74	-13.00	-28.74	H
3465.20	-35.94	12.80	12.76	-35.90	-13.00	-22.90	V
5197.16	-34.47	13.10	16.32	-37.69	-13.00	-24.69	V
6930.29	-33.03	12.33	21.13	-41.83	-13.00	-28.83	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.36	-34.05	12.61	12.56	-34.00	-13.00	-21.00	H
5242.30	-35.32	13.12	12.46	-34.66	-13.00	-21.66	H
6990.48	-32.48	12.32	21.13	-41.29	-13.00	-28.29	H
3495.36	-35.30	12.61	12.76	-35.45	-13.00	-22.45	V
5242.30	-35.15	13.12	16.32	-38.35	-13.00	-25.35	V
6990.48	-31.78	12.32	21.13	-40.59	-13.00	-27.59	V



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.29	-34.36	12.90	12.56	-34.02	-13.00	-21.02	H
5160.43	-34.79	13.10	12.46	-34.15	-13.00	-21.15	H
6880.49	-32.35	12.33	21.13	-41.15	-13.00	-28.15	H
3440.29	-35.98	12.90	12.76	-35.84	-13.00	-22.84	V
5160.43	-34.24	13.10	16.32	-37.46	-13.00	-24.46	V
6880.49	-33.00	12.33	21.13	-41.80	-13.00	-28.80	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.23	-34.63	12.80	12.56	-34.39	-13.00	-21.39	H
5197.12	-35.08	13.10	12.46	-34.44	-13.00	-21.44	H
6930.23	-33.35	12.33	21.13	-42.15	-13.00	-29.15	H
3465.23	-35.66	12.80	12.76	-35.62	-13.00	-22.62	V
5197.12	-33.96	13.10	16.32	-37.18	-13.00	-24.18	V
6930.23	-32.62	12.33	21.13	-41.42	-13.00	-28.42	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.45	-33.55	12.61	12.56	-33.50	-13.00	-20.50	H
5235.10	-34.26	13.12	12.46	-33.60	-13.00	-20.60	H
6980.17	-33.08	12.32	21.13	-41.89	-13.00	-28.89	H
3490.45	-34.95	12.61	12.76	-35.10	-13.00	-22.10	V
5235.10	-35.17	13.12	16.32	-38.37	-13.00	-25.37	V
6980.17	-33.20	12.32	21.13	-42.01	-13.00	-29.01	V





LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.21	-34.52	9.56	9.72	-34.68	-13.00	-21.68	H
2473.67	-34.15	10.50	10.86	-34.51	-13.00	-21.51	H
3298.47	-33.07	12.78	11.57	-31.86	-13.00	-18.86	H
1649.21	-34.77	9.56	9.34	-34.55	-13.00	-21.55	V
2473.67	-34.70	10.50	10.42	-34.62	-13.00	-21.62	V
3298.47	-33.17	12.78	11.12	-31.51	-13.00	-18.51	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.95	-34.63	9.56	9.72	-34.79	-13.00	-21.79	H
2509.28	-35.27	10.50	10.86	-35.63	-13.00	-22.63	H
3345.79	-33.30	12.78	11.57	-32.09	-13.00	-19.09	H
1672.95	-35.99	9.56	9.34	-35.77	-13.00	-22.77	V
2509.28	-35.13	10.50	10.42	-35.05	-13.00	-22.05	V
3345.79	-32.04	12.78	11.12	-30.38	-13.00	-17.38	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.23	-33.58	9.56	9.72	-33.74	-13.00	-20.74	H
2544.86	-34.02	10.50	10.86	-34.38	-13.00	-21.38	H
3393.05	-32.59	12.78	11.57	-31.38	-13.00	-18.38	H
1696.23	-35.22	9.56	9.34	-35.00	-13.00	-22.00	V
2544.86	-33.78	10.50	10.42	-33.70	-13.00	-20.70	V
3393.05	-31.90	12.78	11.12	-30.24	-13.00	-17.24	V



LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.52	-34.15	9.56	9.72	-34.31	-13.00	-21.31	H
2476.46	-34.52	10.50	10.86	-34.88	-13.00	-21.88	H
3301.69	-33.57	12.78	11.57	-32.36	-13.00	-19.36	H
1650.52	-34.82	9.56	9.34	-34.60	-13.00	-21.60	V
2476.46	-34.94	10.50	10.42	-34.86	-13.00	-21.86	V
3301.69	-32.66	12.78	11.12	-31.00	-13.00	-18.00	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.88	-33.88	9.56	9.72	-34.04	-13.00	-21.04	H
2509.21	-34.41	10.50	10.86	-34.77	-13.00	-21.77	H
3345.57	-32.64	12.78	11.57	-31.43	-13.00	-18.43	H
1672.88	-35.98	9.56	9.34	-35.76	-13.00	-22.76	V
2509.21	-34.54	10.50	10.42	-34.46	-13.00	-21.46	V
3345.57	-31.84	12.78	11.12	-30.18	-13.00	-17.18	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.73	-34.63	9.56	9.72	-34.79	-13.00	-21.79	H
2542.38	-34.83	10.50	10.86	-35.19	-13.00	-22.19	H
3389.58	-33.58	12.78	11.57	-32.37	-13.00	-19.37	H
1694.73	-35.10	9.56	9.34	-34.88	-13.00	-21.88	V
2542.38	-34.98	10.50	10.42	-34.90	-13.00	-21.90	V
3389.58	-32.61	12.78	11.12	-30.95	-13.00	-17.95	V



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1652.63	-33.52	9.56	9.72	-33.68	-13.00	-20.68	H
2479.45	-34.99	10.50	10.86	-35.35	-13.00	-22.35	H
3305.50	-32.65	12.78	11.57	-31.44	-13.00	-18.44	H
1652.63	-35.26	9.56	9.34	-35.04	-13.00	-22.04	V
2479.45	-34.14	10.50	10.42	-34.06	-13.00	-21.06	V
3305.50	-32.76	12.78	11.12	-31.10	-13.00	-18.10	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1672.62	-34.21	9.56	9.72	-34.37	-13.00	-21.37	H
2509.39	-34.59	10.50	10.86	-34.95	-13.00	-21.95	H
3345.76	-33.46	12.78	11.57	-32.25	-13.00	-19.25	H
1672.62	-35.13	9.56	9.34	-34.91	-13.00	-21.91	V
2509.39	-35.23	10.50	10.42	-35.15	-13.00	-22.15	V
3345.76	-32.25	12.78	11.12	-30.59	-13.00	-17.59	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1692.68	-33.80	9.56	9.72	-33.96	-13.00	-20.96	H
2539.22	-34.31	10.50	10.86	-34.67	-13.00	-21.67	H
3385.62	-33.14	12.78	11.57	-31.93	-13.00	-18.93	H
1692.68	-35.27	9.56	9.34	-35.05	-13.00	-22.05	V
2539.22	-34.93	10.50	10.42	-34.85	-13.00	-21.85	V
3385.62	-32.62	12.78	11.12	-30.96	-13.00	-17.96	V



LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1657.83	-33.77	9.56	9.72	-33.93	-13.00	-20.93	H
2486.89	-34.26	10.50	10.86	-34.62	-13.00	-21.62	H
3315.70	-32.35	12.78	11.57	-31.14	-13.00	-18.14	H
1657.83	-34.59	9.56	9.34	-34.37	-13.00	-21.37	V
2486.89	-34.96	10.50	10.42	-34.88	-13.00	-21.88	V
3315.70	-32.31	12.78	11.12	-30.65	-13.00	-17.65	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1672.99	-33.67	9.56	9.72	-33.83	-13.00	-20.83	H
2509.50	-34.26	10.50	10.86	-34.62	-13.00	-21.62	H
3345.51	-32.17	12.78	11.57	-30.96	-13.00	-17.96	H
1672.99	-35.35	9.56	9.34	-35.13	-13.00	-22.13	V
2509.50	-34.60	10.50	10.42	-34.52	-13.00	-21.52	V
3345.51	-32.84	12.78	11.12	-31.18	-13.00	-18.18	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1687.72	-33.71	9.56	9.72	-33.87	-13.00	-20.87	H
2531.78	-35.10	10.50	10.86	-35.46	-13.00	-22.46	H
3375.72	-33.45	12.78	11.57	-32.24	-13.00	-19.24	H
1687.72	-35.83	9.56	9.34	-35.61	-13.00	-22.61	V
2531.78	-34.22	10.50	10.42	-34.14	-13.00	-21.14	V
3375.72	-33.09	12.78	11.12	-31.43	-13.00	-18.43	V



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.02	-34.23	12.66	12.54	-34.11	-25.00	-9.11	H
7507.69	-34.83	11.46	12.57	-35.94	-25.00	-10.94	H
10010.57	-33.56	12.79	21.23	-42.00	-25.00	-17.00	H
5005.02	-35.43	12.66	12.54	-35.31	-25.00	-10.31	V
7507.69	-34.04	11.46	12.57	-35.15	-25.00	-10.15	V
10010.57	-32.64	12.79	21.23	-41.08	-25.00	-16.08	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.89	-34.18	12.72	12.55	-34.01	-25.00	-9.01	H
7604.95	-34.17	11.46	12.57	-35.28	-25.00	-10.28	H
10139.88	-32.82	12.09	21.25	-41.98	-25.00	-16.98	H
5069.89	-35.36	12.80	12.55	-35.11	-25.00	-10.11	V
7604.95	-33.99	13.10	12.57	-33.46	-25.00	-8.46	V
10139.88	-31.92	12.33	21.25	-40.84	-25.00	-15.84	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5134.41	-33.72	12.76	12.57	-33.53	-25.00	-8.53	H
7701.29	-34.17	11.45	12.58	-35.30	-25.00	-10.30	H
10268.70	-33.06	12.28	21.27	-42.05	-25.00	-17.05	H
5134.41	-35.83	12.76	12.57	-35.64	-25.00	-10.64	V
7701.29	-33.98	11.45	12.58	-35.11	-25.00	-10.11	V
10268.70	-32.28	12.28	21.27	-41.27	-25.00	-16.27	V



LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.46	-34.02	12.66	12.54	-33.90	-25.00	-8.90	H
7515.83	-34.16	11.46	12.57	-35.27	-25.00	-10.27	H
10020.92	-33.51	12.79	21.23	-41.95	-25.00	-16.95	H
5010.46	-34.89	12.66	12.54	-34.77	-25.00	-9.77	V
7515.83	-34.47	11.46	12.57	-35.58	-25.00	-10.58	V
10020.92	-31.92	12.79	21.23	-40.36	-25.00	-15.36	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.84	-33.95	12.72	12.55	-33.78	-25.00	-8.78	H
7605.17	-34.63	11.46	12.57	-35.74	-25.00	-10.74	H
10140.18	-32.90	12.09	21.25	-42.06	-25.00	-17.06	H
5069.84	-34.70	12.80	12.55	-34.45	-25.00	-9.45	V
7605.17	-34.82	13.10	12.57	-34.29	-25.00	-9.29	V
10140.18	-32.56	12.33	21.25	-41.48	-25.00	-16.48	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.60	-33.88	12.76	12.57	-33.69	-25.00	-8.69	H
7694.25	-34.86	11.45	12.58	-35.99	-25.00	-10.99	H
10258.76	-33.50	12.28	21.27	-42.49	-25.00	-17.49	H
5129.60	-34.65	12.76	12.57	-34.46	-25.00	-9.46	V
7694.25	-34.84	11.45	12.58	-35.97	-25.00	-10.97	V
10258.76	-32.10	12.28	21.27	-41.09	-25.00	-16.09	V



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5016.15	-34.49	12.66	12.54	-34.37	-25.00	-9.37	H
7523.89	-34.68	11.46	12.57	-35.79	-25.00	-10.79	H
10032.07	-32.96	12.79	21.23	-41.40	-25.00	-16.40	H
5016.15	-35.08	12.66	12.54	-34.96	-25.00	-9.96	V
7523.89	-34.00	11.46	12.57	-35.11	-25.00	-10.11	V
10032.07	-32.01	12.79	21.23	-40.45	-25.00	-15.45	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.95	-33.69	12.72	12.55	-33.52	-25.00	-8.52	H
7604.90	-34.95	11.46	12.57	-36.06	-25.00	-11.06	H
10140.06	-32.92	12.09	21.25	-42.08	-25.00	-17.08	H
5069.95	-34.55	12.80	12.55	-34.30	-25.00	-9.30	V
7604.90	-33.98	13.10	12.57	-33.45	-25.00	-8.45	V
10140.06	-32.89	12.33	21.25	-41.81	-25.00	-16.81	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.47	-33.49	12.76	12.57	-33.30	-25.00	-8.30	H
7524.00	-35.49	11.45	12.58	-36.62	-25.00	-11.62	H
10031.94	-33.27	12.28	21.27	-42.26	-25.00	-17.26	H
5123.47	-35.51	12.76	12.57	-35.32	-25.00	-10.32	V
7524.00	-34.71	11.45	12.58	-35.84	-25.00	-10.84	V
10031.94	-32.78	12.28	21.27	-41.77	-25.00	-16.77	V



LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.01	-34.64	12.66	12.54	-34.52	-25.00	-9.52	H
7531.41	-34.58	11.46	12.57	-35.69	-25.00	-10.69	H
7524.09	-32.88	12.79	21.23	-41.32	-25.00	-16.32	H
5021.01	-35.20	12.66	12.54	-35.08	-25.00	-10.08	V
7531.41	-34.92	11.46	12.57	-36.03	-25.00	-11.03	V
7524.09	-32.08	12.79	21.23	-40.52	-25.00	-15.52	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.77	-33.69	12.72	12.55	-33.52	-25.00	-8.52	H
7605.12	-34.28	11.46	12.57	-35.39	-25.00	-10.39	H
10140.11	-32.39	12.09	21.25	-41.55	-25.00	-16.55	H
5069.77	-34.59	12.80	12.55	-34.34	-25.00	-9.34	V
7605.12	-34.91	13.10	12.57	-34.38	-25.00	-9.38	V
10140.11	-32.20	12.33	21.25	-41.12	-25.00	-16.12	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.86	-33.94	12.76	12.57	-33.75	-25.00	-8.75	H
7678.31	-34.32	11.45	12.58	-35.45	-25.00	-10.45	H
10238.25	-33.46	12.28	21.27	-42.45	-25.00	-17.45	H
5118.86	-34.61	12.76	12.57	-34.42	-25.00	-9.42	V
7678.31	-33.77	11.45	12.58	-34.90	-25.00	-9.90	V
10238.25	-32.47	12.28	21.27	-41.46	-25.00	-16.46	V





LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.34	-34.54	8.17	9.34	-35.71	-13.00	-22.71	H
2098.84	-34.32	9.53	10.42	-35.21	-13.00	-22.21	H
2798.71	-32.99	11.27	11.12	-32.84	-13.00	-19.84	H
1399.34	-34.94	8.17	9.34	-36.11	-13.00	-23.11	V
2098.84	-34.86	9.53	10.42	-35.75	-13.00	-22.75	V
2798.71	-31.92	11.27	11.12	-31.77	-13.00	-18.77	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.83	-33.94	8.17	9.34	-35.11	-13.00	-22.11	H
2122.16	-34.98	9.53	10.42	-35.87	-13.00	-22.87	H
2829.53	-33.26	11.27	11.12	-33.11	-13.00	-20.11	H
1414.83	-34.60	8.17	9.34	-35.77	-13.00	-22.77	V
2122.16	-33.98	9.53	10.42	-34.87	-13.00	-21.87	V
2829.53	-32.04	11.27	11.12	-31.89	-13.00	-18.89	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.60	-33.62	8.17	9.34	-34.79	-13.00	-21.79	H
2145.44	-34.57	9.53	10.42	-35.46	-13.00	-22.46	H
2860.92	-33.01	11.27	11.12	-32.86	-13.00	-19.86	H
1430.60	-35.37	8.17	9.34	-36.54	-13.00	-23.54	V
2145.44	-34.00	9.53	10.42	-34.89	-13.00	-21.89	V
2860.92	-33.01	11.27	11.12	-32.86	-13.00	-19.86	V



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.90	-34.82	8.17	9.34	-35.99	-13.00	-22.99	H
2101.26	-35.24	9.53	10.42	-36.13	-13.00	-23.13	H
2801.63	-32.18	11.27	11.12	-32.03	-13.00	-19.03	H
1400.90	-34.99	8.17	9.34	-36.16	-13.00	-23.16	V
2101.26	-33.99	9.53	10.42	-34.88	-13.00	-21.88	V
2801.63	-32.24	11.27	11.12	-32.09	-13.00	-19.09	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.67	-34.29	8.17	9.34	-35.46	-13.00	-22.46	H
2122.17	-34.98	9.53	10.42	-35.87	-13.00	-22.87	H
2829.84	-32.77	11.27	11.12	-32.62	-13.00	-19.62	H
1414.67	-34.70	8.17	9.34	-35.87	-13.00	-22.87	V
2122.17	-34.53	9.53	10.42	-35.42	-13.00	-22.42	V
2829.84	-32.35	11.27	11.12	-32.20	-13.00	-19.20	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.59	-34.69	8.17	9.34	-35.86	-13.00	-22.86	H
2143.07	-34.93	9.53	10.42	-35.82	-13.00	-22.82	H
2857.96	-32.81	11.27	11.12	-32.66	-13.00	-19.66	H
1428.59	-34.69	8.17	9.34	-35.86	-13.00	-22.86	V
2143.07	-34.70	9.53	10.42	-35.59	-13.00	-22.59	V
2857.96	-31.83	11.27	11.12	-31.68	-13.00	-18.68	V



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.82	-33.56	8.17	9.34	-34.73	-13.00	-21.73	H
2104.16	-35.03	9.53	10.42	-35.92	-13.00	-22.92	H
2805.73	-33.55	11.27	11.12	-33.40	-13.00	-20.40	H
1402.82	-35.10	8.17	9.34	-36.27	-13.00	-23.27	V
2104.16	-35.06	9.53	10.42	-35.95	-13.00	-22.95	V
2805.73	-32.99	11.27	11.12	-32.84	-13.00	-19.84	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.94	-33.72	8.17	9.34	-34.89	-13.00	-21.89	H
2122.05	-34.82	9.53	10.42	-35.71	-13.00	-22.71	H
2829.58	-33.23	11.27	11.12	-33.08	-13.00	-20.08	H
1414.94	-35.02	8.17	9.34	-36.19	-13.00	-23.19	V
2122.05	-34.21	9.53	10.42	-35.10	-13.00	-22.10	V
2829.58	-32.92	11.27	11.12	-32.77	-13.00	-19.77	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.89	-34.11	8.17	9.34	-35.28	-13.00	-22.28	H
2140.02	-34.23	9.53	10.42	-35.12	-13.00	-22.12	H
2853.62	-32.99	11.27	11.12	-32.84	-13.00	-19.84	H
1426.89	-35.95	8.17	9.34	-37.12	-13.00	-24.12	V
2140.02	-34.28	9.53	10.42	-35.17	-13.00	-22.17	V
2853.62	-32.06	11.27	11.12	-31.91	-13.00	-18.91	V



LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.60	-34.24	8.17	9.34	-35.41	-13.00	-22.41	H
2111.98	-34.94	9.53	10.42	-35.83	-13.00	-22.83	H
2815.83	-32.92	11.27	11.12	-32.77	-13.00	-19.77	H
1407.60	-35.72	8.17	9.34	-36.89	-13.00	-23.89	V
2111.98	-35.16	9.53	10.42	-36.05	-13.00	-23.05	V
2815.83	-32.41	11.27	11.12	-32.26	-13.00	-19.26	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1415.00	-34.68	8.17	9.34	-35.85	-13.00	-22.85	H
2122.32	-35.14	9.53	10.42	-36.03	-13.00	-23.03	H
2829.89	-32.45	11.27	11.12	-32.30	-13.00	-19.30	H
1415.00	-34.73	8.17	9.34	-35.90	-13.00	-22.90	V
2122.32	-34.10	9.53	10.42	-34.99	-13.00	-21.99	V
2829.89	-32.25	11.27	11.12	-32.10	-13.00	-19.10	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.77	-34.74	8.17	9.34	-35.91	-13.00	-22.91	H
2132.84	-35.43	9.53	10.42	-36.32	-13.00	-23.32	H
2843.97	-32.25	11.27	11.12	-32.10	-13.00	-19.10	H
1421.77	-35.20	8.17	9.34	-36.37	-13.00	-23.37	V
2132.84	-34.88	9.53	10.42	-35.77	-13.00	-22.77	V
2843.97	-32.52	11.27	11.12	-32.37	-13.00	-19.37	V



LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1558.87	-33.76	8.17	9.34	-34.93	-13.00	-21.93	H
2338.50	-34.54	9.53	10.42	-35.43	-13.00	-22.43	H
3118.26	-32.72	11.27	11.12	-32.57	-13.00	-19.57	H
1558.87	-35.41	8.17	9.34	-36.58	-13.00	-23.58	V
2338.50	-34.91	9.53	10.42	-35.80	-13.00	-22.80	V
3118.26	-32.78	11.27	11.12	-32.63	-13.00	-19.63	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.42	-33.86	8.17	9.34	-35.03	-13.00	-22.03	H
2346.06	-34.51	9.53	10.42	-35.40	-13.00	-22.40	H
3127.94	-32.61	11.27	11.12	-32.46	-13.00	-19.46	H
1564.42	-35.64	8.17	9.34	-36.81	-13.00	-23.81	V
2346.06	-34.84	9.53	10.42	-35.73	-13.00	-22.73	V
3127.94	-32.04	11.27	11.12	-31.89	-13.00	-18.89	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1569.05	-34.04	8.17	9.34	-35.21	-13.00	-22.21	H
2353.47	-34.70	9.53	10.42	-35.59	-13.00	-22.59	H
3138.03	-32.75	11.27	11.12	-32.60	-13.00	-19.60	H
1569.05	-35.14	8.17	9.34	-36.31	-13.00	-23.31	V
2353.47	-34.76	9.53	10.42	-35.65	-13.00	-22.65	V
3138.03	-32.49	11.27	11.12	-32.34	-13.00	-19.34	V



LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.75	-34.69	8.17	9.34	-35.86	-13.00	-22.86	H
2346.03	-34.63	9.53	10.42	-35.52	-13.00	-22.52	H
3127.92	-32.89	11.27	11.12	-32.74	-13.00	-19.74	H
1563.75	-35.07	8.17	9.34	-36.24	-13.00	-23.24	V
2346.03	-33.90	9.53	10.42	-34.79	-13.00	-21.79	V
3127.92	-32.71	11.27	11.12	-32.56	-13.00	-19.56	V





LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.47	-33.68	8.17	9.34	-34.85	-13.00	-21.85	H
2120.59	-34.29	9.53	10.42	-35.18	-13.00	-22.18	H
2826.56	-32.95	11.27	11.12	-32.80	-13.00	-19.80	H
1413.47	-34.89	8.17	9.34	-36.06	-13.00	-23.06	V
2120.59	-34.13	9.53	10.42	-35.02	-13.00	-22.02	V
2826.56	-32.31	11.27	11.12	-32.16	-13.00	-19.16	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.08	-33.76	8.17	9.34	-34.93	-13.00	-21.93	H
2129.81	-34.87	9.53	10.42	-35.76	-13.00	-22.76	H
2840.15	-32.61	11.27	11.12	-32.46	-13.00	-19.46	H
1420.08	-34.92	8.17	9.34	-36.09	-13.00	-23.09	V
2129.81	-34.52	9.53	10.42	-35.41	-13.00	-22.41	V
2840.15	-32.59	11.27	11.12	-32.44	-13.00	-19.44	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.36	-34.09	8.17	9.34	-35.26	-13.00	-22.26	H
2139.55	-35.40	9.53	10.42	-36.29	-13.00	-23.29	H
2852.47	-33.48	11.27	11.12	-33.33	-13.00	-20.33	H
1426.36	-35.26	8.17	9.34	-36.43	-13.00	-23.43	V
2139.55	-35.23	9.53	10.42	-36.12	-13.00	-23.12	V
2852.47	-32.84	11.27	11.12	-32.69	-13.00	-19.69	V



LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.28	-33.59	8.17	9.34	-34.76	-13.00	-21.76	H
2127.65	-34.19	9.53	10.42	-35.08	-13.00	-22.08	H
2836.46	-32.18	11.27	11.12	-32.03	-13.00	-19.03	H
1418.28	-35.40	8.17	9.34	-36.57	-13.00	-23.57	V
2127.65	-34.30	9.53	10.42	-35.19	-13.00	-22.19	V
2836.46	-32.12	11.27	11.12	-31.97	-13.00	-18.97	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.01	-34.77	8.17	9.34	-35.94	-13.00	-22.94	H
2129.90	-34.13	9.53	10.42	-35.02	-13.00	-22.02	H
2840.15	-33.65	11.27	11.12	-33.50	-13.00	-20.50	H
1420.01	-34.96	8.17	9.34	-36.13	-13.00	-23.13	V
2129.90	-34.07	9.53	10.42	-34.96	-13.00	-21.96	V
2840.15	-33.19	11.27	11.12	-33.04	-13.00	-20.04	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.23	-34.51	8.17	9.34	-35.68	-13.00	-22.68	H
2132.13	-34.03	9.53	10.42	-34.92	-13.00	-21.92	H
2842.39	-32.15	11.27	11.12	-32.00	-13.00	-19.00	H
1421.23	-35.01	8.17	9.34	-36.18	-13.00	-23.18	V
2132.13	-34.87	9.53	10.42	-35.76	-13.00	-22.76	V
2842.39	-32.18	11.27	11.12	-32.03	-13.00	-19.03	V





LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.38	-33.58	12.60	12.93	-33.91	-13.00	-20.91	H
5551.73	-34.53	13.10	17.11	-38.54	-13.00	-25.54	H
7402.52	-33.40	11.50	22.20	-44.10	-13.00	-31.10	H
3701.38	-34.89	12.60	12.93	-35.22	-13.00	-22.22	V
5551.73	-34.27	13.10	17.11	-38.28	-13.00	-25.28	V
7402.52	-31.76	11.50	22.20	-42.46	-13.00	-29.46	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3765.10	-34.46	12.60	12.93	-34.79	-13.00	-21.79	H
5647.24	-34.08	13.10	17.11	-38.09	-13.00	-25.09	H
7530.02	-32.49	11.50	22.20	-43.19	-13.00	-30.19	H
3765.10	-35.15	12.60	12.93	-35.48	-13.00	-22.48	V
5647.24	-35.09	13.10	17.11	-39.10	-13.00	-26.10	V
7530.02	-32.36	11.50	22.20	-43.06	-13.00	-30.06	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3828.21	-34.18	12.60	12.93	-34.51	-13.00	-21.51	H
5727.54	-34.23	13.10	17.11	-38.24	-13.00	-25.24	H
7657.07	-33.05	11.50	22.20	-43.75	-13.00	-30.75	H
3828.21	-35.72	12.60	12.93	-36.05	-13.00	-23.05	V
5727.54	-34.18	13.10	17.11	-38.19	-13.00	-25.19	V
7657.07	-31.78	11.50	22.20	-42.48	-13.00	-29.48	V



LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.95	-33.54	12.60	12.93	-33.87	-13.00	-20.87	H
5554.28	-34.17	13.10	17.11	-38.18	-13.00	-25.18	H
7405.87	-33.62	11.50	22.20	-44.32	-13.00	-31.32	H
3702.95	-35.25	12.60	12.93	-35.58	-13.00	-22.58	V
5554.28	-34.71	13.10	17.11	-38.72	-13.00	-25.72	V
7405.87	-32.49	11.50	22.20	-43.19	-13.00	-30.19	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3765.09	-34.02	12.60	12.93	-34.35	-13.00	-21.35	H
5647.04	-34.74	13.10	17.11	-38.75	-13.00	-25.75	H
7530.24	-33.49	11.50	22.20	-44.19	-13.00	-31.19	H
3765.09	-35.27	12.60	12.93	-35.60	-13.00	-22.60	V
5647.04	-33.91	13.10	17.11	-37.92	-13.00	-24.92	V
7530.24	-32.53	11.50	22.20	-43.23	-13.00	-30.23	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3827.25	-34.91	12.60	12.93	-35.24	-13.00	-22.24	H
5740.17	-35.11	13.10	17.11	-39.12	-13.00	-26.12	H
7654.52	-32.92	11.50	22.20	-43.62	-13.00	-30.62	H
3827.25	-35.63	12.60	12.93	-35.96	-13.00	-22.96	V
5740.17	-34.98	13.10	17.11	-38.99	-13.00	-25.99	V
7654.52	-31.84	11.50	22.20	-42.54	-13.00	-29.54	V



LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.27	-33.95	12.60	12.93	-34.28	-13.00	-21.28	H
5557.11	-34.43	13.10	17.11	-38.44	-13.00	-25.44	H
7410.04	-33.56	11.50	22.20	-44.26	-13.00	-31.26	H
3705.27	-35.69	12.60	12.93	-36.02	-13.00	-23.02	V
5557.11	-33.90	13.10	17.11	-37.91	-13.00	-24.91	V
7410.04	-31.88	11.50	22.20	-42.58	-13.00	-29.58	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3765.00	-33.63	12.60	12.93	-33.96	-13.00	-20.96	H
5647.16	-34.39	13.10	17.11	-38.40	-13.00	-25.40	H
7529.95	-32.44	11.50	22.20	-43.14	-13.00	-30.14	H
3765.00	-35.78	12.60	12.93	-36.11	-13.00	-23.11	V
5647.16	-35.01	13.10	17.11	-39.02	-13.00	-26.02	V
7529.95	-32.96	11.50	22.20	-43.66	-13.00	-30.66	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3825.12	-34.35	12.60	12.93	-34.68	-13.00	-21.68	H
5737.54	-34.10	13.10	17.11	-38.11	-13.00	-25.11	H
7650.51	-32.85	11.50	22.20	-43.55	-13.00	-30.55	H
3825.12	-35.88	12.60	12.93	-36.21	-13.00	-23.21	V
5737.54	-34.20	13.10	17.11	-38.21	-13.00	-25.21	V
7650.51	-32.56	11.50	22.20	-43.26	-13.00	-30.26	V



LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.14	-34.68	12.60	12.93	-35.01	-13.00	-22.01	H
5565.20	-34.95	13.10	17.11	-38.96	-13.00	-25.96	H
7419.94	-33.63	11.50	22.20	-44.33	-13.00	-31.33	H
3710.14	-35.05	12.60	12.93	-35.38	-13.00	-22.38	V
5565.20	-34.40	13.10	17.11	-38.41	-13.00	-25.41	V
7419.94	-32.14	11.50	22.20	-42.84	-13.00	-29.84	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3764.85	-33.78	12.60	12.93	-34.11	-13.00	-21.11	H
5647.18	-34.12	13.10	17.11	-38.13	-13.00	-25.13	H
7529.92	-32.22	11.50	22.20	-42.92	-13.00	-29.92	H
3764.85	-35.82	12.60	12.93	-36.15	-13.00	-23.15	V
5647.18	-34.23	13.10	17.11	-38.24	-13.00	-25.24	V
7529.92	-33.02	11.50	22.20	-43.72	-13.00	-30.72	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3819.97	-34.67	12.60	12.93	-35.00	-13.00	-22.00	H
5729.74	-35.11	13.10	17.11	-39.12	-13.00	-26.12	H
7639.88	-33.39	11.50	22.20	-44.09	-13.00	-31.09	H
3819.97	-35.29	12.60	12.93	-35.62	-13.00	-22.62	V
5729.74	-34.30	13.10	17.11	-38.31	-13.00	-25.31	V
7639.88	-32.39	11.50	22.20	-43.09	-13.00	-30.09	V



LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.00	-34.14	12.60	12.93	-34.47	-13.00	-21.47	H
5572.56	-34.93	13.10	17.11	-38.94	-13.00	-25.94	H
7430.39	-32.62	11.50	22.20	-43.32	-13.00	-30.32	H
3715.00	-35.79	12.60	12.93	-36.12	-13.00	-23.12	V
5572.56	-34.08	13.10	17.11	-38.09	-13.00	-25.09	V
7430.39	-32.86	11.50	22.20	-43.56	-13.00	-30.56	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3764.84	-34.92	12.60	12.93	-35.25	-13.00	-22.25	H
5647.26	-35.14	13.10	17.11	-39.15	-13.00	-26.15	H
7429.93	-33.33	11.50	22.20	-44.03	-13.00	-31.03	H
3764.84	-35.09	12.60	12.93	-35.42	-13.00	-22.42	V
5647.26	-34.36	13.10	17.11	-38.37	-13.00	-25.37	V
7429.93	-31.84	11.50	22.20	-42.54	-13.00	-29.54	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.70	-33.62	12.60	12.93	-33.95	-13.00	-20.95	H
5722.12	-34.90	13.10	17.11	-38.91	-13.00	-25.91	H
7630.32	-33.52	11.50	22.20	-44.22	-13.00	-31.22	H
3815.70	-35.29	12.60	12.93	-35.62	-13.00	-22.62	V
5722.12	-34.56	13.10	17.11	-38.57	-13.00	-25.57	V
7630.32	-31.73	11.50	22.20	-42.43	-13.00	-29.43	V