

RF EXPOSURE **EVALUATION REPORT**

APPLICANT

SnapStyk Inc.

PRODUCT NAME

Bluetooth enabled phone case and selfie stick in one

MODEL NAME

1608

TRADE NAME

SNAPSTYK

BRAND NAME

SNAPSTYK

FCC ID

2AKC2-1608

47CFR 2.1093

STANDARD(S)

KDB 447498 D01 General RF Exposure Guidance

v06

ISSUE DATE

2017-01-03

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.

NOTE: This document is issued by MORLAB, the test report shall not be recompany. The test results apply only to the particular sample(s) tested and to produced except in full without prior written permission of the specific tests carried out which is available on request for validation and information confirmed at our website.


MORLAB GROUP

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Http://www.morlab.com

Fax: 86-755-36698525
E-mail: service@morlab.cn





DIRECTORY

TEST REPORT DECLARATION	3
1. TECHNICAL INFORMATION	4
1.1. IDENTIFICATION OF APPLICANT 1.2. IDENTIFICATION OF MANUFACTURER 1.3. EQUIPMENT UNDER TEST (EUT) 1.3.1. PHOTOGRAPHS OF THE EUT	4
1.2. IDENTIFICATION OF MANUFACTURER	4
1.3. EQUIPMENT UNDER TEST (EUT)	4
1.3.1. PHOTOGRAPHS OF THE EUT ·····	5
1.3.2. IDENTIFICATION OF ALL USED EUT	6
1.4. APPLIED REFERENCE DOCUMENTS	6
2.DEVICE CATEGORY AND RF EXPOSURE LIMIT	······7
3.MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER	8
E RIAL MORL MO. LE L'ELLE MORL MO.	OE CLAS
4. RF EXPOSURE EVALUATION	·····8
ANNEX A GENERAL INFORMATION	9

	Change History			
Issue	Issue Date Reason for change			
1.0	1.0 2017-01-03 First edition			
MORE	Will be	3 SELAT MORE ME AE SELAT MORE		



TEST REPORT DECLARATION

Applicant	SnapStyk Inc.	
Applicant Address	307 LAKE STREET, UPPER SADDLE RIVER, NEW JERSEY, 07458	
Manufacturer	AMIGO INDUSTRIES LTD.	
Manufacturer Address	RM05., 13/F, CABLE TV TOWER, 9 HOI SHING ROAD, TSUEN WAN, N.T.	
Product Name	Bluetooth enabled phone case and selfie stick in one	
Model Name	1608	
Brand Name	SNAPSTYK	
HW Version	V1.1	
SW Version	V2.0	
Test Standards	47CFR 2.1093; KDB 447498 D01 General RF Exposure Guidance v06	
Issue Date	2017-01-03	
SAR Evaluation	Not Required	

Tested by	in All	Chen Sheng kui	فوري
	-0		100

Chen Shengkui

Liu Jun Reviewed by

Liu Jun

Approved by

Peng Huarui



1. TECHNICAL INFORMATION

Note: the following data is based on the information by the applicant.

1.1. Identification of Applicant

Company Name:	SnapStyk Inc.
Address:	307 LAKE STREET,UPPER SADDLE RIVER, NEW JERSEY, 07458


1.2. Identification of Manufacturer

Company Name:	AMIGO INDUSTRIES LTD.		
Address:	RM05., 13/F, CABLE TV TOWER, 9 HOI SHING ROAD, TSUEN		
MORE E ME	WAN, N.T.		

1.3. Equipment Under Test (EUT)

Model Name:	1608
Trade Name:	SNAPSTYK
Brand Name:	SNAPSTYK
Hardware Version:	V1.1 V
Software Version:	V2.0
Frequency Bands:	Bluetooth 2.1;
Modulation Mode:	Bluetooth 2.1: GFSK;
Antenna type:	LDS Antenna
Development Stage:	Identical prototype







1.3.1. Photographs of the EUT

EUT front view



2. EUT rear view





1.3.2. Identification of all used EUT

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identity	Hardware Version	Software Version	
1#	V1.1	V2.0	

1.4. Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1 OPLAS	47 CFR§2.1093	Radiofrequency Radiation Exposure Evaluation: portable devices
2	KDB 447498 D01v06	General RF Exposure Guidance



2. DEVICE CATEGORY AND RF EXPOSURE LIMIT

Per user manual, this device is a Bluetooth device. Based on 47CFR 2.1093, this device belongs to portable device category with General Population/Uncontrolled exposure.

Portable Devices:

47CFR 2.1093(b)

For purposes of this section, a portable device is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

GENERAL POPULATION / UNCONTROLLED EXPOSURE

47CFR 2.1093(d) (2)

Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.





3. MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER

1. Bluetooth Average output power

61,	A-	· Pr	
Band	Channel	Frequency (MHz)	Output Power(dBm)
			GFSK
ALAB STAR	0	2402	-3.43
ВТ	19	2440	-3.43
LAE TOR	39	2480	-3.66

4. RF EXPOSURE EVALUATION

The device only incorporates a Bluetooth transmitter, so standalone SAR evaluation is required for Bluetooth and simultaneous SAR is not required.

Standalone transmission SAR evaluation

According to KDB 447498 section 4.3.1, the 1-g SAR test exclusion thresholds at test separation Distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[$\sqrt{f(GHz)}$] ≤ 3.0

The maximum tune-up limit power is **0.45mW** @ **2.402GHz**

When Bluetooth Watch is worn on the hand, so use **5mm** as the most conservative minimum test separation distance,

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[$\sqrt{f(GHz)}$] =0.14 \leq 3.0

So SAR evaluation is not required for this device.



ANNEX A GENERAL INFORMATION

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd. Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang
	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China

