

TO INSTALL: SLIDE THE MODULE FORWARD ON THE DESIGNATED SHELF UNTIL THE REAR SPRING CLIPS ARE COMPRESSED. THEN, LOCK THE 2 TABS OF THE MODULE INTO THE 2 SLOTS IN THE SHELF. CHECK TO MAKE SURE THE TABS ARE FULLY ENGAGED IN THE SHELF.



ATTACH ANTENNA (ITEM 2) TO THE TOP OF THE ELECTRICAL BAY HOUSING USING THE INCLUDED FOAM TAPE. ROUTE ANTENNA PIGTAIL TO THE CTP MODULE (ITEM 1), FOLLOWING THE MAIN CAB HARNESS PATH. SECURE PIGTAIL USING TIE STRAPS (ITEM 3).



ATTACH ANTENNA (ITEM 11) TO THE TOP OF THE ELECTRICAL BAY HOUSING USING THE INCLUDED FOAM TAPE. CONNECT ANTENNA PIGTAIL TO THE ANTENNA EXTENTION CABLE (ITEM 12). ROUTE EXTENTION CABLE TO THE VT MODULE (ITEM 5), FOLLOWING THE MAIN CAB HARNESS PATH. SECURE CABLE USING TIE STRAPS (ITEM 3).




MOUNT VIRTUAL TECHNICIAN ECU MODULE (ITEM 5) TO MOUNTING BRACKET (ITEM 6), WITH HOOK AND LOOP TAPE (ITEMS 7 & 8) AS SHOWN.




TORQUE SCREW TO 15 +/- 4 in-lbs.


SECURE WIFI ANTENNA (ITEM 13) TO THE SIDE OF THE ELECTRICAL BAY HOUSING USING THE INCLUDED ADHESIVE BACKING, POSITIONED AS SHOWN IN SECTION D. CONNECT THE PREATTACHED ANTENNA CABLE TO THE CTP MODULE (ITEM 1). SECURE CABLE USING A TIE STRAP (ITEM 4).


| RELEASE NUMBER | REV LTR | REVISION DESCRIPTION | BY | DATE | APPD |
|-------------------|------------|----------------------|-----|----------|------|
| P47372-20 | - | INITIAL RELEASE | RCN | 09/01/16 | RPW |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| | DESCRIPTION TEXT IN TEXT IN THE PROPERTY OF TH | 00 | DESCRIPTION INSTL-DRCDG, COM TELEMATICS, MID | DAIMLER | | Daimler Trucks North America | | |
|-------------|--|---------------------------|--|--|------------------|--|-----------------|---------------------------------|
| | | | | THE INFORMATION CONTAINED HEREIN IS PROPRIETARY DATA, AND IS NOT FOR DISSEMINATION OR DISCLOSURE, IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT ISSUBMITTED, EXCEPT AS AUTHORIZED IN WRITING BY DAIMLE | | | | |
| 01 | | | | MATERIAL APPROVAL N/A | DATE N/A | UNLESS OTHERWISE NOTED, DIMENSIONS AND TOLERANCESARE DEFINED ACCORDING TO ASME Y14.5M- 1994, WITH EXCEPTION PER DTNA 09ENG-WI037 THIRD ANGLE PROJECTION MEASURE MIM | |). DIMENSIONS AND |
| 94-0 | | 94-0 | | DRAWNBY R.NELSON | DATE 09/01/16 | | | D ACCORDING TO EXCEPTION PER |
| 380 | | ITEM NUMBER D66-08094-000 | | CHECKED BY R.WEBER | DATE 09/01/16 | | | VI037 |
|)-99 | | | | RESPONSIBLE ENGINEER R.NELSON | DATE 09/01/16 | | | |
| | | | | APPROVED BY R.WEBER | DATE 09/01/16 | | | MM |
| MBER | | | | INSTL-DRCDG,COM TELEMATICS,MID SUPPLEMENTAL DESCRIPTION 813A1 CTP, VT FPT | | | | |
| ITEM NUMBER | | | | D66-0809 | 4 | | REVISION LETTER | PAGE 1 of 5 |







WIFI ANTENNA INSTALLATION

(FROM PAGE 3)

THE INFORMATION CONTAINED HEREIN IS PROPRIETARY DATA, AND IS NOT FOR DISSEMINATION OR DISCLOSURE, IN WHOLE OR IN PART, FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT ISSUBMITTED, EXCEPT AS AUTHORIZED IN WRITING BY DAIMLER TRUCKS NORTH AMERICA LLC (DTNA)

DAIMLER

Daimler Trucks North America D66-08094

REVISION LETTER

4 of 5

