







**8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL**



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-6.88	8	Pass
NVNT	b	2437	Ant1	-6.66	8	Pass
NVNT	b	2462	Ant1	-7.72	8	Pass
NVNT	g	2412	Ant1	-9.31	8	Pass
NVNT	g	2437	Ant1	-9.83	8	Pass
NVNT	g	2462	Ant1	-10.63	8	Pass
NVNT	n20	2412	Ant1	-12.3	8	Pass
NVNT	n20	2437	Ant1	-12.37	8	Pass
NVNT	n20	2462	Ant1	-13.39	8	Pass
NVNT	n40	2422	Ant1	-15.55	8	Pass
NVNT	n40	2437	Ant1	-15.61	8	Pass
NVNT	n40	2452	Ant1	-16.4	8	Pass



















**8.6 BAND EDGE**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-53.22	-20	Pass
NVNT	b	2462	Ant1	-61.8	-20	Pass
NVNT	g	2412	Ant1	-48.33	-20	Pass
NVNT	g	2462	Ant1	-49.9	-20	Pass
NVNT	n20	2412	Ant1	-53.83	-20	Pass
NVNT	n20	2462	Ant1	-52.44	-20	Pass
NVNT	n40	2422	Ant1	-48.25	-20	Pass
NVNT	n40	2452	Ant1	-47.76	-20	Pass

