






5.2G WIFI


Duty Cycle



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	73.28	1.35	4
NVNT	a	5200	Ant1	72.71	1.38	4.17
NVNT	a	5240	Ant1	73.94	1.31	4
NVNT	n20	5180	Ant1	71.48	1.46	4.35
NVNT	n20	5200	Ant1	71.11	1.48	4.35
NVNT	n20	5240	Ant1	71.71	1.44	4.55
NVNT	n40	5190	Ant1	58.5	2.33	7.69
NVNT	n40	5230	Ant1	58.55	2.32	7.69
NVNT	ac20	5180	Ant1	67.9	1.68	5
NVNT	ac20	5200	Ant1	67.87	1.68	5
NVNT	ac20	5240	Ant1	62.8	2.02	5
NVNT	ac40	5190	Ant1	55.48	2.56	9.09
NVNT	ac40	5230	Ant1	49.27	3.07	9.09
NVNT	ac80	5210	Ant1	45.7	3.4	14.29


















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.9	24	Pass
NVNT	a	5200	Ant1	12.14	24	Pass
NVNT	a	5240	Ant1	11.93	24	Pass
NVNT	n20	5180	Ant1	11.76	24	Pass
NVNT	n20	5200	Ant1	11.85	24	Pass
NVNT	n20	5240	Ant1	11.94	24	Pass
NVNT	n40	5190	Ant1	12.3	24	Pass
NVNT	n40	5230	Ant1	12.38	24	Pass
NVNT	ac20	5180	Ant1	11.95	24	Pass
NVNT	ac20	5200	Ant1	12.05	24	Pass
NVNT	ac20	5240	Ant1	11.89	24	Pass
NVNT	ac40	5190	Ant1	11.96	24	Pass
NVNT	ac40	5230	Ant1	12.37	24	Pass
NVNT	ac80	5210	Ant1	11.01	24	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.53	0.5	Pass
NVNT	a	5200	Ant1	19.608	0.5	Pass
NVNT	a	5240	Ant1	20.586	0.5	Pass
NVNT	n20	5180	Ant1	21.771	0.5	Pass
NVNT	n20	5200	Ant1	21.087	0.5	Pass
NVNT	n20	5240	Ant1	20.718	0.5	Pass
NVNT	n40	5190	Ant1	41.67	0.5	Pass
NVNT	n40	5230	Ant1	41.28	0.5	Pass
NVNT	ac20	5180	Ant1	20.589	0.5	Pass
NVNT	ac20	5200	Ant1	20.31	0.5	Pass
NVNT	ac20	5240	Ant1	20.967	0.5	Pass
NVNT	ac40	5190	Ant1	41.166	0.5	Pass
NVNT	ac40	5230	Ant1	42.558	0.5	Pass
NVNT	ac80	5210	Ant1	82.26	0.5	Pass

