








Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.522
NVNT	a	5200	Ant1	16.513
NVNT	a	5240	Ant1	16.441
NVNT	n20	5180	Ant1	17.722
NVNT	n20	5200	Ant1	17.617
NVNT	n20	5240	Ant1	17.614
NVNT	n40	5190	Ant1	36.272
NVNT	n40	5230	Ant1	36.194
NVNT	ac20	5180	Ant1	17.611
NVNT	ac20	5200	Ant1	17.617
NVNT	ac20	5240	Ant1	17.626
NVNT	ac40	5190	Ant1	36.266
NVNT	ac40	5230	Ant1	36.2
NVNT	ac80	5210	Ant1	75.688




















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-11.24	1.35	-9.89	11	Pass
NVNT	a	5200	Ant1	-10.7	1.38	-9.32	11	Pass
NVNT	a	5240	Ant1	-10.61	1.31	-9.3	11	Pass
NVNT	n20	5180	Ant1	-12.5	1.46	-11.04	11	Pass
NVNT	n20	5200	Ant1	-11.61	1.48	-10.13	11	Pass
NVNT	n20	5240	Ant1	-11.31	1.44	-9.87	11	Pass
NVNT	n40	5190	Ant1	-19.69	2.33	-17.36	11	Pass
NVNT	n40	5230	Ant1	-18.55	2.32	-16.23	11	Pass
NVNT	ac20	5180	Ant1	-13.07	1.68	-11.39	11	Pass
NVNT	ac20	5200	Ant1	-12.48	1.68	-10.8	11	Pass
NVNT	ac20	5240	Ant1	-12.95	2.02	-10.93	11	Pass
NVNT	ac40	5190	Ant1	-22	2.56	-19.44	11	Pass
NVNT	ac40	5230	Ant1	-21.78	3.07	-18.71	11	Pass
NVNT	ac80	5210	Ant1	-29.55	3.4	-26.15	11	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1

