





Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-40.31	-27	Pass
NVNT	a	5240	Ant1	-39.49	-27	Pass
NVNT	n20	5180	Ant1	-37.86	-27	Pass
NVNT	n20	5240	Ant1	-46.63	-27	Pass
NVNT	n40	5190	Ant1	-28.65	-27	Pass
NVNT	n40	5230	Ant1	-47.28	-27	Pass
NVNT	ac20	5180	Ant1	-38.86	-27	Pass
NVNT	ac20	5240	Ant1	-39.85	-27	Pass
NVNT	ac40	5190	Ant1	-29.17	-27	Pass
NVNT	ac40	5230	Ant1	-39.65	-27	Pass
NVNT	ac80	5210	Ant1	-38.9	-27	Pass



Note: Before testing, the antenna gain has been input into the testing system. During testing, the testing system will automatically add the antenna gain to the spectrum for testing.











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-31.58	-27	Pass
NVNT	a	5200	Ant1	-31.11	-27	Pass
NVNT	a	5240	Ant1	-30.77	-27	Pass
NVNT	n20	5180	Ant1	-40.3	-27	Pass
NVNT	n20	5200	Ant1	-41.04	-27	Pass
NVNT	n20	5240	Ant1	-40.76	-27	Pass
NVNT	n40	5190	Ant1	-40.44	-27	Pass
NVNT	n40	5230	Ant1	-39.76	-27	Pass
NVNT	ac20	5180	Ant1	-31.11	-27	Pass
NVNT	ac20	5200	Ant1	-31.5	-27	Pass
NVNT	ac20	5240	Ant1	-31.95	-27	Pass
NVNT	ac40	5190	Ant1	-31.46	-27	Pass
NVNT	ac40	5230	Ant1	-30.96	-27	Pass
NVNT	ac80	5210	Ant1	-31.42	-27	Pass

