


Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.465
NVNT	a	5280	Ant1	16.582
NVNT	a	5320	Ant1	16.531
NVNT	n20	5260	Ant1	17.629
NVNT	n20	5280	Ant1	17.632
NVNT	n20	5320	Ant1	17.629
NVNT	n40	5270	Ant1	36.164
NVNT	n40	5310	Ant1	36.206
NVNT	ac20	5260	Ant1	17.62
NVNT	ac20	5280	Ant1	17.572
NVNT	ac20	5320	Ant1	17.641
NVNT	ac40	5270	Ant1	36.188
NVNT	ac40	5310	Ant1	36.308
NVNT	ac80	5290	Ant1	75.628



Test Graphs



OBW NVNT a 5260MHz Ant1







OBW NVNT a 5280MHz Ant1




















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-10.72	1.36	-9.36	11	Pass
NVNT	a	5280	Ant1	-10.29	1.34	-8.95	11	Pass
NVNT	a	5320	Ant1	-11.07	1.44	-9.63	11	Pass
NVNT	n20	5260	Ant1	-11.79	1.44	-10.35	11	Pass
NVNT	n20	5280	Ant1	-11.56	1.43	-10.13	11	Pass
NVNT	n20	5320	Ant1	-12.29	1.46	-10.83	11	Pass
NVNT	n40	5270	Ant1	-20.09	2.35	-17.74	11	Pass
NVNT	n40	5310	Ant1	-22.7	2.37	-20.33	11	Pass
NVNT	ac20	5260	Ant1	-11.15	1.71	-9.44	11	Pass
NVNT	ac20	5280	Ant1	-14.03	1.64	-12.39	11	Pass
NVNT	ac20	5320	Ant1	-14.39	1.63	-12.76	11	Pass
NVNT	ac40	5270	Ant1	-20.34	2.51	-17.83	11	Pass
NVNT	ac40	5310	Ant1	-20.31	2.52	-17.79	11	Pass
NVNT	ac80	5290	Ant1	-26.05	3.47	-22.58	11	Pass

Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1

