





Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-40.32	-27	Pass
NVNT	a	5320	Ant1	-38.31	-27	Pass
NVNT	n20	5260	Ant1	-39.81	-27	Pass
NVNT	n20	5320	Ant1	-39.01	-27	Pass
NVNT	n40	5270	Ant1	-39.99	-27	Pass
NVNT	n40	5310	Ant1	-28.09	-27	Pass
NVNT	ac20	5260	Ant1	-40.05	-27	Pass
NVNT	ac20	5320	Ant1	-38.91	-27	Pass
NVNT	ac40	5270	Ant1	-40.06	-27	Pass
NVNT	ac40	5310	Ant1	-30.79	-27	Pass
NVNT	ac80	5290	Ant1	-38.57	-27	Pass



Note: Before testing, the antenna gain has been input into the testing system. During testing, the testing system will automatically add the antenna gain to the spectrum for testing.














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-31.06	-27	Pass
NVNT	a	5280	Ant1	-30.85	-27	Pass
NVNT	a	5320	Ant1	-32	-27	Pass
NVNT	n20	5260	Ant1	-30.91	-27	Pass
NVNT	n20	5280	Ant1	-31.16	-27	Pass
NVNT	n20	5320	Ant1	-31.04	-27	Pass
NVNT	n40	5270	Ant1	-29.79	-27	Pass
NVNT	n40	5310	Ant1	-31.36	-27	Pass
NVNT	ac20	5260	Ant1	-31.65	-27	Pass
NVNT	ac20	5280	Ant1	-30.38	-27	Pass
NVNT	ac20	5320	Ant1	-30.9	-27	Pass
NVNT	ac40	5270	Ant1	-31.03	-27	Pass
NVNT	ac40	5310	Ant1	-30.3	-27	Pass
NVNT	ac80	5290	Ant1	-31.44	-27	Pass

