






## Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-20.92	Pass
NVNT	a	5825	Ant1	-28.19	Pass
NVNT	n20	5745	Ant1	-19.18	Pass
NVNT	n20	5825	Ant1	-28.24	Pass
NVNT	n40	5755	Ant1	-19.58	Pass
NVNT	n40	5795	Ant1	-27.88	Pass
NVNT	ac20	5745	Ant1	-22.45	Pass
NVNT	ac20	5825	Ant1	-27.41	Pass
NVNT	ac40	5755	Ant1	-17.67	Pass
NVNT	ac40	5795	Ant1	-26.54	Pass
NVNT	ac80	5775	Ant1	-25.69	Pass



Note: Before testing, the antenna gain has been input into the testing system. During testing, the testing system will automatically add the antenna gain to the spectrum for testing.
















## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-30.11	-27	Pass
NVNT	a	5785	Ant1	-30.85	-27	Pass
NVNT	a	5825	Ant1	-30.93	-27	Pass
NVNT	n20	5745	Ant1	-30.56	-27	Pass
NVNT	n20	5785	Ant1	-30.76	-27	Pass
NVNT	n20	5825	Ant1	-31.06	-27	Pass
NVNT	n40	5755	Ant1	-31.3	-27	Pass
NVNT	n40	5795	Ant1	-31.25	-27	Pass
NVNT	ac20	5745	Ant1	-29.37	-27	Pass
NVNT	ac20	5785	Ant1	-30.96	-27	Pass
NVNT	ac20	5825	Ant1	-31.94	-27	Pass
NVNT	ac40	5755	Ant1	-30.36	-27	Pass
NVNT	ac40	5795	Ant1	-31.43	-27	Pass
NVNT	ac80	5775	Ant1	-30.9	-27	Pass

