



**WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 600sqft**  
OCS-L-D-06

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559241

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 600sqft**  
OCS-P-D-06

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559241

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 1200sqft**  
OCS-L-D-12

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559341

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 1200sqft**  
OCS-P-D-12

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559341

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 2000sqft**  
OCS-L-D-20

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559611

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 2000sqft**  
OCS-P-D-20

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559611

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX LITE Line-Voltage Dual Tech Occ Ceiling Sensor 600sqft**  
OCS-L-D-06-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

Indoor 40°C



442296552991

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinX PRO Line-Voltage Dual Tech Occ Ceiling Sensor 600sqft**  
OCS-P-D-06-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

Indoor 40°C



442296547661

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD



Made In Malaysia



**WaveLinx LITE Line-Voltage Dual Tech Occ Ceiling Sensor 1200sqft**  
OCS-L-D-12-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296552971



**WaveLinx PRO Line-Voltage Dual Tech Occ Ceiling Sensor 1200sqft**  
OCS-P-D-12-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296553071



**WaveLinx LITE Line-Voltage Dual Tech Occ Ceiling Sensor 2000sqft**  
OCS-L-D-20-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296554491



**WaveLinx PRO Line-Voltage Dual Tech Occ Ceiling Sensor 2000sqft**  
OCS-P-D-20-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms  
Output: Line Voltage Output  
Load: 120-277 Vac  
3A General Use, 3A Standard Ballast  
3A Electric Ballast, 3A Resistive  
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D  
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296554461





Label Location - Line Voltage



Label Location – Low Voltage