



DESIGNED IN U S A

Made in China
Product specifications subject to change without notice.
California Prop 65 Warning: This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.
©2016 Planet Traveler. Planet Traveler is a registered trademark of Hontuo, Ltd.
New York Showroom: 366 Fifth Avenue, Suite 812, New York, NY USA 10001
USA Headquarters: 11450 NW 122nd Street Building 100, Miami, FL 33178
Toll Free: 844.546.8837 • www.planettravelerusa.com • Model PT002-20IN-SBLK



DESIGNED IN U S A

Space Case Lite USER GUIDE

CONTROL PANEL A CLOSER LOOK AT THE CONTROL PANEL



- | | |
|---------------------------|----------------------------|
| A USB COVER | D USB 1.2 A OUTPUT |
| B USB 2.4 A OUTPUT | E INDICATION LIGHTS |
| C MICRO USB INPUT | |

Federal Communications Commission Statement

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of the Federal Communications Commission (FCC) rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment causes harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by doing one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

A QUICK LOOK AT THE SC L



- | | |
|-------------------------------------|----------------------------------|
| A CONTROL PANEL | F MAIN OPENING |
| B TAMPER-PROOF ZIPPER | G GEL-GRIP HANDLE |
| C INTERLOCKING ZIPPER PULLER | H SIDE STUD WEIGHT SENSOR |
| D ROBOTIC TSA LOCK | I GLIDETECH DUAL WHEELS |
| E LIGHTWEIGHT TROLLEY | |

THIS DEVICE COMPLIES WITH FCC RULES PART 15. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:

- THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE.
- THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

FCC CAUTION

ANY CHANGES OR MODIFICATIONS NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT. THE ANTENNA(S) USED FOR THIS TRANSMITTER MUST NOT BE COLOCATED OR OPERATING IN CONJUNCTION WITH ANY OTHER ANTENNA OR TRANSMITTER.

MAIN OPENING A CLOSER LOOK AT THE MAIN OPENING



- | | |
|-------------------------------|----------------------------------|
| A ZIPPER DIVIDER | C EXTRA LARGE MESH POCKET |
| B SMART BATTERY POCKET | D MESH STRAP CLASP |

Radiation Exposure Statement:

This equipment must be installed and operated in accordance with provided instructions and the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

POWERING UP

CONNECT THE SMART BATTERY TO THE CASE



UNZIP THE SMART BATTERY POCKET. INSIDE YOU WILL SEE A BLACK BOX (USB HOLDER). OPEN THE USB HOLDER AND INSIDE YOU WILL FIND 3 USB CABLES AND 1 MICRO USB CABLE. CONNECT THE YELLOW USB CABLE TO THE USB PORT WITH THE YELLOW RING AROUND IT. INSERT THE REMAINING 2 USB CABLES AND MICRO USB CABLE TO THE PORTS. AFTER CONNECTING THE USB CABLES TO THE USB PORTS, CLOSE THE USB HOLDER AROUND THE BASE OF THE POWER BANK AND PLACE IN THE SMART BATTERY POCKET THE ZIP POCKET CLOSED. ONCE THE USB CABLES ARE CONNECTED, THE BREATHING LIGHTS ON THE NAMEPLATE WILL FLASH.

10 YEAR CLOUD PROTECTION[™]

TERMS AND CONDITIONS

VIRTUAL WORLD WIDE 10 YEAR CLOUD PROTECTION
YOU ARE COVERED WORLD WIDE WITH OUR 24 HOUR 10 YEAR CLOUD PROTECTION



NEVER CALL TO BE PLACED ON HOLD AGAIN



NEVER WASTE YOUR TIME BY DRIVING TO A REPAIR CENTER AGAIN



NEVER PAY FOR REPAIR AGAIN**



SELF REPAIR YOUR LUGGAGE WITHIN 5 MIN

** EXCLUDING AIRLINE ABUSE, MISHANDLING, AND NORMAL WEAR AND TEAR.

ACCESSORIES

ACCESSORIES THAT ARE INCLUDED



SMART BATTERY

USE THE SMART BATTERY TO SUPPLY POWER TO THE SC L IN ORDER TO USE ALL OF ITS REVOLUTIONARY FEATURES.



MICRO USB CABLE

USE THE MICRO USB CABLE TO CHARGE THE SC L THROUGH THE NAMEPLATE OR DIRECTLY TO THE SMART BATTERY.



3 PACKING CUBES

USE THE PACKING CUBES TO ORGANIZE AND SAFELY PACK YOUR ITEMS IN THE SC L.



SIGNATURE COVER

USE THE SIGNATURE COVER TO PROTECT THE FINISH OF THE SC L.

10 YEAR CLOUD PROTECTION[™]

TERMS AND CONDITIONS

SC L WORLD WIDE 10 YEAR CLOUD PROTECTION

THE SC L COMES WITH A WORLD WIDE 10 YEAR - 24 HOUR SELF REPAIR CLOUD PROTECTION THAT IS EFFECTIVE FROM THE DATE OF PURCHASE. SC L IS COVERED BY THE TERMS AND CONDITIONS OF THIS WARRANTY. WITH OUR 10 YEAR CLOUD PROTECTION WE COVER REPAIRS TO YOUR LUGGAGE IN THE UNLIKELY EVENT OF MANUFACTURING OR WORKMANSHIP DEFECTS. HOWEVER, CLOUD PROTECTION DOES NOT COVER ANY DAMAGES CAUSED BY AIRLINE ABUSE, MISHANDLING, OR NORMAL WEAR AND TEAR. TO RECEIVE CLOUD PROTECTION SERVICES AND DETERMINE YOUR COVERAGE ELIGIBILITY, PLEASE NOTIFY AN SC L[™] REPAIR CENTER BY UPLOADING YOUR CLAIM DIRECTLY THROUGH THE APP. TO REPORT ANY DAMAGES THAT MAY HAVE OCCURRED, THE REPAIR CENTER WILL EVALUATE YOUR LUGGAGE AND DETERMINE IF IT IS DAMAGED, WEAR, OR DEFECTIVE, AND IF YOUR PRODUCT IS CURRENTLY UNDER WARRANTY. ALL CLAIMS MUST BE REPORTED IMMEDIATELY TO AVOID ANY FURTHER DAMAGES OR DELAY IN REPAIR.

TERRITORY COVERAGE

WARRANTIES APPLY TO ANY AND ALL MIA TORO PRODUCTS WORLD WIDE. FOR REPAIRS, FREIGHT IS INCLUDED ONLY FOR DOMESTIC SHIPPING FROM OUR CLAIM CENTER TO CUSTOMER OR REPAIR CENTER. SHIPPING FROM CUSTOMER OR REPAIR CENTER TO OUR CLAIM CENTER IS NOT COVERED. INTERNATIONAL FEES MAY VARY.

* ALL ELECTRONICS ARE COVERED FOR 1 YEAR.

DOWNLOADING APP GETTING STARTED WITH THE APP



TO EXPERIENCE ALL OF THE REVOLUTIONARY FEATURES THAT THE SC L HAS TO OFFER YOU WILL NEED TO DOWNLOAD OUR INNOVATIVE APP. THE SC L APP IS AVAILABLE ON THE APPLE APP STORE FOR IOS DEVICES AND ALSO AVAILABLE ON GOOGLE PLAY FOR ANDROID DEVICES. TO DOWNLOAD THE SC L APP SEARCH "SC L" IN THE APPLE APP STORE OR IN GOOGLE PLAY THEN TAP THE INSTALL BUTTON.

WARNING! PLEASE READ BEFORE USE




- PLEASE INSTALL A NEW ALKALINE AAA BATTERY INTO E-BOX WHENEVER YOU HAVE A NEW TRAVEL.
- PLEASE REPLACE NEW ALKALINE BATTERY IF THE CAPACITY IS LOWER THAN 30%.
- PLEASE DO NOT CHARGE ANY DEVICES, LIKE PHONE OR PAD, WHILE CHARGING POWER BANK.
- WHENEVER YOU PLUG IN THE POWERBANK, PLEASE PRESS THE BUTTON ON THE POWER BANK TO ACTIVATE IT.
- THIS POWERBANK IS DESIGNED EXCLUSIVELY FOR THIS SUITCASE.
- CHANGES OR MODIFICATIONS TO THIS PRODUCT NOT AUTHORIZED BY PLANET TRAVELER WILL VOID YOUR 1 YEAR CLOUD PROTECTION.

REGISTER CASE CONNECTING NEW USER



- A** TAP CAMERA ICON TO TAKE A PHOTO OF YOUR RECEIPT OR PROOF OF PURCHASE.
- B** ONCE YOU CLICK THE CAMERA ICON THE CAMERA ON YOUR DEVICE WILL OPEN. TAKE AN IMAGE OF YOUR RECEIPT OR PROOF OF PURCHASE AND TAP "USE PHOTO" TO CONTINUE WITH REGISTRATION.

REGISTER CASE CONNECTING NEW USER



- A** TAP THE QR CODE ICON TO REGISTER YOUR PRODUCT BY SCANNING THE QR CODE OR ENTERING THE STYLE NUMBER LOCATED ON THE TAG INSIDE OF THE LUGGAGE.
- B** TO REGISTER THROUGH QR CODE TAP "SCAN QR CODE" BUTTON TO REGISTER BY MANUALLY ENTERING THE STYLE NUMBER TAP "ENTER STYLE NUMBER" BUTTON.

REGISTER CONNECTING THE SCL TO APP



- A** NEW USERS TAP THE "REGISTER CASE" ICON.
- B** IF YOU ALREADY HAVE A PROFILE SET UP ENTER YOUR NAME AND PASSWORD THEN TAP THE "LOG IN" ICON.
- C** IF YOU ALREADY HAVE A PROFILE BUT FORGOT YOUR PASSWORD TAP "FORGOT PASSWORD" ICON.

REGISTER CASE CONNECTING NEW USER



- A** FILL OUT ALL OF THE ENTRY FIELDS THEN TAP REGISTER TO COMPLETE REGISTRATION AND TO CONNECT THE APP TO YOUR SCL.
- B** BINDING YOUR SUITE CASE - BE SURE YOUR SCL IS POWERED ON THEN TAP BLUETOOTH ICON TO PAIR THE APP TO YOUR SCL.
- C** AFTER YOU HAVE REGISTERED SIGN IN AGAIN AND INPUT THE NAME YOU WANT TO IDENTIFY YOUR CASE IN THE APP.

GETTING STARTED A QUICK LOOK AT THE APP

HOME SCREEN NAVIGATION



- SELF SCALE**
- SMART BATTERY**
- ANTI THEFT**
- CASE CHECK**
- CASE PROFILE**
- AIR MODE**
- REMOTE UNLOCK**
- ANNUAL SUBSCRIPTION**
- 10 YEAR CLOUD PROTECTION**



SLIDE MENU



TSA ROBOTIC LOCK RESETTING COMBINATION ON LOCK


THE OPENING COMBINATION IS PRESET AT L-U-C-K FROM FACTORY

- STEP 1**
- STEP 2**
- STEP 3**
- STEP 4**



HOW TO USE THE LOCK

- STEP 1** TURN THE DIALS TO YOUR COMBINATION.
- STEP 2** PUSH UP THE BUTTON TO OPEN THE LEFT ZIPPERS.
- STEP 3** PUSH DOWN TO OPEN THE RIGHT ZIPPERS.



NOTE: THE TRANSPORTATION SECURITY ADMINISTRATION (TSA) SCREENER AND AIRLINE CHECK-IN STAFF AT AIRPORTS ARE TRAINED TO RECOGNIZE THE TRAVEL SENTRY® LOGO. THEY UNDERSTAND THAT BAGGAGE WITH LOCKS DISPLAYING THIS MARK ARE PERMITTED TO REMAIN LOCKED. TSA SCREENERS HAVE ACCESS TO SPECIAL CODES THAT ALLOW THEM TO OPEN THOSE LOCKS IN THE EVENT THAT THE BAGGAGE MUST BE OPENED FOR INSPECTION. WITH TRAVEL SENTRY® APPROVED LOCKS THE TSA CAN SCREEN CHECKED BAGGAGE FASTER, WITHOUT HAVING TO BREAK OPEN LOCKS.

SELF SCALE USING THE SELF SCALE



- A** TAP THE SELF SCALE ICON TO VIEW THE WEIGHT OF YOUR SC L.
- B** REST THE CASE ON THE SIDE STUDS THEN TAP MIDDLE CIRCLE TO WEIGH.

STATUS LED LED INDICATIONS



- A** STATUS LED
- 1. "POWER ON"**
BOTH THE RED AND GREEN LED WILL FLASH EVERY SECOND FOR 3 TIMES WHEN SYSTEM PLUGS INTO POWER BANK. AFTER 3 TIMES OF FLASHING, BOTH LEDS EXTINGUISH.
 - 2. CONNECT TO APP**
WHEN SYSTEM CONNECTS TO APP THEN BOTH STATUS LED LIGHTS IN BREATHING MODE EVERY 10 SECONDS.
 - 3. BATTERY STATUS**
 - I. BATTERY LOW** AS BATTERY CAPACITY IS LOWER THAN 30% THEN THE RED LIGHT FLASHES EVERY ONE SECOND AND GREEN LIGHT EXTINGUISHES.
 - II. CHARGING** BOTH LEDS FLASH EVERY ONE SECOND.
 - III. BATTERY FULL** AS BATTERY CAPACITY IS 100% THE GREEN LIGHT LED FLASHES EVERY ONE SECOND AND RED LIGHT EXTINGUISHES.
 - 4. AIR MODE**
BOTH STATUS LEDS EXTINGUISH WHEN SYSTEM ENTERS "AIR MODE."

GETTING STARTED A QUICK LOOK AT THE APP



- A** HOME
- B** FEATURE NAME DISPLAY
- C** SLIDE MENU
- D** REMOTE UNLOCK
- E** CASE SELECTOR
- F** CONNECTED CASE

ALKALINE BATTERY A CLOSER LOOK AT THE FRONT POCKET



- A** UNZIP THE LINING ON THE SIDE OF THE CASE (MARKED IN RED). ONCE YOU UNZIP LINING YOU WILL SEE A BLACK BOX UNDER THE TOP HANDLE.
- B** ON THE BOTTOM OF THE BLACK BOX THERE IS A COVER FOR THE 3 AAA BATTERIES. SLIDE COVER TOWARD YOU TO OPEN AND INSTALL THE 3 AAA BATTERIES.

SELF SCALE USING THE SELF SCALE



- A** RESET WEIGHT TO ZERO.
- B** DISPLAY WEIGHT IN LBS OR KGS.
- C** SET AIRLINE RESTRICTION WEIGHT LIMIT.

10 YEAR CLOUD PROTECTION HOW TO SUBMIT A CLAIM THROUGH APP



- A** TAP ENTRY FIELD TO PROVIDE ANY ADDITIONAL INFORMATION THAT MAY HELP US WITH THE PROBLEM YOU ARE EXPERIENCING.
- B** PROVIDE AN ADDRESS OF WHERE YOU WILL BE LOCATED FOR THE NEXT 7 DAYS. IF TRAVELING, PROVIDE A SECONDARY ADDRESS TO ALLOW FOR PROPER SHIPPING TIME ON REPAIRS.

SELF SCALE USING THE SELF SCALE



ONCE YOU REST THE CASE ON THE SIDE STUDS THEN TAP MIDDLE CIRCLE TO WEIGH, THE APP WILL LET YOU KNOW IF YOU ARE OVER OR UNDER THE LIMIT THAT WAS SET.

- A** YOU ARE UNDER LIMIT IS INDICATED BY GREEN RING.
- B** YOU ARE OVER LIMIT IS INDICATED BY RED RING.

10 YEAR CLOUD PROTECTION HOW TO SUBMIT A CLAIM THROUGH APP



- A** TAP THE 10 YEAR CLOUD PROTECTION ICON IN THE SLIDE MENU IN THE EVENT YOU NEED TO MAKE A CLAIM.
- B** ONCE YOU HAVE TAPPED THE ICON IN THE SLIDE MENU YOU WILL HAVE THE OPTION TO REGISTER ADDITIONAL PIECES OR MAKE A CLAIM BY TAPPING THE 10 YEAR CLOUD PROTECTION ICON.

SELF SCALE SETTING WEIGHT LIMIT



- A** TAP THE TOP ENTRY FIELD TO ENTER THE WEIGHT RESTRICTION THEN TAP ENTRY FIELD BELOW TO ENTER THE WEIGHT LIMIT
- B** ONCE WEIGHT LIMIT IS CREATED YOU WILL SEE IT LISTED ON THE MAIN SCREEN.

10 YEAR CLOUD PROTECTION HOW TO SUBMIT A CLAIM THROUGH APP



- A** SELECT THE CASE YOU ARE MAKING A CLAIM FOR BY TAPPING ON THE CASE NAME.
- B** TAP CAMERA ICON TO TAKE AN IMAGE OF YOUR CLAIM TO BE SUBMITTED TO OUR CLAIM CENTER FOR EVALUATION.

SMART BATTERY POWER METER FOR THE SMART BATTERY



- A** TAP THE SMART BATTERY ICON TO VIEW THE REMAINING POWER LEFT IN THE SMART BATTERY.
- B** POWER METER READ OUT FOR SMART BATTERY.

CASE PROFILE USING CASE PROFILE



- A** TAP THE CASE PROFILE ICON IN THE SLIDE MENU TO ACCESS YOUR CASE SETTINGS.
- B** LOG OUT - TAP TO LOG OUT OF THE SELECTED CASE.
- C** FORGET DEVICE - TAP TO REMOVE CONNECTION TO SELECTED CASE.
- D** ANNUAL SUBSCRIPTION - TAP TO RENEW YOUR GLOBAL TRACKER SERVICE. THIS ICON IS ALSO FOUND IN THE SLIDE MENU.

SMART BATTERY POWER METER FOR THE SMART BATTERY



- A** TAP THE SMART BATTERY ICON TO VIEW THE REMAINING POWER LEFT IN THE SMART BATTERY.
- B** POWER METER READ OUT FOR SMART BATTERY.

CASE PROFILE USING CASE PROFILE



- A** TAP THE CASE PROFILE ICON IN THE SLIDE MENU TO ACCESS YOUR CASE SETTINGS.
- B** LOG OUT - TAP TO LOG OUT OF THE SELECTED CASE.
- C** FORGET DEVICE - TAP TO REMOVE CONNECTION TO SELECTED CASE.
- D** ANNUAL SUBSCRIPTION - TAP TO RENEW YOUR GLOBAL TRACKER SERVICE. THIS ICON IS ALSO FOUND IN THE SLIDE MENU.

ANTI THEFT USING THE ANTI THEFT PROXIMITY SENSOR



- A** TAP THE RING TO SET DISTANCE FOR ALARM TO SOUND.
- B** METER TO SEE THE DISTANCE OF YOUR SC L.

CASE CHECK FULL DIAGNOSTICS REPORT



- A** TAP THE CASE CHECK ICON TO VIEW A FULL DIAGNOSTICS REPORT OF YOUR SC L.
- B** DIAGNOSTICS REPORT FOR THE SC L NOTIFY YOU THAT ALL FEATURES ARE FUNCTIONING PROPERLY.

ANTI THEFT USING THE ANTI THEFT PROXIMITY SENSOR



- A** TAP THE ANTI THEFT ICON TO SET PROXIMITY ALARM AND TO DETECT YOUR CASE.
- B** ALARM DISTANCE - TAP TO SET THE DISTANCE FOR ALARM.
- C** PANIC BUTTON - TAP TO SOUND ALARM ON CASE.
- D** TAP TO TURN PROXIMITY SENSOR ON OR OFF.
- E** DETECT CASE - TAP TO DETECT DISTANCE OF YOUR CASE.

AIRPLANE MODE USING AIRPLANE MODE



- A** TAP THE AIRPLANE MODE ICON TO DISABLE ALL FEATURES WHEN IN FLIGHT.
- B** TAP THE AIRPLANE MODE ICON TO ENABLE ALL FEATURES WHEN NOT IN FLIGHT.