

**Associated Electrics, Inc.**

**2.4GHz 3-Channel Radio**

**Model No.: XP130**

(The remote control is a model car or boat that can be remotely controlled by a radio remote control.

The receiver is mounted on a model car or boat for reception. a component that processes signals from the "transmitter/remote control" that converts the received signal into a pulse (pluse) or digital signal (digital) that is delivered to other electronic components on the vehicle (electronic shifting, steering gear). The car completes the action we send to meet the control requirements. )

## A. Basic data

Type		TX
Working frequency band		2.4GHz
The channel number		74CH
Item		XP130
Distance (m))		120
Transmitter input voltage (v)		6V DC
Suitable model		ModelCar/Ship
size	Maximum Length (mm)	158.23
	Maximum Height (mm)	214.52
	Maximum Wide (mm)	118.75

## B. BASIC FUNCTION

2CH

ST

TH


D/R

Battery instruction


Servo inverse

Low power warning


## C. Appearance size



## E. Test method




### Electrical powered model



### Receiver and servo connection

#### Gas powered model



## F. Notice

1. Please distinguish the battery positive and negative pole.
2. If not use it for a long time , please take out the battery, and store it.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.