

# **FCC Test Report**

Report No.: AGC00803210102FE02

FCC ID : 2AKHJ-MD161

APPLICATION PURPOSE : Original Equipment

**PRODUCT DESIGNATION**: BT+2.4G Mouse

**BRAND NAME** : N/A

MODEL NAME : MD161

**APPLICANT**: Shenzhen Hangshi Technology Co., Ltd

**DATE OF ISSUE** : Jan. 26, 2021

**STANDARD(S)** : FCC Part 15.247

**REPORT VERSION**: V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 2 of 51

## REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date   | Valid Version | Notes           |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0           | /           | Jan. 26, 2021 | Valid         | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restrict/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 3 of 51

## **TABLE OF CONTENTS**

| 1. VERIFICATION OF COMPLIANCE                       | 5           |
|---|-------------|
| 2. GENERAL INFORMATION                              | 6           |
| 2.1. PRODUCT DESCRIPTION                            | 6           |
| 2.2. TABLE OF CARRIER FREQUENCYS                    |             |
| 2.3. RELATED SUBMITTAL(S)/GRANT(S)                  |             |
| 2.4. TEST METHODOLOGY                               |             |
| 2.5. SPECIAL ACCESSORIES                            | 7           |
| 2.6. EQUIPMENT MODIFICATIONS                        |             |
| 2.7. ANTENNA REQUIREMENT                            |             |
| 3. MEASUREMENT UNCERTAINTY                          |             |
| 4. DESCRIPTION OF TEST MODES                        | g           |
| 5. SYSTEM TEST CONFIGURATION                        | 10          |
| 5.1. CONFIGURATION OF TESTED SYSTEM                 | 10          |
| 5.2. EQUIPMENT USED IN TESTED SYSTEM                |             |
| 5.3. SUMMARY OF TEST RESULTS                        | 10          |
| 6. TEST FACILITY                                    | 11          |
| 7. PEAK OUTPUT POWER                                | 12          |
| 7.1. MEASUREMENT PROCEDURE                          | 12          |
| 7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)   | 12          |
| 7.3. LIMITS AND MEASUREMENT RESULT                  | 13          |
| 8. 6 DB BANDWIDTH                                   | 15          |
| 8.1. MEASUREMENT PROCEDURE                          | 15          |
| 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)   | 15          |
| 8.3. LIMITS AND MEASUREMENT RESULTS                 | 15          |
| 9. CONDUCTED SPURIOUS EMISSION                      | 17          |
| 9.1. MEASUREMENT PROCEDURE                          |             |
| 9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)   | 17          |
| 9.3. MEASUREMENT EQUIPMENT USED                     |             |
| 9.4. LIMITS AND MEASUREMENT RESULT                  |             |
| 10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY | <del></del> |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 4 of 51

| 10.1. MEASUREMENT PROCEDURE                                 | 25 |
|---|----|
| 10.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)          | 25 |
| 10.3. MEASUREMENT EQUIPMENT USED                            |    |
| 10.4. LIMITS AND MEASUREMENT RESULT                         | 25 |
| 11. RADIATED EMISSION                                       | 27 |
| 11.1. MEASUREMENT PROCEDURE                                 | 27 |
| 11.2. TEST SETUP  | 28 |
| 11.3. LIMITS AND MEASUREMENT RESULT                         | 29 |
| 11.4. TEST RESULT   | 29 |
| 12. FCC LINE CONDUCTED EMISSION TEST                        | 39 |
| 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST                |    |
| 12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST         |    |
| 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST | 40 |
| 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST       | 40 |
| 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST           | 41 |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP                       | 43 |
| APPENDIX B: PHOTOGRAPHS OF EUT                              | 45 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 5 of 51

## 1. VERIFICATION OF COMPLIANCE

| Applicant  | Shenzhen Hangshi Technology Co., Ltd   |  |
|--|--|--|
| Address  | Hangshi Technology Park, Democracy West Industry Area, Shajing Town, Bao'an District, Shenzhen, China. |  |
| Manufacturer Shenzhen Hangshi Technology Co., Ltd  |  |  |
| Address Hangshi Technology Park, Democracy West Industry Area, Shajing Bao'an District, Shenzhen, China. |  |  |
| Factory  | Shenzhen Hangshi Technology Co., Ltd   |  |
| Address  | Hangshi Technology Park, Democracy West Industry Area, Shajing Town, Bao'an District, Shenzhen, China. |  |
| Product Designation  | BT+2.4G Mouse  |  |
| Brand Name N/A   |  |  |
| Test Model MD161   |  |  |
| Date of test   | Jan. 07, 2021 to Jan. 26, 2021   |  |
| Deviation No any deviation from the test method  |  |  |
| Condition of Test Sample Normal  |  |  |
| Test Result Pass   |  |  |
| Report Template AGCRT-US-BLE/RF  |  |  |
|  |  |  |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC part 15.247.

| Prepared By | Eddy Lin                            |               |
|-------------|-------------------------------------|---------------|
| ' GC        | Eddy Liu<br>(Project Engineer)      | Jan. 26, 2021 |
| Reviewed By | Max Zhang                           |               |
| 100         | Max Zhang<br>(Reviewer)             | Jan. 26, 2021 |
| Approved By | Towarde                             |               |
|             | Forrest Lei<br>(Authorized Officer) | Jan. 26, 2021 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 6 of 51

## 2. GENERAL INFORMATION

#### 2.1. PRODUCT DESCRIPTION

The EUT is designed as a "BT+2.4G Mouse". It is designed by way of utilizing the GFSK technology to achieve the system operation.

A major technical description of EUT is described as following

| Operation Frequency | 2.402 GHz to 2.480GHz   |
|---------------------|---|
| RF Output Power     | 1.519dBm (Max)  |
| Bluetooth Version   | V4.2  |
| Modulation          | BR □GFSK, EDR □π /4-DQPSK, □8DPSK BLE ☑GFSK 1Mbps □GFSK 2Mbps |
| Number of channels  | 40 Channel  |
| Antenna Designation | PCB Antenna (Comply with requirements of the FCC part 15.203) |
| Antenna Gain        | 2.34dBi   |
| Hardware Version    | V1.0  |
| Software Version    | V1.0  |
| Power Supply        | DC 3.7V by battery or DC 5V by adapter                        |

## 2.2. TABLE OF CARRIER FREQUENCYS

| Frequency Band | Channel Number | Frequency |
|----------------|----------------|-----------|
| 700            | 0              | 2402 MHz  |
|                | 9              | 2404 MHz  |
| 2400~2483.5MHz | · : 10         | C 2 : F   |
|                | 38             | 2478 MHz  |
| 0              | 39             | 2480 MHz  |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 7 of 51

## 2.3. RELATED SUBMITTAL(S)/GRANT(S)

This submittal(s) (test report) is intended for **FCC ID: 2AKHJ-MD161** filing to comply with the FCC Part 15.247 requirements.

#### 2.4. TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

#### 2.5. SPECIAL ACCESSORIES

Refer to section 5.2.

#### 2.6. EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

#### 2.7. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device. For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Residual Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 8 of 51

#### 3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

- Uncertainty of Conducted Emission, Uc = ±3.1 dB
- Uncertainty of Radiated Emission below 1GHz, Uc = ±4.0 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB
- Uncertainty of total RF power, conducted,  $Uc = \pm 0.8 \text{ dB}$
- Uncertainty of RF power density, conducted, Uc = ±2.6 dB
- Uncertainty of spurious emissions, conducted, Uc = ±2.7 dB
- Uncertainty of Occupied Channel Bandwidth: Uc = ±2 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Factorian (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 9 of 51

## 4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION |  |  |  |
|-----|-----------------------|--|--|--|
| 1   | Low channel TX        |  |  |  |
| 2   | Middle channel TX     |  |  |  |
| 3   | High channel TX       |  |  |  |

#### Note:

- 1. Only the result of the worst case was recorded in the report, if no other cases.
- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. For Conducted Test method, a temporary antenna connector is provided by the manufacture.

Software Setting nRFgo Studio - Direct Test Mode UART interface File View nRF8001 Setup Help Features Direct Test Mode UART interface RX constant carrier/LO leak.. Program TX/RX channel sweep Com port COM9 RX sensitivity Refresh list of com ports Bluetooth Mode nRF8001 Configuration Receive Transmit Dispatcher Trace Translator Direct Test Mode nRF8002 Device Manager Motherboards nRF51 Programming PRBS9 Payload model Bootloaders Payload length 1 bytes Packets received Stop test (c) Nordic Semiconductor ASA 2008-2013

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restroy/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Page 10 of 51


## 5. SYSTEM TEST CONFIGURATION

## **5.1. CONFIGURATION OF TESTED SYSTEM**

Radiated Emission Configure:



Conducted Emission Configure:



## **5.2. EQUIPMENT USED IN TESTED SYSTEM**

| Item | Equipment     | Model No. ID or Specification |             | Remark |  |
|------|---------------|-------------------------------|-------------|--------|--|
| 1    | BT+2.4G Mouse | MD161                         | 2AKHJ-MD161 | EUT    |  |
| 2    | PC            | Nbl-WAQ9R                     | N/A         | AE     |  |
| 3    | adapter       | 4NIC-CHQ288                   | DC 5V       | AE     |  |

## **5.3. SUMMARY OF TEST RESULTS**

| FCC RULES     | FCC RULES DESCRIPTION OF TEST          |           |
|---------------|--|-----------|
| 15.247 (b)(3) | Peak Output Power                      | Compliant |
| 15.247 (a)(2) | 6 dB Bandwidth                         | Compliant |
| 15.247 (d)    | Conducted Spurious Emission            | Compliant |
| 15.247 (e)    | Maximum Conducted Output Power Density | Compliant |
| 15.209        | Radiated Emission                      | Compliant |
| 15.207        | Conducted Emission                     | Compliant |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Fermi Plean (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 11 of 51

## 6. TEST FACILITY

| Test Site                         | Attestation of Global Compliance (Shenzhen) Co., Ltd   |  |  |
|-----------------------------------|--|--|--|
| Location                          | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China |  |  |
| Designation Number                | CN1259   |  |  |
| FCC Test Firm Registration Number | 975832   |  |  |
| A2LA Cert. No.                    | 5054.02  |  |  |
| Description                       | Attestation of Global Compliance (Shenzhen) Co., Ltd is accredited by A2LA   |  |  |

#### TEST EQUIPMENT OF CONDUCTED EMISSION TEST

| Equipment     | Manufacturer | Model            | S/N    | Cal. Date     | Cal. Due      |
|---------------|--------------|------------------|--------|---------------|---------------|
| TEST RECEIVER | R&S          | ESPI             | 101206 | May 15, 2020  | May 14, 2021  |
| LISN          | R&S          | ESH2-Z5          | 100086 | Jul. 03, 2020 | Jul. 02, 2021 |
| Test software | R&S          | ES-K1(Ver.V1.71) | N/A    | N/A           | N/A           |

## **TEST EQUIPMENT OF RADIATED EMISSION TEST**

| Equipment                            | Manufacturer   | Model                | S/N        | Cal. Date     | Cal. Due      |
|--------------------------------------|----------------|----------------------|------------|---------------|---------------|
| TEST RECEIVER                        | R&S            | ESCI                 | 10096      | May 15, 2020  | May 14, 2021  |
| EXA Signal<br>Analyzer               | Aglient        | N9010A               | MY53470504 | Dec. 07, 2020 | Dec. 06, 2021 |
| 2.4GHz Filter                        | EM Electronics | 2400-2500MHz         | N/A        | Mar. 23, 2020 | Mar. 22, 2022 |
| Attenuator                           | ZHINAN         | E-002                | N/A        | Sep. 03, 2020 | Sep. 02, 2022 |
| Horn antenna                         | SCHWARZBECK    | BBHA 9170            | #768       | Sep. 21, 2019 | Sep. 20, 2021 |
| Active loop<br>antenna<br>(9K-30MHz) | ZHINAN         | ZN30900C             | 18051      | May 22, 2020  | May 21, 2022  |
| Double-Ridged<br>Waveguide Horn      | ETS LINDGREN   | 3117                 | 00034609   | May 17, 2019  | May 16, 2021  |
| Broadband<br>Preamplifier            | ETS LINDGREN   | 3117PA               | 00225134   | Sep. 03, 2020 | Sep. 02, 2022 |
| ANTENNA                              | SCHWARZBECK    | VULB9168             | 494        | Jan. 09, 2019 | Jan. 08, 2021 |
| Test software                        | Tonscend       | JS32-RE<br>(Ver.2.5) | N/A        | N/A           | N/A           |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 12 of 51

#### 7. PEAK OUTPUT POWER


#### 7.1. MEASUREMENT PROCEDURE

For peak power test:

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. RBW≥DTS bandwidth
- 3. VBW≥3\*RBW.
- 4. SPAN≥VBW.
- 5. Sweep: Auto.
- 6. Detector function: Peak.
- 7. Trace: Max hold.

Allow trace to stabilize. Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak output power, after any corrections for external attenuators and cables.

## 7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) PEAK POWER TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter purportization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 13 of 51


#### 7.3. LIMITS AND MEASUREMENT RESULT

|                    | PEAK OUTPUT POWER MEASUREMENT RESULT FOR GFSK MOUDULATION |                         |              |  |  |  |  |
|--------------------|---|-------------------------|--------------|--|--|--|--|
|                    |   |                         |              |  |  |  |  |
| Frequency<br>(GHz) | Peak Power<br>(dBm)                                       | Applicable Limits (dBm) | Pass or Fail |  |  |  |  |
| 2.402              | 1.519   | 30                      | Pass         |  |  |  |  |
| 2.440              | 0.938   | 30                      | Pass         |  |  |  |  |
| 2.480              | -0.150  | 30                      | Pass         |  |  |  |  |

CH<sub>0</sub>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.









#### **CH39**



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 15 of 51

#### 8. 6 DB BANDWIDTH

#### **8.1. MEASUREMENT PROCEDURE**

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Centre Frequency = Operation Frequency, RBW= 100 kHz, VBW ≥ 3×RBW.
- 4. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

## 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.

#### 8.3. LIMITS AND MEASUREMENT RESULTS


| LIMITS AND MEASUREMENT RESULT |                   |       |          |  |  |
|-------------------------------|-------------------|-------|----------|--|--|
| Applicable Limite             | Applicable Limits |       |          |  |  |
| Applicable Limits             | Test Data         | (kHz) | Criteria |  |  |
|                               | Low Channel       | 706.2 | PASS     |  |  |
| >500KHZ                       | Middle Channel    | 697.2 | PASS     |  |  |
|                               | High Channel      | 697.7 | PASS     |  |  |

#### TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the g/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter Anthorization of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/





#### TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL



#### TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written portorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 17 of 51

## 9. CONDUCTED SPURIOUS EMISSION

#### 9.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2, Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

## 9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.


#### 9.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6.

#### 9.4. LIMITS AND MEASUREMENT RESULT

| J.+. EIMITO AND MEAGONEMENT NEGGET   |  |          |  |  |  |
|--|--|----------|--|--|--|
| LIMITS AND MEASUREMENT RESULT  |  |          |  |  |  |
| Annella abla I inside  | Measurement Result                       |          |  |  |  |
| Applicable Limits  | Test Data                                | Criteria |  |  |  |
| In any 100 kHz Bandwidth Outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produce by the intentional radiator shall be at least 20 dB below that in 100KHz bandwidth within the band that contains the highest level of the desired power. | At least -20dBc than the reference level | PASS     |  |  |  |


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bolicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.






TEST RESULT FOR ENTIRE FREQUENCY RANGE


GFSK MODULATION IN LOW CHANNEL




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







## GFSK MODULATION IN MIDDLE CHANNEL




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






## GFSK MODULATION IN HIGH CHANNEL



Compliance Bedicated Festi Any report having not been signed by authorized approver, or having been attered without authorized united to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results the tested cample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Note: The peak emissions without marker on the above plots are fundamental wave and need not to compare with the limit.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






**TEST RESULT FOR BAND EDGE** 

## GFSK MODULATION IN LOW CHANNEL



#### GFSK MODULATION IN HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 25 of 51

#### 10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY

#### 10.1. MEASUREMENT PROCEDURE

- (1). Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- (2). Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- (3). Set the SPA Trace 1 Max hold, then View.

Note: The method of PKPSD in the KDB 558074 item 10.2 was used in this testing.

## 10.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

Refer to Section 7.2.

#### 10.3. MEASUREMENT EQUIPMENT USED

Refer to Section 6.


#### 10.4. LIMITS AND MEASUREMENT RESULT

| Channel No.    | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
|----------------|-------------------|---------------------|--------|
| Low Channel    | -11.920           | 8                   | Pass   |
| Middle Channel | -11.891           | 8                   | Pass   |
| High Channel   | -13.741           | 8                   | Pass   |





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the a/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter Anthorization of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST PLOT OF SPECTRAL DENSITY FOR MIDDLE CHANNEL



#### TEST PLOT OF SPECTRAL DENSITY FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 27 of 51

#### 11. RADIATED EMISSION

#### 11.1. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.






## 11.2. TEST SETUP


## Radiated Emission Test-Setup Frequency Below 30MHz



## RADIATED EMISSION TEST SETUP 30MHz-1000MHz



## RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Coedicated Postuagina Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written pathorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 29 of 51

## 11.3. LIMITS AND MEASUREMENT RESULT

15.209 Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength (microvolts/meter) | Measurement Distance (meters) |  |  |
|----------------------|-----------------------------------|-------------------------------|--|--|
| 0.009~0.490          | 2400/F(kHz)                       | 300                           |  |  |
| 0.490~1.705          | 24000/F(kHz)                      | 30                            |  |  |
| 1.705~30.0           | 30                                | 30                            |  |  |
| 30~88                | 100                               | 3                             |  |  |
| 88~216               | 150                               | 3                             |  |  |
| 216~960              | 200                               | 3                             |  |  |
| Above 960            | 500                               | 3                             |  |  |

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

#### 11.4. TEST RESULT

#### **RADIATED EMISSION BELOW 30MHz**

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 30 of 51

## **RADIATED EMISSION BELOW 1GHZ**

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Horizontal     |



|          | No. | Mk | c. Freq. | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   |          |
|----------|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| 80 -     |     |    | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
|          | 1   |    | 114.0667 | 1.62             | 17.39             | 19.01            | 43.50  | -24.49 | peak     |
|          | 2   |    | 277.3500 | -0.79            | 19.72             | 18.93            | 46.00  | -27.07 | peak     |
|          | 3   |    | 455.1833 | -1.41            | 24.09             | 22.68            | 46.00  | -23.32 | peak     |
|          | 4   |    | 600.6833 | -1.43            | 26.96             | 25.53            | 46.00  | -20.47 | peak     |
|          | 5   |    | 720.3167 | -0.91            | 28.61             | 27.70            | 46.00  | -18.30 | peak     |
| <u> </u> | 6   | *  | 935.3333 | -0.03            | 32.00             | 31.97            | 46.00  | -14.03 | peak     |
|          |     |    |          |                  |                   |                  |        |        |          |


**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriation of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 31 of 51

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Vertical       |



| No. | Mk | Freq.    | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   | <u>(</u> |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
|     |    | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
| 1   |    | 30.0000  | 7.67             | 12.17             | 19.84            | 40.00  | -20.16 | peak     |
| 2   |    | 160.9500 | -0.99            | 19.09             | 18.10            | 43.50  | -25.40 | peak     |
| 3   |    | 335.5500 | 0.43             | 20.72             | 21.15            | 46.00  | -24.85 | peak     |
| 4   |    | 542.4833 | -1.07            | 25.82             | 24.75            | 46.00  | -21.25 | peak     |
| 5   | *  | 754.2667 | -0.99            | 29.38             | 28.39            | 46.00  | -17.61 | peak     |
| 6   |    | 962.8167 | 0.02             | 32.24             | 32.26            | 54.00  | -21.74 | peak     |

## RESULT: PASS

- 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.
- 2. All test modes had been tested. The mode 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 32 of 51

g/Inspection The test results

## **RADIATED EMISSION ABOVE 1GHZ**

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Horizontal     |

| Frequency     | Meter Reading    | Factor Emission Level |            | Limits   | Margin   | Value Type   |  |
|---------------|------------------|-----------------------|------------|----------|----------|--------------|--|
| (MHz)         | (dBµV)           | (dB)                  | (dBµV/m)   | (dBµV/m) | (dB)     | - value Type |  |
| 4804.000      | 44.59            | 0.08                  | 44.67      | 74       | -29.33   | peak         |  |
| 4804.000      | 35.78            | 0.08                  | 35.86      | 54       | -18.14   | AVG          |  |
| 7206.000      | 40.01            | 2.21                  | 42.22      | 74       | -31.78   | peak         |  |
| 7206.000      | 31.27            | 2.21                  | 33.48      | 54       | -20.52   | AVG          |  |
|               | ©                |                       |            |          | <u> </u> |              |  |
|               | - 6              | (8)                   |            |          |          | (8)          |  |
| emark:        |                  |                       |            |          |          |              |  |
| actor = Anter | nna Factor + Cab | le Loss – Pre-        | amplifier. | (a)      |          |              |  |

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Vertical       |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBµV)        | (dB)   | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4804.000  | 45.13         | 0.08   | 45.21          | 74       | -28.79 | peak       |
| 4804.000  | 35.22         | 0.08   | 35.3           | 54 🌑     | -18.7  | AVG        |
| 7206.000  | 41.61         | 2.21   | 43.82          | 74       | -30.18 | peak       |
| 7206.000  | 32.87         | 2.21   | 35.08          | 54       | -18.92 | AVG        |
|           |               | - nO   |                |          |        | 64         |
| mark:     |               |        | 60             | (8)      | 8      |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedecated Pashward Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written perhorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 33 of 51

g/Inspection
The test results
the test report.

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 2        | Antenna           | Horizontal     |

| Frequency     | Meter Reading     | Factor      | Emission Level | Limits   | Margin | Value Type |
|---------------|-------------------|-------------|----------------|----------|--------|------------|
| (MHz)         | (dBµV)            | (dB)        | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4880.000      | 44.28             | 0.14        | 44.42          | 74       | -29.58 | peak       |
| 4880.000      | 34.71             | 0.14        | 34.85          | 54       | -19.15 | AVG        |
| 7320.000      | 39.26             | 2.36        | 41.62          | 74       | -32.38 | peak       |
| 7320.000      | 30.42             | 2.36        | 32.78          | 54       | -21.22 | AVG        |
| ®             |                   |             |                | ·        |        |            |
|               | (8)               |             |                |          | 8      |            |
| emark:        | - 6               | (3)         |                |          | - 0    | @          |
| actor = Anter | na Factor + Cable | Loss – Pre- | amplifier.     |          |        | -6         |

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 2        | Antenna           | Vertical       |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBµV)        | (dB)   | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4880.000  | 46.23         | 0.14   | 46.37          | 74       | -27.63 | peak       |
| 4880.000  | 37.41         | 0.14   | 37.55          | 54       | -16.45 | AVG        |
| 7320.000  | 40.16         | 2.36   | 42.52          | 74       | -31.48 | peak       |
| 7320.000  | 31.85         | 2.36   | 34.21          | 54       | -19.79 | AVG        |
|           |               | 304    | ®              | ®        |        |            |
| mark:     |               |        |                |          |        |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesture Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 34 of 51

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3        | Antenna           | Horizontal     |

| V) (dB) | (dBµV/m)         | (dBµV/m)                      | (AD)                              | Value Type                                     |
|---------|------------------|-------------------------------|-----------------------------------|--|
| ,       | (abp viii)       | (ubµv/iii)                    | (dB)                              |  |
| 3 0.22  | 45.35            | 74                            | -28.65                            | peak   |
| 0.22    | 36.08            | 54                            | -17.92                            | AVG  |
| 2.64    | 42.3             | 74                            | -31.7                             | peak   |
| 8 2.64  | 33.12            | 54                            | -20.88                            | AVG  |
|         |                  | · · · · · · · · · · · · · · · |                                   |  |
|         |                  |                               |                                   |  |
| 5       | 6 0.22<br>6 2.64 | 6 0.22 36.08<br>6 2.64 42.3   | 6 0.22 36.08 54<br>6 2.64 42.3 74 | 6 0.22 36.08 54 -17.92<br>6 2.64 42.3 74 -31.7 |

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3        | Antenna           | Vertical       |

| Meter Reading | Factor                            | Emission Level  | Limits   | Margin   | Value Type  |
|---------------|-----------------------------------|---|--|--|---|
| (dBµV)        | (dB)                              | (dBµV/m)  | (dBµV/m)   | (dB)   | value Type  |
| 44.15         | 0.22                              | 44.37   | 74   | -29.63   | peak  |
| 33.78         | 0.22                              | 34  | 54   | -20  | AVG   |
| 38.45         | 2.64                              | 41.09   | 74   | -32.91   | peak  |
| 28.13         | 2.64                              | 30.77   | 54   | -23.23   | AVG   |
| 100 m         |                                   | (8)   |  |  | 20  |
|               | (dBµV)<br>44.15<br>33.78<br>38.45 | (dBµV) (dB)<br>44.15 0.22<br>33.78 0.22<br>38.45 2.64 | (dBμV)     (dB)     (dBμV/m)       44.15     0.22     44.37       33.78     0.22     34       38.45     2.64     41.09 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)       44.15     0.22     44.37     74       33.78     0.22     34     54       38.45     2.64     41.09     74 | (dBμV)     (dB)     (dBμV/m)     (dBμV/m)     (dBμV/m)       44.15     0.22     44.37     74     -29.63       33.78     0.22     34     54     -20       38.45     2.64     41.09     74     -32.91 |

## **RESULT: PASS**


## Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restroy/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




The test results




TEST RESULT FOR RESTRICTED BANDS REQUIREMENTS

| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Horizontal     |








**RESULT: PASS** 


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Belloaded Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written achorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/






| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1        | Antenna           | Vertical       |





**RESULT: PASS** 


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3        | Antenna           | Horizontal     |





**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




g/Inspection
The test results
the test report.



| EUT         | BT+2.4G Mouse | Model Name        | MD161          |
|-------------|---------------|-------------------|----------------|
| Temperature | 25° C         | Relative Humidity | 55.4%          |
| Pressure    | 960hPa        | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3        | Antenna           | Vertical       |





**RESULT: PASS** 

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Postular Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 39 of 51

## 12. FCC LINE CONDUCTED EMISSION TEST


#### 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST

| F             | Maximum RF Line Voltage |                |  |  |  |  |  |
|---------------|-------------------------|----------------|--|--|--|--|--|
| Frequency     | Q.P.( dBuV)             | Average( dBuV) |  |  |  |  |  |
| 150kHz~500kHz | 66-56                   | 56-46          |  |  |  |  |  |
| 500kHz~5MHz   | 56                      | 46             |  |  |  |  |  |
| 5MHz~30MHz    | 60                      | 50             |  |  |  |  |  |

#### Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

## 12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exphorization of AGC where test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 40 of 51

#### 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

#### 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- 2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exporization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 41 of 51

## 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

Line Conducted Emission Test Line 1-L




| No. Freq. | Reading_Level<br>(dBuV) |       | Correct<br>Factor |       |       | Limit<br>(dBuV) |       | Margin<br>(dB) |       | P/F   |        |        |   |
|-----------|-------------------------|-------|-------------------|-------|-------|-----------------|-------|----------------|-------|-------|--------|--------|---|
|           | (MHz)                   | Peak  | QP                | AVG   | dB    | Peak            | QP    | AVG            | QP    | AVG   | QP     | AVG    |   |
| 1         | 0.5220                  | 29.05 | 27.93             | 23.67 | 13.76 | 42.81           | 41.69 | 37.43          | 56.00 | 46.00 | -14.31 | -8.57  | Р |
| 2         | 0.6220                  | 28.55 | 26.86             | 22.77 | 13.82 | 42.37           | 40.68 | 36.59          | 56.00 | 46.00 | -15.32 | -9.41  | Р |
| 3         | 0.7260                  | 26.70 | 25.21             | 20.83 | 13.81 | 40.51           | 39.02 | 34.64          | 56.00 | 46.00 | -16.98 | -11.36 | Р |
| 4         | 1.0980                  | 27.51 | 25.72             | 19.75 | 13.80 | 41.31           | 39.52 | 33.55          | 56.00 | 46.00 | -16.48 | -12.45 | Р |
| 5         | 1.3500                  | 28.95 | 22.16             | 16.44 | 13.77 | 42.72           | 35.93 | 30.21          | 56.00 | 46.00 | -20.07 | -15.79 | Р |
| 6         | 2.7700                  | 27.30 | 24.27             | 17.88 | 13.40 | 40.70           | 37.67 | 31.28          | 56.00 | 46.00 | -18.33 | -14.72 | Р |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the scheduled resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 42 of 51



**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.