

# FCC Test Report

# Report No.: AGC00079180704FE03

FCC ID	Œ	2AKI8-ONBBTINEAR
APPLICATION PURPOSE	:	Original Equipment
PRODUCT DESIGNATION	The Clobe	BLUETOOTH IN-EAR HEADPHONE
BRAND NAME	:	ONN
MODEL NAME	©	18LY09, ONB18AA008, ONB18AA009, ONB18AA010, ONB18AA011
CLIENT		TOPWAY EM ENTERPRISE LTD.
DATE OF ISSUE	11)-	Jul. 16, 2018
STANDARD(S) TEST PROCEDURE(S)	:	FCC Part 15 Subpart C Section 15.249
REPORT VERSION		V1.0

# Attestation of Global Compliance (Shenzhen) Co., Ltd

AGC Partien

# CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.

non



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

Attestation of Global Compliance



Report No.: AGC00079180704FE03 Page 2 of 61

Allest		Repert Reflee Recerta		K al Com
Report Version Revise Time		Issued Date	Valid Version	Notes
V1.0	1	Jul. 16, 2018	Valid	Initial release

#### **Report Revise Record**





Report No.: AGC00079180704FE03 Page 3 of 61

# TABLE OF CONTENTS

1. VERIFICATION OF CONFORMITY	
2. GENERAL INFORMATION	5
2.1. PRODUCT DESCRIPTION 2.2. TABLE OF CARRIER FREQUENCYS	5
3. MEASUREMENT UNCERTAINTY	5
4. DESCRIPTION OF TEST MODES	
5. SYSTEM TEST CONFIGURATION	
5.1. CONFIGURATION OF EUT SYSTEM 5.2. EQUIPMENT USED IN EUT SYSTEM 5.3. SUMMARY OF TEST RESULTS	8
6. TEST FACILITY	
7.TEST METHOD.	
8. TEST EQUIPMENT LIST	11
9. RADIATED EMISSION	12
9.1TEST LIMIT. 9.2. MEASUREMENT PROCEDURE.	12
9 3 TEST SETUP	15
9.4. TEST RESULT	17
10. BAND EDGE EMISSION	39
10.1. MEASUREMENT PROCEDURE	39
10.2 TEST SETUP 10.3 RADIATED TEST RESULT	39 
11. 20DB BANDWIDTH	
11.1. MEASUREMENT PROCEDURE	
11.2. TEST SET-UP 11.3. LIMITS AND MEASUREMENT RESULTS	44
12. FCC LINE CONDUCTED EMISSION TEST	
12.1. LIMITS OF LINE CONDUCTED EMISSION TEST	51 51
12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST	52
12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST	52 52
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	
APPENDIX B: PHOTOGRAPHS OF EUT	
APPENDIX B: PHOTOGRAPHS OF EUT	55

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by A GC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

Attestation of Global Compliance



Report No.: AGC00079180704FE03 Page 4 of 61

# 1. VERIFICATION OF CONFORMITY

Applicant	TOPWAY EM ENTERPRISE LTD.
Address	8F BLOCK B BUILDING 6 BAONENG S & T PARK LONG HUA SHENZHEN GD CHINA 518109
Manufacturer	Shenzhen Jia Hua Li Dian Zi You Xian Gong Si
Address	NO 101,201, BUILDING E, NEW INDUSTRIAL ZONE, SHENZHU ROAD, LIUYUE SHENKENG VILLAGE, HENGGANG, LONGGANG DISTRICT, SHENZHEN CHINA.
Product Designation	BLUETOOTH IN-EAR HEADPHONE
Brand Name	ONN
Test Model	18LY09
Series Model	ONB18AA008, ONB18AA009, ONB18AA010, ONB18AA011
Difference description	All the same except for the appearance color.
Date of test	Jul. 10, 2018 to Jul. 16, 2018
Deviation	None
Condition of Test Sample	Normal
Report Template	AGCRT-US-BR/RF

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, the energy emitted by the sample tested as described in this report is in compliance with the requirements of FCC Rules Part 15.249. The test results of this report relate only to the tested sample identified in this report.

Tested By

Jonhan Wang

Jonhen Wang(Wang Yonghuan) Jul. 16, 2018

well chang

**Reviewed By** 

Cool Cheng(Cheng Mengguo)

Jul. 16, 2018

Forvesto en

Approved By

Forrest Lei(Lei Yonggang) Authorized Officer

Jul. 16, 2018

The results show the first est report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gatt.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China



# 2. GENERAL INFORMATION

# 2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following	s following
--	-------------

<b>Operation Frequency</b>	2.402 GHz to 2.480GHz
Bluetooth Version	V4.2
Modulation	BR ⊠GFSK, EDR ⊠π /4-DQPSK, ⊠8DPSK BLE □GFSK
Number of channels	79 for BR/EDR
Hardware Version	A2
Software Version	V1.3
Antenna Designation	PCB Antenna
Antenna Gain	0dBi
Power Supply	DC 3.7V by battery
Note: 1. The USB port or	nly used for charging and can't be used to transfer data with PC.

- 2. The BT function of EUT didn't work when charging.
- 3. The test model has four kinds of color samples, all recorded in the test report.

# 2.2. TABLE OF CARRIER FREQUENCYS

#### BR/EDR channel List

Frequency Band	Channel Number	Frequency
	0 the termine	2402MHz
The the parties	# The Comment of The stand of t	2403MHz
<sup>e</sup> <sup>e</sup> <sup>f</sup>		
GC NO	38	2440 MHz
2400~2483.5MHz	39	2441 MHz
The compares 6 France Conne	40 <b>4</b> 0	2442 MHz
Jeon SC M		
	77	2479 MHz
The the manual	78	2480 MHz



# 3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y  $\pm$ U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

- Uncertainty of Conducted Emission,  $Uc = \pm 3.2 dB$
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB

	NO.		TEST MOD	DE DESCRIPTIO	N	
C	Barran Colors	alion of Golden C	Low c	hannel GFSK		
9	2	NO CO	Middle	channel GFSK	A THE	The Compliance
	3	T the mass	High c	hannel GFSK	C These of the section of	60°
Hance -	4 the man	C	Low chan	nnel π /4-DQPSK	G	
obal Com	8 5 Sugar Cloba	10 × 00	Middle cha	annel π /4-DQPS	K	The 12 -
< C <sup>C</sup>	6		High char	nnel π /4-DQPSk	Find Global Contr	C Station of Global
	7	A The Count	Low ch	nannel 8DPSK		
THE STORE	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		Middle	channel 8DPSK		100-
Attestation	9		High cł	hannel 8DPSK	T	bal compliance
	10		F A Goba Compliant	BT Link	C Atlestation of C	C.C.
(					100 No. 10	and the second second

# 4. DESCRIPTION OF TEST MODES

#### Note:

1. All the test modes can be supply by battery, only the result of the worst case was recorded in the report, if no other cases.

- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. The EUT used fully-charged battery when tested.





C	Software Setting	The Compliance	pliance
BK3256 RF Test - V1.	3		
〔件 偃) 帮助 侹)			
RF测试			-
通讨	端口 COM3 I Close		R.
1X器测试 DUT测试模式	性测试 殖点 2 · · C 数据类型 Pn9 ▼ 退出测试 p率 2 · Hopping 包类型 DH1 ▼ 能置		300
Serial port configration: (ଲ5) [attach 0] IS saradc_charger_full_thresl init finished Bluetooth controller enabl IA [CMD] singlewave test mode app bt enable dut mode().	ed: 12:34:56:66:54:13 e enable		
OK app_wave_file_play_stop() Bluetooth controller disal [disable_complete 0 00] Enter Dut test mode succes	oled: 12:34:56:66:54:13		
,			





#### Report No.: AGC00079180704FE03 Page 8 of 61

# 5. SYSTEM TEST CONFIGURATION

# 5.1. CONFIGURATION OF EUT SYSTEM

Configure 1: (Normal hopping)

EUT

Configure 2: (Control continuous TX)

	in the second seco	oalte		
EUT	Control b	хох	PC	The Company

# 5.2. EQUIPMENT USED IN EUT SYSTEM

ltem	Equipment	Mfr/Brand	Model/Type No.	Remark
	BLUETOOTH IN-EAR HEADPHONE	ONN	18LY09	CEUT
2	Battery	N/A G	481030	Accessory
3	PC PC	APPLE	A1465	A.E
4	Control box	BEKEN	N/A	A.E
5	IPOD	APPLE	A1367	A.E
6	USB Cable	N/A	1m unshielded	A.E
7	USB Cable	N/A	0.4m unshielded	Accessory





Report No.: AGC00079180704FE03 Page 9 of 61

#### **5.3. SUMMARY OF TEST RESULTS**

FCC RULES	DESCRIPTION OF TEST	RESULT
§15.249(a) §15.209	Radiated Emission	Compliant
§15.249(d)	Band Edges	Compliant
§15.207	Conduction Emission	N/A
§15.215	Bandwidth	Compliant

Note: N/A means it's not applicable to this item.





# 6. TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd
Location	1-2F., Bldg.2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Bao'an District B112-B113, Bldg.12, Baoan Bldg Materials Center, No.1 of Xixiang Inner Ring Road, Baoan District, Shenzhen 518012
NVLAP Lab Code	600153-0
Designation Number	CN5028
Test Firm Registration Number	682566
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by National Voluntary Laboratory Accreditation program, NVLAP Code 600153-0



# ACC <sup>®</sup> 鑫 宇 环 检 测 Attestation of Global Compliance

# 7. TEST METHOD

All measurements contained in this report were conducted with ANSI C63.10-2013

# 8. TEST EQUIPMENT LIST

#### TEST EQUIPMENT OF RADIATED EMISSION TEST

			and the second		C Per Hi0
Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
Test Receiver	R&S	ESCI	10096	Jun.20, 2018	Jun.19, 2019
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec.08, 2017	Dec.07, 2018
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Sep.20, 2017	Sep.19, 2018
preamplifier	ChengYi	EMC184045SE	980508	Sep.15, 2017	Sep.14, 2018
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May 18, 2017	May 17, 2019
Broadband Preamplifier	SCHWARZBECK	BBV 9718	9718-205	Jun.20, 2018	Jun.19, 2019
Antenna	SCHWARZBECK	VULB9168	D69250	Sep.28, 2017	Sep.27, 2018
Loop Antenna	A.H.Systems,Inc	SAS-562B		Mar. 01, 2018	Feb. 28, 2019
Radiation Cable 1	МХТ	RS1	R005	N/A	N/A
Radiation Cable 2	MXT	RS1	R006	N/A	N/A
Filter (2.4-2.483GHz)	Micro-tronics	087		Jun.20, 2018	Jun.19, 2019





# 9. RADIATED EMISSION

# 9.1TEST LIMIT

Standard FCC15.249

Fundamental	Field Strength of Fundamental	Field Strength of Harmonics		
Frequency	(millivolts/meter)	(microvolts/meter)		
900-928MHz	50	500		
2400-2483.5MHz	50	500		
5725-5875MHz	50	500		
24.0-24.25GHz	250	2500		

#### Standard FCC 15.209

Frequency	Distance	Field Strengths Limit					
(MHz)	Meters	μ V/m	dB(µV)/m				
0.009 ~ 0.490	300	2400/F(kHz)	2				
0.490 ~ 1.705	30	24000/F(kHz)	1 B				
1.705 ~ 30	30	30	E Freedow Contraction of Contraction				
30 ~ 88	3 States	100	40.0				
88 ~ 216	3	150	43.5				
216 ~ 960	3	200	46.0				
960 ~ 1000	3	500	54.0				
Above 1000	3	Other:74.0 dB(µV)/m (Average)	(Peak) 54.0 dB(µV)/m				

Remark: (1) Emission level dB $\mu$  V = 20 log Emission level  $\mu$  V/m

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.



# AGC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance

Report No.: AGC00079180704FE03 Page 13 of 61

#### 9.2. MEASUREMENT PROCEDURE

- The measuring distance of 3m shall be used for measurements. The EUT was placed on the top of a rotating table 0.8 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation(Below 1GHz)
- The measuring distance of 3m shall used for measurements. The EUT was placed on the top of a rotating table 1.5 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation(Above 1GHz)
- 3. The height of the test antenna shall vary between 1m to 4m.Both horizontal and vertical polarization Of the antenna are set to make the measurement.
- 4. The initial step in collecting radiated emission data is a receive peak detector mode. Pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- 5. All readings are peak unless otherwise stated QP in column of Note. Peak denoted that the Peak reading compliance with the QP limits and then QP Mode measurement didn't perform(Below 1GHz)
- 6. All readings are Peak mode value unless otherwise stated AVG in column of Note. If the Peak mode measured value compliance with the Peak limits and lower than AVG Limits, the EUT shall be deemed to meet Peak & AVG limits and then only Peak mode was measured, but AVG mode didn't perform.(Above 1GHz)





Report No.: AGC00079180704FE03 Page 14 of 61

Spectrum Parameter	Setting
Start ~Stop Frequency	9KHz~150KHz/RB 200Hz for QP
Start ~Stop Frequency	150KHz~30MHz/RB 9KHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120KHz for QP
Start ~Stop Frequency	Fundamental: 2.4~2.483GHz RBW 2MHz/ VBW 6MHz for Peak, RBW 2MHz/ VBW 10Hz for Average Harmonics: 1GHz~25GHz RBW 1MHz/ VBW 3MHz for Peak, RBW 1MHz/ VBW 10Hz for Average
Receiver Parameter	Setting
Start ~Stop Frequency	9KHz~150KHz/RB 200Hz for QP
Start ~Stop Frequency	150KHz~30MHz/RB 9KHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120KHz for QP

The following table is the setting of spectrum analyzer and receiver.






Report No.: AGC00079180704FE03 Page 15 of 61

#### 9.3. TEST SETUP

Radiated Emission Test-Setup Frequency Below 30MHz




Spectrum Analyzer / Receiver





Report No.: AGC00079180704FE03 Page 16 of 61



RADIATED EMISSION TEST SETUP ABOVE 1000MHz





Report No.: AGC00079180704FE03 Page 17 of 61

# 9.4. TEST RESULT FOR BR/EDR (Worst modulation: GFSK)

#### **RADIATED EMISSION BELOW 30MHz**


No emission found between lowest internal used/generated frequencies to 30MHz. **RADIATED EMISSION BELOW 1GHz** 

RADIATED EMISSION TEST- (30MHz-1GHz)-LOW CHANNEL-HORIZONTAL



# AGC<sup>®</sup>鑫 宇 环 检 测 Attestation of Global Compliance


#### Report No.: AGC00079180704FE03 Page 18 of 61



#### A. Suspected List:

undelta.	Frequency MHz	Polarization	Reading dB(uV)	Factor dB (1/m)	Level dB(uV/m) PK	Limit dB(uV/m) QP	Margin dB	Pass/Fail	Height cm	Angle deg
	53.765	н	5.3	16.8	22.1	40.0	17.9	Pass	200.0	267.9
	123.120	н	5.6	15.7	21.3	43.5	22.2	Pass	200.0	267.9
	149.795	н	5.8	16.6	22.4	43.5	21.1	Pass	150.0	267.9
	222.545	Н	14.8	15.0	29.8	46.0	16.2	Pass	200.0	266.7
1	469.410	н	5.9	22.4	28.3	46.0	17.7	Pass	100.0	88.4
୍	871.475	н	6.3	29.9	36.2	46.0	9.8	Pass	200.0	339.9

**RESULT: PASS** 



# RADIATED EMISSION TEST- (30MHz-1GHz)-LOW CHANNEL -VERTICAL


# A. Suspected List:

Frequency MHz	Polarization	Reading dB(uV)	Factor dB (1/m)	Level dB(uV/m) PK	Limit dB(uV/m) QP	Margin dB	Pass/Fail	Height cm	Angle deg
30.485	v	9.0	15.5	24.5	40.0	15.5	Pass	150.0	71.6
53.765	v	6.1	16.8	22.9	40.0	17.1	Pass	200.0	265.7
58.615	v	7.0	16.4	23.4	40.0	16.6	Pass	200.0	157.2
125.545	v	6.6	15.9	22.5	43.5	21.0	Pass	150.0	106.6
218.180	.180 V 9.2 14.5 23.7 46.0		22.3	Pass	200.0	265.7			
839.950	v	5.5	29.4	34.9	46.0	11.1	Pass	200.0	338.1

# **RESULT: PASS**

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.




# RADIATED EMISSION TEST- (30MHz-1GHz)-MIDDLE CHANNEL-HORIZONTAL

#### A. Suspected List:

	Frequency MHz	Polarization	Reading dB(uV)	$\sim$ dB ( $\mu/\mu$ ) ( $B/\mu/\mu$ )		Margin dB	Pass/Fail	Height cm	Angle deg	
Γ	39.215	н	5.4	17.4	22.8	40.0	17.2	Pass	100.0	161.5
$\left[ \right]$	56.675	н	4.8	16.6	21.4	40.0	18.6	Pass	100.0	234.8
	158.040	н	5.2	16.6	21.8	43.5	21.7	Pass	150.0	234.8
S.	226.425	н	11.9	15.4	27.3	46.0	18.7	Pass	100.0	17.2
	377.260	н	8.5	20.0	28.5	46.0	17.5	Pass	200.0	17.2
Γ	911.730	Н	7.4	30.3	37.7	46.0	8.3	Pass	100.0	124.9

# **RESULT: PASS**



# RADIATED EMISSION TEST- (30MHz-1GHz)- MIDDLE CHANNEL -VERTICAL


#### A. Suspected List:

Frequency MHz			Margin dB	Pass/Fail	Height cm	Angle deg			
30.970	0.970 V 9.8 15.6 25.4 40.0 14		14.6	Pass	200.0	289.5			
42.610	v	5.2	17.4	22.6	40.0	17.4	Pass	150.0	144.1
129.910	v	4.7	16.2	20.9	43.5	22.6	Pass	150.0	289.5
285.595	v	5.1	17.7	22.8	46.0	23.2	Pass	100.0	289.5
590.660	590.660 V 5.3 24.8 30.1		46.0	15.9	Pass	150.0	73.0		
914.640	v	5.8	30.3	36.1	46.0	9.9	Pass	150.0	109.1

# **RESULT: PASS**

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.



#### RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL-HORIZONTAL


鑫 宇 环 检 测 Attestation of Global Compliance

#### A. Suspected List:

GC

Frequency MHz	Polarization Reading dB dB(uV) GB dB (1/m) dB		Level dB(uV/m) PK	Limit dB(u∨/m) QP	Margin dB	Pass/Fail	Height cm	Angle deg	
43.580	Н	6.4	17.4	23.8	40.0	16.2	Pass	100.0	356.6
56.190	56.190 H		16.6	22.8	40.0	17.2	Pass	150.0	166.6
160.950	Н	5.8	16.6	22.4	43.5	21.1	Pass	100.0	39.1
223.515	Н	13.6	15.1	28.7	46.0	17.3	Pass	200.0	78.4
586.780	586.780 H		24.7	30.4	46.0	15.6	Pass	100.0	358.0
841.405	841.405 H		29.5	35.4	46.0	10.6	Pass	100.0	200.0

## **RESULT: PASS**



## RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL -VERTICAL

# A. Suspected List:

Frequency MHz	Polarization Reading dB dB(uV/m) dB(uV		Limit dB(uV/m) QP	Margin dB	Pass/Fail	Height cm	Angle deg		
30.970	v	9.5	15.6	25.1	40.0	14.9	Pass	100.0	197.6
58.615	v	6.4	16.4	22.8	40.0	17.2	Pass	200.0	222.6
143.975	v	6.0	16.6	22.6	43.5	20.9	Pass	100.0	163.6
226.425	226.425 V 8.6		15.4	24.0	46.0	22.0	Pass	100.0	189.8
732.280	v	6.5	27.1	33.6	46.0	12.4	Pass	150.0	127.2
886.995	v	6.4	30.0	36.4	46.0	9.6	Pass	100.0	243.6

# **RESULT: PASS**

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.



Report No.: AGC00079180704FE03 Page 24 of 61


#### **RADIATED EMISSION ABOVE 1GHz**

FOR BR/EDR

(Worst modulation: GFSK)

#### For Fundamental

#### RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∨	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2402.000	88.22	10.32	98.54	114.00	-15.46	peak			
2	*	2402.000	80.32	10.32	90.64	94.00	-3.36	AVG	100	33	


#### **RESULT: PASS**

The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

Attestation of Global Compliance



Report No.: AGC00079180704FE03 Page 25 of 61




# RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∀	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2402.000	87.76	10.32	98.08	114.00	-15.92	peak			
2	*	2402.000	79.74	10.32	90.06	94.00	-3.94	AVG	100	309	

**RESULT: PASS** 





RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL


No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∨	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2441.000	87.39	10.36	97.75	114.00	-16.25	peak			
2	*	2441.000	79.40	10.36	89.76	94.00	-4.24	AVG	100	25	

**RESULT: PASS** 

AGC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance



Report No.: AGC00079180704FE03 Page 27 of 61




RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL- VERTICAL


No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∀	dB/m	dBu\//m	dBuV/m	dB		cm	degree	
1		2441.000	86.96	10.36	97.32	114.00	-16.68	peak			
2	*	2441.000	78.96	10.36	89.32	94.00	-4.68	AVG	100	318	

**RESULT: PASS** 

GC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance








RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL-HORIZONTAL

GC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	•	MHz	dBu∀	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2480.000	86.63	10.41	97.04	114.00	-16.96	peak			
2	*	2480.000	78.72	10.41	89.13	94.00	-4.87	AVG	100	23	

**RESULT: PASS** 





#### RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

GC 鑫 宇 环 检 测 Attestation of Global Compliance

N	. Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment	
	-	MHz	dBu∀	dB/m	dBu∀/m	dBu∀/m	dB		cm	degree		
1		2480.000	86.16	10.41	96.57	114.00	-17.43	peak				XX
2	*	2480.000	78.13	10.41	88.54	94.00	-5.46	AVG	100	311		at

#### **RESULT: PASS**

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.



Field strength of the fundamental signal

#### 1Mbps Result:

Peak value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization
2402	88.22	10.32	98.54	114	-15.46	Horizontal
2402	87.76	10.32	98.08	114	-15.92	Vertical
2441	87.39	10.36	97.75	114	-16.25	Horizontal
2441	86.96	10.36	97.32	114	-16.68	Vertical
2480	86.63	10.41	97.04	114	-16.96	Horizontal
2480	86.16	10.41	96.57	114	-17.43	Vertical

# Average value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization
2402	80.32	10.32	90.64	94	-3.36	Horizontal
2402	79.74	10.32	90.06	94	-3.94	Vertical
2441	79.40	10.36	89.76	94	-4.24	Horizontal
2441	78.96	10.36	89.32	94	-4.68	Vertical
2480	78.72	10.41	89.13	94	-4.87	Horizontal
2480	78.13	10.41	88.54	94	-5.46	Vertical

# AGC <sup>®</sup> 鑫 宇 环 检 测 Attestation of Global Compliance

#### Report No.: AGC00079180704FE03 Page 31 of 61

# 2Mbps Result:

#### Peak value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna	
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization	
2402	87.83	10.32	98.15	114	-15.85	Horizontal	
2402	87.36	10.32	97.68	114	-16.32	Vertical	
2441	86.96	10.36	97.32	114	-16.68	Horizontal	
2441	86.57	10.36	96.93	114 🔬	-17.07	Vertical	
2480	86.15	10.41	96.56	114	-17.44	Horizontal	
2480	85.75	10.41	96.16	114	-17.84	Vertical	

#### Average value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization
2402	79.93	10.32	90.25	94	-3.75	Horizontal
2402	79.31	10.32	89.63	94 💿	-4.37	Vertical
2441	79.16	10.36	89.52	94	-4.48	Horizontal
2441	78.56	10.36	88.92	94	-5.08	Vertical
2480	78.31	10.41	88.72	94	-5.28	Horizontal
2480	77.82	10.41	88.23	94	-5.77	Vertical



# AGC <sup>®</sup> 鑫 宇 环 检 测 Attestation of Global Compliance

#### Report No.: AGC00079180704FE03 Page 32 of 61

#### 3Mbps Result:

#### Peak value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna	
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization	
2402	87.34	10.32	97.66	114	-16.34	Horizontal	
2402	86.91	10.32	97.23	114	-16.77	Vertical	
2441	86.66	10.36	97.02	114	-16.98	Horizontal	
2441	86.27	10.36	96.63	114 🔬	-17.37	Vertical	
2480	85.83	10.41	96.24	114	-17.76	Horizontal	
2480	85.44	10.41	95.85	114	-18.15	Vertical	

#### Average value

Frequency	Reading Level	Factor	Measurement	Limit	Over	Antenna
(MHz)	(dBuv)	(dB/m)	(dBuv/m)	(dBuv/m)	(dB)	Polarization
2402	79.52	10.32	89.84	94	-4.16	Horizontal
2402	78.96	10.32	89.28	94	-4.72	Vertical
2441	78.79	10.36	89.15	94	-4.85	Horizontal
2441	78.17	10.36	88.53	94	-5.47	Vertical
2480	77.83	10.41	88.24	94	-5.76	Horizontal
2480	77.48	10.41	87.89	94	-6.11	Vertical






Report No.: AGC00079180704FE03 Page 33 of 61

#### FOR BR/EDR

#### (Worst modulation: GFSK)

#### For Harmonics

#### RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∀	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2175.000	34.50	10.07	44.57	74.00	-29.43	peak			
2		3616.667	33.55	12.83	46.38	74.00	-27.62	peak			
3	*	4804.000	42.21	7.69	49.90	74.00	-24.10	peak			


#### **RESULT: PASS**

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

Attestation of Global Compliance



Report No.: AGC00079180704FE03 Page 34 of 61



74.00

24.76

peak

# RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

**RESULT: PASS** 

4804.000


41.55

7.69

49.24

3






# RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBu∨	dB/m	dBu\//m	dBuV/m	dB		cm	degree	
1		1991.667	34.70	9.79	44.49	74.00	-29.51	peak			
2		3525.000	33.36	12.26	45.62	74.00	-28.38	peak			
3	*	4882.000	42.66	7.89	50.55	74.00	-23.45	peak			

**RESULT: PASS** 





#### RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL- VERTICAL


鑫 宇 环 检 测 Attestation of Global Compliance

GC

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	•	MHz	dBu∨	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2266.667	34.83	10.17	45.00	74.00	-29.00	peak			
2		3491.667	33.65	12.10	45.75	74.00	-28.25	peak			
3	*	4882.000	42.39	7.89	50.28	74.00	-23.72	peak			

**RESULT: PASS** 

Report No.: AGC00079180704FE03 Page 37 of 61




# RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL-HORIZONTAL

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	-	MHz	dBu∨	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		1841.667	35.57	8.21	43.78	74.00	-30.22	peak			
2		3441.667	32.22	12.05	44.27	74.00	-29.73	peak			
3	*	4960.000	42.60	8.09	50.69	74.00	-23.31	peak			

**RESULT: PASS** 

The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.





# RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

鑫 宇 环 检 测 Attestation of Global Compliance

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	
	-	MHz	dBu∀	dB/m	dBuV/m	dBu∀/m	dB		cm	degree	
1		1608.333	37.88	5.76	43.64	74.00	-30.36	peak			
2		3375.000	34.29	11.99	46.28	74.00	-27.72	peak			
3	*	4960.000	42.41	8.09	50.50	74.00	-23.50	peak			

## **RESULT: PASS**

C

Note: 6~25GHz at least have 20dB margin. No recording in the test report.

Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <a href="http://www.agconter.com">http://www.agconter.com</a>.



# AGC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance

Report No.: AGC00079180704FE03 Page 39 of 61

# **10. BAND EDGE EMISSION**

# 10.1. MEASUREMENT PROCEDURE


1. The EUT operates at hopping-off test mode. The lowest or highest channels are tested to verify the largest transmission and spurious emissions power at the continuous transmission mode.

2. Max hold the trace of the setup 1, and the EUT operates at hopping-on test mode to verify the largest spurious emissions power.

3. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission.

St	art frequency(MI	Hz)	Stop frequency(MHz)				
The state	2200	The state	nos E Frastation o	2405	S		
B Thestation of Cloue	2478	C Attestation of Con	GO	2500			
	Part Part				(0)		

#### 10.2 TEST SETUP



RADIATED EMISSION TEST SETUP

The results show the first store only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gatt.com.




## **10.3 RADIATED TEST RESULT**

# FOR BR/EDR

#### (Worst modulation: GFSK)

#### TEST PLOT OF BAND EDGE FOR LOW CHANNEL-Horizontal




N	No. Mk	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		-	MHz	dBu∀	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
,	1		2376.642	31.54	10.29	41.83	74.00	-32.17	peak			
	2		2390.000	32.50	10.31	42.81	74.00	-31.19	peak			
;	3		2400.000	40.97	10.32	51.29	74.00	-22.71	peak			
4	4	*	2402.000	88.41	10.32	98.73	74.00	24.73	peak			
1	5	Х	2402.000	80.47	10.32	90.79	74.00	16.79	AVG	100	33	

The results show of this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



Report No.: AGC00079180704FE03 Page 41 of 61




# TEST PLOT OF BAND EDGE FOR LOW CHANNEL -Vertical

No	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
,	-	MHz	dBu∀	dB/m	dBuV/m	dBuV/m	dB		cm	degree	
1		2376.642	32.09	10.29	42.38	74.00	-31.62	peak			
2		2390.000	31.21	10.31	41.52	74.00	-32.48	peak			
3		2400.000	35.56	10.32	45.88	74.00	-28.12	peak			
4	*	2402.000	88.09	10.32	98.41	74.00	24.41	peak			
5	Х	2402.000	79.99	10.32	90.31	74.00	16.31	AVG	100		

The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

Report No.: AGC00079180704FE03 Page 42 of 61



TEST PLOT OF BAND EDGE FOR HIGH CHANNEL -Horizontal


#### Antenna Table Freq. Reading Factor Measurement Limit Over Mk Height Degree No. Detector Comment MHz dBu∨ dB/m dBuV/m dBuV/m dB degree cm 2480.000 87.05 10.41 97.46 74.00 23.46 1 \* peak AVG 2 Х 2480.000 79.27 10.41 89.68 74.00 15.68 100 28 3 2483.500 34.19 10.41 44.60 74.00 29.40 peak 2487.130 33.09 10.42 43.51 74.00 30.49 4 peak

The second second

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00079180704FE03 Page 43 of 61



# TEST PLOT OF BAND EDGE FOR HIGH CHANNEL-Vertical

No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
	•	MHz	dBu∀	dB/m	dBu∀/m	dBuV/m	dB		cm	degree	
1	*	2480.000	86.82	10.41	97.23	74.00	23.23	peak			
2	Х	2480.000	78.81	10.41	89.22	74.00	15.22	AVG	100	312	
3		2483.500	33.26	10.41	43.67	74.00	-30.33	peak			
4		2486.323	33.94	10.41	44.35	74.00	-29.65	peak			

## **RESULT: PASS**

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Hopping on mode and Hopping off mode have been tested, but only worst case reported.

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



# AGC<sup>®</sup>鑫宇环检测 Attestation of Global Compliance


#### Report No.: AGC00079180704FE03 Page 44 of 61

# 11. 20DB BANDWIDTH

# **11.1. MEASUREMENT PROCEDURE**

- 1. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 2. Set Span = approximately 2 to 3 times the 20 dB bandwidth, centered on a hoping channel
- $RBW \ge 1\%$  of the 20 dB bandwidth,  $VBW \ge 3RBW$ ; Sweep = auto; Detector function = peak
- 3. Set SPA Trace 1 Max hold, then View.

# 11.2. TEST SET-UP




# **11.3. LIMITS AND MEASUREMENT RESULTS**

# FOR BR/EDR

BLUETOOTH 1MBPS LIMITS AND MEASUREMENT RESULT								
	Measurement Result							
Applicable Limits		Desult						
		99%OBW (MHz)	-20dB BW(MHz)	Result				
Sand Complete 6 These and a	Low Channel	0.983	1.107	PASS				
N/A	Middle Channel	0.972	1.114	PASS				
	High Channel	0.960	1.108	PASS				

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <a href="http://www.agconter.com">http://www.agconter.com</a>.



## TEST PLOT OF BANDWIDTH FOR LOW CHANNEL

Copyright 2000–2006 Agilent Technologies


鑫 宇 环 检 测 Attestation of Global Compliance

C ( C

**GC** 8

Attestation of Global Compliance

#### TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL



The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.geit.com.

Fax: +86-755 2600 8484

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China

Tel: +86-755 2908 1955

E-mail: agc@agc-cert.com

400 089 2118




# TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL

The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



BLUETOOTH 2MBPS LIMITS AND MEASUREMENT RESULT									
		Measurement Result							
Applicable Limits		Dec.K							
		99%OBW (MHz)	-20dB BW(MHz)	Result					
The accompanies The Companies	Low Channel	1.229	1.405	PASS					
N/A	Middle Channel	1.241	1.432	PASS					
SCO	High Channel	1.229	1.401	PASS					
	-1111		Malon - F de	Non					

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Copyright 2000–2006 Agilent Technologies

环

Attestation of Global Compliance

测

检

宇

姦

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.




# TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

鑫 宇 环 检 测 Attestation of Global Compliance

C

#### TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results show of this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gatt.com.

BLUETOOTH 3MBPS LIMITS AND MEASUREMENT RESULT									
		Measurement Result							
Applicable Limits		Dara It							
		99%OBW (MHz)	-20dB BW(MHz)	Result					
The accompany the second	Low Channel	1.239	1.398	PASS					
N/A	Middle Channel	1.234	1.409	PASS					
SCC "	High Channel	1.234	1.413	PASS					

环

Attestation of Global Compliance


测

检


宇

姦

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



The results show of the steet report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.




# TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

鑫 宇 环 检 测 Attestation of Global Compliance

C

#### TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

# **12. FCC LINE CONDUCTED EMISSION TEST**

# 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST


Fromuenou	Maximum RF Line Voltage						
Frequency	Q.P.( dBuV)	Average( dBuV)					
150kHz~500kHz	66-56	56-46					
500kHz~5MHz	56	46					
5MHz~30MHz	60	50					

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

# 12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.





Report No.: AGC00079180704FE03 Page 52 of 61

## 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC charging voltage by adapter or PC which received 120V/60Hzpower by a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

## 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

# 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

N/A


Note: The BT function of EUT didn't work when charging.

The results show of this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00079180704FE03 Page 53 of 61

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FCC RADIATED EMISSION TEST SETUP




The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.





Report No.: AGC00079180704FE03 Page 54 of 61



The results show on the sample (s) tested unless otherwise stated and the sample (s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.




#### Report No.: AGC00079180704FE03 Page 55 of 61

# **APPENDIX B: PHOTOGRAPHS OF EUT**

TOTAL VIEW OF EUT



TOP VIEW OF EUT



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.geit.com.



Report No.: AGC00079180704FE03 Page 56 of 61



#### BOTTOM VIEW OF EUT

FRONT VIEW OF EUT




The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



#### Report No.: AGC00079180704FE03 Page 57 of 61

## BACK VIEW OF EUT



#### LEFT VIEW OF EUT



The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00079180704FE03 Page 58 of 61

## **RIGHT VIEW OF EUT**




#### VIEW OF EUT (PORT)

The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00079180704FE03 Page 59 of 61

#### OPEN VIEW OF EUT



**VIEW OF BATTERY** 




The results show the management of the sample (s) tested unless otherwise stated and the sample (s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attraction.




Report No.: AGC00079180704FE03 Page 60 of 61

#### **INTERNAL VIEW OF EUT-1**



#### **INTERNAL VIEW OF EUT-2**




The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.




Report No.: AGC00079180704FE03 Page 61 of 61

# **INTERNAL VIEW OF EUT-3**



**All Color Sample** 



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gent.com.