

FCC TEST REPORT

Application No.:	ZR/2019/40035
Applicant:	Nauto, Inc.
Address of Applicant	220 Portage Avenue, Palo Alto, California 94306
Manufacturer:	Nauto, Inc.
Address of Manufacturer	220 Portage Avenue, Palo Alto, California 94306
Factory:	DongGuan HeQin Electronic CO.,LTD
Address of Factory	Santun Road,Santun Village PortAvenue,Houjie Town,Dong Guan City,Guang Dong Province,P.R.China
EUT Description:	In-vehicle Camera
Model No.:	Nauto 3
Trade Mark:	Nauto
FCC ID:	2AKJ5-N3
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
Test Method	ANSI C63.10 (2013)
Date of Receipt:	2019/5/10
Date of Test:	2019/5/10to 2019/6/2
Date of Issue:	2019/6/2
Test Result:	PASS *

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, aspx: advection of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented the aptroval of the Company. Any unauthorized alteration, forgery or faisification of the company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ter retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@sos.com



Report No.: ZR/2019/4003504 Page: 2 of 76

1 Version

Revision Record							
Version Chapter Date Modifier Remark							
00		2019/6/2		Original			

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	2019/6/2
Checked By	David Chen (David Chen) /Reviewer	2019/6/2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test dand such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@cgs.com



Report No.: ZR/2019/4003504 Page: 3 of 76

Remark:

There are two configurations of the product, the differences are as follows:

Configuration 1								
Brand (supplier)	model]	Description					
Nauto	Nauto 3		UFS(32GB)	LPDDR4X_4GB	PCB Supplier			
			Hynix	Hynix	Zhuhai Founder PCB Development Co., Ltd.			

Configuration 2								
Brand (supplier)	model	I	Description					
Nauto	Nauto 3		UFS(32GB)	LPDDR4X_4GB	PCB Supplier			
			Sandisk	Micron	RED BOARD LTD			

According to the above differences, configuration 1 do Fully test, Configuration 2 spot check

2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result
Conducted Peak Output Power	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.3	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.8	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com



Report No.: ZR/2019/4003504 Page: 4 of 76

Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.10	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/ 15.209	ANSI C63.10 (2013)	Clause 4.11	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extore the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub aspne)(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esp.com**



......

Report No.: ZR/2019/4003504 Page: 5 of 76

Contents

1	VERSION	2
2	TEST SUMMARY	3
3	GENERAL INFORMATION	6
	3.1 CLIENT INFORMATION	6
	3.2 TEST LOCATION	6
	3.3 TEST FACILITY	7
	3.4 GENERAL DESCRIPTION OF EUT	8
	3.5 TEST ENVIRONMENT	
	3.6 DESCRIPTION OF SUPPORT UNITS	9
4	TEST RESULTS AND MEASUREMENT DATA	
	4.1 ANTENNA REQUIREMENT	10
	4.2 OTHER REQUIREMENTS FREQUENCY HOPPING SPREAD SPECTRUM SYSTEM HOPPING SEQUENCE	
	4.2.1 Test Requirement:	
	4.2.2 Conclusion	
	4.3 CONDUCTED PEAK OUTPUT POWER	11
	4.3.1 Test Results	12
	4.3.2 Test plots	13
	4.4 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH	
	4.4.1 Test Results	
	4.5.1	
	4.4.2 Test plots	19
	4.5 CARRIER FREQUENCIES SEPARATION	
	4.5.1 Test Results	
	4.5.2 Test plots:	
	4.6 HOPPING CHANNEL NUMBER	
	4.6.1 Test Results	
	4.6.2 Test plots	
	4.7 DWELL TIME	
	4.7.1 Test Results	
	4.7.2 Test plots	
	4.8 BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	4.8.1 Test plots	
	4.9 Spurious RF Conducted Emissions	
	4.9.1 Test plots	
	4.10 RADIATED SPURIOUS EMISSION	
	4.10.1 Radiated Emission below 1GHz	
	4.10.2 Transmitter Emission above 1GHz	
	4.11 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
	4.11.1 Test plots	
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	74
6	EQUIPMENT LIST	75
7	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com



Report No.: ZR/2019/4003504 Page: 6 of 76

3 General Information

3.1 Client Information

Applicant:	Nauto, Inc.
Address of Applicant:	220 Portage Avenue, Palo Alto, California 94306
Manufacturer:	Nauto, Inc.
Address of Manufacturer:	220 Portage Avenue, Palo Alto, California 94306
Factory:	DongGuan HeQin Electronic CO.,LTD
Address of Factory:	Santun Road,Santun Village PortAvenue,Houjie Town,Dong Guan City,Guang Dong Province,P.R.China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
E-mail:	ee.shenzhen@sgs.com



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CLDoccheck@ess.com**

> Report No.: ZR/2019/4003504 Page: 7 of 76

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excoreate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, preses contact us at teiephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, preses contact us at teiephone: (86-755) 8307 1443,

Report No.: ZR/2019/4003504 Page: 8 of 76

3.4 General Description of EUT

EUT Description::	In-vehicle Camera
Model No.:	Nauto 3
Trade Mark:	Nauto
Hardware Version:	ISN-203014-NAA-000
Software Version:	ZSA191_USERDEBUG_Shipping_D15_201904221052
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.
Bluetooth Version:	Bluetooth V5.0 LE +EDR
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Antenna Type:	🗌 External, 🖂 Integrated
Antenna Gain:	-3.4dBi
Power Supply	DC ; Battery PoE:; Other:

Operation Frequency each of channel									
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency		
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz		
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz		
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz		
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz		
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz		
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz		
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz		
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz		
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz		
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz		
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz		
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz		
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz		
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz		
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz		
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz		
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz		
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

> Report No.: ZR/2019/4003504 Page: 9 of 76

18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

3.5 Test Environment

Operating Environment			
Temperature: 24.0 °C			
Humidity:	55 % RH		
Atmospheric Pressure:	101.30 KPa		

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (0.4). Decender@mas.aspx

> Report No.: ZR/2019/4003504 Page: 10 of 76

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -3.4dBi.

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.



> Report No.: ZR/2019/4003504 Page: 11 of 76

> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.

4.3 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.5		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	(20.97dBm) 125mW		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this tost report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com 10x1Workhon, M-10, Midde Section, Science & Technology Park, Shenzhen, China 518057 tt (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn



Report No.: ZR/2019/4003504 Page: 12 of 76

4.3.1 Test Results

Measurement Data of Average power:

GFSK mode			
Test channel	Average Output Power (dBm)	Result	
Lowest	7.1	Report purpose only	
Middle	7.3	Report purpose only	
Highest	7.7	Report purpose only	
	π/4DQPSK mode		
Test channel	Average Output Power (dBm)	Result	
Lowest	7.5	Report purpose only	
Middle	7.7	Report purpose only	
Highest	8.0	Report purpose only	
	8DPSK mode		
Test channel	Average Output Power (dBm)	Result	
Lowest	7.5	Report purpose only	
Middle	7.7	Report purpose only	
Highest	8.0	Report purpose only	

Measurement Data of Peak power:

	GFSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	7.29	20.97	Pass		
Middle	7.43	20.97	Pass		
Highest	8.21	20.97	Pass		
	π/4DQPSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	10.03	20.97	Pass		
Middle	10.40	20.97	Pass		
Highest	10.66	20.97	Pass		
	8DPSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	10.43	20.97	Pass		
Middle	10.75	20.97	Pass		
Highest	10.97	20.97	Pass		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.



Report No.: ZR/2019/4003504 Page: 13 of 76










Report No.: ZR/2019/4003504 14 of 76 Page:



M1[1] 10.03 dBn 20 dBm 2.4020000 GH 10 dBm 0 dBm--10 dBm -20 dBm -30 dBm 48 dBm -50 dBm -60 dBm -70 dBm 1001 pts CF 2.402 GHz Span 15.0 MHz B-IGINGS 27.05.2019 16:47:07 Measuring...

Date: 27.MAY.2019 16:47:07




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443, testered in the Deschader and the same

Report No.: ZR/2019/4003504 Page: 15 of 76

node:	π/4DQPSK	Test channel:	Middle
Spectrum			
Ref Level 25.40) dBm Offset 5.40 dB 🔤 RB 30 dB 🍙 SWT 10 ms 👜 VB		X *
●1Pk Max			
20 dBm		M1[1]	10.40 dBm 2.4411050 GHz
20 0011		M1	2.4411030 042
10 dBm			
0 dBm			
-10 dBm			
-20 dBm-			
-20 Ubiii			1
-30 dBm			
- Instrumble			- Andrew and and
eeato dBm			waters
-50 dBm			
-60 dBm			
-00 0011			
-70 dBm			
CF 2.441 GHz		1001 pts	Span 15.0 MHz
Con El TTT GITE			27.05.2019

Date: 27.MAY.2019 16:51:54




Date: 27.MAY.2019 16:52:37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: (N.Doccheck@css.com



Report No.: ZR/2019/4003504 Page: 16 of 76



Date: 27.MAY.2019 16:51:44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com

Measuring...


E-ILIGERS!

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

27.05.2019 16:51:43



Report No.: ZR/2019/4003504 Page: 17 of 76



Date: 27.MAY.2019 16:52:48



> Report No.: ZR/2019/4003504 Page: 18 of 76

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.7		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	NA		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		

4.4 20dB Emission Bandwidth & 99% Occupied Bandwidth

4.4.1 Test Results

Mode	Test Channel	99% Occupied Bandwidth (KHz)	20dB Emission Bandwidth (KHz)	Result
	Lowest	830.2	815.2	Pass
GFSK	Middle	860.2	947.1	Pass
	Highest	830.2	947.1	Pass
	Lowest	1165.8	1288.7	Pass
π/4DQPSK	Middle	1165.8	1279.7	Pass
	Highest	1168.8	1291.7	Pass
	Lowest	1171.8	1294.7	Pass
8DPSK	Middle	1159.8	1294.7	Pass
	Highest	1177.8	1273.7	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) test relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443;

Report No.: ZR/2019/4003504 Page: 19 of 76

4.4.2 Test plots


4.5.2.1



Date: 27.MAY.2019 16:20:16



Report No.: ZR/2019/4003504 Page: 20 of 76




Date: 27.MAY.2019 16:21:57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com

Report No.: ZR/2019/4003504 Page: 21 of 76



Spectrum Reflevel 25.40 dBm Offset 5.40 dB = RBW 30 kHz 30 dB 🖷 SWT 10 ms - VBW 100 kHz Mode Auto FFT Att 1Pk Max M1[1] 5.51 dBn 20 dBm 2.47999400 GHz ndB 20,00 dB 10 dBm 947.10000000 kH; Ru M Q factor 2618.6 0 dBm--10 dBm--20 dBm--30 dBm 40 dBm -BB dBm -60 dBm--70 dBm CF 2.48 GHz 1001 pts Span 3.0 MHz Marker Type Ref Trc Function **Function Result** X-value Y-value 2.479994 GHz 5.51 dBm 947.1 kHz ndB down Τ1 2,4795385 GHz -14.37 dBm ndB 20.00 dB 2,4804855 GHz -14.67 dBm O factor 2618.6 T2 27.05.2019 16:22:24 Examples 🗰 Measuring...

Date: 27.MAY.2019 16:22:24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itseld and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: **CN_Doccheck@egs.cm**

Report No.: ZR/2019/4003504 Page: 22 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or small.

> Report No.: ZR/2019/4003504 Page: 23 of 76





> Report No.: ZR/2019/4003504 Page: 24 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or small.

Report No.: ZR/2019/4003504 Page: 25 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: **CAL Doccheck@cgs.com**

> Report No.: ZR/2019/4003504 Page: 26 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.

Report No.: ZR/2019/4003504 Page: 27 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or small.

Report No.: ZR/2019/4003504 Page: 28 of 76

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.2 Spectrum Analyzer E.U.T Test Setup: Non-Conducted Table Ground Reference Plane 2/3 of the 20dB bandwidth Limit: Remark: the transmission power is less than 0.125W. Hopping transmitting with all kind of modulation and all kind of data type. Exploratory Test Mode: Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Test Results: Pass

4.5 Carrier Frequencies Separation





Report No.: ZR/2019/4003504 Page: 29 of 76

4.5.1 Test Results

GFSK mode					
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	998	631.4	Pass		
	π/4DQPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	1001	861.1	Pass		
	8DPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	1001	863.1	Pass		

Remark: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	947.1	631.4
π/4DQPSK	1291.7	861.1
8DPSK	1294.7	863.1




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.



Report No.: ZR/2019/4003504 Page: 30 of 76


4.5.2 Test plots:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443, or email: (8

Report No.: ZR/2019/4003504 Page: 31 of 76



Date: 27.MAY.2019 16:57:53



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443, external full. Dependences and the formation of the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZR/2019/4003504 Page: 32 of 76

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.3 Spectrum Analyzer 000 000 000 E.U.T 1 Test Setup: Non-Conducted Table Ground Reference Plane Limit: At least 15 channels Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 5.10 for details Test Results: Pass

4.6 Hopping Channel Number

4.6.1 Test Results


Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Terms-and-Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditins/Ter

Report No.: ZR/2019/4003504 Page: 33 of 76

4.6.2 Test plots




Date: 27.MAY.2019 17:01:58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or smail: CN.Doccheck@css.com

Report No.: ZR/2019/4003504 Page: 34 of 76



Date: 27.MAY.2019 17:02:44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Terms-and-Terms-and-Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Terms-And-Terms



Report No.: ZR/2019/4003504 Page: 35 of 76

4.7 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10:2013 Section 7.8.4	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Instruments Used:	Refer to section 5.10 for details	
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.	
Limit:	0.4 Second	
Test Results:	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: ZR/2019/4003504 Page: 36 of 76

4.7.1 Test Results

Operation Modes	On time (ms) on one channel
DH1	0.408
DH3	1.671
DH5	2.924
2-DH1	0.414
2-DH3	1.671
2-DH5	2.924
3-DH1	0.414
3-DH3	1.674
3-DH5	2.929

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 2-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.924 ms/channel =311.90 ms(worst case dwell time for one channel in 1x/EDR

modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 2-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.924 ms/channel=155.97 ms(worst case dwell time for one channel in AFH mode)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined thereand. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cillent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg testing of 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (0.10, Dependencements).



Report No.: ZR/2019/4003504 Page: 37 of 76


4.7.2 Test plots

4.7.2.1 DH1 _Middle Channel



Date: 27.MAY.2019 17:34:53

4.7.2.2 DH3 _ Middle Channel



Date: 27.MAY.2019 17:36:29




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or service 100 Dependence and




Report No.: ZR/2019/4003504 Page: 38 of 76

4.7.2.3 DH5 _ Middle Channel



4.7.2.4 2DH1 _Middle Channel



Date: 27.MAY.2019 17:35:12




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or service 100 Dependence and




Report No.: ZR/2019/4003504 Page: 39 of 76

4.7.2.5 2DH3 _ Middle Channel



4.7.2.6 2DH5 _ Middle Channel



Date: 27.MAY.2019 17:38:06




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443, testered in the Deschader and the same




Report No.: ZR/2019/4003504 Page: 40 of 76

4.7.2.7 3DH1 _Middle Channel



4.7.2.8 3DH3 _ Middle Channel



Date: 27.MAY.2019 17:37:01




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or semicl



Report No.: ZR/2019/4003504 Page: 41 of 76

4.7.2.9 3DH5 _ Middle Channel



Date: 27.MAY.2019 17:38:20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, http://www.stransaction.com/endefined/files/file



Report No.: ZR/2019/4003504 Page: 42 of 76

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10:2013 Section 7.8.6
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass

4.8 Band-edge for RF Conducted Emissions




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the excore at the protocode of this document is arasaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@egs.com**



Report No.: ZR/2019/4003504 Page: 43 of 76

4.8.1 Test plots




Date: 27.MAY.2019 17:05:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**



> Report No.: ZR/2019/4003504 Page: 44 of 76



4.8.1.2 GFSK _Lowest Channel_ Hopping OFF

4.8.1.3 GFSK _Highest Channel_ Hopping ON

Spectrum Ref Level 25.40 dBm Offset 5.40 dB 🖷 RBW 100 kHz Att 30 dB 🖷 SWT 10 ms 🖷 VBW 300 kHz Mode Auto Sweep 01Pk View D1[1] 61.10 dB 20 dBm 3.36700 MHz M1[1] 7.57 dBm 2.48016300 GHz 10 dBm 0 dBm -10 dBm D1 -12,430 dBm -20 dBm -30 dBm 40 dBm -50 dBm Heldhoeldhoen 1. Anne Maryahe -60 dBm--70 dBm-1001 pts CF 2.4835 GHz Span 10.0 MHz Measuring... 27.05.2019 17:12:56 **H**ERERAR

Date: 27.MAY.2019 17:12:57




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (ab campany is testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or ema

SGS SC Br

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/4003504 Page: 45 of 76



4.8.1.5 π/4DQPSK _Lowest Channel_ Hopping ON

Spectrum Ref Level 25.40 dBm Offset 5.40 dB 🖷 RBW 100 kHz Att 30 dB 🖷 SWT 10 ms 🖷 VBW 300 kHz Mode Auto Sweep 01Pk View D1[1] 57.82 dB 20 dBm 4.96500 MH M1[1] 8.32 dBn 2.40484500 GM 10 dBmmil 0 dBm--10 dBm-D1 -11.680 dBm--20 dBm--30 dBm Myrigh -40 dBm--50 dBm maniherenterenenter Man II at it is she have be and the sear Build Ld -60 dBm -70 dBm-1001 pts CF 2.4 GHz Span 10.0 MHz Measuring... 27.05.2019 17:05:11

Date: 27.MAY.2019 17:05:11




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**

SGS SG

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/4003504 Page: 46 of 76



4.8.1.7 π/4DQPSK _Highest Channel_ Hopping ON

Spectrum Ref Level 25.40 dBm Offset 5.40 dB 🖷 RBW 100 kHz Att 30 dB 🖷 SWT 10 ms 🖷 VBW 300 kHz Mode Auto Sweep 01Pk View D1[1] 62.13 dB 20 dBm 3.58600 MHz M1[1] 8.31 dBm 2.48017300 GHz MI 10 dBm herhyd Aller 0 dBm -10 dBm-D1 -11.690 -20 dBm -30 dBm The berge 40 dBm Mallan MA -50 dBm in the aner and the production of the second well was and the second and the second second second second second -60 dBm -70 dBm-1001 pts CF 2.4835 GHz Span 10.0 MHz Measuring... 27.05.2019 17:14:10

Date: 27.MAY.2019 17:14:11




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (ab campany is testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or ema


SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Broneb

> Report No.: ZR/2019/4003504 Page: 47 of 76



4.8.1.9 8DPSK _Lowest Channel_ Hopping ON




Date: 27.MAY.2019 17:03:59



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com




Report No.: ZR/2019/4003504 Page: 48 of 76





8DPSK _Highest Channel_ Hopping ON



Date: 27.MAY.2019 17:15:23




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



4.8.1.12

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/4003504 Page: 49 of 76



Date: 27.MAY.2019 17:09:24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**



Report No.: ZR/2019/4003504 Page: 50 of 76

4.9 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10:2013 Section 7.8.8
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the excore at the protocode of this document is arasaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@egs.com**

Report No.: ZR/2019/4003504 Page: 51 of 76

4.9.1 Test plots

4.9.1.1 GFSK _Lowest Channel




Date: 27.MAY.2019 17:33:12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (ab campany is testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or ema




> Report No.: ZR/2019/4003504 Page: 52 of 76



Date: 27.MAY.2019 17:21:34

4.9.1.3 GFSK _Highest Channel




Date: 27.MAY.2019 17:20:37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (ab campany is testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or ema




Report No.: ZR/2019/4003504 Page: 53 of 76



4.9.1.4 π/4DQPSK _Lowest Channel

Date: 27.MAY.2019 17:31:13

4.9.1.5 π/4DQPSK _Middle Channel




Date: 27.MAY.2019 17:22:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:




Report No.: ZR/2019/4003504 Page: 54 of 76



4.9.1.6 π/4DQPSK _Highest Channel

Date: 27.MAY.2019 17:19:52

4.9.1.7 8DPSK_Lowest Channel




Date: 27.MAY.2019 17:29:30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:




Report No.: ZR/2019/4003504 Page: 55 of 76



Date: 27.MAY.2019 17:23:48

4.9.1.9 8DPSK_Highest Channel



Date: 27.MAY.2019 17:18:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (ab campany is testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or ema



Report No.: ZR/2019/4003504 Page: 56 of 76

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: ZR/2019/4003504 Page: 57 of 76

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10: 2013								
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
Dessiver Ostern	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak				
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak				
	Above 1GHz	Peak	1MHz	3MHz	Peak				
		Peak	1MHz	10Hz	Average				
	Frequency	Field strength (microvolt/meter)	Limit (dBuV/ m)	Remark	Measuremen t distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	500	54.0	Average	3				
	Above 1GHz 500 54.0 Average 3 Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								


4.10 Radiated Spurious Emission



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the approval of the Company. Any unathorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and submanife(s) does not not submitive only. Attention repetition report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (8



Report No.: ZR/2019/4003504 Page: 58 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: ZR/2019/4003504 Page: 59 of 76

Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. h. Test the EUT in the lowest channel (2402MHz), the middle channel (2441MHz), the Highest channel (2480MHz) i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. 					
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.					
	Through Pre-scan, find the					
	DH5 of data type and GFSK modulation is the worst case.					
Final Tast Made:	Pretest the EUT at Charge + Transmitting mode					
Final Test Mode:	For below 1GHz part, through pre-scan, the worst case is the lowest					
	channel.					
	Only the worst case is recorded in the report.					
Instruments Used:	Refer to section 5.10 for details					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document covenerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test extent of the law. Unless otherwise stated the results chown in this test report refer only to the sample(s) test extent of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN-Doccheck@sgs.com

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/4003504 Page: 60 of 76



4.10.1 Radiated Emission below 1GHz


Suspected List


Suspe	Suspected List										
NO.	Freq.	Level	Factor	Limit	Margin	Height	Angle	Polarity			
	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	,			
1	31.4557	29.94	-32.82	40.00	10.06	100	196	Vertical			
2	61.5408	34.77	-32.04	40.00	5.23	100	50	Vertical			
3	82.4062	32.03	-35.28	40.00	7.97	100	323	Vertical			
4	357.053	29.56	-26.11	46.00	16.44	100	203	Vertical			
5	575.897	28.29	-20.74	46.00	17.71	100	339	Vertical			
6	769.509	31.19	-17.25	46.00	14.81	100	190	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CNLDoccheck@esps.com







Suspected List


Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	61.0555	28.62	-31.91	40.00	11.38	200	313	Horizontal			
2	98.4192	26.95	-31.96	43.50	16.55	200	127	Horizontal			
3	155.677	25.74	-34.51	43.50	17.76	200	344	Horizontal			
4	240.110	28.50	-29.60	46.00	17.50	100	211	Horizontal			
5	479.819	29.60	-23.22	46.00	16.40	200	161	Horizontal			
6	921.875	32.42	-14.90	46.00	13.58	100	324	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entry or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esp.com**



Report No.: ZR/2019/4003504 Page: 62 of 76




4.10.2 Transmitter Emission above 1GHz

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2978.99	37.71	2.32	54.00	16.29	150	311	Vertical			
2	2984.99	48.91	2.32	74.00	25.09	150	334	Vertical			
3	4804.00	38.52	-20.38	74.00	35.48	150	294	Vertical			
4	4804.00	27.18	-20.38	54.00	26.82	150	310	Vertical			
5	7206.00	32.56	-12.76	54.00	21.44	150	67	Vertical			
6	7206.00	43.51	-12.76	74.00	30.49	150	310	Vertical			
7	17548.9	46.92	0.98	54.00	7.08	150	357	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)

Report No.: ZR/2019/4003504 Page: 63 of 76




Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2939.98	37.70	2.29	54.00	16.30	150	97	Vertical				
2	2998.49	49.74	2.33	74.00	24.26	150	191	Vertical				
3	4882.00	40.25	-19.26	74.00	33.75	150	213	Vertical				
4	4882.00	27.72	-19.26	54.00	26.28	150	181	Vertical				
5	7323.00	46.26	-11.38	74.00	27.74	150	165	Vertical				
6	7323.00	34.77	-11.38	54.00	19.23	150	262	Vertical				
7	17557.9	47.23	1.09	54.00	6.77	150	246	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CND.Doccheck@esp.com

Report No.: ZR/2019/4003504 Page: 64 of 76



Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2949.48	49.17	2.29	74.00	24.83	150	316	Vertical				
2	2971.99	37.92	2.31	54.00	16.08	150	136	Vertical				
3	4960.00	39.58	-18.67	74.00	34.42	150	293	Vertical				
4	4960.00	28.24	-18.67	54.00	25.76	150	148	Vertical				
5	7440.00	46.28	-10.72	74.00	27.72	150	278	Vertical				
6	7440.00	35.62	-10.72	54.00	18.38	150	342	Vertical				
7	17556.9	46.96	1.08	54.00	7.04	150	104	Vertical				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the Aproxed and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/4003504 Page: 65 of 76




Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2949.98	38.20	2.29	54.00	15.80	150	232	Horizontal			
2	2957.98	48.72	2.30	74.00	25.28	150	303	Horizontal			
3	4804.00	38.31	-20.38	74.00	35.69	150	342	Horizontal			
4	4804.00	26.77	-20.38	54.00	27.23	150	197	Horizontal			
5	7206.00	44.38	-12.76	74.00	29.62	150	277	Horizontal			
6	7206.00	32.40	-12.76	54.00	21.60	150	310	Horizontal			
7	17530.4	46.78	0.74	54.00	7.22	150	275	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the Aproxed and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307

Report No.: ZR/2019/4003504 Page: 66 of 76




Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2835.95	38.05	2.18	54.00	15.95	150	66	Horizontal				
2	2902.47	49.27	2.26	74.00	24.73	150	169	Horizontal				
3	4882.00	39.13	-19.26	74.00	34.87	150	326	Horizontal				
4	4882.00	28.16	-19.26	54.00	25.84	150	20	Horizontal				
5	7323.00	46.13	-11.38	74.00	27.87	150	133	Horizontal				
6	7323.00	34.59	-11.38	54.00	19.41	150	85	Horizontal				
7	17534.4	46.59	0.79	54.00	7.41	150	302	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CND.Doccheck@esp.com

Report No.: ZR/2019/4003504 Page: 67 of 76



Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2893.47	38.01	2.25	54.00	15.99	150	225	Horizontal			
2	2962.49	49.16	2.30	74.00	24.84	150	225	Horizontal			
3	4960.00	39.39	-18.67	74.00	34.61	150	50	Horizontal			
4	4960.00	28.30	-18.67	54.00	25.70	150	114	Horizontal			
5	7440.00	47.21	-10.72	74.00	26.79	150	269	Horizontal			
6	7440.00	35.53	-10.72	54.00	18.47	150	154	Horizontal			
7	17528.4	46.73	0.71	54.00	7.27	150	46	Horizontal			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.




	Unless otherwise agreed in writing, this document is overleaf, available on request or accessible at http://www subject to Terms and Conditions for Electronic Document Attention is drawn to the limitation of liability, indemnif advised that information contained hereon reflects the Client's instructions, if any. The Company's sole resp transaction from exercising all their rights and obligat except in full, without prior written approval of the Co appearance of this document is unlawful and offenders results shown in this test report refer only to the sample(Attention: To check the authenticity of testing /inspe	w.sgs.com/en/1 ents at <u>http://w</u> ication and juri Company's finc onsibility is to ions under the mpany. Any un may be prosect s) tested and su	erms-and-Conditions. ww.sgs.com/en/Terms soliciton issues define lings at the time of its its Client and this do transaction documen authorized alteration, uted to the fullest exte h sample(s) are retai	aspx and, for electron -and-Conditions/Terr d therein. Any holds s intervention only an ocument does not e: ts. This document c forgery or falsificat ant of the law. Unless ned for 30 days only.	nic format documents, ms-e-Document.aspx, ar of this document is nd within the limits of xonerate parties to a annot be reproduced tion of the content or s otherwise stated the	
Ltd.	or email: CN.Doccheck@sgs.com [No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhe	en, China 518057	t (86-755) 26012053	f (86-755) 26710594	www.sgsgroup.com.cn	
W.	中国・深圳・科技园中区M-10栋一号厂房	邮编: 518057		f (86-755) 26710594	sgs.china@sgs.com	



Report No.: ZR/2019/4003504 Page: 68 of 76

4.11 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Sect	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10: 2013	NSI C63.10: 2013						
Test Site:	Measurement Distance	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)						
	Frequency	Limit (dBuV/m @3m)	Remark					
	30MHz-88MHz	40.0	Quasi-peak Value					
	88MHz-216MHz	43.5	Quasi-peak Value					
Limit:	216MHz-960MHz	46.0	Quasi-peak Value					
	960MHz-1GHz	54.0	Quasi-peak Value					
	Above 1GHz	54.0	Average Value					
	Above IGHZ	74.0	Peak Value					
Test Setup:								





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CND.Doccheck@esp.com



Report No.: ZR/2019/4003504 Page: 69 of 76

	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground
Test Procedure:	 to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit
	 frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for
	Transmitting mode, and found the X axis positioning which it is the worst case.
	j. Repeat above procedures until all frequencies measured was complete.
	Non-hopping transmitting mode with all kind of modulation and all kind of
Exploratory Test Mode:	data type Charge + Transmitting mode.
	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode,
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com



Report No.: ZR/2019/4003504 Page: 70 of 76

4.11.1 Test plots




Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2372.31	51.38	1.17	74.00	22.62	150	162	Vertical			
2	2372.46	37.69	1.17	54.00	16.31	150	186	Vertical			
3	2390.00	50.42	1.25	74.00	23.58	150	317	Vertical			
4	2390.00	37.67	1.25	54.00	16.33	150	251	Vertical			
5	2402.00	99.78	1.30	74.00	-25.78	150	120	Vertical			
6	2402.00	99.11	1.30	54.00	-45.11	150	123	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions

> Report No.: ZR/2019/4003504 Page: 71 of 76




Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2480.00	100.84	1.51	74.00	-26.84	150	120	Vertical			
2	2480.00	99.15	1.51	54.00	-45.15	150	131	Vertical			
3	2483.50	35.05	1.52	54.00	18.95	150	143	Vertical			
4	2483.50	51.84	1.52	74.00	22.16	150	267	Vertical			
5	2492.44	34.88	1.55	54.00	19.12	150	354	Vertical			
6	2493.19	48.93	1.55	74.00	25.07	150	346	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CND.Doccheck@esp.com

> Report No.: ZR/2019/4003504 Page: 72 of 76




Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2372.61	51.84	1.17	74.00	22.16	150	8	Horizontal			
2	2381.17	37.71	1.21	54.00	16.29	150	286	Horizontal			
3	2390.00	49.85	1.25	74.00	24.15	150	346	Horizontal			
4	2390.00	37.36	1.25	54.00	16.64	150	59	Horizontal			
5	2402.00	99.46	1.30	74.00	-25.46	150	2	Horizontal			
6	2402.00	99.16	1.30	54.00	-45.16	150	2	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

> Report No.: ZR/2019/4003504 Page: 73 of 76



Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2480.00	101.19	1.51	74.00	-27.19	150	346	Horizontal			
2	2480.00	98.78	1.51	54.00	-44.78	150	37	Horizontal			
3	2483.50	35.65	1.52	54.00	18.35	150	37	Horizontal			
4	2483.50	52.37	1.52	74.00	21.63	150	346	Horizontal			
5	2490.14	34.86	1.54	54.00	19.14	150	71	Horizontal			
6	2495.44	48.74	1.56	74.00	25.26	150	309	Horizontal			

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CN.Doccheck@css.com



Report No.: ZR/2019/4003504 Page: 74 of 76

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty	
1	Total RF power, conducted	±0.75dB	
2	RF power density, conducted	±2.84dB	
3	Spurious emissions, conducted	±0.75dB	
4	Radiated Spurious emission test	±4.5dB (30MHz-1GHz)	
4	Radiated Spundus emission test	±4.8dB (1GHz-25GHz)	
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)	
6	Temperature test	±1°C	
7	Humidity test	±3%	
8	DC and low frequency voltages	±0.5%	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: ZR/2019/4003504 Page: 75 of 76

6 Equipment List

Conducted Emission									
To at Family and	Manufactures	Maria I Mar		Cal. date	Cal.Duedate				
Test Equipment	Manufacturer	Model No.	Inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)				
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2017/5/10	2020/5/9				
LISN	Rohde & Schwarz	ENV216	SEM007-01	2018/9/2	2019/9/2				
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2019/3/2	2020/3/1				
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A				
Coaxial Cable	SGS	N/A	SEM024-01	2018/7/12	2019/7/11				
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN-T2-02	EMC0122	2019/2/11	2020/2/10				
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2019/3/2	2020/3/1				
	RF co	onducted test							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate				
	Manufacturer	moder no.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)				
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15				
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2019/1/13	2020/1/12				
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/13	2019/7/12				
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A				
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2				
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/27	2019/11/27				
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2018/9/2	2019/9/2				
	RE	in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date				
	Manalactarer	model No.	inventory no.	(yyyy-mm-dd)	(yyyy-mm-dd)				
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017/8/5	2020/8/4				
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A				
Coaxial Cable	SGS	N/A	SEM025-01	2018/7/12	2019/7/11				
MXE EMI Receiver (20Hz- 8.4GHz)	Agilent Technologies	N9038A	SEM004-05	2018/9/2	2019/9/2				
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017/6/27	2020/6/26				
Pre-amplifier (0.1-1.3GHz)	Agilent Technologies	8447D	SEM005-01	2019/3/2	2020/3/1				
	RE	in Chamber		I					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date				
			-	(yyyy-mm-dd)	(yyyy-mm-dd)				
2m Somi Anochoic Chambor		NI/A	SEM001 02	2019/2/12	2021/2/12				

To at Equipment	Manufacturar	Model No.		Cal. date	Cal.Due date
Test Equipment	Manufacturer Model No.		Inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2018/7/12	2019/7/11
EXA Signal Analyzer (10Hz- 26.5GHz)	Agilent Technologies Inc	N9010A	SEM004-09	2019/4/12	2020/4/11
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (0.8-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Pre-amplifier(0.1-1.3GHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2018/9/27	2019/9/27
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2019/3/2	2020/3/1
Band filter	N/A	N/A	SEM023-01	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the aptrover does not excore the aptrover of the Company. Any unauthorized alteration, forgery or faisification of the company sole responsibility is to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itset and such sample(s) are retained for 30 days only. Attention is to certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.D.poccheck@egs.com)



Report No.: ZR/2019/4003504 Page: 76 of 76

RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)			
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30			
EMI Test Receiver (9k-7GHz)	Rohde & Schwarz	ESR	SEM004-03	2019/3/2	2020/3/1			
Trilog-Broadband Antenna(25M- 2GHz)	Schwarzbeck	VULB9168	SEM003-18	2016/6/29	2019/6/28			
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2019/4/12	2020/4/11			
Loop Antenna (9kHz-30MHz)	ETS-Lindgren	6502	SEM003-08	2017/8/22	2020/8/21			
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM029-01	2018/7/12	2019/7/11			

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for ZR/2019/40035.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNLDoccheck@esp.com