

Report No.: SEWM2206000084RG04

Rev.: 01 Page: 1 of 8

TEST REPORT

Application No.: SEWM2206000084RG

Applicant: Nauto

Address of Applicant: 220 Portage Avenue, Palo Alto, California 94306

Manufacturer: Nauto

Address of Manufacturer: 220 Portage Avenue, Palo Alto, California 94306

EUT Description: Al-enabled fleet management in-vehicle device

Model No.: Nauto 3-1

Trade Mark: Nauto

FCC ID: 2AKJ5-N31

Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2022/6/20 **Date of Issue:** 2022/7/5

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: On check the authenticity of testing (inspection reports of certificities please contact us at testing large.)**

 South MN.6 Plant, No.1, Runshang Road, Suzbou Industrial Park, Suzbou Area, China (Liangsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 * 苏州 · 中国 (江苏) 自由贸易试验区苏州上区苏州工业园区海胜路 号的6号厂房南部
 邮编
 215000
 t (86–512) 62992980
 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2206000084RG04

Rev.: Page: 2 of 8

Version

Revision Record							
Version Chapter Date Modifier Remark							
01		2022/7/5		Original			

Prepared By	(Weller Liu) / Test Supervisor
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2206000084RG04

01 Page: 3 of 8

Contents

1	Ver	rsion	2
		neral Information	
	2.2	Client Information	4
3		Exposure Evaluation	
	3.1 3.1	RF Exposure Compliance Requirement	6
		.2 Test Procedure	
	3.1	.3 EUT RF Exposure Evaluation	7
	3.1	.4 Exposure calculations for multiple sources	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2206000084RG04

Rev.: 01 Page: 4 of 8

2 General Information

2.1 Client Information

Applicant:	Nauto
Address of Applicant:	220 Portage Avenue, Palo Alto, California 94306
Manufacturer:	Nauto
Address of Manufacturer:	220 Portage Avenue, Palo Alto, California 94306

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



sgs.china@sgs.com



Report No.: SEWM2206000084RG04

Rev.: 01 Page: 5 of 8

2.3 General Description of EUT

EUT Description:	Al-enabled fleet ma	Al-enabled fleet management in-vehicle device						
Model No.:	Nauto 3-1	Nauto 3-1						
Trade Mark:	Nauto							
Hardware Version:	V8							
Software Version:	F50							
Antenna Type:	☐ External, ⊠ Inte	egrated						
	⊠Provided by client							
	WCDMA Band II:	0.7dBi	WCDMA Band V:	-0.1dBi				
	LTE Band 2:	0.7dBi	LTE Band 4:	0.6dBi				
Antenna Gain*:	LTE Band 5:	-0.1dBi	LTE Band 12:	-0.2dBi				
	LTE Band 13:	0.5dBi	LTE Band 14:	0.1dBi				
	LTE Band 66:	0.6dBi	LTE Band 71:	-0.1dBi				
	BT/BLE:	-1.0dBi	2.4G WIFI:	-1.0dBi				

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents at subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2206000084RG04

Rev.: 01 Page: 6 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)				Averaging time (minutes)						
	(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6						
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	/	/	f/300	6						
1500-100,000	/	/	5	6						
	(B) Limits for General P	opulation/Uncontrolled	Exposure							
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	/	/	f/1500	30						
1500-100,000	/	/	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thite: http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

^{*=}Plane-wave equivalent power density



Report No.: SEWM2206000084RG04

Rev.: 01 Page: 7 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale.

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequenc y (MHz)	Antenna Gain (dBi)	Max Conducted Average Output Power (dBm)	Output Power to Antenna (dBm)	EIRP(ERP) Limit (dBm)	Output Power to Antenna (mw)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
WCDMAB2	1852.4	0.70	24.00	24.70	33.00	251.1886	0.0587	1.0000	9.00	13.01	9.00	Pass
WCDMA B5	826.4	-0.10	24.00	21.75	38.45	251.1886	0.0488	0.5509	16.60	10.42	10.42	Pass
LTE B2	1880	0.70	24.00	24.70	33.00	251.1886	0.0587	1.0000	9.00	13.01	9.00	Pass
LTE B4	1710.7	0.60	24.00	24.60	30.00	251.1886	0.0574	1.0000	6.00	13.01	6.00	Pass
LTE B5	824.70	-0.10	24.00	21.75	38.45	251.1886	0.0488	0.5498	16.60	10.41	10.41	Pass
LTE B12	699.70	-0.20	24.00	21.65	34.77	251.1886	0.0477	0.4665	12.92	9.70	9.70	Pass
LTE B13	779.50	0.50	24.00	22.35	34.77	251.1886	0.0561	0.5197	12.92	10.16	10.16	Pass
LTE B14	790.5	0.10	24.00	21.95	34.77	251.1886	0.0511	0.5270	12.92	10.23	10.23	Pass
LTE B66	1710.7	0.60	24.00	24.60	30.00	251.1886	0.0574	1.0000	6.00	13.01	6.00	Pass
LTE B71	665.5	0.10	24.00	21.95	34.77	251.1886	0.0511	0.4437	12.92	9.48	9.48	Pass
BT	2402	1.00	8.50	9.50	30.00	7.0795	0.0018	1.0000				Pass
2.4G WIFI	2412	1.00	17.00	18.00	30.00	50.1187	0.0126	1.0000				Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CA. Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2206000084RG04

Rev.: 01 Page: 8 of 8

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration
	WCDMA + Bluetooth
l	WCDMA + WiFi 2.4G
2	LTE + Bluetooth
	LTE + WiFi 2.4G

No.	Mode	Power Density (W/cm2)	MPE Limit (W/cm2)	Result Ratio	Total Ratio	Limit	Result
	WCDMA Band V	0.0488	0.5509	0.0886	0.0904	1.00	Pass
	Bluetooth	0.0018	1.0000	0.0018	0.0904	1.00	Fd55
'	WCDMA Band V	0.0488	0.5509	0.0886	0.1012	1.00	Pass
	WiFi 2.4G	0.0126	1.0000	0.0126	0.1012	1.00	
2	LTE Band 71	0.0511	0.4437	0.1152	0.1170	1.00	Pass
	Bluetooth	0.0018	1.0000	0.0018	0.1170	1.00	
	LTE Band 71	0.0511	0.4437	0.1152	0.1278 1.00	Dana	
	WiFi 2.4G	0.0126	1.0000	0.0126	0.1276	1.00	Pass

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sag.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com