





Mode	65																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.25</td><td>62.08</td><td>74.00</td><td>-11.92</td><td>52.36</td><td>35.16</td><td>10.81</td><td>36.25</td><td>0.00</td><td>113</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5468.25</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>47.78</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>113</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.25	62.08	74.00	-11.92	52.36	35.16	10.81	36.25	0.00	113	293	PEAK	2	5468.25	57.46	68.20	-10.74	47.78	35.03	10.85	36.20	0.00	113	293	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>102.12</td><td>-----</td><td>-----</td><td>92.33</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>113</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.12	-----	-----	92.33	34.90	10.96	36.07	0.00	113	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5435.25	62.08	74.00	-11.92	52.36	35.16	10.81	36.25	0.00	113	293	PEAK																																																																																																				
2	5468.25	57.46	68.20	-10.74	47.78	35.03	10.85	36.20	0.00	113	293	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	102.12	-----	-----	92.33	34.90	10.96	36.07	0.00	113	293	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.63</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>40.72</td><td>35.22</td><td>10.79</td><td>36.27</td><td>0.00</td><td>113</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.63	50.46	54.00	-3.54	40.72	35.22	10.79	36.27	0.00	113	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.07</td><td>-----</td><td>-----</td><td>81.28</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>113</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.07	-----	-----	81.28	34.90	10.96	36.07	0.00	113	293	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5419.63	50.46	54.00	-3.54	40.72	35.22	10.79	36.27	0.00	113	293	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	91.07	-----	-----	81.28	34.90	10.96	36.07	0.00	113	293	AVERAGE																																																																																																				



Mode	65																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																						
ANT	1																																						
Pol.	Vertical	Fundamental																																					
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.52</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>46.30</td><td>34.98</td><td>11.18</td><td>37.30</td><td>0.00</td><td>113</td><td>293</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.52	55.16	68.20	-13.04	46.30	34.98	11.18	37.30	0.00	113	293	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5725.52	55.16	68.20	-13.04	46.30	34.98	11.18	37.30	0.00	113	293	PEAK																											



Mode	65																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																			
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>56.80</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	44.35	74.00	-29.65	56.80	37.95	16.13	66.53						0.00		--	--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>56.82</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	44.37	74.00	-29.63	56.82	37.95	16.13	66.53						0.00		--	--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11140.00	44.35	74.00	-29.65	56.80	37.95	16.13	66.53																																																																																																																				
					0.00		--	--																																																																																																																				
								PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11140.00	44.37	74.00	-29.63	56.82	37.95	16.13	66.53																																																																																																																				
					0.00		--	--																																																																																																																				
								PEAK																																																																																																																				



Mode	66																																																																																											
	Band Edge																																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 2484.04</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>41.98</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>132 266 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2484.04	51.38	74.00	-22.62	41.98	32.99	7.26	36.85	6.00									132 266 PEAK	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 2480.00</td><td>101.42</td><td>-----</td><td>-----</td><td>92.07</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>132 266 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	101.42	-----	-----	92.07	32.96	7.25	36.86	6.00									132 266 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 2484.04	51.38	74.00	-22.62	41.98	32.99	7.26	36.85	6.00																																																																																				
								132 266 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 2480.00	101.42	-----	-----	92.07	32.96	7.25	36.86	6.00																																																																																				
								132 266 PEAK																																																																																				
Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 2483.50</td><td>40.15</td><td>54.00</td><td>-13.85</td><td>30.76</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>132 266 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	40.15	54.00	-13.85	30.76	32.98	7.26	36.85	6.00									132 266 AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 2480.00</td><td>99.15</td><td>-----</td><td>-----</td><td>89.80</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>132 266 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	99.15	-----	-----	89.80	32.96	7.25	36.86	6.00									132 266 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 2483.50	40.15	54.00	-13.85	30.76	32.98	7.26	36.85	6.00																																																																																				
								132 266 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 2480.00	99.15	-----	-----	89.80	32.96	7.25	36.86	6.00																																																																																				
								132 266 AVERAGE																																																																																				







Mode	66																																																										
	Band Edge																																																										
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																										
ANT	1																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.56</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>42.50</td><td>32.98</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>11 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.56	51.89	74.00	-22.11	42.50	32.98	7.26	36.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2483.56	51.89	74.00	-22.11	42.50	32.98	7.26	36.85	6.00	100	11 PEAK																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>99.17</td><td>-----</td><td>-----</td><td>89.82</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>11 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	99.17	-----	-----	89.82	32.96	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2480.00	99.17	-----	-----	89.82	32.96	7.25	36.86	6.00	100	11 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2491.72</td><td>39.95</td><td>54.00</td><td>-14.05</td><td>30.47</td><td>33.04</td><td>7.27</td><td>36.83</td><td>6.00</td><td>100</td><td>11 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2491.72	39.95	54.00	-14.05	30.47	33.04	7.27	36.83	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2491.72	39.95	54.00	-14.05	30.47	33.04	7.27	36.83	6.00	100	11 AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>96.90</td><td>-----</td><td>-----</td><td>87.55</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>11 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	96.90	-----	-----	87.55	32.96	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2480.00	96.90	-----	-----	87.55	32.96	7.25	36.86	6.00	100	11 AVERAGE																																																




Mode	66																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>61.50</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>60.02</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.55	74.00	-33.45	61.50	34.24	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.11	74.00	-31.89	60.02	35.94	12.78	66.63	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>61.09</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>59.52</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.14	74.00	-33.86	61.09	34.24	10.40	65.59	0.00	--	--	PEAK	2	7440.00	41.61	74.00	-32.39	59.52	35.94	12.78	66.63	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.55	74.00	-33.45	61.50	34.24	10.40	65.59	0.00	--	--	PEAK																																																																																																																		
2	7440.00	42.11	74.00	-31.89	60.02	35.94	12.78	66.63	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.14	74.00	-33.86	61.09	34.24	10.40	65.59	0.00	--	--	PEAK																																																																																																																		
2	7440.00	41.61	74.00	-32.39	59.52	35.94	12.78	66.63	0.00	--	--	PEAK																																																																																																																		







Mode	66																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.31</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>51.79</td><td>35.09</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>5469.35</td><td>60.67</td><td>68.20</td><td>-7.53</td><td>51.00</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.31	61.48	74.00	-12.52	51.79	35.09	10.83	36.23	0.00	100	2	5469.35	60.67	68.20	-7.53	51.00	35.02	10.85	36.20	0.00	100	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.33</td><td>95.65</td><td>-----</td><td>-----</td><td>92.30</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>5570.00</td><td>100.68</td><td>-----</td><td>-----</td><td>90.89</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.33	95.65	-----	-----	92.30	32.96	7.25	36.86	0.00	100	2	5570.00	100.68	-----	-----	90.89	34.90	10.96	36.07	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5451.31	61.48	74.00	-12.52	51.79	35.09	10.83	36.23	0.00	100																																																																																																														
2	5469.35	60.67	68.20	-7.53	51.00	35.02	10.85	36.20	0.00	100																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2479.33	95.65	-----	-----	92.30	32.96	7.25	36.86	0.00	100																																																																																																														
2	5570.00	100.68	-----	-----	90.89	34.90	10.96	36.07	0.00	100																																																																																																														
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.95</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>40.97</td><td>35.09</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.95	50.66	54.00	-3.34	40.97	35.09	10.83	36.23	0.00	100	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.33</td><td>91.71</td><td>-----</td><td>-----</td><td>88.36</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>5570.00</td><td>91.71</td><td>-----</td><td>-----</td><td>88.36</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.33	91.71	-----	-----	88.36	32.96	7.25	36.86	0.00	100	2	5570.00	91.71	-----	-----	88.36	32.96	7.25	36.86	0.00	100											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5451.95	50.66	54.00	-3.34	40.97	35.09	10.83	36.23	0.00	100																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2479.33	91.71	-----	-----	88.36	32.96	7.25	36.86	0.00	100																																																																																																														
2	5570.00	91.71	-----	-----	88.36	32.96	7.25	36.86	0.00	100																																																																																																														




Mode	66																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5730.19</td><td>55.80</td><td>68.20</td><td>-12.40</td><td>47.01</td><td>34.99</td><td>11.18</td><td>37.38</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>128</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5730.19	55.80	68.20	-12.40	47.01	34.99	11.18	37.38								0.00									100	128									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5730.19	55.80	68.20	-12.40	47.01	34.99	11.18	37.38																																																									
							0.00																																																										
							100	128																																																									
								PEAK																																																									





Mode	66																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.46</td><td>62.29</td><td>74.00</td><td>-11.71</td><td>52.61</td><td>35.06</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr><tr><td>2</td><td>5469.35</td><td>62.02</td><td>68.20</td><td>-6.18</td><td>52.35</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.46	62.29	74.00	-11.71	52.61	35.06	10.84	36.22	0.00	100	28 PEAK	2	5469.35	62.02	68.20	-6.18	52.35	35.02	10.85	36.20	0.00	100	28 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2479.33</td><td>93.26</td><td>-----</td><td>-----</td><td>89.91</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>28 Peak</td></tr><tr><td>2</td><td>5570.00</td><td>99.86</td><td>-----</td><td>-----</td><td>90.07</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.33	93.26	-----	-----	89.91	32.96	7.25	36.86	0.00	100	28 Peak	2	5570.00	99.86	-----	-----	90.07	34.90	10.96	36.07	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5459.46	62.29	74.00	-11.71	52.61	35.06	10.84	36.22	0.00	100	28 PEAK																																																																																																																		
2	5469.35	62.02	68.20	-6.18	52.35	35.02	10.85	36.20	0.00	100	28 PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2479.33	93.26	-----	-----	89.91	32.96	7.25	36.86	0.00	100	28 Peak																																																																																																																		
2	5570.00	99.86	-----	-----	90.07	34.90	10.96	36.07	0.00	100	28 PEAK																																																																																																																		
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.09</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>41.24</td><td>35.08</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.09	50.94	54.00	-3.06	41.24	35.08	10.84	36.22	0.00	100	28 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2479.33</td><td>90.17</td><td>-----</td><td>-----</td><td>86.82</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>28 Average</td></tr><tr><td>2</td><td>5570.00</td><td>91.16</td><td>-----</td><td>-----</td><td>81.37</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.33	90.17	-----	-----	86.82	32.96	7.25	36.86	0.00	100	28 Average	2	5570.00	91.16	-----	-----	81.37	34.90	10.96	36.07	0.00	100	28 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5455.09	50.94	54.00	-3.06	41.24	35.08	10.84	36.22	0.00	100	28 AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2479.33	90.17	-----	-----	86.82	32.96	7.25	36.86	0.00	100	28 Average																																																																																																																		
2	5570.00	91.16	-----	-----	81.37	34.90	10.96	36.07	0.00	100	28 AVERAGE																																																																																																																		



Mode	66																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5727.47</td><td>55.76</td><td>68.20</td><td>-12.44</td><td>46.93</td><td>34.98</td><td>11.18</td><td>37.33</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.47	55.76	68.20	-12.44	46.93	34.98	11.18	37.33	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5727.47	55.76	68.20	-12.44	46.93	34.98	11.18	37.33																														



Mode	66																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>57.94</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	45.49	74.00	-28.51	57.94	37.95	16.13	66.53								0.00									--	--	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.65</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	45.20	74.00	-28.80	57.65	37.95	16.13	66.53								0.00									--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																															
1	11140.00	45.49	74.00	-28.51	57.94	37.95	16.13	66.53																																																																																																															
							0.00																																																																																																																
							--	--																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																															
1	11140.00	45.20	74.00	-28.80	57.65	37.95	16.13	66.53																																																																																																															
							0.00																																																																																																																
							--	--																																																																																																															




Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	99.23	-	-	10Hz
802.11ax HE20 RU52	98.51	-	-	10Hz
802.11ax HE20 RU106	97.35	0.662	1.511	1.6KHz




802.11a



Date: 28.MAR.2024 00:14:28


802.11ax HE20



Date: 28.MAR.2024 00:16:06




802.11ax HE40



Date: 28.MAR.2024 00:17:43


802.11ax HE80



Date: 28.MAR.2024 00:18:57




802.11ax HE160




Date: 28.MAR.2024 00:19:43

802.11ax HE20 RU 26





802.11ax HE20 RU 52



802.11ax HE20 RU 106

