




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.025	30	Pass
NVNT	BLE	2442	Ant1	0.418	30	Pass
NVNT	BLE	2480	Ant1	-0.584	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.666	0.5	Pass
NVNT	BLE	2442	Ant1	0.668	0.5	Pass
NVNT	BLE	2480	Ant1	0.67	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.066	
NVNT	BLE	2442	Ant1	1.067	
NVNT	BLE	2480	Ant1	1.066	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-15.197	8	Pass
NVNT	BLE	2442	Ant1	-14.843	8	Pass
NVNT	BLE	2480	Ant1	-15.87	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.38	-20	Pass
NVNT	BLE	2480	Ant1	-49.72	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.47	-20	Pass
NVNT	BLE	2442	Ant1	-43.56	-20	Pass
NVNT	BLE	2480	Ant1	-42.22	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-0.8825 dBm

-46.86 dBm -48.41 dBm -48.66 dBm

-43.42 dBm

Function

**Function Width** 

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.049 GHz 7.221 GHz 9.918 GHz

23.926 GHz



