

Test mode 3

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1477
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:15:57
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.7601	45.06	-10.39	34.67	40.00	-5.33	QP			
2	44.7433	46.87	-12.58	34.29	40.00	-5.71	QP			
3	80.6441	51.79	-16.36	35.43	40.00	-4.57	QP			
4	188.4124	53.76	-12.66	41.10	43.50	-2.40	QP			
5	378.5842	49.94	-7.37	42.57	46.00	-3.43	QP			
6	752.7432	41.09	-1.00	40.09	46.00	-5.91	QP			

Job No.: STAR2015 #1476

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: AUX IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 18:11:04

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4059	46.00	-9.65	36.35	40.00	-3.65	QP			
2	81.2117	51.70	-16.25	35.45	40.00	-4.55	QP			
3	121.9755	50.09	-13.38	36.71	43.50	-6.79	QP			
4	162.6106	50.47	-14.50	35.97	43.50	-7.53	QP			
5	188.4124	51.33	-12.66	38.67	43.50	-4.83	QP			
6	219.0752	49.00	-11.74	37.26	46.00	-8.74	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1491
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 19:14:24
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4474.465	43.53	-1.41	42.12	74.00	-31.88	peak			
2	4474.465	36.78	-1.41	35.37	54.00	-18.63	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 59 of 90

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1490

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: AUX IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:10:10

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4229.384	42.81	-1.70	41.11	74.00	-32.89	peak			
2	4229.384	34.24	-1.70	32.54	54.00	-21.46	AVG			

Test mode 4

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1445
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 202.2MHz RX
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:32:03
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	38.5001	52.40	-18.63	33.77	40.00	-6.23	QP			
2	78.2887	56.88	-22.97	33.91	40.00	-6.09	QP			
3	90.4196	59.00	-21.91	37.09	43.50	-6.41	QP			
4	177.5178	61.72	-20.56	41.16	43.50	-2.34	QP			
5	211.6110	54.31	-18.46	35.85	43.50	-7.65	QP			
6	355.9397	57.73	-14.44	43.29	46.00	-2.71	QP			

Job No.: STAR2016 #1446
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 202.2MHz RX
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:35:59
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.0000	50.11	-16.80	33.31	40.00	-6.69	QP			
2	33.5700	52.76	-17.30	35.46	40.00	-4.54	QP			
3	36.7811	52.78	-18.07	34.71	40.00	-5.29	QP			
4	73.4907	53.60	-23.04	30.56	40.00	-9.44	QP			
5	98.0301	61.73	-21.61	40.12	43.50	-3.38	QP			
6	177.5178	61.55	-20.56	40.99	43.50	-2.51	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1461

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: 202.2MHz RX

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:32:35

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4177.496	41.72	-2.50	39.22	74.00	-34.78	peak			
2	4177.496	34.17	-2.50	31.67	54.00	-22.33	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 63 of 90

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1462
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 202.2MHz RX
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:35:06
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4686.433	41.15	-1.93	39.22	74.00	-34.78	peak			
2	4686.433	33.67	-1.93	31.74	54.00	-22.26	AVG			

Test mode 5

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1478
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: USB PLAYING
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:19:00
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.7486	43.70	-10.20	33.50	40.00	-6.50	QP			
2	44.5867	44.28	-12.55	31.73	40.00	-8.27	QP			
3	81.4970	52.00	-16.18	35.82	40.00	-4.18	QP			
4	188.4125	53.45	-12.66	40.79	43.50	-2.71	QP			
5	300.3672	48.62	-9.29	39.33	46.00	-6.67	QP			
6	324.4561	50.76	-8.56	42.20	46.00	-3.80	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 65 of 90

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1479
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: USB PLAYING
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:22:50
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.5198	45.40	-9.68	35.72	40.00	-4.28	QP			
2	81.4970	52.17	-16.18	35.99	40.00	-4.01	QP			
3	122.8340	48.67	-13.47	35.20	43.50	-8.30	QP			
4	215.2678	50.36	-11.86	38.50	43.50	-5.00	QP			
5	324.4560	49.37	-8.56	40.81	46.00	-5.19	QP			
6	348.0274	48.14	-7.80	40.34	46.00	-5.66	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1488

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: USB PLAYING

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:00:24

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3991.298	42.75	-1.65	41.10	74.00	-32.90	peak			
2	3991.298	33.67	-1.65	32.02	54.00	-21.98	AVG			

Job No.: STAR2015 #1489

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: USB PLAYING

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:06:43

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4771.994	42.34	-0.48	41.86	74.00	-32.14	peak			
2	4771.994	34.00	-0.48	33.52	54.00	-20.48	AVG			

Test mode 6

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1470
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 17:49:38
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.7486	46.14	-10.20	35.94	40.00	-4.06	QP			
2	37.0248	44.81	-10.87	33.94	40.00	-6.06	QP			
3	44.4307	47.64	-12.51	35.13	40.00	-4.87	QP			
4	80.9275	51.67	-16.31	35.36	40.00	-4.64	QP			
5	188.4125	53.97	-12.66	41.31	43.50	-2.19	QP			
6	324.4560	49.69	-8.56	41.13	46.00	-4.87	QP			

Job No.: STAR2015 #1471
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 17:52:30
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.9791	46.70	-9.82	36.88	40.00	-3.12	QP			
2	82.0705	51.68	-16.06	35.62	40.00	-4.38	QP			
3	89.2762	52.94	-15.11	37.83	43.50	-5.67	QP			
4	118.1860	49.47	-13.15	36.32	43.50	-7.18	QP			
5	162.0414	50.56	-14.52	36.04	43.50	-7.46	QP			
6	382.5878	43.88	-7.30	36.58	46.00	-9.42	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: STAR2015 #1492
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 19:17:53
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4787.379	42.16	-0.39	41.77	74.00	-32.23	peak			
2	4787.379	34.82	-0.39	34.43	54.00	-19.57	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 71 of 90

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1493

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:21:15

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4749.009	42.59	-0.60	41.99	74.00	-32.01	peak			
2	4749.009	34.24	-0.60	33.64	54.00	-20.36	AVG			

Test mode 7

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1474
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:03:17
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	37.6798	43.97	-11.02	32.95	40.00	-7.05	QP			
2	44.5867	45.61	-12.55	33.06	40.00	-6.94	QP			
3	81.2116	52.14	-16.25	35.89	40.00	-4.11	QP			
4	161.4740	50.65	-14.52	36.13	43.50	-7.37	QP			
5	188.4124	53.72	-12.66	41.06	43.50	-2.44	QP			
6	779.6068	41.02	-0.41	40.61	46.00	-5.39	QP			

Job No.: STAR2015 #1475
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:07:15
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4059	46.00	-9.65	36.35	40.00	-3.65	QP			
2	81.4969	52.47	-16.18	36.29	40.00	-3.71	QP			
3	119.0180	50.78	-13.15	37.63	43.50	-5.87	QP			
4	131.2965	50.11	-13.92	36.19	43.50	-7.31	QP			
5	162.6106	51.34	-14.50	36.84	43.50	-6.66	QP			
6	219.0751	47.87	-11.74	36.13	46.00	-9.87	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1495

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:29:17

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4749.009	42.38	-0.60	41.78	74.00	-32.22	peak			
2	4749.009	34.70	-0.60	34.10	54.00	-19.90	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 75 of 90

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1494

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:24:31

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4726.134	42.44	-0.73	41.71	74.00	-32.29	peak			
2	4726.134	34.16	-0.73	33.43	54.00	-20.57	AVG			

Test mode 8

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1473
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:00:31
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	42.06	-10.21	31.85	40.00	-8.15	QP			
2	82.3588	50.70	-15.98	34.72	40.00	-5.28	QP			
3	126.3285	47.64	-13.77	33.87	43.50	-9.63	QP			
4	160.9088	51.24	-14.53	36.71	43.50	-6.79	QP			
5	188.4124	53.57	-12.66	40.91	43.50	-2.59	QP			
6	385.2805	50.09	-7.28	42.81	46.00	-3.19	QP			

Job No.: STAR2015 #1472

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 17:55:34

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.7486	46.23	-9.75	36.48	40.00	-3.52	QP			
2	82.0705	51.70	-16.06	35.64	40.00	-4.36	QP			
3	87.4175	51.67	-15.23	36.44	40.00	-3.56	QP			
4	135.9822	50.10	-14.31	35.79	43.50	-7.71	QP			
5	162.0414	54.36	-14.52	39.84	43.50	-3.66	QP			
6	324.4560	46.47	-8.56	37.91	46.00	-8.09	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1496
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1504
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 19:32:44
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4779.680	42.39	-0.43	41.96	74.00	-32.04	peak			
2	4779.680	34.91	-0.43	34.48	54.00	-19.52	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161336

Page 79 of 90

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1497

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1504

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2016/07/09

Time: 19:36:09

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161336



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4991.959	41.64	0.66	42.30	74.00	-31.70	peak			
2	4991.959	34.74	0.66	35.40	54.00	-18.60	AVG			

6. PHOTOGRAPHS

6.1.Photos of Radiated Emission Measurement



6.2.Photo of Conducted Emission Measurement



7. PHOTO OF EUT







