



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Diagnostic Tool

Test Model: MOTO MINI

Environmental Conditions

| | |
|--------------------|------------|
| Temperature: | 23.8°C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Paddi Chen |
| Supervised by: | Ling Zhu |





A.1 -20dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 1.011 | N/A | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 1.035 | N/A | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | 0.983 | N/A | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 1.306 | N/A | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 1.304 | N/A | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 1.281 | N/A | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 1.297 | N/A | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 1.297 | N/A | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 1.285 | N/A | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Peak Conducted Output Power


| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 0.41 | 21 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 0.47 | 21 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | 0.71 | 21 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 0.18 | 21 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 0.36 | 21 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 0.42 | 21 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 0.29 | 21 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 0.47 | 21 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 0.45 | 21 | Pass |






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

| Condition | Mode | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT | 1-DH5 | Ant1 | 2402.002 | 2402.96 | 0.958 | 0.690 | Pass |
| NVNT | 2-DH5 | Ant1 | 2402.002 | 2403.142 | 1.14 | 0.871 | Pass |
| NVNT | 3-DH5 | Ant1 | 2402.118 | 2403.136 | 1.018 | 0.865 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

| Condition | Mode | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 2.882 | 293.964 | 102 | 31600 | 400 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 2.88 | 290.88 | 101 | 31600 | 400 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 2.887 | 308.909 | 107 | 31600 | 400 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

| Condition | Mode | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT | 1-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 2-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 3-DH5 | Ant1 | 79 | 15 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | -54.59 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | -56.89 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | -54.41 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | -56.29 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | -51.57 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | -55.82 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | Hopping | -55.46 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | Hopping | -55.72 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | Hopping | -54.53 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | Hopping | -55.12 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | Hopping | -54.96 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | Hopping | -54.78 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | -55.57 | -20 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | -54.63 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | -55.74 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | -53.26 | -20 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | -54.87 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | -53.79 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | -54.18 | -20 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | -54.77 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | -54.75 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------|----------|----------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -49.36 | 2 | 47.9 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.74 | 2 | 39.52 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2367.312 | -47.34 | 2 | 49.92 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2375.856 | -57.28 | 2 | 39.98 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -51.34 | 2 | 45.92 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.38 | 2 | 39.88 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -50.24 | 2 | 47.02 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -55.76 | 2 | 41.5 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2494.6 | -47.34 | 2 | 49.92 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -55.76 | 2 | 41.5 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -50.67 | 2 | 46.59 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.05 | 2 | 40.21 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -50.17 | 2 | 47.09 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.73 | 2 | 39.53 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2363.184 | -47.11 | 2 | 50.15 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2384.88 | -57.23 | 2 | 40.03 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -51.25 | 2 | 46.01 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.41 | 2 | 39.85 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -50.09 | 2 | 47.17 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -55.45 | 2 | 41.81 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2488.36 | -46.5 | 2 | 50.76 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -55.45 | 2 | 41.81 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -50.51 | 2 | 46.75 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.04 | 2 | 40.22 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -49.39 | 2 | 47.87 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.71 | 2 | 39.55 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2379.216 | -46.03 | 2 | 51.23 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2380.848 | -57.23 | 2 | 40.03 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -49.95 | 2 | 47.31 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.41 | 2 | 39.85 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -49.95 | 2 | 47.31 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -55.52 | 2 | 41.74 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2492.776 | -46.95 | 2 | 50.31 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -55.52 | 2 | 41.74 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -49.09 | 2 | 48.17 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.12 | 2 | 40.14 | Average | 54 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

