

**Test Frequency For Each Mode:**

Operation Modes	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
WCDMA	826.4	836.6	846.6

**Test Data:****FCC §2.1046; § 22.913 (a)****RF Output Power:**

Test Mode	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
	Lowest Channel	Middle Channel	Highest Channel		
WCDMA R99 Subtest 1	22.39	22.39	22.26	21.04	38.45
HSDPA Subtest 1	22.69	22.82	22.82	21.47	38.45
HSDPA Subtest 2	22.99	21.99	22.12	21.64	38.45
HSDPA Subtest 3	22.39	22.65	21.65	21.3	38.45
HSDPA Subtest 4	21.76	21.02	21.02	20.41	38.45
HSUPA Subtest 1	22.69	22.43	22.43	21.34	38.45
HSUPA Subtest 2	22.19	22.32	22.32	20.97	38.45
HSUPA Subtest 3	21.95	21.69	21.69	20.6	38.45
HSUPA Subtest 4	21.27	21.4	21.27	20.05	38.45
HSUPA Subtest 5	21.86	21.86	21.86	20.51	38.45
<b>Result:</b>				<b>Pass</b>	

**Peak-to-average Ratio(PAR)**

Test Mode	Peak-to-average Ratio(dB)			Limit (dB)
	Lowest Channel	Middle Channel	Highest Channel	
WCDMA R99	2.55	2.75	2.96	13
HSDPA	2.55	3.45	3.45	13
HSUPA	2.72	3.51	3.45	13
<b>Result:</b>				<b>Pass</b>

<b>FCC §2.1049, §22.917, §22.905:Occupied Bandwidth</b>						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
WCDMA R99	4.192	4.192	4.192	4.75	4.755	4.75
HSDPA	4.172	4.192	4.192	4.759	4.73	4.759
HSUPA	4.212	4.212	4.192	4.873	4.853	4.75

Note: The test plots please refer to the Plots of Occupied Bandwidth


<b>FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal</b>	
<b>Result:</b>	<b>Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.</b>

<b>FCC §2.1051, §22.917(a):Out of band emission, Band Edge</b>	
<b>Result:</b>	<b>Pass, Please refer to the test plots of Out of band emission, Band Edge.</b>

<b>FCC §2.1055, §22.355: Frequency Stability</b>					
Test Modulation:	WCDMA R99		Test Channel:	836.6	MHz
Test Item	Temperature (°C)	Voltage (V <sub>DC</sub> )	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	18	0.02	2.5
	-20	3.8	24	0.03	2.5
	-10	3.8	-12	-0.01	2.5
	0	3.8	22	0.03	2.5
	10	3.8	20	0.02	2.5
	20	3.8	26	0.03	2.5
	30	3.8	18	0.02	2.5
	40	3.8	-16	-0.02	2.5
Frequency Stability vs. Voltage	20	3.5	24	0.03	2.5
	20	4.3	22	0.03	2.5
<b>Result:</b>				<b>Pass</b>	

Test Plots:

Occupied Bandwidth




### Occupied Bandwidth


Channel

HSUPA


Lowest



Middle



Highest





### Spurious Emissions at Antenna Terminal



Channel

WCDMA R99



Lowest



Middle



Highest



Out of band emission, Band Edge

Mode	Lowest	Highest
R99		
HSUPA		
HSDPA		

**4.6 Antenna Port Test Data and Results for LTE Band 2:**

Serial Number:	CR21090060-RF-S1/2	Test Date:	2021/9/29~2021/10/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	Le qiao	Test Result:	Pass

**Environmental Conditions:**

Temperature: (°C)	25.9~28.1	Relative Humidity: (%)	51~60	ATM Pressure: (kPa)	100.2~100.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

**Test Equipment List and Details:**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2021/7/22	2022/7/21
ZHAOXIN	DC Power Supply	RXN-6010D	21R60	N/A	N/A
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021/7/22	2022/7/21
Mini-Circuits	DC Block	BLK-18-S+	1554403	2021/8/8	2022/8/7
BACL	TEMP&HUMI Test Chamber	BTH-150	30026	2021/7/22	2022/7/22
UNI-T	Multimeter	UT39A+	C210582554	2021/8/30	2022/8/30
E-Microwave	Two-way Splitter	ODP-1-6	OE0120176	Each Time	N/A

\* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**EUT Information@ LTE Band 2▲:**

Antenna Gain (dBi):	1	Cable Loss (dB):	0.2
Operation Voltage(V <sub>DC</sub> ):			
Lowest:	3.5	Normal:	3.8
		Highest:	4.3



**Test Frequency For Each Mode:**

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1850.7	1880	1909.3
3MHz	1851.5	1880	1908.5
5MHz	1852.5	1880	1907.5
10MHz	1855	1880	1905
15MHz	1857.5	1880	1902.5
20MHz	1860	1880	1900

**Test Data:****FCC §2.1046; § 24.232****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	21.92	21.95	21.82	22.96	33
	RB1#3	21.97	22	21.84		
	RB1#5	21.98	21.97	21.77		
	RB3#0	22.16	21.94	21.89		
	RB3#3	22.14	21.95	21.92		
	RB6#0	21.07	20.8	20.89		
1.4MHz 16QAM	RB1#0	20.83	21.17	21.52	22.33	33
	RB1#3	20.88	21.13	21.51		
	RB1#5	20.87	21.23	21.53		
	RB3#0	21.18	20.83	20.75		
	RB3#3	21.12	21.01	20.74		
	RB6#0	20.26	20.01	19.95		
3MHz QPSK	RB1#0	21.92	21.83	21.71	22.72	33
	RB1#8	21.91	21.83	21.82		
	RB1#14	21.86	21.83	21.78		
	RB6#0	20.94	20.9	20.82		
	RB6#9	20.93	20.99	20.9		
	RB15#0	20.99	20.87	20.84		
3MHz 16QAM	RB1#0	21.25	21.33	20.53	22.24	33
	RB1#8	21.25	21.44	20.6		
	RB1#14	21.12	21.44	20.64		
	RB6#0	20.23	19.97	20.08		
	RB6#9	20.45	20.14	20.06		
	RB15#0	20.11	19.79	19.87		
5MHz QPSK	RB1#0	21.93	21.93	21.76	22.75	33
	RB1#13	21.77	21.93	21.7		
	RB1#24	21.71	21.95	21.81		



	RB15#0	21.12	20.86	20.76		
	RB15#10	20.91	20.93	20.92		
	RB25#0	20.88	20.81	20.75		
5MHz 16QAM	RB1#0	20.35	21.05	20.46	21.85	33
	RB1#13	20.14	21.05	20.44		
	RB1#24	20.17	21.05	20.57		
	RB15#0	20.14	19.72	19.97		
	RB15#10	20.33	19.87	19.86		
	RB25#0	20.41	19.85	19.81		
10MHz QPSK	RB1#0	21.91	21.89	21.8	22.77	33
	RB1#25	21.79	21.9	21.83		
	RB1#49	21.88	21.97	21.91		
	RB25#0	20.9	20.84	20.83		
	RB25#25	21.01	20.96	20.83		
	RB50#0	20.95	20.88	20.89		
10MHz 16QAM	RB1#0	21.44	20.98	20.29	22.24	33
	RB1#25	21.26	20.94	20.35		
	RB1#49	21.27	21.03	20.4		
	RB25#0	20.38	20.13	20		
	RB25#25	20.02	20.09	19.99		
	RB50#0	19.97	19.9	19.86		
15MHz QPSK	RB1#0	21.95	21.8	21.86	22.79	33
	RB1#38	21.82	21.89	21.93		
	RB1#74	21.89	21.99	21.93		
	RB36#0	20.98	20.97	20.8		
	RB36#39	20.93	21.04	20.79		
	RB75#0	21.02	20.95	20.89		
15MHz 16QAM	RB1#0	21.42	20.95	20.97	22.22	33
	RB1#38	21.32	21.02	21.03		
	RB1#74	21.26	21.04	21.04		
	RB36#0	19.97	20.1	19.98		
	RB36#39	19.95	20.09	20.01		
	RB75#0	20.03	19.95	20		
20MHz QPSK	RB1#0	22.1	21.9	21.98	22.9	33
	RB1#50	21.96	21.95	21.89		
	RB1#99	22.01	22.07	22.05		
	RB50#0	20.98	20.86	20.87		
	RB50#50	20.97	20.89	20.84		
	RB100#0	20.96	20.93	20.93		
20MHz 16QAM	RB1#0	21.12	20.87	21.58	22.43	33
	RB1#50	21.09	20.83	21.63		
	RB1#99	21.11	20.95	21.59		
	RB50#0	20.01	20	20.28		
	RB50#50	20.12	20	19.91		
	RB100#0	19.99	19.9	19.95		
					<b>Result:</b>	<b>Pass</b>

<b>Peak-to-average Ratio(PAR)</b>					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.49	5.88	4.93	13
	RB100#0	5.04	5.1	5.13	13
20MHz 16QAM	RB1#0	5.48	5.91	6.7	13
	RB100#0	6	6	5.97	13
<b>Result:</b>					<b>Pass</b>

<b>FCC §2.1049, §24.238: Occupied Bandwidth</b>						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.266	1.254	1.266
1.4MHz 16QAM	1.102	1.108	1.096	1.26	1.272	1.254
3MHz QPSK	2.695	2.695	2.695	3	3.012	3.024
3MHz 16QAM	2.695	2.683	2.695	3.024	3.012	3.024
5MHz QPSK	4.531	4.511	4.491	5.02	5.02	5
5MHz 16QAM	4.511	4.531	4.551	5	5.02	5
10MHz QPSK	8.981	8.981	8.981	9.8	9.76	9.8
10MHz 16QAM	8.942	8.981	8.981	9.72	9.84	9.84
15MHz QPSK	13.473	13.473	13.593	15	15	15.18
15MHz 16QAM	13.473	13.533	13.593	15	15.18	15.12
20MHz QPSK	17.964	18.044	18.044	19.6	19.52	19.68
20MHz 16QAM	17.964	18.044	18.044	19.68	19.76	19.68

Note: The test plots please refer to the Plots of Occupied Bandwidth

<b>FCC §2.1051, §24.238 (a): Spurious Emissions at Antenna Terminal</b>	
<b>Result:</b>	<b>Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.</b>


<b>FCC §2.1051, §24.238 (a): Out of band emission, Band Edge</b>	
<b>Result:</b>	<b>Pass, Please refer to the test plots of Out of band emission, Band Edge.</b>

<b>FCC §2.1055, §24.235: Frequency Stability</b>					
Test Mode:	20 MHz QPSK		Test Channel:	1880	MHz
Test Item	Temperature (°C)	Voltage (V <sub>DC</sub> )	Frequency Error		Result
			(Hz)	(ppm)	
Frequency Stability vs. Temperature	-30	3.8	44.65	0.024	Pass
	-20	3.8	9.6	0.005	Pass
	-10	3.8	5.42	0.003	Pass
	0	3.8	7.32	0.004	Pass
	10	3.8	8.71	0.005	Pass
	20	3.8	-9.4	-0.005	Pass
	30	3.8	-9.58	-0.005	Pass
	40	3.8	-8.35	-0.004	Pass
Frequency Stability vs. Voltage	20	3.5	6.68	0.004	Pass
	20	4.3	-7.94	-0.004	Pass
				<b>Result:</b>	<b>Pass</b>

Test Mode:	20 MHz 16QAM		Test Channel:	1880	MHz
Test Item	Temperature (°C)	Voltage (V <sub>DC</sub> )	Frequency Error		Result
			(Hz)	(ppm)	
Frequency Stability vs. Temperature	-30	3.8	-27.05	-0.014	Pass
	-20	3.8	6.36	0.003	Pass
	-10	3.8	5.46	0.003	Pass
	0	3.8	-7.57	-0.004	Pass
	10	3.8	9.27	0.005	Pass
	20	3.8	-7.65	-0.004	Pass
	30	3.8	9.93	0.005	Pass
	40	3.8	6.18	0.003	Pass
	50	3.8	8.74	0.005	Pass
Frequency Stability vs. Voltage	20	3.5	7.05	0.004	Pass
	20	4.3	-7.83	-0.004	Pass
				<b>Result:</b>	<b>Pass</b>

Test Plots:

Occupied Bandwidth



### Occupied Bandwidth

Channel	3MHz Bandwidth QPSK	3MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

### Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM
Lowest	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -14.02 dBm 1.850000 GHz 1.850938124 MHz Occ Bw -2.03 dB D1[1] 10.100 dBm D2 -15.900 dBm</p> <p>CF 1.8525 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 19:57:59</p>	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -14.44 dBm 1.850000 GHz 1.850978004 MHz Occ Bw -1.06 dB D1[1] 10.790 dBm D2 -15.210 dBm</p> <p>CF 1.8525 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 19:58:31</p>
Middle	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -14.87 dBm 1.8775000 GHz 1.8775000 GHz Occ Bw -0.03 dB D1[1] 10.810 dBm D2 -15.190 dBm</p> <p>CF 1.88 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 19:58:55</p>	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -15.88 dBm 1.9050000 GHz 1.905098124 MHz Occ Bw -0.24 dB D1[1] 9.800 dBm D2 -16.200 dBm</p> <p>CF 1.88 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 19:59:21</p>
Highest	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -13.94 dBm 1.9050000 GHz 1.905107964 MHz Occ Bw 0.49 dB D1[1] 11.830 dBm D2 -14.170 dBm</p> <p>CF 1.9075 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 19:59:51</p>	<p>Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>MI[1] -14.62 dBm 1.9050000 GHz 1.905098204 MHz Occ Bw -0.59 dB D1[1] 10.700 dBm D2 -15.300 dBm</p> <p>CF 1.9075 GHz 501 pts Span 10.0 MHz</p> <p>Date: 6.OCT.2021 20:00:27</p>



### Occupied Bandwidth

Channel	10MHz Bandwidth QPSK	10MHz Bandwidth 16QAM
Lowest	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -19.04 dBm                      1.8501600 GHz                      Occ Bw 8.982035928 MHz                      0.29 dB                      9.8000 MHz                      D1 7.680 dBm                      D2 -18.320 dBm                      CF 1.855 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:01:19</p>	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -17.18 dBm                      1.8501600 GHz                      Occ Bw 8.942115768 MHz                      -0.27 dB                      9.7200 MHz                      D1 8.610 dBm                      D2 -17.390 dBm                      CF 1.855 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:01:50</p>
Middle	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -15.89 dBm                      1.8751600 GHz                      Occ Bw 8.982035928 MHz                      -0.16 dB                      9.7600 MHz                      D1 9.420 dBm                      D2 -16.580 dBm                      CF 1.88 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:02:29</p>	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -17.59 dBm                      1.9001200 GHz                      Occ Bw 8.982035928 MHz                      -1.96 dB                      9.8400 MHz                      D1 7.430 dBm                      D2 -18.570 dBm                      CF 1.88 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:03:07</p>
Highest	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -15.98 dBm                      1.9001600 GHz                      Occ Bw 8.982035928 MHz                      -1.16 dB                      9.8000 MHz                      D1 8.970 dBm                      D2 -17.030 dBm                      CF 1.905 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:03:46</p>	<p><b>Spectrum</b>                      Ref Level 20.00 dBm Offset 4.50 dB RBW 100 kHz                      Att 30 dB SWT 1 ms VBW 300 kHz Mode Sweep                      IPk Max                      MI[1] -18.57 dBm                      1.9001200 GHz                      Occ Bw 8.982035928 MHz                      0.95 dB                      9.8400 MHz                      D1 8.070 dBm                      D2 -17.930 dBm                      CF 1.905 GHz 501 pts Span 20.0 MHz                      Date: 6.OCT.2021 20:04:27</p>


### Occupied Bandwidth

Channel	15MHz Bandwidth QPSK	15MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		


### Occupied Bandwidth

Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

### Spurious Emissions at Antenna Terminal



### Spurious Emissions at Antenna Terminal







### Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





### Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle




Highest






### Spurious Emissions at Antenna Terminal



### Spurious Emissions at Antenna Terminal



Out of band emission, Band Edge

Mode	Lowest	Highest
QPSK 1.4MHz		
QPSK 3MHz		
QPSK 5MHz		